

RNALib-2.4.3

Generated by Doxygen 1.8.13

Contents

1 ViennaRNA Package core - RNAlib	1
1.1 Introduction	2
2 Installation and Configuration of RNAlib Features	3
2.1 Installing the ViennaRNA Package	3
2.1.1 Quick-start	3
2.1.2 Installation without root privileges	3
2.1.3 Notes for MacOS X users	4
2.2 Configuring RNAlib features	4
2.2.1 Streaming SIMD Extension (SSE) support	4
2.2.2 Scripting Interfaces	4
2.2.3 Cluster Analysis	5
2.2.4 Kinfold	5
2.2.5 RNAforester	5
2.2.6 Kinwalker	5
2.2.7 Link Time Optimization (LTO)	5
2.2.8 OpenMP support	6
2.2.9 Stochastic backtracking using Boustrophedon scheme	6
2.2.10 SVM Z-score filter in RNALfold	6
2.2.11 GNU Scientific Library	6
2.2.12 Disable C11/C++11 feature support	6
2.2.13 Enable warnings for use of deprecated symbols	7
2.2.14 Single precision partition function	7
2.2.15 Help	7
2.3 Linking against RNAlib	7
2.3.1 Compiler and Linker flags	8
2.3.2 The pkg-config tool	9

3	Parsing and Comparing - Functions to Manipulate Structures	11
4	Utilities - Odds and Ends	15
4.1	Producing secondary structure graphs	15
4.2	Producing (colored) dot plots for base pair probabilities	16
4.3	Producing (colored) alignments	17
4.4	RNA sequence related utilities	17
4.5	RNA secondary structure related utilities	17
4.6	Miscellaneous Utilities	18
5	RNALib API v3.0	21
5.1	Introduction	21
5.2	What are the major changes?	21
5.3	How to port your program to the new API	21
5.4	Some Examples using RNALib API v3.0	21
6	Callback Functions	23
7	Scripting Language interface(s)	25
7.1	Introduction	25
7.2	Function renaming scheme	25
7.3	Object oriented Interface for data structures	25
7.4	Examples	25
7.5	Wrapper notes	25
8	SWIG Wrapper Notes	27
9	Input / Output File Formats	33
9.1	File formats for Multiple Sequence Alignments (MSA)	33
9.1.1	ClustalW format	33
9.1.2	Stockholm 1.0 format	34
9.1.3	FASTA (Pearson) format	35
9.1.4	MAF format	35
9.2	File formats to manipulate the RNA folding grammar	36
9.2.1	Command Files	36
9.2.1.1	Constraint commands	36
9.2.1.2	RNA folding grammar extensions	36
9.2.1.3	Specification of the loop type context	37
9.2.1.4	Controlling the orientation of base pairing	37
9.2.1.5	Sequence coordinates	37
9.2.1.6	Valid constraint commands	38
9.2.1.7	Valid domain extensions commands	39

10 RNA Structure Notations	41
10.1 Common Notations for RNA secondary structures	41
10.1.1 Dot-Bracket Notation (a.k.a. Dot-Parenthesis Notation)	41
10.1.2 Extended Dot-Bracket Notation	41
10.1.3 Washington University Secondary Structure (WUSS) notation	42
11 Examples	43
11.1 Example programs using the RNAlib C library	43
11.1.1 Using the 'old' API	43
11.1.2 Using the 'new' v3.0 API	45
11.2 Perl Examples	45
11.2.1 Using the Flat Interface	45
11.2.2 Using the Object Oriented (OO) Interface	46
11.3 Python Examples	46
11.3.1 Using the Flat Interface	46
11.3.2 Using the Object Oriented (OO) Interface	46
12 Deprecated List	49
13 Bug List	59
14 Module Index	61
14.1 Modules	61
15 Data Structure Index	63
15.1 Data Structures	63
16 File Index	65
16.1 File List	65

17 Module Documentation	69
17.1 Free energy evaluation	69
17.1.1 Detailed Description	71
17.1.2 Function Documentation	72
17.1.2.1 <code>vrna_eval_structure()</code>	72
17.1.2.2 <code>vrna_eval_covar_structure()</code>	73
17.1.2.3 <code>vrna_eval_structure_simple()</code>	74
17.1.2.4 <code>vrna_eval_structure_verbose()</code>	74
17.1.2.5 <code>vrna_eval_structure_v()</code>	75
17.1.2.6 <code>vrna_eval_structure_simple_verbose()</code>	76
17.1.2.7 <code>vrna_eval_structure_simple_v()</code>	76
17.1.2.8 <code>vrna_eval_structure_pt()</code>	77
17.1.2.9 <code>vrna_eval_structure_pt_simple()</code>	78
17.1.2.10 <code>vrna_eval_structure_pt_verbose()</code>	78
17.1.2.11 <code>vrna_eval_structure_pt_v()</code>	79
17.1.2.12 <code>vrna_eval_structure_pt_simple_verbose()</code>	80
17.1.2.13 <code>vrna_eval_structure_pt_simple_v()</code>	80
17.1.2.14 <code>vrna_eval_loop_pt()</code>	81
17.1.2.15 <code>vrna_eval_move()</code>	81
17.1.2.16 <code>vrna_eval_move_pt()</code>	82
17.1.2.17 <code>energy_of_structure()</code>	83
17.1.2.18 <code>energy_of_struct_par()</code>	83
17.1.2.19 <code>energy_of_circ_structure()</code>	84
17.1.2.20 <code>energy_of_circ_struct_par()</code>	85
17.1.2.21 <code>energy_of_structure_pt()</code>	85
17.1.2.22 <code>energy_of_struct_pt_par()</code>	86
17.1.2.23 <code>energy_of_move()</code>	87
17.1.2.24 <code>energy_of_move_pt()</code>	88
17.1.2.25 <code>loop_energy()</code>	88
17.1.2.26 <code>energy_of_struct()</code>	89

17.1.2.27 <code>energy_of_struct_pt()</code>	90
17.1.2.28 <code>energy_of_circ_struct()</code>	90
17.2 Process and evaluate individual loops	92
17.2.1 Detailed Description	93
17.2.2 Data Structure Documentation	93
17.2.2.1 <code>struct vrna_mx_pf_aux_el_t</code>	93
17.2.2.2 <code>struct vrna_mx_pf_aux_ml_t</code>	93
17.2.3 Function Documentation	93
17.2.3.1 <code>E_ExtLoop()</code>	94
17.2.3.2 <code>exp_E_ExtLoop()</code>	94
17.2.3.3 <code>E_Stem()</code>	95
17.2.3.4 <code>exp_E_Stem()</code>	96
17.2.3.5 <code>E_Hairpin()</code>	96
17.2.3.6 <code>exp_E_Hairpin()</code>	97
17.2.3.7 <code>vrna_E_hp_loop()</code>	98
17.2.3.8 <code>vrna_E_ext_hp_loop()</code>	99
17.2.3.9 <code>vrna_eval_hp_loop()</code>	99
17.2.3.10 <code>vrna_exp_E_hp_loop()</code>	100
17.2.3.11 <code>vrna_BT_hp_loop()</code>	100
17.2.3.12 <code>E_IntLoop()</code>	101
17.2.3.13 <code>exp_E_IntLoop()</code>	102
17.2.3.14 <code>vrna_eval_int_loop()</code>	103
17.2.3.15 <code>vrna_E_mb_loop_stack()</code>	103
17.2.3.16 <code>vrna_BT_mb_loop()</code>	104
17.3 The RNA folding grammar	105
17.3.1 Detailed Description	105
17.4 Fine-tuning of the implemented models	106
17.4.1 Detailed Description	110
17.4.2 Data Structure Documentation	110
17.4.2.1 <code>struct vrna_md_s</code>	110

17.4.3 Macro Definition Documentation	113
17.4.3.1 VRNA_MODEL_DEFAULT_TEMPERATURE	113
17.4.3.2 VRNA_MODEL_DEFAULT_PF_SCALE	114
17.4.3.3 VRNA_MODEL_DEFAULT_BETA_SCALE	114
17.4.3.4 VRNA_MODEL_DEFAULT_DANGLES	114
17.4.3.5 VRNA_MODEL_DEFAULT_SPECIAL_HP	114
17.4.3.6 VRNA_MODEL_DEFAULT_NO_LP	115
17.4.3.7 VRNA_MODEL_DEFAULT_NO_GU	115
17.4.3.8 VRNA_MODEL_DEFAULT_NO_GU_CLOSURE	115
17.4.3.9 VRNA_MODEL_DEFAULT_CIRC	115
17.4.3.10 VRNA_MODEL_DEFAULT_GQUAD	116
17.4.3.11 VRNA_MODEL_DEFAULT_UNIQ_ML	116
17.4.3.12 VRNA_MODEL_DEFAULT_ENERGY_SET	116
17.4.3.13 VRNA_MODEL_DEFAULT_BACKTRACK	116
17.4.3.14 VRNA_MODEL_DEFAULT_BACKTRACK_TYPE	117
17.4.3.15 VRNA_MODEL_DEFAULT_COMPUTE_BPP	117
17.4.3.16 VRNA_MODEL_DEFAULT_MAX_BP_SPAN	117
17.4.3.17 VRNA_MODEL_DEFAULT_WINDOW_SIZE	117
17.4.3.18 VRNA_MODEL_DEFAULT_LOG_ML	118
17.4.3.19 VRNA_MODEL_DEFAULT_ALI_OLD_EN	118
17.4.3.20 VRNA_MODEL_DEFAULT_ALI_RIBO	118
17.4.3.21 VRNA_MODEL_DEFAULT_ALI_CV_FACT	118
17.4.3.22 VRNA_MODEL_DEFAULT_ALI_NC_FACT	119
17.4.4 Function Documentation	119
17.4.4.1 vrna_md_set_default()	119
17.4.4.2 vrna_md_update()	119
17.4.4.3 vrna_md_copy()	120
17.4.4.4 vrna_md_option_string()	120
17.4.4.5 vrna_md_defaults_reset()	120
17.4.4.6 vrna_md_defaults_temperature()	121

17.4.4.7 vrna_md_defaults_temperature_get()	121
17.4.4.8 vrna_md_defaults_betaScale()	122
17.4.4.9 vrna_md_defaults_betaScale_get()	122
17.4.4.10 vrna_md_defaults_dangles()	123
17.4.4.11 vrna_md_defaults_dangles_get()	123
17.4.4.12 vrna_md_defaults_special_hp()	123
17.4.4.13 vrna_md_defaults_special_hp_get()	124
17.4.4.14 vrna_md_defaults_noLP()	124
17.4.4.15 vrna_md_defaults_noLP_get()	124
17.4.4.16 vrna_md_defaults_noGU()	125
17.4.4.17 vrna_md_defaults_noGU_get()	125
17.4.4.18 vrna_md_defaults_noGUclosure()	126
17.4.4.19 vrna_md_defaults_noGUclosure_get()	126
17.4.4.20 vrna_md_defaults_logML()	126
17.4.4.21 vrna_md_defaults_logML_get()	127
17.4.4.22 vrna_md_defaults_circ()	127
17.4.4.23 vrna_md_defaults_circ_get()	127
17.4.4.24 vrna_md_defaults_gquad()	128
17.4.4.25 vrna_md_defaults_gquad_get()	128
17.4.4.26 vrna_md_defaults_uniq_ML()	129
17.4.4.27 vrna_md_defaults_uniq_ML_get()	129
17.4.4.28 vrna_md_defaults_energy_set()	129
17.4.4.29 vrna_md_defaults_energy_set_get()	130
17.4.4.30 vrna_md_defaults_backtrack()	130
17.4.4.31 vrna_md_defaults_backtrack_get()	130
17.4.4.32 vrna_md_defaults_backtrack_type()	131
17.4.4.33 vrna_md_defaults_backtrack_type_get()	131
17.4.4.34 vrna_md_defaults_compute_bpp()	132
17.4.4.35 vrna_md_defaults_compute_bpp_get()	132
17.4.4.36 vrna_md_defaults_max_bp_span()	132

17.4.4.37 vrna_md_defaults_max_bp_span_get()	133
17.4.4.38 vrna_md_defaults_min_loop_size()	133
17.4.4.39 vrna_md_defaults_min_loop_size_get()	133
17.4.4.40 vrna_md_defaults_window_size()	134
17.4.4.41 vrna_md_defaults_window_size_get()	134
17.4.4.42 vrna_md_defaults_oldAliEn()	135
17.4.4.43 vrna_md_defaults_oldAliEn_get()	135
17.4.4.44 vrna_md_defaults_ribo()	135
17.4.4.45 vrna_md_defaults_ribo_get()	136
17.4.4.46 vrna_md_defaults_cv_fact()	136
17.4.4.47 vrna_md_defaults_cv_fact_get()	136
17.4.4.48 vrna_md_defaults_nc_fact()	137
17.4.4.49 vrna_md_defaults_nc_fact_get()	137
17.4.4.50 vrna_md_defaults_sfact()	138
17.4.4.51 vrna_md_defaults_sfact_get()	138
17.4.4.52 set_model_details()	138
17.4.5 Variable Documentation	139
17.4.5.1 temperature	139
17.4.5.2 pf_scale	139
17.4.5.3 dangles	140
17.4.5.4 tetra_loop	140
17.4.5.5 noLonelyPairs	140
17.4.5.6 energy_set	140
17.4.5.7 do_backtrack	141
17.4.5.8 backtrack_type	141
17.4.5.9 nonstandards	141
17.4.5.10 max_bp_span	141
17.5 Energy parameters	142
17.5.1 Detailed Description	143
17.5.2 Data Structure Documentation	144

17.5.2.1	struct vrna_param_s	144
17.5.2.2	struct vrna_exp_param_s	144
17.5.3	Typedef Documentation	145
17.5.3.1	paramT	145
17.5.3.2	pf_paramT	145
17.5.4	Function Documentation	146
17.5.4.1	vrna_params()	146
17.5.4.2	vrna_params_copy()	147
17.5.4.3	vrna_exp_params()	147
17.5.4.4	vrna_exp_params_comparative()	148
17.5.4.5	vrna_exp_params_copy()	148
17.5.4.6	vrna_params_subst()	149
17.5.4.7	vrna_exp_params_subst()	149
17.5.4.8	vrna_exp_params_rescale()	150
17.5.4.9	vrna_params_reset()	151
17.5.4.10	vrna_exp_params_reset()	152
17.5.4.11	get_scaled_pf_parameters()	152
17.5.4.12	get_boltzmann_factors()	153
17.5.4.13	get_boltzmann_factor_copy()	153
17.5.4.14	get_scaled_alipf_parameters()	154
17.5.4.15	get_boltzmann_factors_ali()	154
17.5.4.16	scale_parameters()	155
17.5.4.17	get_scaled_parameters()	155
17.6	Extending the folding grammar with additional domains	157
17.6.1	Detailed Description	157
17.7	Unstructured domains	158
17.7.1	Detailed Description	159
17.7.2	Data Structure Documentation	160
17.7.2.1	struct vrna_unstructured_domain_s	160
17.7.3	Typedef Documentation	161

17.7.3.1 <code>vrna_callback_ud_energy</code>	162
17.7.3.2 <code>vrna_callback_ud_exp_energy</code>	162
17.7.3.3 <code>vrna_callback_ud_production</code>	163
17.7.3.4 <code>vrna_callback_ud_exp_production</code>	163
17.7.3.5 <code>vrna_callback_ud_probs_add</code>	163
17.7.3.6 <code>vrna_callback_ud_probs_get</code>	164
17.7.4 Function Documentation	164
17.7.4.1 <code>vrna_ud_add_motif()</code>	164
17.7.4.2 <code>vrna_ud_remove()</code>	165
17.7.4.3 <code>vrna_ud_set_data()</code>	165
17.7.4.4 <code>vrna_ud_set_prod_rule_cb()</code>	166
17.7.4.5 <code>vrna_ud_set_exp_prod_rule_cb()</code>	167
17.8 Structured domains	168
17.8.1 Detailed Description	168
17.9 Constraining the RNA folding grammar	169
17.9.1 Detailed Description	170
17.9.2 Macro Definition Documentation	172
17.9.2.1 <code>VRNA_CONSTRAINT_FILE</code>	172
17.9.2.2 <code>VRNA_CONSTRAINT_SOFT_MFE</code>	173
17.9.2.3 <code>VRNA_CONSTRAINT_SOFT_PF</code>	173
17.9.2.4 <code>VRNA_DECOMP_PAIR_HP</code>	173
17.9.2.5 <code>VRNA_DECOMP_PAIR_IL</code>	174
17.9.2.6 <code>VRNA_DECOMP_PAIR_DL</code>	174
17.9.2.7 <code>VRNA_DECOMP_DL_DL_DL</code>	175
17.9.2.8 <code>VRNA_DECOMP_DL_STEM</code>	176
17.9.2.9 <code>VRNA_DECOMP_DL_DL</code>	176
17.9.2.10 <code>VRNA_DECOMP_DL_UP</code>	177
17.9.2.11 <code>VRNA_DECOMP_DL_DL_STEM</code>	177
17.9.2.12 <code>VRNA_DECOMP_DL_COAXIAL</code>	178
17.9.2.13 <code>VRNA_DECOMP_DL_COAXIAL_ENC</code>	178

17.9.2.14 VRNA_DECOMP_EXT_EXT	179
17.9.2.15 VRNA_DECOMP_EXT_UP	179
17.9.2.16 VRNA_DECOMP_EXT_STEM	180
17.9.2.17 VRNA_DECOMP_EXT_EXT_EXT	180
17.9.2.18 VRNA_DECOMP_EXT_STEM_EXT	181
17.9.2.19 VRNA_DECOMP_EXT_EXT_STEM	181
17.9.2.20 VRNA_DECOMP_EXT_EXT_STEM1	182
17.9.3 Function Documentation	182
17.9.3.1 vrna_constraints_add()	182
17.9.3.2 vrna_message_constraint_options()	183
17.9.3.3 vrna_message_constraint_options_all()	184
17.10 Hard constraints	185
17.10.1 Detailed Description	186
17.10.2 Data Structure Documentation	187
17.10.2.1 struct vrna_hc_s	187
17.10.2.2 struct vrna_hc_up_s	188
17.10.3 Macro Definition Documentation	188
17.10.3.1 VRNA_CONSTRAINT_DB	188
17.10.3.2 VRNA_CONSTRAINT_DB_ENFORCE_BP	189
17.10.3.3 VRNA_CONSTRAINT_DB_PIPE	189
17.10.3.4 VRNA_CONSTRAINT_DB_DOT	189
17.10.3.5 VRNA_CONSTRAINT_DB_X	190
17.10.3.6 VRNA_CONSTRAINT_DB_RND_BRACK	190
17.10.3.7 VRNA_CONSTRAINT_DB_INTRAMOL	190
17.10.3.8 VRNA_CONSTRAINT_DB_INTERMOL	191
17.10.3.9 VRNA_CONSTRAINT_DB_GQUAD	191
17.10.3.10 VRNA_CONSTRAINT_DB_WUSS	191
17.10.3.11 VRNA_CONSTRAINT_DB_DEFAULT	192
17.10.4 Typedef Documentation	192
17.10.4.1 vrna_callback_hc_evaluate	192

17.10.5 Function Documentation	193
17.10.5.1 <code>vrna_hc_init()</code>	193
17.10.5.2 <code>vrna_hc_add_up()</code>	193
17.10.5.3 <code>vrna_hc_add_up_batch()</code>	194
17.10.5.4 <code>vrna_hc_add_bp()</code>	194
17.10.5.5 <code>vrna_hc_add_bp_nonspecific()</code>	195
17.10.5.6 <code>vrna_hc_free()</code>	195
17.10.5.7 <code>vrna_hc_add_from_db()</code>	196
17.11 Soft constraints	197
17.11.1 Detailed Description	198
17.11.2 Data Structure Documentation	198
17.11.2.1 <code>struct vrna_sc_s</code>	198
17.11.3 Typedef Documentation	199
17.11.3.1 <code>vrna_callback_sc_energy</code>	200
17.11.3.2 <code>vrna_callback_sc_exp_energy</code>	201
17.11.3.3 <code>vrna_callback_sc_backtrack</code>	202
17.11.4 Function Documentation	202
17.11.4.1 <code>vrna_sc_init()</code>	202
17.11.4.2 <code>vrna_sc_set_bp()</code>	203
17.11.4.3 <code>vrna_sc_add_bp()</code>	204
17.11.4.4 <code>vrna_sc_set_up()</code>	204
17.11.4.5 <code>vrna_sc_add_up()</code>	205
17.11.4.6 <code>vrna_sc_remove()</code>	206
17.11.4.7 <code>vrna_sc_free()</code>	206
17.11.4.8 <code>vrna_sc_add_data()</code>	206
17.11.4.9 <code>vrna_sc_add_f()</code>	207
17.11.4.10 <code>vrna_sc_add_bt()</code>	208
17.11.4.11 <code>vrna_sc_add_exp_f()</code>	208
17.12 The RNA secondary structure landscape	210
17.12.1 Detailed Description	210

17.13 Minimum Free Energy (MFE) algorithms	211
17.13.1 Detailed Description	211
17.13.2 Typedef Documentation	212
17.13.2.1 vrna_mfe_window_callback	212
17.13.3 Function Documentation	212
17.13.3.1 vrna_mfe()	212
17.14 Partition function and equilibrium properties	214
17.14.1 Detailed Description	215
17.14.2 Function Documentation	215
17.14.2.1 vrna_mean_bp_distance_pr()	215
17.14.2.2 vrna_mean_bp_distance()	216
17.14.2.3 vrna_stack_prob()	216
17.14.2.4 vrna_pf()	217
17.14.2.5 vrna_pf_fold()	218
17.14.2.6 vrna_pf_circfold()	218
17.14.2.7 pf_fold_par()	219
17.14.2.8 pf_fold()	220
17.14.2.9 pf_circ_fold()	221
17.14.2.10 free_pf_arrays()	222
17.14.2.11 update_pf_params()	223
17.14.2.12 update_pf_params_par()	223
17.14.2.13 export_bppm()	223
17.14.2.14 get_pf_arrays()	224
17.14.2.15 mean_bp_distance()	224
17.14.2.16 mean_bp_distance_pr()	225
17.14.2.17 vrna plist_from_probs()	225
17.14.2.18 assign plist_from_pr()	227
17.15 Suboptimals and representative structures	228
17.15.1 Detailed Description	228
17.16 Suboptimal structures sensu Stiegler et al. 1984 / Zuker et al. 1989	229

17.16.1 Detailed Description	229
17.16.2 Function Documentation	229
17.16.2.1 <code>vrna_subopt_zuker()</code>	229
17.16.2.2 <code>zukersubopt()</code>	230
17.16.2.3 <code>zukersubopt_par()</code>	230
17.17 Suboptimal structures within an energy band around the MFE	231
17.17.1 Detailed Description	231
17.17.2 Typedef Documentation	231
17.17.2.1 <code>vrna_subopt_callback</code>	231
17.17.3 Function Documentation	232
17.17.3.1 <code>vrna_subopt()</code>	232
17.17.3.2 <code>vrna_subopt_cb()</code>	233
17.17.3.3 <code>subopt()</code>	234
17.17.3.4 <code>subopt_circ()</code>	234
17.18 Structure sampling from the ensemble	236
17.18.1 Detailed Description	236
17.18.2 Function Documentation	236
17.18.2.1 <code>vrna_pbacktrack5()</code>	236
17.18.2.2 <code>vrna_pbacktrack()</code>	237
17.18.2.3 <code>pbacktrack()</code>	238
17.18.2.4 <code>pbacktrack_circ()</code>	238
17.18.3 Variable Documentation	239
17.18.3.1 <code>st_back</code>	239
17.19 Compute the structure with maximum expected accuracy (MEA)	240
17.19.1 Detailed Description	240
17.19.2 Function Documentation	240
17.19.2.1 <code>MEA()</code>	240
17.20 Compute the centroid structure	241
17.20.1 Detailed Description	241
17.20.2 Function Documentation	241

17.20.2.1 <code>vrna_centroid()</code>	241
17.20.2.2 <code>vrna_centroid_from plist()</code>	242
17.20.2.3 <code>vrna_centroid_from_probs()</code>	242
17.21 RNA-RNA interaction	244
17.21.1 Detailed Description	244
17.22 Locally stable structures	245
17.22.1 Detailed Description	245
17.23 Comparative structure prediction	246
17.23.1 Detailed Description	246
17.23.2 Function Documentation	247
17.23.2.1 <code>energy_of_alistruct()</code>	247
17.23.2.2 <code>get_alipf_arrays()</code>	247
17.23.2.3 <code>update_alifold_params()</code>	248
17.23.3 Variable Documentation	249
17.23.3.1 <code>cv_fact</code>	249
17.23.3.2 <code>nc_fact</code>	249
17.24 MFE Consensus Structures for Sequence Alignment(s)	250
17.24.1 Detailed Description	250
17.24.2 Function Documentation	250
17.24.2.1 <code>vrna_alifold()</code>	250
17.24.2.2 <code>vrna_circalifold()</code>	251
17.24.2.3 <code>alifold()</code>	252
17.24.2.4 <code>circalifold()</code>	252
17.24.2.5 <code>free_alifold_arrays()</code>	253
17.25 Partition Function and Base Pair Probabilities for Sequence Alignment(s)	254
17.25.1 Detailed Description	254
17.25.2 Function Documentation	254
17.25.2.1 <code>vrna_pf_alifold()</code>	254
17.25.2.2 <code>vrna_pf_circalifold()</code>	255
17.25.2.3 <code>alipf_fold_par()</code>	256

17.25.2.4 alipf_fold()	256
17.25.2.5 alipf_circ_fold()	257
17.25.2.6 export_ali_bppm()	257
17.25.2.7 free_alipf_arrays()	258
17.26 Stochastic Backtracking of Consensus Structures from Sequence Alignment(s)	259
17.26.1 Detailed Description	259
17.26.2 Function Documentation	259
17.26.2.1 alipbacktrack()	259
17.27 Classified Dynamic Programming variants	260
17.27.1 Detailed Description	260
17.28 Distance based partitioning of the Secondary Structure Space	261
17.28.1 Detailed Description	261
17.29 Calculating MFE representatives of a Distance Based Partitioning	262
17.29.1 Detailed Description	262
17.29.2 Data Structure Documentation	263
17.29.2.1 struct vrna_sol_TwoD_t	263
17.29.2.2 struct TwoDfold_vars	263
17.29.3 Typedef Documentation	264
17.29.3.1 vrna_sol_TwoD_t	264
17.29.3.2 TwoDfold_vars	265
17.29.4 Function Documentation	265
17.29.4.1 vrna_mfe_TwoD()	265
17.29.4.2 vrna_backtrack5_TwoD()	266
17.29.4.3 get_TwoDfold_variables()	266
17.29.4.4 destroy_TwoDfold_variables()	267
17.29.4.5 TwoDfoldList()	267
17.29.4.6 TwoDfold_backtrack_f5()	268
17.30 Calculate Partition Functions of a Distance Based Partitioning	270
17.30.1 Detailed Description	270
17.30.2 Data Structure Documentation	270

17.30.2.1 <code>struct vrna_sol_TwoD_pf_t</code>	270
17.30.3 Typedef Documentation	271
17.30.3.1 <code>vrna_sol_TwoD_pf_t</code>	271
17.30.4 Function Documentation	271
17.30.4.1 <code>vrna_pf_TwoD()</code>	271
17.31 Stochastic Backtracking of Structures from Distance Based Partitioning	273
17.31.1 Detailed Description	273
17.31.2 Function Documentation	273
17.31.2.1 <code>vrna_pbacktrack_TwoD()</code>	273
17.31.2.2 <code>vrna_pbacktrack5_TwoD()</code>	274
17.32 Compute the Density of States	276
17.32.1 Detailed Description	276
17.32.2 Variable Documentation	276
17.32.2.1 <code>density_of_states</code>	276
17.33 Inverse Folding (Design)	277
17.33.1 Detailed Description	277
17.33.2 Function Documentation	277
17.33.2.1 <code>inverse_fold()</code>	277
17.33.2.2 <code>inverse_pf_fold()</code>	278
17.33.3 Variable Documentation	278
17.33.3.1 <code>final_cost</code>	278
17.33.3.2 <code>give_up</code>	279
17.33.3.3 <code>inv_verbose</code>	279
17.34 Neighborhood relation and move sets for secondary structures	280
17.34.1 Detailed Description	281
17.34.2 Data Structure Documentation	282
17.34.2.1 <code>struct vrna_move_s</code>	282
17.34.3 Macro Definition Documentation	283
17.34.3.1 <code>VRNA_MOVESET_INSERTION</code>	283
17.34.3.2 <code>VRNA_MOVESET_DELETION</code>	283

17.34.3.3 VRNA_MOVESET_SHIFT	284
17.34.3.4 VRNA_MOVESET_NO_LP	284
17.34.3.5 VRNA_MOVESET_DEFAULT	284
17.34.4 Function Documentation	284
17.34.4.1 vrna_move_list_free()	284
17.34.4.2 vrna_move_apply()	284
17.34.4.3 vrna_loopidx_update()	285
17.34.4.4 vrna_neighbors()	285
17.34.4.5 vrna_neighbors_successive()	286
17.35 Refolding paths of secondary structures	287
17.35.1 Detailed Description	287
17.35.2 Macro Definition Documentation	287
17.35.2.1 VRNA_PATH_STEEPEST_DESCENT	288
17.35.2.2 VRNA_PATH_RANDOM	288
17.35.2.3 VRNA_PATH_NO_TRANSITION_OUTPUT	288
17.35.2.4 VRNA_PATH_DEFAULT	288
17.35.3 Function Documentation	289
17.35.3.1 vrna_path()	289
17.35.3.2 vrna_path_gradient()	290
17.35.3.3 vrna_path_random()	290
17.36 Experimental structure probing data	292
17.36.1 Detailed Description	292
17.37 SHAPE reactivity data	293
17.37.1 Detailed Description	293
17.37.2 Function Documentation	293
17.37.2.1 vrna_sc_add_SHAPE_deigan()	294
17.37.2.2 vrna_sc_add_SHAPE_deigan_ali()	294
17.37.2.3 vrna_sc_add_SHAPE_zarringhalam()	295
17.37.2.4 vrna_sc_SHAPE_to_pr()	296
17.38 Generate soft constraints from data	297

17.38.1 Detailed Description	298
17.38.2 Macro Definition Documentation	298
17.38.2.1 VRNA_OBJECTIVE_FUNCTION_QUADRATIC	298
17.38.2.2 VRNA_OBJECTIVE_FUNCTION_ABSOLUTE	298
17.38.2.3 VRNA_MINIMIZER_CONJUGATE_FR	298
17.38.2.4 VRNA_MINIMIZER_CONJUGATE_PR	298
17.38.2.5 VRNA_MINIMIZER_VECTOR_BFGS	299
17.38.2.6 VRNA_MINIMIZER_VECTOR_BFGS2	299
17.38.2.7 VRNA_MINIMIZER_STEEPEST_DESCENT	299
17.38.3 Typedef Documentation	299
17.38.3.1 progress_callback	299
17.38.4 Function Documentation	300
17.38.4.1 vrna_sc_minimize_perturbation()	300
17.39 Ligands binding to RNA structures	302
17.39.1 Detailed Description	302
17.40 Ligands binding to unstructured domains	303
17.41 Incorporating ligands binding to specific sequence/structure motifs using soft constraints	304
17.41.1 Detailed Description	304
17.41.2 Function Documentation	305
17.41.2.1 vrna_sc_add_hi_motif()	305
17.42 Complex structured modules	306
17.42.1 Detailed Description	306
17.43 G-quadruplexes	307
17.43.1 Detailed Description	307
17.43.2 Function Documentation	307
17.43.2.1 get_gquad_matrix()	307
17.43.2.2 parse_gquad()	308
17.43.2.3 backtrack_GQuad_IntLoop()	308
17.43.2.4 backtrack_GQuad_IntLoop_L()	309
17.44 Data Structures and Preprocessor Macros	310

17.44.1 Detailed Description	311
17.44.2 Data Structure Documentation	312
17.44.2.1 struct vrna_basepair_s	312
17.44.2.2 struct vrna_cpair_s	312
17.44.2.3 struct vrna_color_s	312
17.44.2.4 struct vrna_data_linear_s	312
17.44.2.5 struct vrna_sect_s	312
17.44.2.6 struct vrna_bp_stack_s	312
17.44.2.7 struct pu_contrib	312
17.44.2.8 struct interact	313
17.44.2.9 struct pu_out	313
17.44.2.10 struct constrain	313
17.44.2.11 struct duplexT	314
17.44.2.12 struct node	314
17.44.2.13 struct snoopT	314
17.44.2.14 struct dupVar	314
17.44.3 Typedef Documentation	314
17.44.3.1 PAIR	314
17.44.3.2 plist	314
17.44.3.3 cpair	315
17.44.3.4 sect	315
17.44.3.5 bondT	315
17.44.4 Function Documentation	315
17.44.4.1 vrna_C11_features()	316
17.45 Utilities	317
17.45.1 Detailed Description	319
17.45.2 Macro Definition Documentation	319
17.45.2.1 VRNA_INPUT_FASTA_HEADER	319
17.45.2.2 VRNA_INPUT_CONSTRAINT	319
17.45.3 Function Documentation	320

17.45.3.1 <code>vrna_ptypes()</code>	320
17.45.3.2 <code>vrna_nucleotide_encode()</code>	320
17.45.3.3 <code>vrna_nucleotide_decode()</code>	321
17.45.3.4 <code>vrna_enumerate_necklaces()</code>	321
17.45.3.5 <code>vrna_alloc()</code>	322
17.45.3.6 <code>vrna_realloc()</code>	322
17.45.3.7 <code>vrna_message_error()</code>	323
17.45.3.8 <code>vrna_message_verror()</code>	323
17.45.3.9 <code>vrna_message_warning()</code>	324
17.45.3.10 <code>vrna_message_vwarning()</code>	324
17.45.3.11 <code>vrna_message_info()</code>	325
17.45.3.12 <code>vrna_message_vinfo()</code>	325
17.45.3.13 <code>vrna_urn()</code>	326
17.45.3.14 <code>vrna_int_urn()</code>	326
17.45.3.15 <code>vrna_time_stamp()</code>	327
17.45.3.16 <code>get_input_line()</code>	327
17.45.3.17 <code>vrna_message_input_seq_simple()</code>	328
17.45.3.18 <code>vrna_message_input_seq()</code>	328
17.45.3.19 <code>vrna_idx_row_wise()</code>	328
17.45.3.20 <code>vrna_idx_col_wise()</code>	329
17.45.4 Variable Documentation	329
17.45.4.1 <code>xsubi</code>	329
17.46 MFE Structures of single Nucleic Acid Sequences	331
17.46.1 Detailed Description	331
17.46.2 Function Documentation	331
17.46.2.1 <code>vrna_fold()</code>	332
17.46.2.2 <code>vrna_circfold()</code>	332
17.46.2.3 <code>fold_par()</code>	333
17.46.2.4 <code>fold()</code>	334
17.46.2.5 <code>circfold()</code>	335

17.46.2.6 free_arrays()	335
17.46.2.7 update_fold_params()	336
17.46.2.8 update_fold_params_par()	336
17.46.2.9 export_fold_arrays()	336
17.46.2.10 export_fold_arrays_par()	337
17.46.2.11 export_circfold_arrays()	337
17.46.2.12 export_circfold_arrays_par()	337
17.46.2.13 LoopEnergy()	338
17.46.2.14 HairpinE()	338
17.46.2.15 initialize_fold()	338
17.47 MFE Structures of two hybridized Sequences	339
17.47.1 Detailed Description	339
17.47.2 Function Documentation	339
17.47.2.1 vrna_cofold()	340
17.47.2.2 cofold()	340
17.47.2.3 cofold_par()	341
17.47.2.4 free_co_arrays()	341
17.47.2.5 update_cofold_params()	342
17.47.2.6 update_cofold_params_par()	342
17.47.2.7 export_cofold_arrays_gq()	342
17.47.2.8 export_cofold_arrays()	343
17.47.2.9 get_monomere_mfes()	344
17.47.2.10 initialize_cofold()	344
17.47.2.11 vrna_mfe_dimer()	344
17.48 Partition Function for two hybridized Sequences	346
17.48.1 Detailed Description	347
17.48.2 Data Structure Documentation	347
17.48.2.1 struct vrna_dimer_pf_s	347
17.48.2.2 struct vrna_dimer_conc_s	348
17.48.3 Function Documentation	348

17.48.3.1 vrna_pf_dimer()	348
17.48.3.2 vrna_pf_dimer_probs()	349
17.48.3.3 vrna_pf_dimer_concentrations()	349
17.49 Partition Function for two hybridized Sequences as a stepwise Process	351
17.49.1 Detailed Description	351
17.49.2 Function Documentation	351
17.49.2.1 pf_unstru()	351
17.49.2.2 pf_interact()	352
17.50 Local MFE Structure Prediction and Z-scores	354
17.50.1 Detailed Description	354
17.50.2 Function Documentation	354
17.50.2.1 vrna_Lfold()	354
17.50.2.2 vrna_Lfoldz()	355
17.50.2.3 Lfold()	355
17.50.2.4 Lfoldz()	356
17.50.2.5 vrna_mfe_window()	356
17.50.2.6 vrna_mfe_window_zscore()	357
17.51 Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures	358
17.51.1 Detailed Description	358
17.51.2 Macro Definition Documentation	358
17.51.2.1 VRNA_PROBS_WINDOW_BPP	358
17.51.2.2 VRNA_PROBS_WINDOW_UP	359
17.51.2.3 VRNA_PROBS_WINDOW_STACKP	359
17.51.2.4 VRNA_PROBS_WINDOW_UP_SPLIT	359
17.51.3 Function Documentation	359
17.51.3.1 vrna_pfl_fold()	360
17.51.3.2 vrna_pfl_fold_cb()	360
17.51.3.3 vrna_pfl_fold_up()	361
17.51.3.4 vrna_pfl_fold_up_cb()	362
17.51.3.5 vrna_probs_window()	362

17.52 Local MFE Consensus Structure Prediction for Sequence Alignments	364
17.52.1 Detailed Description	364
17.52.2 Function Documentation	364
17.52.2.1 aliLfold()	364
17.53 Reading/Writing Energy Parameter Sets from/to File	365
17.53.1 Detailed Description	365
17.53.2 Function Documentation	365
17.53.2.1 last_parameter_file()	365
17.53.2.2 read_parameter_file()	365
17.53.2.3 write_parameter_file()	366
17.54 Converting Energy Parameter Files	367
17.54.1 Detailed Description	367
17.54.2 Macro Definition Documentation	368
17.54.2.1 VRNA_CONVERT_OUTPUT_ALL	368
17.54.2.2 VRNA_CONVERT_OUTPUT_HP	368
17.54.2.3 VRNA_CONVERT_OUTPUT_STACK	368
17.54.2.4 VRNA_CONVERT_OUTPUT_MM_HP	368
17.54.2.5 VRNA_CONVERT_OUTPUT_MM_INT	368
17.54.2.6 VRNA_CONVERT_OUTPUT_MM_INT_1N	369
17.54.2.7 VRNA_CONVERT_OUTPUT_MM_INT_23	369
17.54.2.8 VRNA_CONVERT_OUTPUT_MM_MULTI	369
17.54.2.9 VRNA_CONVERT_OUTPUT_MM_EXT	369
17.54.2.10 VRNA_CONVERT_OUTPUT_DANGLE5	369
17.54.2.11 VRNA_CONVERT_OUTPUT_DANGLE3	369
17.54.2.12 VRNA_CONVERT_OUTPUT_INT_11	370
17.54.2.13 VRNA_CONVERT_OUTPUT_INT_21	370
17.54.2.14 VRNA_CONVERT_OUTPUT_INT_22	370
17.54.2.15 VRNA_CONVERT_OUTPUT_BULGE	370
17.54.2.16 VRNA_CONVERT_OUTPUT_INT	370
17.54.2.17 VRNA_CONVERT_OUTPUT_ML	370

17.54.2.18 VRNA_CONVERT_OUTPUT_MISC	371
17.54.2.19 VRNA_CONVERT_OUTPUT_SPECIAL_HP	371
17.54.2.20 VRNA_CONVERT_OUTPUT_VANILLA	371
17.54.2.21 VRNA_CONVERT_OUTPUT_NINIO	371
17.54.2.22 VRNA_CONVERT_OUTPUT_DUMP	371
17.54.3 Function Documentation	372
17.54.3.1 convert_parameter_file()	372
17.55 The Fold Compound	373
17.55.1 Detailed Description	374
17.55.2 Data Structure Documentation	374
17.55.2.1 struct vrna_fc_s	374
17.55.3 Macro Definition Documentation	382
17.55.3.1 VRNA_STATUS_MFE_PRE	382
17.55.3.2 VRNA_STATUS_MFE_POST	383
17.55.3.3 VRNA_STATUS_PF_PRE	383
17.55.3.4 VRNA_STATUS_PF_POST	383
17.55.3.5 VRNA_OPTION_MFE	383
17.55.3.6 VRNA_OPTION_PF	384
17.55.3.7 VRNA_OPTION_EVAL_ONLY	384
17.55.4 Typedef Documentation	384
17.55.4.1 vrna_callback_free_auxdata	384
17.55.4.2 vrna_callback_recursion_status	385
17.55.5 Enumeration Type Documentation	385
17.55.5.1 vrna_fc_type_e	385
17.55.6 Function Documentation	386
17.55.6.1 vrna_fold_compound()	386
17.55.6.2 vrna_fold_compound_comparative()	387
17.55.6.3 vrna_fold_compound_free()	388
17.55.6.4 vrna_fold_compound_add_auxdata()	388
17.55.6.5 vrna_fold_compound_add_callback()	389

17.56 The Dynamic Programming Matrices	390
17.56.1 Detailed Description	390
17.56.2 Data Structure Documentation	391
17.56.2.1 <code>struct vrna_mx_mfe_s</code>	391
17.56.2.2 <code>struct vrna_mx_pf_s</code>	391
17.56.3 Enumeration Type Documentation	392
17.56.3.1 <code>vrna_mx_type_e</code>	392
17.56.4 Function Documentation	393
17.56.4.1 <code>vrna_mx_add()</code>	393
17.56.4.2 <code>vrna_mx_mfe_free()</code>	393
17.56.4.3 <code>vrna_mx_pf_free()</code>	394
17.57 Direct refolding paths between two secondary structures	395
17.57.1 Detailed Description	395
17.57.2 Data Structure Documentation	395
17.57.2.1 <code>struct vrna_path_s</code>	395
17.57.3 Typedef Documentation	396
17.57.3.1 <code>path_t</code>	396
17.57.4 Function Documentation	396
17.57.4.1 <code>vrna_path_findpath_saddle()</code>	396
17.57.4.2 <code>vrna_path_findpath()</code>	397
17.57.4.3 <code>find_saddle()</code>	398
17.57.4.4 <code>free_path()</code>	398
17.57.4.5 <code>get_path()</code>	398
17.58 Parsing, converting, and comparing sequences	401
17.58.1 Detailed Description	401
17.58.2 Macro Definition Documentation	401
17.58.2.1 <code>FILENAME_MAX_LENGTH</code>	402
17.58.2.2 <code>FILENAME_ID_LENGTH</code>	402
17.58.3 Function Documentation	402
17.58.3.1 <code>vrna_strdup_printf()</code>	402

17.58.3.2 <code>vrna_strdup_vprintf()</code>	403
17.58.3.3 <code>vrna_strcat_printf()</code>	403
17.58.3.4 <code>vrna_strcat_vprintf()</code>	404
17.58.3.5 <code>vrna_strsplit()</code>	405
17.58.3.6 <code>vrna_random_string()</code>	406
17.58.3.7 <code>vrna_hamming_distance()</code>	406
17.58.3.8 <code>vrna_hamming_distance_bound()</code>	406
17.58.3.9 <code>vrna_seq_toRNA()</code>	407
17.58.3.10 <code>vrna_seq_toupper()</code>	407
17.58.3.11 <code>vrna_cut_point_insert()</code>	408
17.58.3.12 <code>vrna_cut_point_remove()</code>	408
17.59 Parsing, converting, comparing secondary structures	409
17.59.1 Detailed Description	412
17.59.2 Data Structure Documentation	412
17.59.2.1 <code>struct vrna_hx_s</code>	412
17.59.2.2 <code>struct vrna_elem_prob_s</code>	412
17.59.3 Macro Definition Documentation	412
17.59.3.1 <code>VRNA_BRACKETS_ALPHA</code>	412
17.59.3.2 <code>VRNA_BRACKETS_RND</code>	413
17.59.3.3 <code>VRNA_BRACKETS_CLY</code>	413
17.59.3.4 <code>VRNA_BRACKETS_ANG</code>	413
17.59.3.5 <code>VRNA_BRACKETS_SQR</code>	413
17.59.3.6 <code>VRNA_BRACKETS_DEFAULT</code>	414
17.59.4 Function Documentation	414
17.59.4.1 <code>b2HIT()</code>	414
17.59.4.2 <code>b2C()</code>	414
17.59.4.3 <code>b2Shapiro()</code>	415
17.59.4.4 <code>add_root()</code>	415
17.59.4.5 <code>expand_Shapiro()</code>	416
17.59.4.6 <code>expand_Full()</code>	416

17.59.4.7 unexpand_Full()	416
17.59.4.8 unweight()	417
17.59.4.9 unexpand_aligned_F()	417
17.59.4.10 parse_structure()	417
17.59.4.11 vrna_db_pack()	419
17.59.4.12 vrna_db_unpack()	419
17.59.4.13 vrna_ptable()	420
17.59.4.14 vrna_ptable_from_string()	420
17.59.4.15 vrna_pt_pk_get()	421
17.59.4.16 vrna_ptable_copy()	421
17.59.4.17 vrna_pt_snoop_get()	422
17.59.4.18 vrna_db_flatten()	422
17.59.4.19 vrna_db_flatten_to()	423
17.59.4.20 vrna_db_from_ptable()	423
17.59.4.21 vrna_db_from_WUSS()	424
17.59.4.22 vrna_bp_distance()	424
17.59.4.23 vrna_refBPCnt_matrix()	425
17.59.4.24 vrna_refBPdist_matrix()	425
17.59.4.25 vrna_db_from_bp_stack()	425
17.59.4.26 vrna_plist()	426
17.59.4.27 vrna_db_from_plist()	426
17.59.4.28 assign_plist_from_db()	427
17.59.4.29 pack_structure()	427
17.59.4.30 unpack_structure()	428
17.59.4.31 make_pair_table()	428
17.59.4.32 copy_pair_table()	429
17.59.4.33 alimake_pair_table()	429
17.59.4.34 make_pair_table_snoop()	429
17.59.4.35 bp_distance()	430
17.59.4.36 make_referenceBP_array()	430

17.59.4.37compute_BPdifferences()	431
17.59.4.38parenthesis_structure()	431
17.59.4.39parenthesis_zuker()	431
17.59.4.40bppm_to_structure()	432
17.59.4.41bppm_symbol()	432
17.60Utilities for sequence alignments	433
17.60.1 Detailed Description	434
17.60.2 Data Structure Documentation	434
17.60.2.1 struct vrna_pinfo_s	434
17.60.3 Macro Definition Documentation	434
17.60.3.1 VRNA_MEASURE_SHANNON_ENTROPY	434
17.60.4 Typedef Documentation	435
17.60.4.1 pair_info	435
17.60.5 Function Documentation	435
17.60.5.1 vrna_aln_mpi()	435
17.60.5.2 vrna_aln_pinfo()	435
17.60.5.3 vrna_aln_slice()	436
17.60.5.4 vrna_aln_free()	437
17.60.5.5 vrna_aln_uppercase()	437
17.60.5.6 vrna_aln_toRNA()	437
17.60.5.7 vrna_aln_copy()	438
17.60.5.8 vrna_aln_conservation_struct()	438
17.60.5.9 vrna_aln_conservation_col()	439
17.60.5.10get_mpi()	440
17.60.5.11encode_ali_sequence()	440
17.60.5.12alloc_sequence_arrays()	441
17.60.5.13free_sequence_arrays()	441
17.61Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments	443
17.61.1 Detailed Description	445
17.61.2 Data Structure Documentation	445

17.61.2.1 <code>struct vrna_command_s</code>	445
17.61.3 Macro Definition Documentation	446
17.61.3.1 <code>VRNA_CMD_PARSE_HC</code>	446
17.61.3.2 <code>VRNA_CMD_PARSE_SC</code>	446
17.61.3.3 <code>VRNA_CMD_PARSE_UD</code>	446
17.61.3.4 <code>VRNA_CMD_PARSE_SD</code>	447
17.61.3.5 <code>VRNA_CMD_PARSE_DEFAULTS</code>	447
17.61.3.6 <code>VRNA_OPTION_MULTILINE</code>	447
17.61.3.7 <code>VRNA_CONSTRAINT_MULTILINE</code>	448
17.61.3.8 <code>VRNA_FILE_FORMAT_MSA_CLUSTAL</code>	448
17.61.3.9 <code>VRNA_FILE_FORMAT_MSA_STOCKHOLM</code>	448
17.61.3.10 <code>VRNA_FILE_FORMAT_MSA_FASTA</code>	448
17.61.3.11 <code>VRNA_FILE_FORMAT_MSA_MAF</code>	449
17.61.3.12 <code>VRNA_FILE_FORMAT_MSA_MIS</code>	449
17.61.3.13 <code>VRNA_FILE_FORMAT_MSA_DEFAULT</code>	449
17.61.3.14 <code>VRNA_FILE_FORMAT_MSA_NOCHECK</code>	450
17.61.3.15 <code>VRNA_FILE_FORMAT_MSA_UNKNOWN</code>	450
17.61.3.16 <code>VRNA_FILE_FORMAT_MSA_APPEND</code>	450
17.61.3.17 <code>VRNA_FILE_FORMAT_MSA QUIET</code>	450
17.61.3.18 <code>VRNA_FILE_FORMAT_MSA_SILENT</code>	451
17.61.4 Function Documentation	451
17.61.4.1 <code>vrna_file_commands_read()</code>	451
17.61.4.2 <code>vrna_file_commands_apply()</code>	451
17.61.4.3 <code>vrna_commands_apply()</code>	452
17.61.4.4 <code>vrna_commands_free()</code>	453
17.61.4.5 <code>vrna_file_helixlist()</code>	453
17.61.4.6 <code>vrna_file_connect()</code>	453
17.61.4.7 <code>vrna_file_bpseq()</code>	454
17.61.4.8 <code>vrna_file_json()</code>	455
17.61.4.9 <code>vrna_file_fasta_read_record()</code>	455

17.61.4.10vrna_extract_record_rest_structure()	456
17.61.4.11vrna_file_SHAPE_read()	457
17.61.4.12vrna_extract_record_rest_constraint()	458
17.61.4.13read_record()	458
17.61.4.14vrna_file_msa_read()	459
17.61.4.15vrna_file_msa_read_record()	460
17.61.4.16vrna_file_msa_detect_format()	461
17.61.4.17vrna_file_msa_write()	462
17.61.4.18vrna_read_line()	463
17.61.4.19vrna_filename_sanitize()	463
17.62 Functions for Creating Secondary Structure Plots, Dot-Plots, and More	465
17.62.1 Detailed Description	466
17.62.2 Data Structure Documentation	466
17.62.2.1 struct COORDINATE	466
17.62.2.2 struct vrna_dotplot_auxdata_t	466
17.62.3 Macro Definition Documentation	466
17.62.3.1 VRNA_PLOT_TYPE_SIMPLE	466
17.62.3.2 VRNA_PLOT_TYPE_NAVIEW	467
17.62.3.3 VRNA_PLOT_TYPE_CIRCULAR	467
17.62.4 Function Documentation	467
17.62.4.1 aliPS_color_aln()	467
17.62.4.2 simple_xy_coordinates()	467
17.62.4.3 simple_circplot_coordinates()	468
17.62.4.4 PS_dot_plot_list()	469
17.62.4.5 PS_dot_plot()	469
17.62.5 Variable Documentation	470
17.62.5.1 rna_plot_type	470
17.63 Functions to generate annotations for Secondary Structure Plots, Dot-Plots, and Others	471
17.63.1 Detailed Description	471
17.64 Functions to convert between various units	472
17.64.1 Detailed Description	472
17.64.2 Enumeration Type Documentation	472
17.64.2.1 vrna_unit_energy_e	472
17.64.2.2 vrna_unit_temperature_e	473
17.64.3 Function Documentation	474
17.64.3.1 vrna_convert_energy()	474
17.64.3.2 vrna_convert_temperature()	474

18 Data Structure Documentation	477
18.1 _struct_en Struct Reference	477
18.1.1 Detailed Description	477
18.2 Postorder_list Struct Reference	477
18.2.1 Detailed Description	477
18.3 swString Struct Reference	477
18.3.1 Detailed Description	478
18.4 Tree Struct Reference	478
18.4.1 Detailed Description	478
18.5 TwoDpfold_vars Struct Reference	478
18.5.1 Detailed Description	479
18.6 vrna_gr_aux_s Struct Reference	479
18.7 vrna_hc_bp_storage_t Struct Reference	479
18.7.1 Detailed Description	479
18.8 vrna_sc_bp_storage_t Struct Reference	480
18.8.1 Detailed Description	480
18.9 vrna_sc_motif_s Struct Reference	480
18.10 vrna_structured_domains_s Struct Reference	480
18.11 vrna_subopt_sol_s Struct Reference	480
18.11.1 Detailed Description	480
18.12 vrna_unstructured_domain_motif_s Struct Reference	480

19 File Documentation	481
19.1 ViennaRNA/1.8.4_epars.h File Reference	481
19.1.1 Detailed Description	481
19.2 ViennaRNA/1.8.4_intloops.h File Reference	481
19.2.1 Detailed Description	482
19.3 ViennaRNA/2Dfold.h File Reference	482
19.3.1 Detailed Description	482
19.4 ViennaRNA/2Dpfold.h File Reference	483
19.4.1 Detailed Description	483
19.4.2 Function Documentation	484
19.4.2.1 get_TwoDpfold_variables()	484
19.4.2.2 destroy_TwoDpfold_variables()	484
19.4.2.3 TwoDpfoldList()	485
19.4.2.4 TwoDpfold_pbacktrack()	485
19.4.2.5 TwoDpfold_pbacktrack5()	486
19.5 ViennaRNA/alifold.h File Reference	487
19.5.1 Detailed Description	488
19.6 ViennaRNA/aln_util.h File Reference	488
19.6.1 Detailed Description	490
19.7 ViennaRNA/alphabet.h File Reference	490
19.7.1 Detailed Description	490
19.8 ViennaRNA/boltzmann_sampling.h File Reference	490
19.8.1 Detailed Description	491
19.9 ViennaRNA/centroid.h File Reference	491
19.9.1 Detailed Description	491
19.9.2 Function Documentation	491
19.9.2.1 get_centroid_struct_pl()	492
19.9.2.2 get_centroid_struct_pr()	492
19.10 ViennaRNA/cofold.h File Reference	492
19.10.1 Detailed Description	493

19.11ViennaRNA/combinatorics.h File Reference	493
19.11.1 Detailed Description	493
19.12ViennaRNA/commands.h File Reference	493
19.12.1 Detailed Description	494
19.13ViennaRNA/constraints.h File Reference	494
19.13.1 Detailed Description	496
19.14ViennaRNA/constraints_hard.h File Reference	496
19.14.1 Detailed Description	498
19.14.2 Macro Definition Documentation	498
19.14.2.1 VRNA_CONSTRAINT_NO_HEADER	498
19.14.2.2 VRNA_CONSTRAINT_DB_ANG_BRACK	499
19.14.3 Enumeration Type Documentation	499
19.14.3.1 vrna_hc_type_e	499
19.14.4 Function Documentation	499
19.14.4.1 vrna_hc_add_data()	499
19.14.4.2 print_tty_constraint()	500
19.14.4.3 print_tty_constraint_full()	500
19.14.4.4 constrain_ptypes()	500
19.15ViennaRNA/constraints_ligand.h File Reference	501
19.15.1 Detailed Description	501
19.16ViennaRNA/constraints_SHAPE.h File Reference	501
19.16.1 Detailed Description	502
19.16.2 Function Documentation	502
19.16.2.1 vrna_sc_SHAPE_parse_method()	502
19.17ViennaRNA/constraints_soft.h File Reference	503
19.17.1 Detailed Description	504
19.17.2 Enumeration Type Documentation	504
19.17.2.1 vrna_sc_type_e	504
19.18ViennaRNA/convert_epars.h File Reference	505
19.18.1 Detailed Description	505

19.19ViennaRNA/data_structures.h File Reference	505
19.19.1 Detailed Description	507
19.20ViennaRNA/dist_vars.h File Reference	507
19.20.1 Detailed Description	508
19.20.2 Variable Documentation	508
19.20.2.1 edit_backtrack	508
19.20.2.2 cost_matrix	508
19.21ViennaRNA/dp_matrices.h File Reference	508
19.21.1 Detailed Description	509
19.22ViennaRNA/duplex.h File Reference	509
19.22.1 Detailed Description	509
19.23ViennaRNA/edit_cost.h File Reference	510
19.23.1 Detailed Description	510
19.24ViennaRNA/energy_const.h File Reference	510
19.24.1 Detailed Description	510
19.24.2 Macro Definition Documentation	510
19.24.2.1 GASCONST	510
19.24.2.2 K0	511
19.24.2.3 INF	511
19.24.2.4 FORBIDDEN	511
19.24.2.5 BONUS	511
19.24.2.6 NBPAIRS	511
19.24.2.7 TURN	511
19.24.2.8 MAXLOOP	511
19.25ViennaRNA/equilibrium_probs.h File Reference	512
19.25.1 Detailed Description	512
19.26ViennaRNA/eval.h File Reference	512
19.26.1 Detailed Description	514
19.27ViennaRNA/exterior_loops.h File Reference	514
19.27.1 Detailed Description	514

19.28ViennaRNA/file_formats.h File Reference	515
19.28.1 Detailed Description	515
19.29ViennaRNA/file_formats_msa.h File Reference	516
19.29.1 Detailed Description	517
19.30ViennaRNA/file_utils.h File Reference	517
19.30.1 Detailed Description	517
19.31ViennaRNA/findpath.h File Reference	517
19.31.1 Detailed Description	518
19.32ViennaRNA/fold.h File Reference	518
19.32.1 Detailed Description	519
19.33ViennaRNA/fold_compound.h File Reference	519
19.33.1 Detailed Description	520
19.34ViennaRNA/fold_vars.h File Reference	521
19.34.1 Detailed Description	521
19.34.2 Variable Documentation	521
19.34.2.1 RibosumFile	521
19.34.2.2 james_rule	522
19.34.2.3 logML	522
19.34.2.4 cut_point	522
19.34.2.5 base_pair	522
19.34.2.6 pr	522
19.34.2.7 iindx	523
19.35ViennaRNA/gquad.h File Reference	523
19.35.1 Detailed Description	523
19.36ViennaRNA/grammar.h File Reference	523
19.36.1 Detailed Description	524
19.37ViennaRNA/hairpin_loops.h File Reference	524
19.37.1 Detailed Description	524
19.38ViennaRNA/interior_loops.h File Reference	525
19.38.1 Detailed Description	525

19.39ViennaRNA/inverse.h File Reference	525
19.39.1 Detailed Description	526
19.40ViennaRNA/Lfold.h File Reference	526
19.40.1 Detailed Description	526
19.41ViennaRNA/loop_energies.h File Reference	526
19.41.1 Detailed Description	526
19.42ViennaRNA/LPfold.h File Reference	527
19.42.1 Detailed Description	527
19.42.2 Typedef Documentation	527
19.42.2.1 vrna_probs_window_callback	528
19.43ViennaRNA/MEA.h File Reference	528
19.43.1 Detailed Description	528
19.44ViennaRNA/mfe.h File Reference	529
19.44.1 Detailed Description	529
19.45ViennaRNA/mm.h File Reference	529
19.45.1 Detailed Description	529
19.46ViennaRNA/model.h File Reference	530
19.46.1 Detailed Description	534
19.47ViennaRNA/multibranch_loops.h File Reference	534
19.47.1 Detailed Description	534
19.48ViennaRNA/naview.h File Reference	535
19.49ViennaRNA/neighbor.h File Reference	535
19.49.1 Detailed Description	536
19.50ViennaRNA/params.h File Reference	536
19.50.1 Detailed Description	537
19.51ViennaRNA/part_func.h File Reference	537
19.51.1 Detailed Description	539
19.51.2 Function Documentation	539
19.51.2.1 vrna_pf_float_precision()	539
19.51.2.2 stackProb()	539

19.51.2.3 init_pf_fold()	540
19.51.2.4 centroid()	540
19.51.2.5 get_centroid_struct_gquad_pr()	540
19.51.2.6 mean_bp_dist()	540
19.51.2.7 expLoopEnergy()	541
19.51.2.8 expHairpinEnergy()	541
19.52ViennaRNA/part_func_co.h File Reference	541
19.52.1 Detailed Description	543
19.52.2 Function Documentation	543
19.52.2.1 co_pf_fold()	543
19.52.2.2 co_pf_fold_par()	543
19.52.2.3 get plist()	544
19.52.2.4 compute_probabilities()	544
19.52.2.5 get_concentrations()	545
19.52.2.6 init_co_pf_fold()	546
19.52.2.7 export_co_bppm()	546
19.52.2.8 free_co_pf_arrays()	546
19.52.2.9 update_co_pf_params()	546
19.52.2.10 update_co_pf_params_par()	547
19.53ViennaRNA/part_func_up.h File Reference	547
19.53.1 Detailed Description	548
19.54ViennaRNA/perturbation_fold.h File Reference	548
19.54.1 Detailed Description	549
19.55ViennaRNA/plot_aln.h File Reference	549
19.55.1 Detailed Description	549
19.56ViennaRNA/plot_layouts.h File Reference	549
19.56.1 Detailed Description	550
19.57ViennaRNA/plot_structure.h File Reference	550
19.57.1 Detailed Description	551
19.57.2 Function Documentation	551

19.57.2.1 PS_rna_plot_snoop_a()	551
19.57.2.2 vrna_file_PS_rnplot()	552
19.57.2.3 vrna_file_PS_rnplot_a()	552
19.57.2.4 gmlRNA()	553
19.57.2.5 ssv_rna_plot()	553
19.57.2.6 svg_rna_plot()	554
19.57.2.7 xrna_plot()	554
19.57.2.8 PS_rna_plot()	555
19.57.2.9 PS_rna_plot_a()	555
19.57.2.10 PS_rna_plot_a_gquad()	555
19.58 ViennaRNA/plot_utils.h File Reference	555
19.58.1 Detailed Description	556
19.59 ViennaRNA/profiledist.h File Reference	556
19.59.1 Function Documentation	556
19.59.1.1 profile_edit_distance()	556
19.59.1.2 Make_bp_profile_bppm()	557
19.59.1.3 free_profile()	558
19.59.1.4 Make_bp_profile()	558
19.60 ViennaRNA/PS_dot.h File Reference	558
19.60.1 Detailed Description	559
19.61 ViennaRNA/read_epars.h File Reference	559
19.61.1 Detailed Description	559
19.62 ViennaRNA/ribo.h File Reference	559
19.62.1 Detailed Description	560
19.63 ViennaRNA/RNAstruct.h File Reference	560
19.63.1 Detailed Description	561
19.64 ViennaRNA/string_utils.h File Reference	561
19.64.1 Detailed Description	562
19.64.2 Function Documentation	562
19.64.2.1 str_uppercase()	563

19.64.2.2 str_DNA2RNA()	563
19.64.2.3 random_string()	563
19.64.2.4 hamming()	563
19.64.2.5 hamming_bound()	564
19.65ViennaRNA/stringdist.h File Reference	564
19.65.1 Detailed Description	564
19.65.2 Function Documentation	564
19.65.2.1 Make_swString()	564
19.65.2.2 string_edit_distance()	565
19.66ViennaRNA/structure_utils.h File Reference	565
19.66.1 Detailed Description	568
19.67ViennaRNA/structured_domains.h File Reference	568
19.67.1 Detailed Description	568
19.68ViennaRNA/subopt.h File Reference	568
19.68.1 Detailed Description	569
19.68.2 Typedef Documentation	569
19.68.2.1 SOLUTION	569
19.69ViennaRNA/treedist.h File Reference	570
19.69.1 Detailed Description	570
19.69.2 Function Documentation	570
19.69.2.1 make_tree()	570
19.69.2.2 tree_edit_distance()	571
19.69.2.3 free_tree()	571
19.70ViennaRNA/units.h File Reference	571
19.70.1 Detailed Description	572
19.71ViennaRNA/unstructured_domains.h File Reference	572
19.71.1 Detailed Description	573
19.71.2 Function Documentation	573
19.71.2.1 vrna_ud_set_prob_cb()	574
19.72ViennaRNA/utils.h File Reference	574

19.72.1 Detailed Description	576
19.72.2 Function Documentation	576
19.72.2.1 get_line()	576
19.72.2.2 print_tty_input_seq()	577
19.72.2.3 print_tty_input_seq_str()	577
19.72.2.4 warn_user()	577
19.72.2.5 nrerror()	578
19.72.2.6 space()	578
19.72.2.7 xrealloc()	578
19.72.2.8 init_rand()	578
19.72.2.9 urn()	579
19.72.2.10 nt_urn()	579
19.72.2.11 filecopy()	579
19.72.2.12 time_stamp()	579
19.73 ViennaRNA/walk.h File Reference	580
19.73.1 Detailed Description	580
Bibliography	582
Index	583

Chapter 1

ViennaRNA Package core - RNAlib

A Library for folding and comparing RNA secondary structures

Date

1994-2016

Authors

Ivo Hofacker, Peter Stadler, Ronny Lorenz and many more

Table of Contents

- [Introduction](#)
- [Installation and Configuration of RNAlib Features](#)
- [Free energy evaluation](#)
- [The RNA folding grammar](#)
- [The RNA secondary structure landscape](#)
- [Minimum Free Energy \(MFE\) algorithms](#)
- [Partition function and equilibrium properties](#)
- [Suboptimals and representative structures](#)
- [RNA-RNA interaction](#)
- [Locally stable structures](#)
- [Comparative structure prediction](#)
- [Classified Dynamic Programming variants](#)

- Inverse Folding (Design)
- Experimental structure probing data
- Ligands binding to RNA structures
- Complex structured modules
- Data Structures and Preprocessor Macros
- Utilities
- Parsing and Comparing - Functions to Manipulate Structures
- Utilities - Odds and Ends
- Input / Output File Formats
- RNA Structure Notations
- RNAlib API v3.0
- Callback Functions
- Scripting Language interface(s)
- Examples

1.1 Introduction

The core of the Vienna RNA Package ([10], [8]) is formed by a collection of routines for the prediction and comparison of RNA secondary structures. These routines can be accessed through stand-alone programs, such as RNAfold, RNAdistance etc., which should be sufficient for most users. For those who wish to develop their own programs we provide a library which can be linked to your own code.

This document describes the library and will be primarily useful to programmers. However, it also contains details about the implementation that may be of interest to advanced users. The stand-alone programs are described in separate man pages. The latest version of the package including source code and html versions of the documentation can be found at

<http://www.tbi.univie.ac.at/RNA/>

Chapter 2

Installation and Configuration of RNAlib Features

2.1 Installing the ViennaRNA Package

For best portability the ViennaRNA package uses the GNU autoconf and automake tools. The instructions below are for installing the ViennaRNA package from source. However, pre-compiled binaries for various Linux distributions, as well as for Windows users are available from Download section of the [main ViennaRNA homepage](#).

2.1.1 Quick-start

Usually you'll just unpack, configure and make. To do this type:

```
tar -zxvf ViennaRNA-2.4.2.tar.gz
cd ViennaRNA-2.4.2
./configure
make
sudo make install
```

2.1.2 Installation without root privileges

If you do not have root privileges on your computer, you might want to install the ViennaRNA Package to a location where you actually have write access to. To do so, you can set the installation prefix of the ./configure script like so:

```
./configure --prefix=/home/username/ViennaRNA
make install
```

This will install the entire ViennaRNA Package into a new directory ViennaRNA directly into the users username home directory.

2.1.3 Notes for MacOS X users

Although users will find /usr/bin/gcc and /usr/bin/g++ executables in their directory tree, these programs are not at all what they pretend to be. Instead of including the GNU programs, Apple decided to install clang/llvm in disguise. Unfortunately, the default version of clang/llvm does not support OpenMP (yet), but only complains at a late stage of the build process when this support is required. Therefore, it seems necessary to deactivate OpenMP support by passing the option –disable-openmp to the ./configure script.

Additionally, since MacOS X 10.5 the perl and python installation distributed with MacOS X always include so called universal-binaries (a.k.a. fat-binaries), i.e. binaries for multiple architecture types. In order to compile and link the programs, library, and scripting language interfaces of the ViennaRNA Package for multiple architectures, we've added a new configure switch that sets up the required changes automatically:

```
./configure --enable-universal-binary
```

Note

Note, that with link time optimization turned on, MacOS X's default compiler (llvm/clang) generates an intermediary binary format that can not easily be combined into a multi-architecture library. Therefore, the –enable-universal-binary switch turns off link time optimization!

2.2 Configuring RNAlib features

The ViennaRNA Package includes additional executable programs such as RNAforester, Kinfold, and Kinwalker. Furthermore, we include several features in our C-library that may be activated by default, or have to be explicitly turned on at configure-time. Below we list a selection of the available configure options that affect the features included in all executable programs, the RNAlib C-library, and the corresponding scripting language interface(s).

2.2.1 Streaming SIMD Extension (SSE) support

Since version 2.3.5 our sources contain code that implements a faster multibranch loop decomposition in global MFE predictions, as used e.g. in RNAfold. This implementation makes use of modern processors capability to execute particular instructions on multiple data simultaneously (SIMD - single instruction multiple data, thanks to W. B. Langdon for providing the modified code). Consequently, the time required to assess the minimum of all multibranch loop decompositions is reduced up to about one half compared to the runtime of the original implementation. To make use of this piece of code you need a CPU capable to handle SSE4.1 instructions and enable the feature at compile-time using the following configure flag:

```
./configure --enable-sse
```

2.2.2 Scripting Interfaces

The ViennaRNA Package comes with scripting language interfaces for Perl 5, Python 2, and Python 3 (provided by swig), that allow one to use the implemented algorithms directly without the need of calling an executable program. The interfaces are build by default whenever the autoconf tool-chain detects the required build tools on your system. You may, however, explicitly turn off particular scripting language interface support at configure-time, for instance for Perl 5 and Python 2, before the actual installation.

Example:

```
./configure --without-perl --without-python
```

Disabling the scripting language support all-together can be accomplished using the following switch:

```
./configure --without-swig
```

2.2.3 Cluster Analysis

The programs AnalyseSeqs and AnalyseDists offer some cluster analysis tools (split decomposition, statistical geometry, neighbor joining, Ward's method) for sequences and distance data. To also build these programs add

```
--with-cluster
```

to your configure options.

2.2.4 Kinfold

The Kinfold program can be used to simulate the folding dynamics of an RNA molecule, and is compiled by default. Use the

```
--without-kinfold
```

option to skip compilation and installation of Kinfold.

2.2.5 RNAforester

The RNAforester program is used for comparing secondary structures using tree alignment. Similar to Kinfold, use the

```
--without-forester
```

option to skip compilation and installation of RNAforester.

2.2.6 Kinwalker

The Kinwalker algorithm performs co-transcriptional folding of RNAs, starting at a user specified structure (default: open chain) and ending at the minimum free energy structure. Compilation and installation of this program is deactivated by default. Use the

```
--with-kinwalker
```

option to enable building and installation of Kinwalker.

2.2.7 Link Time Optimization (LTO)

To increase the performance of our implementations, the ViennaRNA Package tries to make use of the Link Time Optimization (LTO) feature of modern C-compilers. If you are experiencing any troubles at make-time or run-time, or the configure script for some reason detects that your compiler supports this feature although it doesn't, you can deactivate it using the flag

```
./configure --disable-lto
```

Note, that GCC before version 5 is known to produce unreliable LTO code, especially in combination with SSE (see [Streaming SIMD Extension \(SSE\) support](#)). We therefore recommend using a more recent compiler (GCC 5 or above) or to turn off one of the two features, LTO or SSE optimized code.

2.2.8 OpenMP support

To enable concurrent computation of our implementations and in some cases parallelization of the algorithms we make use of the OpenMP API. This interface is well understood by most modern compilers. However, in some cases it might be necessary to deactivate OpenMP support and therefore transform *RNAlib* into a C-library that is not entirely *thread-safe*. To do so, add the following configure option

```
./configure --disable-openmp
```

2.2.9 Stochastic backtracking using Boustrophedon scheme

Stochastic backtracking for single RNA sequences, e.g. available through the RNAsubopt program, received a major speedup by implementing a Boustrophedon scheme (see this article for details). If for some reason you want to deactivate this feature, you can do that by adding the following switch to the configure script:

```
./configure --disable-boustrophedon
```

2.2.10 SVM Z-score filter in RNALfold

By default, RNALfold that comes with the ViennaRNA Package allows for z-score filtering of its predicted results using a support vector machine (SVM). However, the library we use to implement this feature (libsvm) is statically linked to our own RNAlib. If this introduces any problems for your own third-party programs that link against RNAlib, you can safely switch off the z-scoring implementation using

```
./configure --without-svm
```

2.2.11 GNU Scientific Library

The new program RNApmin computes a pseudo-energy perturbation vector that aims to minimize the discrepancy of predicted, and observed pairing probabilities. For that purpose it implements several methods to solve the optimization problem. Many of them are provided by the GNU Scientific Library, which is why the RNApmin program, and the RNAlib C-library are required to be linked against libgsl. If this introduces any problems in your own third-party programs that link against RNAlib, you can turn off a larger portion of available minimizers in RN \leftarrow Apmin and linking against libgsl all-together, using the switch

```
./configure --without-gsl
```

2.2.12 Disable C11/C++11 feature support

By default, we use C11/C++11 features in our implementations. This mainly accounts for unnamed unions/structs within *RNAlib*. The configure script automatically detects whether or not your compiler understands these features. In case you are using an older compiler, these features will be deactivated by setting a specific pre-processor directive. If for some reason you want to deactivate C11/C++11 features despite the capabilities of your compiler, use the following configure option:

```
./configure --disable-c11
```

2.2.13 Enable warnings for use of deprecated symbols

Since version 2.2 we are in the process of transforming the API of our *RNAlib*. Hence, several symbols are marked as *deprecated* whenever they have been replaced by the new API. By default, deprecation warnings at compile time are deactivated. If you want to get your terminal spammed by tons of deprecation warnings, enable them using:

```
./configure --enable-warn-deprecated
```

2.2.14 Single precision partition function

Calculation of partition functions (via RNAfold -p) uses double precision floats by default, to avoid overflow errors on longer sequences. If your machine has little memory and you don't plan to fold sequences over 1000 bases in length you can compile the package to do the computations in single precision by running

```
./configure --enable-floatpf
```

Note

Using this option is discouraged and not necessary on most modern computers.

2.2.15 Help

For a complete list of all ./configure options and important environment variables, type

```
./configure --help
```

For more general information on the build process see the INSTALL.configure file.

2.3 Linking against RNAlib

In order to use our implemented algorithms you simply need to link your program to our *RNAlib* C-library that usually comes along with the ViennaRNA Package installation. If you've installed the ViennaRNA Package as a pre-build binary package, you probably need the corresponding development package, e.g. *viennarna-devel*, or *viennarna-dev*. The only thing that is left is to include the ViennaRNA header files into your source code, e.g.:

```
#include <ViennaRNA/mfe.h>
```

and start using our fast and efficient algorithm implementations.

See also

In the [Examples](#) and [Some Examples using RNAlib API v3.0](#) sections, we list a small set of example code that usually is a good starting point for your application.

2.3.1 Compiler and Linker flags

Of course, simply adding the ViennaRNA header files into your source code is usually not enough. You probably need to tell your compiler where to find the header files, and sometimes add additional pre-processor directives. Whenever your installation of *RNAlib* was build with default settings and the header files were installed into their default location, a simple

```
-I/usr/include
```

pre-processor/compile flag should suffice. It can even be omitted in this case, since your compiler should search this directory by default anyway. You only need to change the path from `/usr/include` to the correct location whenever the header files have been installed into a non-standard directory.

On the other hand, if you've compiled *RNAlib* with some non-default settings then you probably need to define some additional pre-processor macros:

- `VRNA_DISABLE_C11_FEATURES` ... Disable C11/C++11 features.

Warning

Add this directive to your pre-processor/compile flags only if *RNAlib* was build with the `--disable-c11` configure option.

See also

[Disable C11/C++11 feature support](#) and [vrna_C11_features\(\)](#)

- `VRNA_WARN_DEPRECATED` ... Enable warnings for using deprecated symbols.

Note

Adding this directive enables compiler warnings whenever you use symbols in *RNAlib* that are marked *deprecated*.

See also

[Enable warnings for use of deprecated symbols](#) and [Deprecated List](#)

- `USE_FLOAT_PF` ... Use single precision floating point operations instead of double precision in partition function computations.

Warning

Define this macro only if *RNAlib* was build with the `--enable-floatpf` configure option!

See also

[Single precision partition function](#)

Simply add the corresponding definition(s) to your pre-processor/compile flags, for instance:

```
-DVRNA_DISABLE_C11_FEATURES
```

Finally, linking against *RNAlib* is achieved by adding the following linker flag

```
-L/usr/lib -lRNA -fopenmp
```

Again, the path to the library, `/usr/lib`, may be omitted if this path is searched for libraries by default. The second flag tells the linker to include `libRNA.a`, and the remaining two flags activate [Link Time Optimization \(LTO\)](#) and [OpenMP support](#) support, respectively.

Note

Depending on your linker, the last two flags may differ.

Depending on your configure time decisions, you can drop one or both of the last flags.

In case you've compiled *RNAlib* with LTO support (See [Link Time Optimization \(LTO\)](#)) and you are using the same compiler for your third-party project that links against our library, you may add the

`-fleo`

flag to enable Link Time Optimization.

2.3.2 The *pkg-config* tool

Instead of hard-coding the required compiler and linker flags, you can also let the *pkg-config* tool automatically determine the required flags. This tool is usually packaged for any Linux distribution and should be available for MacOS X and MinGW as well. We ship a file *RNAlib2.pc* which is installed along with the static *libRNA.a* C-library and populated with all required compiler and linker flags that correspond to your configure time decisions.

The compiler flags required for properly building your code that uses *RNAlib* can be easily obtained via

```
pkg-config --cflags RNAlib2
```

You get the corresponding linker flags using

```
pkg-config --libs RNAlib2
```

With this widely accepted standard it is also very easy to integrate *RNAlib* in your *autotools* project, just have a look at the *PKG_CHECK_MODULES* macro.

Chapter 3

Parsing and Comparing - Functions to Manipulate Structures

Representations of Secondary Structures

The standard representation of a secondary structure is the *bracket notation*, where matching brackets symbolize base pairs and unpaired bases are shown as dots. Alternatively, one may use two types of node labels, 'P' for paired and 'U' for unpaired; a dot is then replaced by '(U)', and each closed bracket is assigned an additional identifier 'P'. We call this the expanded notation. In [6] a condensed representation of the secondary structure is proposed, the so-called homeomorphically irreducible tree (HIT) representation. Here a stack is represented as a single pair of matching brackets labeled 'P' and weighted by the number of base pairs. Correspondingly, a contiguous strain of unpaired bases is shown as one pair of matching brackets labeled 'U' and weighted by its length. Generally any string consisting of matching brackets and identifiers is equivalent to a plane tree with as many different types of nodes as there are identifiers.

Bruce Shapiro proposed a coarse grained representation [17], which, does not retain the full information of the secondary structure. He represents the different structure elements by single matching brackets and labels them as 'H' (hairpin loop), 'I' (interior loop), 'B' (bulge), 'M' (multi-loop), and 'S' (stack). We extend his alphabet by an extra letter for external elements 'E'. Again these identifiers may be followed by a weight corresponding to the number of unpaired bases or base pairs in the structure element. All tree representations (except for the dot-bracket form) can be encapsulated into a virtual root (labeled 'R'), see the example below.

The following example illustrates the different linear tree representations used by the package. All lines show the same secondary structure.

- a) .((((((...))))...((...)))).
(U) (((((U) (U) (((U) (U) (U) P) P) P) (U) (U) (((U) (U) P) P) P) (U) P) P) (U)
- b) (U) (((U2) ((U3) P3) (U2) ((U2) P2) P2) (U) P2) (U)
- c) (((H) (H) M) B)
(((((H) S) ((H) S) M) S) B) S)
(((((H) S) ((H) S) M) S) B) S) E
- d) (((((H3) S3) ((H2) S2) M4) S2) B1) S2) E2) R)

Above: Tree representations of secondary structures. a) Full structure: the first line shows the more convenient condensed notation which is used by our programs; the second line shows the rather clumsy expanded notation for completeness, b) HIT structure, c) different versions of coarse grained structures: the second line is exactly Shapiro's representation, the first line is obtained by neglecting the stems. Since each loop is closed by a unique stem, these two lines are equivalent. The third line is an extension taking into account also the external digits. d) weighted coarse structure, this time including the virtual root.

For the output of aligned structures from string editing, different representations are needed, where we put the label on both sides. The above examples for tree representations would then look like:

- a) (UU) (P (P (P (P (UU) (UU) (P (P (UU) (UU) (UU) P) P) P) (UU) (UU) (P (P (UU) (U...
- b) (UU) (P2 (P2 (U2U2) (P2 (U3U3) P3) (U2U2) (P2 (U2U2) P2) P2) (UU) P2) (UU)
- c) (B (M (HH) (HH) M) B)
(S (B (S (M (S (HH) S) (S (HH) S) M) S) B) S)
(E (S (B (S (M (S (HH) S) (S (HH) S) M) S) B) S) E)
- d) (R (E2 (S2 (B1 (S2 (M4 (S3 (H3) S3) ((H2) S2) M4) S2) B1) S2) E2) R)

Aligned structures additionally contain the gap character '_'.

Parsing and Coarse Graining of Structures

Several functions are provided for parsing structures and converting to different representations.

```
char *expand_Full(const char *structure)
```

Converts the full structure from bracket notation to the expanded notation including root.

```
char *b2HIT (const char *structure)
```

Converts the full structure from bracket notation to the HIT notation including root.

```
char *b2C (const char *structure)
```

Converts the full structure from bracket notation to the a coarse grained notation using the 'H' 'B' 'I' 'M' and 'R' identifiers.

```
char *b2Shapiro (const char *structure)
```

Converts the full structure from bracket notation to the *weighted* coarse grained notation using the 'H' 'B' 'I' 'M' 'S' 'E' and 'R' identifiers.

```
char *expand_Shapiro (const char *coarse);
```

Inserts missing 'S' identifiers in unweighted coarse grained structures as obtained from [b2C\(\)](#).

```
char *add_root (const char *structure)
```

Adds a root to an un-rooted tree in any except bracket notation.

```
char *unexpand_Full (const char *ffull)
```

Restores the bracket notation from an expanded full or HIT tree, that is any tree using only identifiers 'U' 'P' and 'R'.

```
char *unweight (const char *wcoarse)
```

Strip weights from any weighted tree.

```
void unexpand_aligned_F (char *align[2])
```

Converts two aligned structures in expanded notation.

```
void parse_structure (const char *structure)
```

Collects a statistic of structure elements of the full structure in bracket notation.

See also

[RNAstruct.h](#) for prototypes and more detailed description

Distance Measures

A simple measure of dissimilarity between secondary structures of equal length is the base pair distance, given by the number of pairs present in only one of the two structures being compared. I.e. the number of base pairs that have to be opened or closed to transform one structure into the other. It is therefore particularly useful for comparing structures on the same sequence. It is implemented by

```
int bp_distance(const char *str1,
                const char *str2)
```

Compute the "base pair" distance between two secondary structures s1 and s2.

For other cases a distance measure that allows for gaps is preferable. We can define distances between structures as edit distances between trees or their string representations. In the case of string distances this is the same as "sequence alignment". Given a set of edit operations and edit costs, the edit distance is given by the minimum sum of the costs along an edit path converting one object into the other. Edit distances like these always define a metric. The edit operations used by us are insertion, deletion and replacement of nodes. String editing does not pay attention to the matching of brackets, while in tree editing matching brackets represent a single node of the tree. Tree editing is therefore usually preferable, although somewhat slower. String edit distances are always smaller or equal to tree edit distances.

The different level of detail in the structure representations defined above naturally leads to different measures of distance. For full structures we use a cost of 1 for deletion or insertion of an unpaired base and 2 for a base pair. Replacing an unpaired base for a pair incurs a cost of 1.

Two cost matrices are provided for coarse grained structures:

```
/* Null,    H,    B,    I,    M,    S,    E    */
{ 0,    2,    2,    2,    2,    1},    /* Null replaced */
{ 2,    0,    2,    2,    2, INF},   /* H replaced */
{ 2,    2,    0,    1,    2, INF},   /* B replaced */
{ 2,    2,    1,    0,    2, INF},   /* I replaced */
{ 2,    2,    2,    2,    0, INF},   /* M replaced */
{ 1, INF, INF, INF, INF, 0, INF}, /* S replaced */
{ 1, INF, INF, INF, INF, INF, 0}, /* E replaced */

/* Null,    H,    B,    I,    M,    S,    E    */
{ 0, 100,  5,  5, 75,  5,  5},    /* Null replaced */
{100,  0,  8,  8, 8, INF, INF},  /* H replaced */
{ 5,  8,  0,  3, 8, INF, INF},  /* B replaced */
{ 5,  8,  3,  0, 8, INF, INF},  /* I replaced */
{ 75,  8,  8,  8, 0, INF, INF}, /* M replaced */
{ 5, INF, INF, INF, INF, 0, INF}, /* S replaced */
{ 5, INF, INF, INF, INF, INF, 0}, /* E replaced */
```

The lower matrix uses the costs given in [18]. All distance functions use the following global variables:

```
int cost_matrix;
```

Specify the cost matrix to be used for distance calculations.

```
int edit_backtrack;
```

Produce an alignment of the two structures being compared by tracing the editing path giving the minimum distance.

```
char *aligned_line[4];
```

Contains the two aligned structures after a call to one of the distance functions with `edit_backtrack` set to 1.

See also

[utils.h](#), [dist_vars.h](#) and [stringdist.h](#) for more details

Functions for Tree Edit Distances

```
Tree *make_tree (char *struc)
```

Constructs a [Tree](#) (essentially the postorder list) of the structure 'struc', for use in [tree_edit_distance\(\)](#).

```
float tree_edit_distance (Tree *T1,
                         Tree *T2)
```

Calculates the edit distance of the two trees.

```
void free_tree(Tree *t)
```

Free the memory allocated for [Tree](#) t.

See also

[dist_vars.h](#) and [treedist.h](#) for prototypes and more detailed descriptions

Functions for String Alignment

```
swString *Make_swString (char *string)
```

Convert a structure into a format suitable for [string_edit_distance\(\)](#).

```
float string_edit_distance (swString *T1,
                           swString *T2)
```

Calculate the string edit distance of T1 and T2.

See also

[dist_vars.h](#) and [stringdist.h](#) for prototypes and more detailed descriptions

Functions for Comparison of Base Pair Probabilities

For comparison of base pair probability matrices, the matrices are first condensed into probability profiles which are the compared by alignment.

```
float *Make_bp_profile_bppm ( double *bppm,
                             int length)
```

condense pair probability matrix into a vector containing probabilities for unpaired, upstream paired and downstream paired.

```
float profile_edit_distance ( const float *T1,
                            const float *T2)
```

Align the 2 probability profiles T1, T2

See also

[ProfileDist.h](#) for prototypes and more details of the above functions

[Next Page: Utilities](#)

Chapter 4

Utilities - Odds and Ends

Table of Contents

- Producing secondary structure graphs
- Producing (colored) dot plots for base pair probabilities
- Producing (colored) alignments
- RNA sequence related utilities
- RNA secondary structure related utilities
- Miscellaneous Utilities

4.1 Producing secondary structure graphs

```
int PS_rna_plot ( char *string,
                  char *structure,
                  char *file)
```

Produce a secondary structure graph in PostScript and write it to 'filename'.

```
int PS_rna_plot_a (
    char *string,
    char *structure,
    char *file,
    char *pre,
    char *post)
```

Produce a secondary structure graph in PostScript including additional annotation macros and write it to 'filename'.

```
int gmlRNA (char *string,
            char *structure,
            char *ssfile,
            char option)
```

Produce a secondary structure graph in Graph Meta Language (gml) and write it to a file.

```
int ssv_rna_plot (char *string,
                  char *structure,
                  char *ssfile)
```

Produce a secondary structure graph in SStructView format.

```
int svg_rna_plot (char *string,
                  char *structure,
                  char *ssfile)
```

Produce a secondary structure plot in SVG format and write it to a file.

```
int xrna_plot ( char *string,
                char *structure,
                char *ssfile)
```

Produce a secondary structure plot for further editing in XRNA.

```
int rna_plot_type
```

Switch for changing the secondary structure layout algorithm.

Two low-level functions provide direct access to the graph lauyouting algorithms:

```
int simple_xy_coordinates ( short *pair_table,
                            float *X,
                            float *Y)
```

Calculate nucleotide coordinates for secondary structure plot the *Simple way*

```
int naview_xy_coordinates ( short *pair_table,
                            float *X,
                            float *Y)
```

See also

[PS_dot.h](#) and [naview.h](#) for more detailed descriptions.

4.2 Producing (colored) dot plots for base pair probabilities

```
int PS_color_dot_plot ( char *string,
                        cpair *pi,
                        char *filename)

int PS_color_dot_plot_turn (char *seq,
                           cpair *pi,
                           char *filename,
                           int winSize)

int PS_dot_plot_list (char *seq,
                     char *filename,
                     plist *pl,
                     plist *mf,
                     char *comment)
```

Produce a postscript dot-plot from two pair lists.

```
int PS_dot_plot_turn (char *seq,
                     struct plist *pl,
                     char *filename,
                     int winSize)
```

See also

[PS_dot.h](#) for more detailed descriptions.

4.3 Producing (colored) alignments

```
int PS_color_aln (
    const char *structure,
    const char *filename,
    const char *seqs[],
    const char *names[])
```

Produce PostScript sequence alignment color-annotated by consensus structure.

4.4 RNA sequence related utilities

Several functions provide useful applications to RNA sequences

```
char *random_string (int l,
                     const char symbols[])
```

Create a random string using characters from a specified symbol set.

```
int hamming ( const char *s1,
               const char *s2)
```

Calculate hamming distance between two sequences.

```
void str_DNA2RNA(char *sequence);
```

Convert a DNA input sequence to RNA alphabet.

```
void str_uppercase(char *sequence);
```

Convert an input sequence to uppercase.

4.5 RNA secondary structure related utilities

```
char *pack_structure (const char *struc)
```

Pack secondary secondary structure, 5:1 compression using base 3 encoding.

```
char *unpack_structure (const char *packed)
```

Unpack secondary structure previously packed with [pack_structure\(\)](#)

```
short *make_pair_table (const char *structure)
```

Create a pair table of a secondary structure.

```
short *copy_pair_table (const short *pt)
```

Get an exact copy of a pair table.

4.6 Miscellaneous Utilities

```
void print_tty_input_seq (void)
```

Print a line to *stdout* that asks for an input sequence.

```
void print_tty_constraint_full (void)
```

Print structure constraint characters to stdout (full constraint support)

```
void print_tty_constraint (unsigned int option)
```

Print structure constraint characters to stdout. (constraint support is specified by option parameter)

```
int *get_iindx (unsigned int length)
```

```
int *get_indx (unsigned int length)
```

```
void constrain_ptypes (
    const char *constraint,
    unsigned int length,
    char *ptype,
    int *BP,
    int min_loop_size,
    unsigned int idx_type)
```

Insert constraining pair types according to constraint structure string.

```
char *get_line(FILE *fp);
```

Read a line of arbitrary length from a stream.

```
unsigned int read_record(
    char **header,
    char **sequence,
    char ***rest,
    unsigned int options);
```

Get a data record from stdin.

```
char *time_stamp (void)
```

Get a timestamp.

```
void warn_user (const char message[])
```

Print a warning message.

```
void nrerror (const char message[])
```

Die with an error message.

```
void    init_rand (void)
```

Make random number seeds.

```
unsigned short xsubi[3];
```

Current 48 bit random number.

```
double urn (void)
```

get a random number from [0..1]

```
int    int_urn (int from, int to)
```

Generates a pseudo random integer in a specified range.

```
void *space (unsigned size)
```

Allocate space safely.

```
void *xrealloc ( void *p,  
                unsigned size)
```

Reallocate space safely.

See also

[utils.h](#) for a complete overview and detailed description of the utility functions

[Next Page: The new RNAlib API v3.0](#)

Chapter 5

RNALib API v3.0

5.1 Introduction

With version 2.2 we introduce the new API that will take over the old one in the future version 3.0. By then, backwards compatibility will be broken, and third party applications using RNALib need to be ported. This switch of API became necessary, since many new features found their way into the RNALib where a balance between threadsafety and easy-to-use library functions is hard or even impossible to establish. Furthermore, many old functions of the library are present as slightly modified copies of themself to provide a crude way to overload functions.

Therefore, we introduce the new v3.0 API very early in our development stage such that developers have enough time to migrate to the new functions and interfaces. We also started to provide encapsulation of the RNALib functions, data structures, typedefs, and macros by prefixing them with `vrna_` and `VRNA_`, respectively. Header files should also be included using the `ViennaRNA/`namespace, e.g.

```
#include <ViennaRNA/fold.h>
```

instead of just using

```
#include <fold.h>
```

as required for RNALib 1.x and 2.x.

This eases the work for programmers of third party applications that would otherwise need to put much effort into renaming functions and data types in their own implementations if their names appear in our library. Since we still provide backward compatibility up to the last version of RNALib 2.x, this advantage may be fully exploited only starting from v3.0 which will be released in the future. However, our plan is to provide the possibility for an early switch-off mechanism of the backward compatibility in one of our next releases of ViennaRNA Package 2.x.

5.2 What are the major changes?

...

5.3 How to port your program to the new API

...

5.4 Some Examples using RNALib API v3.0

Examples on how to use the new v3.0 API can be found in the [Using the 'new' v3.0 API](#) section.

Chapter 6

Callback Functions

With the new v3.0 API *RNAlib* introduces so-called callback mechanisms for several functions.

This enables users of our library not only to retrieve computed data without the need for parsing complicated data structures, but also allows one to tweak our implementation to do additional tasks without the requirement of a re-implementation of basic algorithms.

Our implementation of the callback mechanisms always follows the same scheme: The user:

- defines a function that complies with the interface we've defined, and
- passes a pointer to said function to our implementations

In addition to the specific arguments of our callback interfaces, virtually all callbacks receive an additional *pass-through-pointer* as their last argument. This enables one to:

- encapsulate data, and
- provide thread-safe operations,

since this pointer is simply passed through by our library functions. It may therefore hold the address of an arbitrary, user-defined data structure.

Below, you find an enumeration of the individual callback functions that are available in RNAlib.

Global `vrna_callback_free_auxdata (void *data)`

This callback is supposed to free memory occupied by an auxiliary data structure. It will be called when the `vrna_fold_compound_t` is erased from memory through a call to `vrna_fold_compound_free()` and will be passed the address of memory previously bound to the `vrna_fold_compound_t` via `vrna_fold_compound_add_auxdata()`.

Global `vrna_callback_hc_evaluate (int i, int j, int k, int l, unsigned char d, void *data)`

This callback enables one to over-rule default hard constraints in secondary structure decompositions.

Global `vrna_callback_recursion_status (unsigned char status, void *data)`

This function will be called to notify a third-party implementation about the status of a currently ongoing recursion. The purpose of this callback mechanism is to provide users with a simple way to ensure pre- and post conditions for auxiliary mechanisms attached to our implementations.

Global `vrna_callback_sc_backtrack (int i, int j, int k, int l, unsigned char d, void *data)`

This callback enables one to add auxiliary base pairs in the backtracking steps of hairpin- and interior loops.

Global `vrna_callback_sc_energy` (int i, int j, int k, int l, unsigned char d, void *data)

This callback enables one to add (pseudo-)energy contributions to individual decompositions of the secondary structure.

Global `vrna_callback_sc_exp_energy` (int i, int j, int k, int l, unsigned char d, void *data)

This callback enables one to add (pseudo-)energy contributions to individual decompositions of the secondary structure (Partition function variant, i.e. contributions must be returned as Boltzmann factors).

Global `vrna_callback_ud_energy` (vrna_fold_compound_t *vc, int i, int j, unsigned int loop_type, void *data)

This function will be called to determine the additional energy contribution of a specific unstructured domain, e.g. the binding free energy of some ligand.

Global `vrna_callback_ud_exp_energy` (vrna_fold_compound_t *vc, int i, int j, unsigned int loop_type, void *data)

This function will be called to determine the additional energy contribution of a specific unstructured domain, e.g. the binding free energy of some ligand (Partition function variant, i.e. the Boltzmann factors instead of actual free energies).

Global `vrna_callback_ud_exp_production` (vrna_fold_compound_t *vc, void *data)

The production rule for the unstructured domain grammar extension (Partition function variant)

Global `vrna_callback_ud_probs_add` (vrna_fold_compound_t *vc, int i, int j, unsigned int loop_type, FLT_OR_DBL exp_energy, void *data)

A callback function to store equilibrium probabilities for the unstructured domain feature

Global `vrna_callback_ud_probs_get` (vrna_fold_compound_t *vc, int i, int j, unsigned int loop_type, int motif, void *data)

A callback function to retrieve equilibrium probabilities for the unstructured domain feature

Global `vrna_callback_ud_production` (vrna_fold_compound_t *vc, void *data)

The production rule for the unstructured domain grammar extension

Global `vrna_mfe_window_callback` (int start, int end, const char *structure, float en, void *data)

This function will be called for each hit in a sliding window MFE prediction.

Global `vrna_probs_window_callback` (FLT_OR_DBL *pr, int pr_size, int i, int max, unsigned int type, void *data)

This function will be called for each probability data set in the sliding window probability computation implementation of `vrna_probs_window()`. The argument `type` specifies the type of probability that is passed to this function.

Global `vrna_subopt_callback` (const char *structure, float energy, void *data)

This function will be called for each suboptimal secondary structure that is successfully backtraced.

Chapter 7

Scripting Language interface(s)

Notes on functions and structures wrapped to the scripting language interface(s)

7.1 Introduction

For an easy integration into scripting languages, we provide an automatically generated interface to the RNAlib C-library, generated with scripting.

7.2 Function renaming scheme

The main difference when using a scripting language interface compared to direct calls of RNAlib C functions is, that the prefix 'vrna_' is dropped. For instance, when calling the [vrna_fold\(\)](#) function, corresponding calls in perl or python are RNA::fold(), and RNA.fold(), respectively.

Functions that are dedicated to work on specific data structures only, e.g. the [vrna_fold_compound_t](#), are usually not exported at all. Instead, they are attached as object methods of a corresponding class (see [Object oriented Interface for data structures](#) for detailed information).

7.3 Object oriented Interface for data structures

For data structures, typedefs, and enumerations the 'vrna_' prefixes are dropped as well, together with their suffixes '_s', '_t', and '_e', respectively. Furthermore, data structures are usually transformed into classes and relevant functions of the C-library are attached as methods.

7.4 Examples

Examples on the basic usage of the scripting language interfaces can be found in the [Perl Examples](#) and [Python Examples](#) section.

7.5 Wrapper notes

Special notes on how functions, structures, enums, and macro definitions are actually wrapped, can be found here: [SWIG Wrapper Notes](#).

Chapter 8

SWIG Wrapper Notes

Below, you find an enumeration of special note on how functions, structures, enums, and macro definitions are wrapped.

Global `vrna_aln_conservation_col` (`const char **alignment, const vrna_md_t *md_p, unsigned int options`)

This function is available in an overloaded form where the last two parameters may be omitted, indicating `md = NULL`, and `options = VRNA_MEASURE_SHANNON_ENTROPY`, respectively.

Global `vrna_aln_conservation_struct` (`const char **alignment, const char *structure, const vrna_md_t *md`)

This function is available in an overloaded form where the last parameter may be omitted, indicating `md = NULL`.

Global `vrna_commands_apply` (`vrna_fold_compound_t *vc, vrna_cmd_t *commands, unsigned int options`)

This function is attached as method `commands_apply()` to objects of type `fold_compound`

Global `vrna_db_flatten` (`char *structure, unsigned int options`)

This function flattens an input structure string in-place! The second parameter is optional and defaults to `VRNA_BRACKETS_DEFAULT`.

An overloaded version of this function exists, where an additional second parameter can be passed to specify the target brackets, i.e. the type of matching pair characters all brackets will be flattened to. Therefore, in the scripting language interface this function is a replacement for `vrna_db_flatten_to()`.

Global `vrna_db_flatten_to` (`char *string, const char target[3], unsigned int options`)

This function is available as an overloaded version of `vrna_db_flatten()`

Global `vrna_enumerate_necklaces` (`const unsigned int *type_counts`)

This function is available as global function `enumerate_necklaces()` which accepts lists input, and produces list of lists output.

Global `vrna_eval_covar_structure` (`vrna_fold_compound_t *vc, const char *structure`)

This function is attached as method `eval_covar_structure()` to objects of type `fold_compound`

Global `vrna_eval_hp_loop` (`vrna_fold_compound_t *vc, int i, int j`)

This function is attached as method `eval_hp_loop()` to objects of type `fold_compound`

Global `vrna_eval_int_loop` (`vrna_fold_compound_t *vc, int i, int j, int k, int l`)

This function is attached as method `eval_int_loop()` to objects of type `fold_compound`

Global `vrna_eval_loop_pt` (`vrna_fold_compound_t *vc, int i, const short *pt`)

This function is attached as method `eval_loop_pt()` to objects of type `fold_compound`

Global `vrna_eval_move` (`vrna_fold_compound_t *vc, const char *structure, int m1, int m2`)

This function is attached as method `eval_move()` to objects of type `fold_compound`

Global `vrna_eval_move_pt` (`vrna_fold_compound_t *vc, short *pt, int m1, int m2`)

This function is attached as method `eval_move_pt()` to objects of type `fold_compound`

Global `vrna_eval_structure` (`vrna_fold_compound_t *vc, const char *structure`)

This function is attached as method `eval_structure()` to objects of type `fold_compound`

Global `vrna_eval_structure_pt` (`vrna_fold_compound_t *vc, const short *pt`)

This function is attached as method `eval_structure_pt()` to objects of type `fold_compound`

Global `vrna_eval_structure_pt_verbose` (`vrna_fold_compound_t *vc, const short *pt, FILE *file`)

This function is attached as method `eval_structure_pt_verbose()` to objects of type `fold_compound`

Global `vrna_eval_structure_verbose` (`vrna_fold_compound_t *vc, const char *structure, FILE *file`)

This function is attached as method `eval_structure_verbose()` to objects of type `fold_compound`

Global `vrna_exp_params_rescale` (`vrna_fold_compound_t *vc, double *mfe`)

This function is attached to `vrna_fc_s` objects as overloaded `exp_params_rescale()` method.

When no parameter is passed to this method, the resulting action is the same as passing `NULL` as second parameter to `vrna_exp_params_rescale()`, i.e. default scaling of the partition function. Passing an energy in kcal/mol, e.g. as retrieved by a previous call to the `mfe()` method, instructs all subsequent calls to scale the partition function accordingly.

Global `vrna_exp_params_reset` (`vrna_fold_compound_t *vc, vrna_md_t *md_p`)

This function is attached to `vrna_fc_s` objects as overloaded `exp_params_reset()` method.

When no parameter is passed to this method, the resulting action is the same as passing `NULL` as second parameter to `vrna_exp_params_reset()`, i.e. global default model settings are used. Passing an object of type `vrna_md_s` resets the fold compound according to the specifications stored within the `vrna_md_s` object.

Class `vrna_fc_s`

This data structure is wrapped as an object `fold_compound` with several related functions attached as methods.

A new `fold_compound` can be obtained by calling one of its constructors:

- `fold_compound(seq)` – Initialize with a single sequence, or two concatenated sequences separated by an ampersand character '&' (for cofolding)
- `fold_compound(aln)` – Initialize with a sequence alignment `aln` stored as a list of sequences (with gap characters)

The resulting object has a list of attached methods which in most cases directly correspond to functions that mainly operate on the corresponding C data structure:

- `type()` – Get the type of the `fold_compound` (See `vrna_fc_type_e`)
- `length()` – Get the length of the sequence(s) or alignment stored within the `fold_compound`

Global `vrna_file_commands_apply` (`vrna_fold_compound_t *vc, const char *filename, unsigned int options`)

This function is attached as method `file_commands_apply()` to objects of type `fold_compound`

Global `vrna_file_msa_detect_format` (`const char *filename, unsigned int options`)

This function exists as an overloaded version where the `options` parameter may be omitted! In that case, the `options` parameter defaults to `VRNA_FILE_FORMAT_MSA_DEFAULT`.

Global `vrna_file_msa_read` (`const char *filename, char *names, char ***aln, char **id, char **structure, unsigned int options`)**

In the target scripting language, only the first and last argument, `filename` and `options`, are passed to the corresponding function. The other arguments, which serve as output in the C-library, are available as additional return values. Hence, a function call in python may look like this:

```
num_seq, names, aln, id, structure = RNA.file_msa_read("msa.stk", RNA.FILE_FORMAT_MSA_STOCKHOLM)
```

After successfully reading the first record, the variable `num_seq` contains the number of sequences in the alignment (the actual return value of the C-function), while the variables `names`, `aln`, `id`, and `structure` are lists of the sequence names and aligned sequences, as well as strings holding the alignment ID and the structure as stated in the `SS_cons` line, respectively. Note, the last two return values may be empty strings in case the alignment does not provide the required data.

This function exists as an overloaded version where the `options` parameter may be omitted! In that case, the `options` parameter defaults to `VRNA_FILE_FORMAT_MSA_STOCKHOLM`.

Global `vrna_file_msa_read_record` (`FILE *fp, char ***names, char ***aln, char **id, char **structure, unsigned int options`)

In the target scripting language, only the first and last argument, `fp` and `options`, are passed to the corresponding function. The other arguments, which serve as output in the C-library, are available as additional return values. Hence, a function call in python may look like this:

```
f = open("msa.stk", 'r')
num_seq, names, aln, id, structure = RNA.file_msa_read_record(f, RNA.FILE_FORMAT_MSA_STOCKHOLM)
f.close()
```

After successfully reading the first record, the variable `num_seq` contains the number of sequences in the alignment (the actual return value of the C-function), while the variables `names`, `aln`, `id`, and `structure` are lists of the sequence names and aligned sequences, as well as strings holding the alignment ID and the structure as stated in the `SS_cons` line, respectively. Note, the last two return values may be empty strings in case the alignment does not provide the required data.

This function exists as an overloaded version where the `options` parameter may be omitted! In that case, the `options` parameter defaults to `VRNA_FILE_FORMAT_MSA_STOCKHOLM`.

Global `vrna_file_msa_write` (`const char *filename, const char **names, const char **aln, const char *id, const char *structure, const char *source, unsigned int options`)

In the target scripting language, this function exists as a set of overloaded versions, where the last four parameters may be omitted. If the `options` parameter is missing the options default to (`VRNA_FILE_FORMAT_MSA_STOCKHOLM` | `VRNA_FILE_FORMAT_MSA_APPEND`).

Global `vrna_hc_add_from_db` (`vrna_fold_compound_t *vc, const char *constraint, unsigned int options`)

This function is attached as method `hc_add_from_db()` to objects of type `fold_compound`

Global `vrna_hc_init` (`vrna_fold_compound_t *vc`)

This function is attached as method `hc_init()` to objects of type `fold_compound`

Class `vrna_md_s`

This data structure is wrapped as an object `md` with multiple related functions attached as methods.

A new set of default parameters can be obtained by calling the constructor of `md`:

- `md()` – Initialize with default settings

The resulting object has a list of attached methods which directly correspond to functions that mainly operate on the corresponding *C* data structure:

- `reset()` – `vrna_md_set_default()`
- `set_from_globals()` – `set_model_details()`
- `option_string()` – `vrna_md_option_string()`

Note, that default parameters can be modified by directly setting any of the following global variables. Internally, getting/setting default parameters using their global variable representative translates into calls of the following functions, therefore these wrappers for these functions do not exist in the scripting language interface(s):

global variable	C getter	C setter
temperature	<code>vrna_md_defaults_temperature_get()</code>	<code>vrna_md_defaults_temperature()</code>

global variable	C getter	C setter
dangles	vrna_md_defaults_dangles_get()	vrna_md_defaults_dangles()
betaScale	vrna_md_defaults_betaScale_get()	vrna_md_defaults_betaScale()
tetra_loop	this is an alias of <i>special_hp</i>	
special_hp	vrna_md_defaults_special_hp_get()	vrna_md_defaults_special_hp()
noLonelyPairs	this is an alias of <i>noLP</i>	
noLP	vrna_md_defaults_noLP_get()	vrna_md_defaults_noLP()
noGU	vrna_md_defaults_noGU_get()	vrna_md_defaults_noGU()
no_closingGU	this is an alias of <i>noGUclosure</i>	
noGUclosure	vrna_md_defaults_noGUclosure_get()	vrna_md_defaults_noGUclosure()
logML	vrna_md_defaults_logML_get()	vrna_md_defaults_logML()
circ	vrna_md_defaults_circ_get()	vrna_md_defaults_circ()
gquad	vrna_md_defaults_gquad_get()	vrna_md_defaults_gquad()
uniq_ML	vrna_md_defaults_uniq_ML_get()	vrna_md_defaults_uniq_ML()
energy_set	vrna_md_defaults_energy_set_get()	vrna_md_defaults_energy_set()
backtrack	vrna_md_defaults_backtrack_get()	vrna_md_defaults_backtrack()
backtrack_type	vrna_md_defaults_backtrack_type_get()	vrna_md_defaults_backtrack_type()
do_backtrack	this is an alias of <i>compute_bpp</i>	
compute_bpp	vrna_md_defaults_compute_bpp_get()	vrna_md_defaults_compute_bpp()
max_bp_span	vrna_md_defaults_max_bp_span_get()	vrna_md_defaults_max_bp_span()
min_loop_size	vrna_md_defaults_min_loop_size_get()	vrna_md_defaults_min_loop_size()
window_size	vrna_md_defaults_window_size_get()	vrna_md_defaults_window_size()
oldAliEn	vrna_md_defaults_oldAliEn_get()	vrna_md_defaults_oldAliEn()
ribo	vrna_md_defaults_ribo_get()	vrna_md_defaults_ribo()
cv_fact	vrna_md_defaults_cv_fact_get()	vrna_md_defaults_cv_fact()
nc_fact	vrna_md_defaults_nc_fact_get()	vrna_md_defaults_nc_fact()
sfact	vrna_md_defaults_sfact_get()	vrna_md_defaults_sfact()

Global [vrna_mean_bp_distance](#) (*vrna_fold_compound_t* *vc)

This function is attached as method [mean_bp_distance\(\)](#) to objects of type *fold_compound*

Global [vrna_mfe](#) (*vrna_fold_compound_t* *vc, *char* *structure)

This function is attached as method [mfe\(\)](#) to objects of type *fold_compound*

Global [vrna_mfe_dimer](#) (*vrna_fold_compound_t* *vc, *char* *structure)

This function is attached as method [mfe_dimer\(\)](#) to objects of type *fold_compound*

Global [vrna_mfe_window](#) (*vrna_fold_compound_t* *vc, *FILE* *file)

This function is attached as method [mfe_window\(\)](#) to objects of type *fold_compound*

Global [vrna_params_reset](#) (*vrna_fold_compound_t* *vc, *vrna_md_t* *md_p)

This function is attached to [vrna_fc_s](#) objects as overloaded [params_reset\(\)](#) method.

When no parameter is passed to this method, the resulting action is the same as passing *NULL* as second parameter to [vrna_params_reset\(\)](#), i.e. global default model settings are used. Passing an object of type [vrna_md_s](#) resets the fold compound according to the specifications stored within the [vrna_md_s](#) object.

Global [vrna_params_subst](#) (*vrna_fold_compound_t* *vc, *vrna_param_t* *par)

This function is attached to [vrna_fc_s](#) objects as [params_subst\(\)](#) method.

Global `vrna_pbacktrack` (`vrna_fold_compound_t *vc`)

This function is attached as overloaded method `pbacktrack()` to objects of type `fold_compound` that accepts an optional `length` argument. Hence, it serves as a replacement for `vrna_pbacktrack()`.

Global `vrna_pbacktrack5` (`vrna_fold_compound_t *vc, int length`)

This function is attached as overloaded method `pbacktrack()` to objects of type `fold_compound`

Global `vrna_pf` (`vrna_fold_compound_t *vc, char *structure`)

This function is attached as method `pf()` to objects of type `fold_compound`

Global `vrna_pf_dimer` (`vrna_fold_compound_t *vc, char *structure`)

This function is attached as method `pf_dimer()` to objects of type `fold_compound`

Global `vrna_sc_add_bp` (`vrna_fold_compound_t *vc, int i, int j, FLT_OR_DBL energy, unsigned int options`)

This function is attached as an overloaded method `sc_add_bp()` to objects of type `fold_compound`. The method either takes arguments for a single base pair (i,j) with the corresponding energy value:

```
fold_compound.sc_add_bp(i, j, energy, options)
```

or an entire 2-dimensional matrix with dimensions $n \times n$ that stores free energy contributions for any base pair (i,j) with $1 \leq i < j \leq n$:

```
fold_compound.sc_add_bp(matrix, options)
```

In both variants, the `options` argument is optional can may be omitted.

Global `vrna_sc_add_bt` (`vrna_fold_compound_t *vc, vrna_callback_sc_backtrack *f`)

This function is attached as method `sc_add_bt()` to objects of type `fold_compound`

Global `vrna_sc_add_data` (`vrna_fold_compound_t *vc, void *data, vrna_callback_free_auxdata *free_data`)

This function is attached as method `sc_add_data()` to objects of type `fold_compound`

Global `vrna_sc_add_exp_f` (`vrna_fold_compound_t *vc, vrna_callback_sc_exp_energy *exp_f`)

This function is attached as method `sc_add_exp_f()` to objects of type `fold_compound`

Global `vrna_sc_add_f` (`vrna_fold_compound_t *vc, vrna_callback_sc_energy *f`)

This function is attached as method `sc_add_f()` to objects of type `fold_compound`

Global `vrna_sc_add_hi_motif` (`vrna_fold_compound_t *vc, const char *seq, const char *structure, FLT_OR_DBL energy, unsigned int options`)

This function is attached as method `sc_add_hi_motif()` to objects of type `fold_compound`

Global `vrna_sc_add_SHAPE_deigan` (`vrna_fold_compound_t *vc, const double *reactivities, double m, double b, unsigned int options`)

This function is attached as method `sc_add_SHAPE_deigan()` to objects of type `fold_compound`

Global `vrna_sc_add_SHAPE_deigan_ali` (`vrna_fold_compound_t *vc, const char **shape_files, const int *shape_file_association, double m, double b, unsigned int options`)

This function is attached as method `sc_add_SHAPE_deigan_ali()` to objects of type `fold_compound`

Global `vrna_sc_add_SHAPE_zarringhalam` (`vrna_fold_compound_t *vc, const double *reactivities, double b, double default_value, const char *shape_conversion, unsigned int options`)

This function is attached as method `sc_add_SHAPE_zarringhalam()` to objects of type `fold_compound`

Global `vrna_sc_add_up` (`vrna_fold_compound_t *vc, int i, FLT_OR_DBL energy, unsigned int options`)

This function is attached as an overloaded method `sc_add_up()` to objects of type `fold_compound`. The method either takes arguments for a single nucleotide i with the corresponding energy value:

```
fold_compound.sc_add_up(i, energy, options)
```

or an entire vector that stores free energy contributions for each nucleotide i with $1 \leq i \leq n$:

```
fold_compound.sc_add_bp(vector, options)
```

In both variants, the `options` argument is optional and may be omitted.

Global `vrna_sc_init` (`vrna_fold_compound_t *vc`)

This function is attached as method `sc_init()` to objects of type `fold_compound`

Global `vrna_sc_remove` (`vrna_fold_compound_t *vc`)

This function is attached as method `sc_remove()` to objects of type `fold_compound`

Global `vrna_sc_set_bp` (`vrna_fold_compound_t *vc, const FLT_OR_DBL **constraints, unsigned int options`)

This function is attached as method `sc_set_bp()` to objects of type `fold_compound`

Global `vrna_sc_set_up` (`vrna_fold_compound_t *vc, const FLT_OR_DBL *constraints, unsigned int options`)

This function is attached as method `sc_set_up()` to objects of type `fold_compound`

Global `vrna_subopt` (`vrna_fold_compound_t *vc, int delta, int sorted, FILE *fp`)

This function is attached as method `subopt()` to objects of type `fold_compound`

Global `vrna_subopt_cb` (`vrna_fold_compound_t *vc, int delta, vrna_subopt_callback *cb, void *data`)

This function is attached as method `subopt_cb()` to objects of type `fold_compound`

Global `vrna_subopt_zuker` (`vrna_fold_compound_t *vc`)

This function is attached as method `subopt_zuker()` to objects of type `fold_compound`

Global `vrna_ud_add_motif` (`vrna_fold_compound_t *vc, const char *motif, double motif_en, unsigned int loop_type`)

This function is attached as method `ud_add_motif()` to objects of type `fold_compound`

Global `vrna_ud_remove` (`vrna_fold_compound_t *vc`)

This function is attached as method `ud_remove()` to objects of type `fold_compound`

Global `vrna_ud_set_data` (`vrna_fold_compound_t *vc, void *data, vrna_callback_free_auxdata *free_cb`)

This function is attached as method `ud_set_data()` to objects of type `fold_compound`

Global `vrna_ud_set_exp_prod_rule_cb` (`vrna_fold_compound_t *vc, vrna_callback_ud_exp_production *pre_cb, vrna_callback_ud_exp_energy *exp_e_cb`)

This function is attached as method `ud_set_exp_prod_rule_cb()` to objects of type `fold_compound`

Global `vrna_ud_set_prob_cb` (`vrna_fold_compound_t *vc, vrna_callback_ud_probs_add *setter, vrna_callback_ud_probs_get *getter`)

This function is attached as method `ud_set_prob_cb()` to objects of type `fold_compound`

Global `vrna_ud_set_prod_rule_cb` (`vrna_fold_compound_t *vc, vrna_callback_ud_production *pre_cb, vrna_callback_ud_energy *e_cb`)

This function is attached as method `ud_set_prod_rule_cb()` to objects of type `fold_compound`

Chapter 9

Input / Output File Formats

9.1 File formats for Multiple Sequence Alignments (MSA)

9.1.1 ClustalW format

The *ClustalW* format is a relatively simple text file containing a single multiple sequence alignment of DNA, RNA, or protein sequences. It was first used as an output format for the *clustalw* programs, but nowadays it may also be generated by various other sequence alignment tools. The specification is straight forward:

- The first line starts with the words

CLUSTAL W

or

CLUSTALW

- After the above header there is at least one empty line
- Finally, one or more blocks of sequence data are following, where each block is separated by at least one empty line

Each line in a blocks of sequence data consists of the sequence name followed by the sequence symbols, separated by at least one whitespace character. Usually, the length of a sequence in one block does not exceed 60 symbols. Optionally, an additional whitespace separated cumulative residue count may follow the sequence symbols. Optionally, a block may be followed by a line depicting the degree of conservation of the respective alignment columns.

Note

Sequence names and the sequences must not contain whitespace characters! Allowed gap symbols are the hyphen ("‐"), and dot (".").

Warning

Please note that many programs that output this format tend to truncate the sequence names to a limited number of characters, for instance the first 15 characters. This can destroy the uniqueness of identifiers in your MSA.

Here is an example alignment in ClustalW format:

```
CLUSTAL W (1.83) multiple sequence alignment

AL031296.1/85969-86120      CUGCCUCACAACGUUUGGCCUCAGUUACCGUAGAUGUAGUGAGGGUAACAAUACUUAC
AANU01225121.1/438-603      CUGCCUCACAACAUUUGGCCUCAGUUACUAGAUGUAGUGAGGGUGACAAUACUUAC
AAWR02037329.1/29294-29150  ---CUCGACACCACU---GCCUCGGUUACCCAUCGGUGCAGUGCGGGUAGUAGUACCAAU

AL031296.1/85969-86120      UCUCGUUGGUGAUAGGAACAGCU
AANU01225121.1/438-603      UCUCGUUGGUGAUAGGAACAGCU
AAWR02037329.1/29294-29150  GCUAAUAGUUGUGAGGACCAACU
```

9.1.2 Stockholm 1.0 format

Here is an example alignment in Stockholm 1.0 format:

```
# STOCKHOLM 1.0

#=GF AC RF01293
#=GF ID ACA59
#=GF DE Small nucleolar RNA ACA59
#=GF AU Wilkinson A
#=GF SE Predicted; WAR; Wilkinson A
#=GF SS Predicted; WAR; Wilkinson A
#=GF GA 43.00
#=GF TC 44.90
#=GF NC 40.30
#=GF TP Gene; snRNA; snoRNA; HACA-box;
#=GF BM cmbuild -F CM SEED
#=GF CB cmcalibrate --mpi CM
#=GF SM cmsearch --cpu 4 --verbose --nohmmmonly -E 1000 -Z 549862.597050 CM SEQDB
#=GF DR snoRNABase; ACA59;
#=GF DR SO; 0001263; ncRNA_gene;
#=GF DR GO; 0006396; RNA processing;
#=GF DR GO; 0005730; nucleolus;
#=GF RN [1]
#=GF RM 15199136
#=GF RT Human box H/ACA pseudouridylation guide RNA machinery.
#=GF RA Kiss AM, Jady BE, Bertrand E, Kiss T
#=GF RL Mol Cell Biol. 2004;24:5797-5807.
#=GF WK Small_nucleolar_RNA
#=GF SQ 3

AL031296.1/85969-86120      CUGCCUCACAACGUUUGGCCUCAGUUACCGUAGAUGUAGUGAGGGUAACAAUACUUACUCUCGUUGGUGAUAGGAACAGG
AANU01225121.1/438-603      CUGCCUCACAACAUUUGGCCUCAGUUACUAGAUGUAGUGAGGGUGACAAUACUUACUCUCGUUGGUGAUAGGAACAGG
AAWR02037329.1/29294-29150  ---CUCGACACCACU---GCCUCGGUUACCCAUCGGUGCAGUGCGGGUAGUACCAAUGCUAAUAGUUGUGAGGACCAAU
#=GC SS_cons -----((((<<<<<<_____>>>>>>,,,<<<<<<_____>>>>>,,,,))::::::::::
#=GC RF CUGCcccaCAaCacuuguGCCUCAGUUACcCauaggGuAGUGaGgGuggcAaUACcaCcCucgUUGGuggUaAGGAaCAgG
//
```

See also

[Washington University Secondary Structure \(WUSS\) notation](#) on legal characters for the consensus secondary structure line *SS_cons* and their interpretation

9.1.3 FASTA (Pearson) format

Note

Sequence names must not contain whitespace characters. Otherwise, the parts after the first whitespace will be dropped. The only allowed gap character is the hyphen ("").

Here is an example alignment in FASTA format:

```
>AL031296.1/85969-86120
CUGCCUCACAACGUUUGGCCUCAGUUACCGUAGAUGUAGUGAGGGUAACAAUACUUAC
UCUCGUUGGUGAUAGGAACAGCU
>ANU01225121.1/438-603
CUGCCUCACAACAUUUGGCCUCAGUUACAUAGAUGUAGUGAGGGUGACAAUACUUAC
UCUCGUUGGUGAUAGGAACAGCU
>AAWR02037329.1/29294-29150
---CUCGACACCACU---GCCUCGGUUAACCAUCGGUGCAGUGCAGGGUAGUAGUACCAAU
GCUAAUUAGUUGUGAGGACCAACU
```

9.1.4 MAF format

The multiple alignment format (MAF) is usually used to store multiple alignments on DNA level between entire genomes. It consists of independent blocks of aligned sequences which are annotated by their genomic location. Consequently, an MAF formatted MSA file may contain multiple records. MAF files start with a line

```
##maf
```

which is optionally extended by whitespace delimited key=value pairs. Lines starting with the character ("#") are considered comments and usually ignored.

A MAF block starts with character ("a") at the beginning of a line, optionally followed by whitespace delimited key=value pairs. The next lines start with character ("s") and contain sequence information of the form

```
s src start size strand srcSize sequence
```

where

- *src* is the name of the sequence source
- *start* is the start of the aligned region within the source (0-based)
- *size* is the length of the aligned region without gap characters
- *strand* is either ("+" or "-"), depicting the location of the aligned region relative to the source
- *srcSize* is the size of the entire sequence source, e.g. the full chromosome
- *sequence* is the aligned sequence including gaps depicted by the hyphen ("")

Here is an example alignment in MAF format (bluntly taken from the [UCSC Genome browser website](#)):

```

##maf version=1 scoring=tba.v8
# tba.v8 ((human chimp) baboon) (mouse rat)
# multiz.v7
# maf_project.v5 _tba_right.maf3 mouse _tba_C
# single_cov2.v4 single_cov2 /dev/stdin

a score=23262.0
s hg16.chr7    27578828 38 + 158545518 AAA-GGGAATGTTAACCAAATGA---ATTGTCTCTTACGGTG
s panTro1.chr6 28741140 38 + 161576975 AAA-GGGAATGTTAACCAAATGA---ATTGTCTCTTACGGTG
s baboon       116834 38 +   4622798 AAA-GGGAATGTTAACCAAATGA---GTTGTCTCTTATGGTG
s mm4.chr6     53215344 38 + 151104725 -AATGGGAATGTTAACCAAACGA---ATTGTCTCTCAGTGTG
s rn3.chr4     81344243 40 + 187371129 -AA-GGGGATGCTAACCCAATGAGTTGTTCTCAATGTG

a score=5062.0
s hg16.chr7    27699739 6 + 158545518 TAAAGA
s panTro1.chr6 28862317 6 + 161576975 TAAAGA
s baboon       241163 6 +   4622798 TAAAGA
s mm4.chr6     53303881 6 + 151104725 TAAAGA
s rn3.chr4     81444246 6 + 187371129 taagga

a score=6636.0
s hg16.chr7    27707221 13 + 158545518 gcagctgaaaaca
s panTro1.chr6 28869787 13 + 161576975 gcagctgaaaaca
s baboon       249182 13 +   4622798 gcagctgaaaaca
s mm4.chr6     53310102 13 + 151104725 ACAGCTGAAAATA

```

9.2 File formats to manipulate the RNA folding grammar

9.2.1 Command Files

The RNAlib and many programs of the ViennaRNA Package can parse and apply data from so-called command files. These commands may refer to structure constraints or even extensions of the RNA folding grammar (such as [Unstructured domains](#)). Commands are given as a line of whitespace delimited data fields. The syntax we use extends the constraint definitions used in the [mfold](#) / [UNAFold](#) software, where each line begins with a command character followed by a set of positions.

However, we introduce several new commands, and allow for an optional loop type context specifier in form of a sequence of characters, and an orientation flag that enables one to force a nucleotide to pair upstream, or downstream.

9.2.1.1 Constraint commands

The following set of commands is recognized:

- F ... Force
- P ... Prohibit
- C ... Conflicts/Context dependency
- A ... Allow (for non-canonical pairs)
- E ... Soft constraints for unpaired position(s), or base pair(s)

9.2.1.2 RNA folding grammar exensions

- UD ... Add ligand binding using the [Unstructured domains](#) feature

9.2.1.3 Specification of the loop type context

The optional loop type context specifier [LOOP] may be a combination of the following:

- E ... Exterior loop
- H ... Hairpin loop
- I ... Interior loop
- M ... Multibranch loop
- A ... All loops

For structure constraints, we additionally allow one to address base pairs enclosed by a particular kind of loop, which results in the specifier [WHERE] which consists of [LOOP] plus the following character:

- i ... enclosed pair of an Interior loop
- m ... enclosed pair of a Multibranch loop

If no [LOOP] or [WHERE] flags are set, all contexts are considered (equivalent to A)

9.2.1.4 Controlling the orientation of base pairing

For particular nucleotides that are forced to pair, the following [ORIENTATION] flags may be used:

- U ... Upstream
- D ... Downstream

If no [ORIENTATION] flag is set, both directions are considered.

9.2.1.5 Sequence coordinates

Sequence positions of nucleotides/base pairs are 1– based and consist of three positions i , j , and k . Alternatively, four positions may be provided as a pair of two position ranges $[i : j]$, and $[k : l]$ using the '-' sign as delimiter within each range, i.e. $i - j$, and $k - l$.

9.2.1.6 Valid constraint commands

Below are resulting general cases that are considered *valid* constraints:

1. "Forcing a range of nucleotide positions to be paired":

Syntax:

```
F i 0 k [WHERE] [ORIENTATION]
```

Description:

Enforces the set of k consecutive nucleotides starting at position i to be paired. The optional loop type specifier [WHERE] allows to force them to appear as closing/enclosed pairs of certain types of loops.

2. "Forcing a set of consecutive base pairs to form":

Syntax:

```
F i j k [WHERE]
```

Description:

Enforces the base pairs $(i, j), \dots, (i + (k - 1), j - (k - 1))$ to form. The optional loop type specifier [WHERE] allows to specify in which loop context the base pair must appear.

3. "Prohibiting a range of nucleotide positions to be paired":

Syntax:

```
P i 0 k [WHERE]
```

Description:

Prohibit a set of k consecutive nucleotides to participate in base pairing, i.e. make these positions unpaired. The optional loop type specifier [WHERE] allows to force the nucleotides to appear within the loop of specific types.

4. "Prohibiting a set of consecutive base pairs to form":

Syntax:

```
P i j k [WHERE]
```

Description:

Prohibit the base pairs $(i, j), \dots, (i + (k - 1), j - (k - 1))$ to form. The optional loop type specifier [WHERE] allows to specify the type of loop they are disallowed to be the closing or an enclosed pair of.

5. "Prohibiting two ranges of nucleotides to pair with each other":

Syntax:

```
P i-j k-l [WHERE]
```

Description:

Prohibit any nucleotide $p \in [i : j]$ to pair with any other nucleotide $q \in [k : l]$. The optional loop type specifier [WHERE] allows to specify the type of loop they are disallowed to be the closing or an enclosed pair of.

6. "Enforce a loop context for a range of nucleotide positions":

Syntax:

```
C i 0 k [WHERE]
```

Description:

This command enforces nucleotides to be unpaired similar to *prohibiting* nucleotides to be paired, as described above. It too marks the corresponding nucleotides to be unpaired, however, the [WHERE] flag can be used to enforce specific loop types the nucleotides must appear in.

7. "Remove pairs that conflict with a set of consecutive base pairs":

Syntax:

```
C i j k
```

Description:

Remove all base pairs that conflict with a set of consecutive base pairs $(i, j), \dots, (i + (k - 1), j - (k - 1))$.

Two base pairs (i, j) and (p, q) conflict with each other if $i < p < j < q$, or $p < i < q < j$.

8. "Allow a set of consecutive (non-canonical) base pairs to form":

Syntax:

```
A i j k [WHERE]
```

Description:

This command enables the formation of the consecutive base pairs $(i, j), \dots, (i + (k - 1), j - (k - 1))$, no matter if they are *canonical*, or *non-canonical*. In contrast to the above F and W commands, which remove conflicting base pairs, the A command does not. Therefore, it may be used to allow *non-canonical* base pair interactions. Since the RNAlib does not contain free energy contributions E_{ij} for non-canonical base pairs (i, j) , they are scored as the *maximum* of similar, known contributions. In terms of a *Nussinov* like scoring function the free energy of non-canonical base pairs is therefore estimated as

$$E_{ij} = \min \left[\max_{(i,k) \in \{GC,CG,AU,UA,GU,UG\}} E_{ik}, \max_{(k,j) \in \{GC,CG,AU,UA,GU,UG\}} E_{kj} \right].$$

The optional loop type specifier [WHERE] allows to specify in which loop context the base pair may appear.

9. "Apply pseudo free energy to a range of unpaired nucleotide positions":

Syntax:

```
E i 0 k e
```

Description:

Use this command to apply a pseudo free energy of e to the set of k consecutive nucleotides, starting at position i . The pseudo free energy is applied only if these nucleotides are considered unpaired in the recursions, or evaluations, and is expected to be given in *kcal/mol*.

10. "Apply pseudo free energy to a set of consecutive base pairs":

Syntax

```
E i j k e
```

Use this command to apply a pseudo free energy of e to the set of base pairs $(i, j), \dots, (i + (k - 1), j - (k - 1))$. Energies are expected to be given in *kcal/mol*.

9.2.1.7 Valid domain extensions commands

1. "Add ligand binding to unpaired motif (a.k.a. unstructured domains)":

Syntax:

```
UD m e [LOOP]
```

Description:

Add ligand binding to unpaired sequence motif m (given in IUPAC format, capital letters) with binding energy e in particular loop type(s).

Example:

```
UD  AAA  -5.0   A
```

The above example applies a binding free energy of -5kcal/mol for a motif AAA that may be present in all loop types.

Chapter 10

RNA Structure Notations

10.1 Common Notations for RNA secondary structures

10.1.1 Dot-Bracket Notation (a.k.a. Dot-Parenthesis Notation)

The Dot-Bracket notation as introduced already in the early times of the ViennaRNA Package denotes base pairs by matching pairs of parenthesis () and unpaired nucleotides by dots ..

Example: A simple helix of size 4 enclosing a hairpin of size 4 is annotated as

```
((((....))))
```

See also

[vrna_ptable_from_string\(\)](#), [vrna_db_flatten\(\)](#), [vrna_db_flatten_to\(\)](#)

10.1.2 Extended Dot-Bracket Notation

A more generalized version of the original Dot-Bracket notation may use additional pairs of brackets, such as <>, {}, and [], and matching pairs of uppercase/lowercase letters. This allows for annotating pseudo-knots, since different pairs of brackets are not required to be nested.

Example: The following annotations of a simple structure with two crossing helices of size 4 are equivalent:

```
<<<[ [ [ . . . ,>>>] ] ]  
(( ((AAAA....))))aaaa  
AAAA{{{{....aaaa}}}}
```

See also

[vrna_ptable_from_string\(\)](#), [vrna_db_flatten\(\)](#), [vrna_db_flatten_to\(\)](#)

10.1.3 Washington University Secondary Structure (WUSS) notation

The WUSS notation, as frequently used for consensus secondary structures in [Stockholm 1.0 format](#) allows for a fine-grained annotation of base pairs and unpaired nucleotides, including pseudo-knots.

Below, you'll find a list of secondary structure elements and their corresponding WUSS annotation (See also the [infernal user guide at `http://eddylab.org/infernal/Userguide.pdf`](#))

- **Base pairs**

Nested base pairs are annotated by matching pairs of the symbols <>, (), {}, and []. Each of the matching pairs of parenthesis have their special meaning, however, when used as input in our programs, e.g. structure constraint, these details are usually ignored. Furthermore, base pairs that constitute as pseudo-knot are denoted by letters from the latin alphabet and are, if not denoted otherwise, ignored entirely in our programs.

- **Hairpin loops**

Unpaired nucleotides that constitute the hairpin loop are indicated by underscores, _.

Example: <<<<_____>>>>

- **Bulges and interior loops**

Residues that constitute a bulge or interior loop are denoted by dashes, -.

Example: (((-<<_____>>-)))

- **Multibranch loops**

Unpaired nucleotides in multibranch loops are indicated by commas ,.

Example: (((,,<<_____>>,<<_____>>)))

- **External residues**

Single stranded nucleotides in the exterior loop, i.e. not enclosed by any other pair are denoted by colons, ::.

Example: <<<_____>>>:::

- **Insertions**

In cases where an alignment represents the consensus with a known structure, insertions relative to the known structure are denoted by periods, ... Regions where local structural alignment was invoked, leaving regions of both target and query sequence unaligned, are indicated by tildes, ~.

Note

These symbols only appear in alignments of a known (query) structure annotation to a target sequence of unknown structure.

- **Pseudo-knots**

The WUSS notation allows for annotation of pseudo-knots using pairs of upper-case/lower-case letters.

Note

Our programs and library functions usually ignore pseudo-knots entirely treating them as unpaired nucleotides, if not stated otherwise.

Example: <<<_AAA____>>>aaa

See also

[vrna_db_from_WUSS\(\)](#)

Chapter 11

Examples

11.1 Example programs using the RNAlib C library

11.1.1 Using the 'old' API

The following program exercises most commonly used functions of the library. The program folds two sequences using both the mfe and partition function algorithms and calculates the tree edit and profile distance of the resulting structures and base pairing probabilities.

Note

This program uses the old API of RNAlib, which is in part already marked deprecated. Please consult the [RNAlib API v3.0](#) page for details of what changes are necessary to port your implementation to the new API.

```
#include <stdio.h>
#include <stdlib.h>
#include <math.h>
#include <string.h>
#include "utils.h"
#include "fold_vars.h"
#include "fold.h"
#include "part_func.h"
#include "inverse.h"
#include "RNAAstruct.h"
#include "treedist.h"
#include "stringdist.h"
#include "profiledist.h"

void main()
{
    char *seq1="CGCAGGGAUACCCGCG", *seq2="GCGGCCAUAGGGACGC",
         *struct1,* struct2,* xstruc;
    float e1, e2, tree_dist, string_dist, profile_dist, kT;
    Tree *T1, *T2;
    swString *S1, *S2;
    float *pf1, *pf2;
    FLT_OR_DBL *bppm;
    /* fold at 30C instead of the default 37C */
    temperature = 30.;      /* must be set *before* initializing */

    /* allocate memory for structure and fold */
    struct1 = (char* ) space(sizeof(char)*(strlen(seq1)+1));
    e1 = fold(seq1, struct1);

    struct2 = (char* ) space(sizeof(char)*(strlen(seq2)+1));
    e2 = fold(seq2, struct2);

    free_arrays();      /* free arrays used in fold() */

    /* produce tree and string representations for comparison */
    xstruc = expand_Full(struct1);
    T1 = make_tree(xstruc);
```

```

S1 = Make_swString(xstruc);
free(xstruc);

xstruc = expand_Full(struct2);
T2 = make_tree(xstruc);
S2 = Make_swString(xstruc);
free(xstruc);

/* calculate tree edit distance and aligned structures with gaps */
edit_backtrack = 1;
tree_dist = tree_edit_distance(T1, T2);
free_tree(T1); free_tree(T2);
unexpand_aligned_F(aligned_line);
printf("%s\n%s %3.2f\n", aligned_line[0], aligned_line[1], tree_dist);

/* same thing using string edit (alignment) distance */
string_dist = string_edit_distance(S1, S2);
free(S1); free(S2);
printf("%s mfe=%5.2f\n%s mfe=%5.2f dist=%3.2f\n",
       aligned_line[0], e1, aligned_line[1], e2, string_dist);

/* for longer sequences one should also set a scaling factor for
   partition function folding, e.g: */
kT = (temperature+273.15)*1.98717/1000.; /* kT in kcal/mol */
pf_scale = exp(-e1/kT/strlen(seq1));

/* calculate partition function and base pair probabilities */
e1 = pf_fold(seq1, struct1);
/* get the base pair probability matrix for the previous run of pf_fold() */
bppm = export_bppm();
pf1 = Make_bp_profile_bppm(bppm, strlen(seq1));

e2 = pf_fold(seq2, struct2);
/* get the base pair probability matrix for the previous run of pf_fold() */
bppm = export_bppm();
pf2 = Make_bp_profile_bppm(bppm, strlen(seq2));

free_pf_arrays(); /* free space allocated for pf_fold() */

profile_dist = profile_edit_distance(pf1, pf2);
printf("%s free energy=%5.2f\n%s free energy=%5.2f dist=%3.2f\n",
       aligned_line[0], e1, aligned_line[1], e2, profile_dist);

free_profile(pf1); free_profile(pf2);
}

```

In a typical Unix environment you would compile this program using:

```
cc ${OPENMP_CFLAGS} -c example.c -I${hpath}
```

and link using

```
cc ${OPENMP_CFLAGS} -o example -L${lpath} -lRNA -lm
```

where \${hpath} and \${lpath} point to the location of the header files and library, respectively.

Note

As default, the RNAlib is compiled with build-in *OpenMP* multithreading support. Thus, when linking your own object files to the library you have to pass the compiler specific \${OPENMP_CFLAGS} (e.g. '-fopenmp' for **gcc**) even if your code does not use openmp specific code. However, in that case the *OpenMP* flags may be omitted when compiling example.c

11.1.2 Using the 'new' v3.0 API

The following is a simple program that computes the MFE, partition function, and centroid structure by making use of the v3.0 API.

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>

#include <ViennaRNA/data_structures.h>
#include <ViennaRNA/params.h>
#include <ViennaRNA/utils.h>
#include <ViennaRNA/eval.h>
#include <ViennaRNA/fold.h>
#include <ViennaRNA/part_func.h>

int main(int argc, char *argv[]){
    char *seq = "AGACGACAAGGUUGAACUGCACCCACAGUCUAUGAGUCGGUGACAACAUUACGAAAGGCUGUAAAUAUUAUACCACAGGGGGCCCCGUGUCUAG";
    char *mfe_structure = vrna_alloc(sizeof(char) * (strlen(seq) + 1));
    char *prob_string = vrna_alloc(sizeof(char) * (strlen(seq) + 1));

    /* get a vrna_fold_compound with default settings */
    vrna_fold_compound_t *vc = vrna_fold_compound(seq, NULL,
                                                VRNA_OPTION_DEFAULT);

    /* call MFE function */
    double mfe = (double)vrna_mfe(vc, mfe_structure);

    printf("%s\n%s (%6.2f)\n", seq, mfe_structure, mfe);

    /* rescale parameters for Boltzmann factors */
    vrna_exp_params_rescale(vc, &mfe);

    /* call PF function */
    FLT_OR_DBL en = vrna_pf(vc, prob_string);

    /* print probability string and free energy of ensemble */
    printf("%s (%6.2f)\n", prob_string, en);

    /* compute centroid structure */
    double dist;
    char *cent = vrna_centroid(vc, &dist);

    /* print centroid structure, its free energy and mean distance to the ensemble */
    printf("%s (%6.2f d=%6.2f)\n", cent, vrna_eval_structure(vc, cent), dist);

    /* free centroid structure */
    free(cent);

    /* free pseudo dot-bracket probability string */
    free(prob_string);

    /* free mfe structure */
    free(mfe_structure);

    /* free memory occupied by vrna_fold_compound */
    vrna_fold_compound_free(vc);

    return EXIT_SUCCESS;
}
```

11.2 Perl Examples

11.2.1 Using the Flat Interface

Example 1: "Simple MFE prediction"

```
#!/usr/bin/perl

use warnings;
use strict;
```

```
use RNA;

my $seq1 = "CGCAGGGAUACCCGCG";

# compute minimum free energy (mfe) and corresponding structure
my ($ss, $mfe) = RNA::fold($seq1);

# print output
printf "%s [ %6.2f ]\n", $ss, $mfe;
```

11.2.2 Using the Object Oriented (OO) Interface

The 'fold_compound' class that serves as an object oriented interface for [vrna_fold_compound_t](#)

Example 1: "Simple MFE prediction"

```
#!/usr/bin/perl

use warnings;
use strict;

use RNA;

my $seq1 = "CGCAGGGAUACCCGCG";

# create new fold_compound object
my $fc = new RNA::fold_compound($seq1);

# compute minimum free energy (mfe) and corresponding structure
my ($ss, $mfe) = $fc->mfe();

# print output
printf "%s [ %6.2f ]\n", $ss, $mfe;
```

11.3 Python Examples

11.3.1 Using the Flat Interface

Example 1: "Simple MFE prediction"

```
import RNA

sequence = "CUCGUCGCCUUAUCCAGUGCGGGCGCUAGACAUCUAGUUUCGCCGCAA"

# compute minimum free energy (mfe) and corresponding structure
(structure, mfe) = RNA.fold(sequence)

# print output
print "%s\n%s [ %6.2f ]" % (structure, mfe)
```

11.3.2 Using the Object Oriented (OO) Interface

The 'fold_compound' class that serves as an object oriented interface for [vrna_fold_compound_t](#)

Example 1: "Simple MFE prediction"

```

import RNA;

sequence = "CGCAGGGAUACCCGCG"

# create new fold_compound object
fc = RNA.fold_compound(sequence)

# compute minimum free energy (mfe) and corresponding structure
(ss, mfe) = fc.mfe()

# print output
print "%s [ %6.2f ]" % (ss, mfe)

```

Example 2: "Use callback while generating suboptimal structures"

```

import RNA

sequence = "GGGGAAAACCCC"

# Set global switch for unique ML decomposition
RNA.cvar.uniq_ML = 1

subopt_data = { 'counter' : 1, 'sequence' : sequence }

# Print a subopt result as FASTA record
def print_subopt_result(structure, energy, data):
    if not structure == None:
        print ">subopt %d" % data['counter']
        print "%s" % data['sequence']
        print "%s [%6.2f]" % (structure, energy)
        # increase structure counter
        data['counter'] = data['counter'] + 1

# Create a 'fold_compound' for our sequence
a = RNA.fold_compound(sequence)

# Enumerate all structures 500 dascal/mol = 5 kcal/mol arround
# the MFE and print each structure using the function above
a.subopt_cb(500, print_subopt_result, subopt_data);

```

Example 3: "Revert MFE to Maximum Matching using soft constraint callbacks"

```

import RNA

seq1 = "CUCGUCGCCUAAUCCAGUGCGGGCGCUAGACAUCUAGUUAUCGCCGCAA"

# Turn-off dangles globally
RNA.cvar.dangles = 0

# Data structure that will be passed to our MaximumMatching() callback with two components:
# 1. a 'dummy' fold_compound to evaluate loop energies w/o constraints, 2. a fresh set of energy parameters
mm_data = { 'dummy': RNA.fold_compound(seq1), 'params': RNA.param() }

# Nearest Neighbor Parameter reversal functions
revert_NN = {
    RNA.DECOMP_PAIR_HP:      lambda i, j, k, l, f, p: - f.eval_hp_loop(i, j) - 100,
    RNA.DECOMP_PAIR_IL:      lambda i, j, k, l, f, p: - f.eval_int_loop(i, j, k, l) - 100,
    RNA.DECOMP_PAIR_ML:      lambda i, j, k, l, f, p: - p.MLclosing - p.MLintern[0] - (j - i - k + l - 2) * p.MLbase - 100,
    RNA.DECOMP_ML_ML_STEM:   lambda i, j, k, l, f, p: - p.MLintern[0] - (l - k - 1) * p.MLbase,
    RNA.DECOMP_ML_STEM:      lambda i, j, k, l, f, p: - p.MLintern[0] - (j - i - k + 1) * p.MLbase,
    RNA.DECOMP_ML_ML:         lambda i, j, k, l, f, p: - (j - i - k + 1) * p.MLbase,
    RNA.DECOMP_ML_UP:         lambda i, j, k, l, f, p: - (j - i + 1) * p.MLbase,
    RNA.DECOMP_EXT_STEM:     lambda i, j, k, l, f, p: - f.E_ext_loop(k, l),
    RNA.DECOMP_EXT_STEM_EXT: lambda i, j, k, l, f, p: - f.E_ext_loop(i, k),
    RNA.DECOMP_EXT_EXT_STEM: lambda i, j, k, l, f, p: - f.E_ext_loop(l, j),
    RNA.DECOMP_EXT_EXT_STEM1: lambda i, j, k, l, f, p: - f.E_ext_loop(l, j-1),
}

# Maximum Matching callback function (will be called by RNAlib in each decomposition step)
def MaximumMatching(i, j, k, l, d, data):
    return revert_NN[d](i, j, k, l, data['dummy'], data['params'])

# Create a 'fold_compound' for our sequence
fc = RNA.fold_compound(seq1)

# Add maximum matching soft-constraints
fc.sc_add_f(MaximumMatching)
fc.sc_add_data(mm_data, None)

```

```
# Call MFE algorithm
(s, mm) = fc.mfe()

# print result
print "%s\n%s (MM: %d)\n" % (seq1, s, -mm)
```

Chapter 12

Deprecated List

Global `alifold (const char **strings, char *structure)`

Usage of this function is discouraged! Use [vrna_alifold\(\)](#), or [vrna_mfe\(\)](#) instead!

Global `alimake_pair_table (const char *structure)`

Use [vrna_pt_ali_get\(\)](#) instead!

Global `alipbacktrack (double *prob)`

Use [vrna_pbacktrack\(\)](#) instead!

Global `alipf_circ_fold (const char **sequences, char *structure, vrna_ep_t **pl)`

Use [vrna_pf\(\)](#) instead

Global `alipf_fold (const char **sequences, char *structure, vrna_ep_t **pl)`

Use [vrna_pf\(\)](#) instead

Global `alipf_fold_par (const char **sequences, char *structure, vrna_ep_t **pl, vrna_exp_param_t *parameters, int calculate_bppm, int is_constrained, int is_circular)`

Use [vrna_pf\(\)](#) instead

Global `assign plist_from_db (vrna_ep_t **pl, const char *struc, float pr)`

Use [vrna_plist\(\)](#) instead

Global `assign plist_from_pr (vrna_ep_t **pl, FLT_OR_DBL *probs, int length, double cutoff)`

Use [vrna_plist_from_probs\(\)](#) instead!

Global `base_pair`

Do not use this variable anymore!

Global `bondT`

Use [vrna_bp_stack_t](#) instead!

Global `bp_distance (const char *str1, const char *str2)`

Use [vrna_bp_distance](#) instead

Global `bppm_symbol (const float *x)`

Use [vrna_bpp_symbol\(\)](#) instead!

Global `bppm_to_structure (char *structure, FLT_OR_DBL *pr, unsigned int length)`

Use [vrna_db_from_probs\(\)](#) instead!

Global `centroid (int length, double *dist)`

This function is deprecated and should not be used anymore as it is not threadsafe!

Global `circalifold (const char **strings, char *structure)`

Usage of this function is discouraged! Use [vrna_alicircfold\(\)](#), and [vrna_mfe\(\)](#) instead!

Global circfold (const char *sequence, char *structure)

Use [vrna_circfold\(\)](#), or [vrna_mfe\(\)](#) instead!

Global co_pf_fold (char *sequence, char *structure)

{Use [vrna_pf_dimer\(\)](#) instead!}

Global co_pf_fold_par (char *sequence, char *structure, vrna_exp_param_t *parameters, int calculate_bppm, int is_constrained)

Use [vrna_pf_dimer\(\)](#) instead!

Global cofold (const char *sequence, char *structure)

use [vrna_mfe_dimer\(\)](#) instead

Global cofold_par (const char *string, char *structure, vrna_param_t *parameters, int is_constrained)

use [vrna_mfe_dimer\(\)](#) instead

Global compute_BPdifferences (short *pt1, short *pt2, unsigned int turn)

Use [vrna_refBPdist_matrix\(\)](#) instead

Global compute_probabilities (double FAB, double FEA, double FEB, vrna_ep_t *prAB, vrna_ep_t *prA, vrna_ep_t *prB, int Alength)

{ Use [vrna_pf_dimer_probs\(\)](#) instead! }

Global constrain_ptypes (const char *constraint, unsigned int length, char *ptype, int *BP, int min_loop_size, unsigned int idx_type)

Do not use this function anymore! Structure constraints are now handled through [vrna_hc_t](#) and related functions.

Global copy_pair_table (const short *pt)

Use [vrna_ptable_copy\(\)](#) instead

Global cpair

Use [vrna_cpair_t](#) instead!

Global cv_fact

See [vrna_md_t.cv_fact](#), and [vrna_mfe\(\)](#) to avoid using global variables

Global destroy_TwoDfold_variables (TwoDfold_vars *our_variables)

Use the new API that relies on [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_mfe_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

Global destroy_TwoDpfold_variables (TwoDpfold_vars *vars)

Use the new API that relies on [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_pf_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

Global energy_of_astruct (const char **sequences, const char *structure, int n_seq, float *energy)

Usage of this function is discouraged! Use [vrna_eval_structure\(\)](#), and [vrna_eval_covar_structure\(\)](#) instead!

Global energy_of_circ_struct (const char *string, const char *structure)

This function is deprecated and should not be used in future programs Use [energy_of_circ_structure\(\)](#) instead!

Global energy_of_circ_struct_par (const char *string, const char *structure, vrna_param_t *parameters, int verbosity_level)

Use [vrna_eval_structure\(\)](#) or [vrna_eval_structure_verbose\(\)](#) instead!

Global energy_of_circ_structure (const char *string, const char *structure, int verbosity_level)

Use [vrna_eval_structure\(\)](#) or [vrna_eval_structure_verbose\(\)](#) instead!

Global energy_of_move (const char *string, const char *structure, int m1, int m2)

Use [vrna_eval_move\(\)](#) instead!

Global energy_of_move_pt (short *pt, short *s, short *s1, int m1, int m2)

Use [vrna_eval_move_pt\(\)](#) instead!

Global energy_of_struct (const char *string, const char *structure)

This function is deprecated and should not be used in future programs! Use [energy_of_structure\(\)](#) instead!

Global `energy_of_struct_par` (`const char *string, const char *structure, vrna_param_t *parameters, int verbosity_level`)

Use `vrna_eval_structure()` or `vrna_eval_structure_verbose()` instead!

Global `energy_of_struct_pt` (`const char *string, short *ptable, short *s, short *s1`)

This function is deprecated and should not be used in future programs! Use `energy_of_structure_pt()` instead!

Global `energy_of_struct_pt_par` (`const char *string, short *ptable, short *s, short *s1, vrna_param_t *parameters, int verbosity_level`)

Use `vrna_eval_structure_pt()` or `vrna_eval_structure_pt_verbose()` instead!

Global `energy_of_structure` (`const char *string, const char *structure, int verbosity_level`)

Use `vrna_eval_structure()` or `vrna_eval_structure_verbose()` instead!

Global `energy_of_structure_pt` (`const char *string, short *ptable, short *s, short *s1, int verbosity_level`)

Use `vrna_eval_structure_pt()` or `vrna_eval_structure_pt_verbose()` instead!

Global `expHairpinEnergy` (`int u, int type, short si1, short sj1, const char *string`)

Use `exp_E_Hairpin()` from `loop_energies.h` instead

Global `expLoopEnergy` (`int u1, int u2, int type, int type2, short si1, short sj1, short sp1, short sq1`)

Use `exp_E_IntLoop()` from `loop_energies.h` instead

Global `export_ali_bppm` (void)

Usage of this function is discouraged! The new `vrna_fold_compound_t` allows direct access to the folding matrices, including the pair probabilities! The pair probability array returned here reflects the one of the latest call to `vrna_pf()`, or any of the old API calls for consensus structure partition function folding.

Global `export_circfold_arrays` (`int *Fc_p, int *FcH_p, int *FcI_p, int *FcM_p, int **fM2_p, int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **indx_p, char **ptype_p`)

See `vrna_mfe()` and `vrna_fold_compound_t` for the usage of the new API!

Global `export_circfold_arrays_par` (`int *Fc_p, int *FcH_p, int *FcI_p, int *FcM_p, int **fM2_p, int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **indx_p, char **ptype_p, vrna_param_t **P_p`)

See `vrna_mfe()` and `vrna_fold_compound_t` for the usage of the new API!

Global `export_co_bppm` (void)

This function is deprecated and will be removed soon! The base pair probability array is available through the `vrna_fold_compound_t` data structure, and its associated `vrna_mx_pf_t` member.

Global `export_cofold_arrays` (`int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **fc_p, int **indx_p, char **ptype_p`)

folding matrices now reside within the `vrna_fold_compound_t`. Thus, this function will only work in conjunction with a prior call to the deprecated functions `cofold()` or `cofold_par()`

Global `export_cofold_arrays_gq` (`int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **fc_p, int **ggg_p, int **indx_p, char **ptype_p`)

folding matrices now reside within the fold compound. Thus, this function will only work in conjunction with a prior call to `cofold()` or `cofold_par()`

Global `export_fold_arrays` (`int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **indx_p, char **ptype_p`)

See `vrna_mfe()` and `vrna_fold_compound_t` for the usage of the new API!

Global `export_fold_arrays_par` (`int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **indx_p, char **ptype_p, vrna_param_t **P_p`)

See `vrna_mfe()` and `vrna_fold_compound_t` for the usage of the new API!

Global `filecopy` (FILE *from, FILE *to)

Use `vrna_file_copy()` instead!

Global `fold` (const char *sequence, char *structure)

use `vrna_fold()`, or `vrna_mfe()` instead!

Global `fold_par` (`const char *sequence, char *structure, vrna_param_t *parameters, int is_constrained, int is_circular`)

use `vrna_mfe()` instead!

Global `free_alifold_arrays` (`void`)

Usage of this function is discouraged! It only affects memory being free'd that was allocated by an old API function before. Release of memory occupied by the newly introduced `vrna_fold_compound_t` is handled by `vrna_vrna_fold_compound_free()`

Global `free_alipf_arrays` (`void`)

Usage of this function is discouraged! This function only free's memory allocated by old API function calls. Memory allocated by any of the new API calls (starting with `vrna_`) will be not affected!

Global `free_arrays` (`void`)

See `vrna_fold()`, `vrna_circfold()`, or `vrna_mfe()` and `vrna_fold_compound_t` for the usage of the new API!

Global `free_co_arrays` (`void`)

This function will only free memory allocated by a prior call of `cofold()` or `cofold_par()`. See `vrna_mfe_dimer()` for how to use the new API

Global `free_co_pf_arrays` (`void`)

This function will be removed for the new API soon! See `vrna_pf_dimer()`, `vrna_fold_compound()`, and `vrna_fold_compound_free()` for an alternative

Global `free_pf_arrays` (`void`)

See `vrna_fold_compound_t` and its related functions for how to free memory occupied by the dynamic programming matrices

Global `get_alipf_arrays` (`short ***S_p, short ***S5_p, short ***S3_p, unsigned short ***a2s_p, char ***← Ss_p, FLT_OR_DBL **qb_p, FLT_OR_DBL **qm_p, FLT_OR_DBL **q1k_p, FLT_OR_DBL **qln_p, short **pscore)`

It is discouraged to use this function! The new `vrna_fold_compound_t` allows direct access to all necessary consensus structure prediction related variables!

Global `get_boltzmann_factor_copy` (`vrna_exp_param_t *parameters`)

Use `vrna_exp_params_copy()` instead!

Global `get_boltzmann_factors` (`double temperature, double betaScale, vrna_md_t md, double pf_scale`)

Use `vrna_exp_params()` instead!

Global `get_boltzmann_factors_ali` (`unsigned int n_seq, double temperature, double betaScale, vrna_md_t md, double pf_scale`)

Use `vrna_exp_params_comparative()` instead!

Global `get_centroid_struct_gquad_pr` (`int length, double *dist`)

This function is deprecated and should not be used anymore as it is not threadsafe!

Global `get_centroid_struct_pl` (`int length, double *dist, vrna_ep_t *pl`)

This function was renamed to `vrna_centroid_from plist()`

Global `get_centroid_struct_pr` (`int length, double *dist, FLT_OR_DBL *pr`)

This function was renamed to `vrna_centroid_from_probs()`

Global `get_concentrations` (`double FEAB, double FEAA, double FEBB, double FEA, double FEB, double *startconc`)

{ Use `vrna_pf_dimer_concentrations()` instead! }

Global `get_line` (`FILE *fp`)

Use `vrna_read_line()` as a substitute!

Global `get_monomere_mfes` (`float *e1, float *e2`)

{This function is obsolete and will be removed soon!}

Global `get_mpi` (`char *Alseq[], int n_seq, int length, int *mini`)

Use `vrna_aln_mpi()` as a replacement

Global [get_plist](#) (vrna_ep_t *pl, int length, double cut_off)

{ This function is deprecated and will be removed soon!} use [assign plist from pr\(\)](#) instead!

Global [get_scaled_alipf_parameters](#) (unsigned int n_seq)

Use [vrna_exp_params_comparative\(\)](#) instead!

Global [get_scaled_parameters](#) (double temperature, vrna_md_t md)

Use [vrna_params\(\)](#) instead!

Global [get_scaled_pf_parameters](#) (void)

Use [vrna_exp_params\(\)](#) instead!

Global [get_TwoDfold_variables](#) (const char *seq, const char *structure1, const char *structure2, int circ)

Use the new API that relies on [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_mfe_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

Global [get_TwoDpfold_variables](#) (const char *seq, const char *structure1, char *structure2, int circ)

Use the new API that relies on [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_pf_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

Global [HairpinE](#) (int size, int type, int si1, int sj1, const char *string)

{This function is deprecated and will be removed soon. Use [E_Hairpin\(\)](#) instead!}

Global [hamming](#) (const char *s1, const char *s2)

Use [vrna_hamming_distance\(\)](#) instead!

Global [hamming_bound](#) (const char *s1, const char *s2, int n)

Use [vrna_hamming_distance_bound\(\)](#) instead!

Global [iindx](#)

Do not use this variable anymore!

Global [init_co_pf_fold](#) (int length)

{ This function is deprecated and will be removed soon!}

Global [init_pf_fold](#) (int length)

This function is obsolete and will be removed soon!

Global [init_rand](#) (void)

Use [vrna_init_rand\(\)](#) instead!

Global [initialize_cofold](#) (int length)

{This function is obsolete and will be removed soon!}

Global [initialize_fold](#) (int length)

See [vrna_mfe\(\)](#) and [vrna_fold_compound_t](#) for the usage of the new API!

Global [int_urn](#) (int from, int to)

Use [vrna_int_urn\(\)](#) instead!

Global [Lfold](#) (const char *string, char *structure, int maxdist)

Use [vrna_mfe_window\(\)](#) instead!

Global [Lfoldz](#) (const char *string, char *structure, int maxdist, int zsc, double min_z)

Use [vrna_mfe_window_zscore\(\)](#) instead!

Global [loop_energy](#) (short *ptable, short *s, short *s1, int i)

Use [vrna_eval_loop_pt\(\)](#) instead!

Global [LoopEnergy](#) (int n1, int n2, int type, int type_2, int si1, int sj1, int sp1, int sq1)

{This function is deprecated and will be removed soon. Use [E_IntLoop\(\)](#) instead!}

Global [Make_bp_profile](#) (int length)

This function is deprecated and will be removed soon! See [Make_bp_profile_bppm\(\)](#) for a replacement

Global make_pair_table (const char *structure)

Use [vrna_ptable\(\)](#) instead

Global make_pair_table_snoop (const char *structure)

Use [vrna_pt_snoop_get\(\)](#) instead!

Global make_referenceBP_array (short *reference_pt, unsigned int turn)

Use [vrna_refBPcnt_matrix\(\)](#) instead

Global mean_bp_dist (int length)

This function is not threadsafe and should not be used anymore. Use [mean_bp_distance\(\)](#) instead!

Global mean_bp_distance (int length)

Use [vrna_mean_bp_distance\(\)](#) or [vrna_mean_bp_distance_pr\(\)](#) instead!

Global mean_bp_distance_pr (int length, FLT_OR_DBL *pr)

Use [vrna_mean_bp_distance\(\)](#) or [vrna_mean_bp_distance_pr\(\)](#) instead!

Global nc_fact

See [vrna_md_t.nc_fact](#), and [vrna_mfe\(\)](#) to avoid using global variables

Global nrerror (const char message[])

Use [vrna_message_error\(\)](#) instead!

Global pack_structure (const char *struc)

Use [vrna_db_pack\(\)](#) as a replacement

Global PAIR

Use [vrna_basepair_t](#) instead!

Global pair_info

Use [vrna_pinfo_t](#) instead!

Global paramT

Use [vrna_param_t](#) instead!

Global parenthesis_structure (char *structure, vrna_bp_stack_t *bp, int length)

use [vrna_parenthesis_structure\(\)](#) instead

Global parenthesis_zuker (char *structure, vrna_bp_stack_t *bp, int length)

use [vrna_parenthesis_zuker](#) instead

Global path_t

Use [vrna_path_t](#) instead!

Global pbacktrack_circ (char *sequence)

Use [vrna_pbacktrack\(\)](#) instead.

Global pf_circ_fold (const char *sequence, char *structure)

Use [vrna_pf\(\)](#) instead!

Global pf_fold_par (const char *sequence, char *structure, vrna_exp_param_t *parameters, int calculate_bppm, int is_constrained, int is_circular)

Use [vrna_pf\(\)](#) instead

Global pf_paramT

Use [vrna_exp_param_t](#) instead!

Global plist

Use [vrna_ep_t](#) or [vrna_elem_prob_s](#) instead!

Global pr

Do not use this variable anymore!

Global print_tty_constraint (unsigned int option)

Use [vrna_message_constraints\(\)](#) instead!

Global print_tty_constraint_full (void)

Use [vrna_message_constraint_options_all\(\)](#) instead!

Global print_tty_input_seq (void)

Use [vrna_message_input_seq_simple\(\)](#) instead!

Global print_tty_input_seq_str (const char *s)

Use [vrna_message_input_seq\(\)](#) instead!

Global PS_dot_plot (char *string, char *file)

This function is deprecated and will be removed soon! Use [PS_dot_plot_list\(\)](#) instead!

Global PS_rna_plot (char *string, char *structure, char *file)

Use [vrna_file_PS_rnplot\(\)](#) instead!

Global PS_rna_plot_a (char *string, char *structure, char *file, char *pre, char *post)

Use [vrna_file_PS_rnplot_a\(\)](#) instead!

Global PS_rna_plot_a_gquad (char *string, char *structure, char *ssfile, char *pre, char *post)

Use [vrna_file_PS_rnplot_a\(\)](#) instead!

Global random_string (int l, const char symbols[])

Use [vrna_random_string\(\)](#) instead!

Global read_record (char **header, char **sequence, char *rest, unsigned int options)**

This function is deprecated! Use [vrna_file_fasta_read_record\(\)](#) as a replacement.

Global scale_parameters (void)

Use [vrna_params\(\)](#) instead!

Global sect

Use [vrna_sect_t](#) instead!

Global set_model_details (vrna_md_t *md)

This function will vanish as soon as backward compatibility of RNAlib is dropped (expected in version 3). Use [vrna_md_set_default\(\)](#) instead!

Global SOLUTION

Use [vrna_subopt_solution_t](#) instead!

Global space (unsigned size)

Use [vrna_alloc\(\)](#) instead!

Global st_back

set the `uniqu_ML` flag in [vrna_md_t](#) before passing it to [vrna_fold_compound\(\)](#).

Global stackProb (double cutoff)

Use [vrna_stack_prob\(\)](#) instead!

Global str_DNA2RNA (char *sequence)

Use [vrna_seq_toRNA\(\)](#) instead!

Global str_uppercase (char *sequence)

Use [vrna_seq_toupper\(\)](#) instead!

Global temperature

Use [vrna_md_defaults_temperature\(\)](#), and [vrna_md_defaults_temperature_get\(\)](#) to change, and read the global default temperature settings

Global time_stamp (void)

Use [vrna_time_stamp\(\)](#) instead!

Global TwoDfold_backtrack_f5 (unsigned int j, int k, int l, TwoDfold_vars *vars)

Use the new API that relies on [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_mfe_TwoD\(\)](#), [vrna_backtrack5_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

Global TwoDfold_vars

This data structure will be removed from the library soon! Use `vrna_fold_compound_t` and the corresponding functions `vrna_fold_compound_TwoD()`, `vrna_mfe_TwoD()`, and `vrna_fold_compound_free()` instead!

Global TwoDfoldList (TwoDfold_vars *vars, int distance1, int distance2)

Use the new API that relies on `vrna_fold_compound_t` and the corresponding functions `vrna_fold_compound_TwoD()`, `vrna_mfe_TwoD()`, and `vrna_fold_compound_free()` instead!

Global TwoDpfold_pbacktrack (TwoDpfold_vars *vars, int d1, int d2)

Use the new API that relies on `vrna_fold_compound_t` and the corresponding functions `vrna_fold_compound_TwoD()`, `vrna_pf_TwoD()`, `vrna_pbacktrack_TwoD()`, and `vrna_fold_compound_free()` instead!

Global TwoDpfold_pbacktrack5 (TwoDpfold_vars *vars, int d1, int d2, unsigned int length)

Use the new API that relies on `vrna_fold_compound_t` and the corresponding functions `vrna_fold_compound_TwoD()`, `vrna_pf_TwoD()`, `vrna_pbacktrack5_TwoD()`, and `vrna_fold_compound_free()` instead!

Class TwoDpfold_vars

This data structure will be removed from the library soon! Use `vrna_fold_compound_t` and the corresponding functions `vrna_fold_compound_TwoD()`, `vrna_pf_TwoD()`, and `vrna_fold_compound_free()` instead!

Global TwoDpfoldList (TwoDpfold_vars *vars, int maxDistance1, int maxDistance2)

Use the new API that relies on `vrna_fold_compound_t` and the corresponding functions `vrna_fold_compound_TwoD()`, `vrna_pf_TwoD()`, and `vrna_fold_compound_free()` instead!

Global unpack_structure (const char *packed)

Use `vrna_db_unpack()` as a replacement

Global update_alifold_params (void)

Usage of this function is discouraged! The new API uses `vrna_fold_compound_t` to lump all folding related necessities together, including the energy parameters. Use `vrna_update_fold_params()` to update the energy parameters within a `vrna_fold_compound_t`.

Global update_co_pf_params (int length)

Use `vrna_exp_params_subst()` instead!

Global update_co_pf_params_par (int length, vrna_exp_param_t *parameters)

Use `vrna_exp_params_subst()` instead!

Global update_cofold_params (void)

See `vrna_params_subst()` for an alternative using the new API

Global update_cofold_params_par (vrna_param_t *parameters)

See `vrna_params_subst()` for an alternative using the new API

Global update_fold_params (void)

For non-default model settings use the new API with `vrna_params_subst()` and `vrna_mfe()` instead!

Global update_fold_params_par (vrna_param_t *parameters)

For non-default model settings use the new API with `vrna_params_subst()` and `vrna_mfe()` instead!

Global update_pf_params (int length)

Use `vrna_exp_params_subst()` instead

Global update_pf_params_par (int length, vrna_exp_param_t *parameters)

Use `vrna_exp_params_subst()` instead

Global urn (void)

Use `vrna_urn()` instead!

Global VRNA_CONSTRAINT_FILE

Use 0 instead!

Global VRNA_CONSTRAINT_MULTILINE

see `vrna_extract_record_rest_structure()`

Global VRNA_CONSTRAINT_NO_HEADER

This mode is not supported anymore!

Global VRNA_CONSTRAINT_SOFT_MFE

This flag has no meaning anymore, since constraints are now always stored!

Global VRNA_CONSTRAINT_SOFT_PF

Use [VRNA_OPTION_PF](#) instead!

Global vrna_exp_param_s::id

This attribute will be removed in version 3

Global vrna_extract_record_rest_constraint (char **cstruc, const char **lines, unsigned int option)

Use [vrna_extract_record_rest_structure\(\)](#) instead!

Global vrna_fc_s::pscore_pf_compat

This attribute will vanish in the future!

Global vrna_fc_s::ptype_pf_compat

This attribute will vanish in the future! It's meant for backward compatibility only!

Global warn_user (const char message[])

Use [vrna_message_warning\(\)](#) instead!

Global xrealloc (void *p, unsigned size)

Use [vrna_realloc\(\)](#) instead!

Global zukersubopt (const char *string)

use [vrna_zukersubopt\(\)](#) instead

Global zukersubopt_par (const char *string, vrna_param_t *parameters)

use [vrna_zukersubopt\(\)](#) instead

Chapter 13

Bug List

Module `domains_up`

Although the additional production rule(s) for unstructured domains in the descriptions of this feature are always treated as 'segments possibly bound to one or more ligands', the current implementation requires that at least one ligand is bound. The default implementation already takes care of the required changes, however, upon using callback functions other than the default ones, one has to take care of this fact. Please also note, that this behavior might change in one of the next releases, such that the decomposition schemes as shown above comply with the actual implementation.

Global `vrna_subopt_zuker (vrna_fold_compound_t *vc)`

Due to resizing, any pre-existing constraints will be lost!

Chapter 14

Module Index

14.1 Modules

Here is a list of all modules:

Free energy evaluation	69
Process and evaluate individual loops	92
The RNA folding grammar	105
Fine-tuning of the implemented models	106
Energy parameters	142
Reading/Writing Energy Parameter Sets from/to File	365
Converting Energy Parameter Files	367
Extending the folding grammar with additional domains	157
Unstructured domains	158
Structured domains	168
Constraining the RNA folding grammar	169
Hard constraints	185
Soft constraints	197
The RNA secondary structure landscape	210
Neighborhood relation and move sets for secondary structures	280
Refolding paths of secondary structures	287
Direct refolding paths between two secondary structures	395
Minimum Free Energy (MFE) algorithms	211
MFE Consensus Structures for Sequence Alignment(s)	250
Calculating MFE representatives of a Distance Based Partitioning	262
MFE Structures of single Nucleic Acid Sequences	331
MFE Structures of two hybridized Sequences	339
Local MFE Structure Prediction and Z-scores	354
Partition function and equilibrium properties	214
Partition Function and Base Pair Probabilities for Sequence Alignment(s)	254
Calculate Partition Functions of a Distance Based Partitioning	270
Partition Function for two hybridized Sequences	346
Partition Function for two hybridized Sequences as a stepwise Process	351
Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures	358
Suboptimals and representative structures	228
Suboptimal structures sensu Stiegler et al. 1984 / Zuker et al. 1989	229
Suboptimal structures within an energy band around the MFE	231
Structure sampling from the ensemble	236

Stochastic Backtracking of Consensus Structures from Sequence Alignment(s)	259
Stochastic Backtracking of Structures from Distance Based Partitioning	273
Compute the structure with maximum expected accuracy (MEA)	240
Compute the centroid structure	241
RNA-RNA interaction	244
MFE Structures of two hybridized Sequences	339
Partition Function for two hybridized Sequences	346
Partition Function for two hybridized Sequences as a stepwise Process	351
Locally stable structures	245
Local MFE Structure Prediction and Z-scores	354
Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures	358
Local MFE Consensus Structure Prediction for Sequence Alignments	364
Comparative structure prediction	246
MFE Consensus Structures for Sequence Alignment(s)	250
Partition Function and Base Pair Probabilities for Sequence Alignment(s)	254
Stochastic Backtracking of Consensus Structures from Sequence Alignment(s)	259
Local MFE Consensus Structure Prediction for Sequence Alignments	364
Classified Dynamic Programming variants	260
Distance based partitioning of the Secondary Structure Space	261
Calculating MFE representatives of a Distance Based Partitioning	262
Calculate Partition Functions of a Distance Based Partitioning	270
Stochastic Backtracking of Structures from Distance Based Partitioning	273
Compute the Density of States	276
Inverse Folding (Design)	277
Experimental structure probing data	292
SHAPE reactivity data	293
Generate soft constraints from data	297
Ligands binding to RNA structures	302
Ligands binding to unstructured domains	303
Incorporating ligands binding to specific sequence/structure motifs using soft constraints	304
Complex structured modules	306
G-quadruplexes	307
Data Structures and Preprocessor Macros	310
The Fold Compound	373
The Dynamic Programming Matrices	390
Utilities	317
Parsing, converting, and comparing sequences	401
Parsing, converting, comparing secondary structures	409
Utilities for sequence alignments	433
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments	443
Functions for Creating Secondary Structure Plots, Dot-Plots, and More	465
Functions to generate annotations for Secondary Structure Plots, Dot-Plots, and Others	471
Functions to convert between various units	472

Chapter 15

Data Structure Index

15.1 Data Structures

Here are the data structures with brief descriptions:

<u>_struct_en</u>	Data structure for <u>energy_of_move()</u>	477
<u>Postorder_list</u>	Postorder data structure	477
<u>swString</u>	Some other data structure	477
<u>Tree</u>	<u>Tree</u> data structure	478
<u>TwoDpfold_vars</u>	Variables compound for 2Dfold partition function folding	478
<u>vrna_gr_aux_s</u>		479
<u>vrna_hc_bp_storage_t</u>	A base pair hard constraint	479
<u>vrna_sc_bp_storage_t</u>	A base pair constraint	480
<u>vrna_sc_motif_s</u>		480
<u>vrna_structured_domains_s</u>		480
<u>vrna_subopt_sol_s</u>	Solution element from subopt.c	480
<u>vrna_unstructured_domain_motif_s</u>		480

Chapter 16

File Index

16.1 File List

Here is a list of all documented files with brief descriptions:

ViennaRNA/ 1.8.4_epars.h	Free energy parameters for parameter file conversion	481
ViennaRNA/ 1.8.4_intloops.h	Free energy parameters for interior loop contributions needed by the parameter file conversion functions	481
ViennaRNA/ 2Dfold.h	MFE structures for base pair distance classes	482
ViennaRNA/ 2Dpfold.h	Partition function implementations for base pair distance classes	483
ViennaRNA/ ali_plex.h	??
ViennaRNA/ alifold.h	Functions for comparative structure prediction using RNA sequence alignments	487
ViennaRNA/ aln_util.h	Various utility- and helper-functions for sequence alignments and comparative structure prediction	488
ViennaRNA/ alphabet.h	Functions to process, convert, and generally handle different nucleotide and/or base pair alphabets	490
ViennaRNA/ boltzmann_sampling.h	Boltzmann Sampling of secondary structures from the ensemble	490
ViennaRNA/ centroid.h	Centroid structure computation	491
ViennaRNA/ cofold.h	MFE implementations for RNA-RNA interaction	492
ViennaRNA/ combinatorics.h	Various implementations that deal with combinatorial aspects of RNA/DNA folding	493
ViennaRNA/ commands.h	Parse and apply different commands that alter the behavior of secondary structure prediction and evaluation	493
ViennaRNA/ constraints.h	Functions and data structures for constraining secondary structure predictions and evaluation	494
ViennaRNA/ constraints_hard.h	Functions and data structures for handling of secondary structure hard constraints	496
ViennaRNA/ constraints_ligand.h	Functions for incorporation of ligands binding to hairpin and interior loop motifs using the soft constraints framework	501

ViennaRNA/constraints_SHAPE.h	This module provides function to incorporate SHAPE reactivity data into the folding recursions by means of soft constraints	501
ViennaRNA/constraints_soft.h	Functions and data structures for secondary structure soft constraints	503
ViennaRNA/convert_epars.h	Functions and definitions for energy parameter file format conversion	505
ViennaRNA/data_structures.h	Various data structures and pre-processor macros	505
ViennaRNA/dist_vars.h	Global variables for Distance-Package	507
ViennaRNA/dp_matrices.h	Functions to deal with standard dynamic programming (DP) matrices	508
ViennaRNA/duplex.h	Functions for simple RNA-RNA duplex interactions	509
ViennaRNA/edit_cost.h	Global variables for Edit Costs included by treedist.c and stringdist.c	510
ViennaRNA/energy_const.h	Energy parameter constants	510
ViennaRNA/energy_par.h	??
ViennaRNA/equilibrium_probs.h	Equilibrium Probability implementations	512
ViennaRNA/eval.h	Functions and variables related to energy evaluation of sequence/structure pairs	512
ViennaRNA/exterior_loops.h	Energy evaluation of exterior loops for MFE and partition function calculations	514
ViennaRNA/file_formats.h	Read and write different file formats for RNA sequences, structures	515
ViennaRNA/file_formats_msa.h	Functions dealing with file formats for Multiple Sequence Alignments (MSA)	516
ViennaRNA/file_utils.h	Several utilities for file handling	517
ViennaRNA/findpath.h	A breadth-first search heuristic for optimal direct folding paths	517
ViennaRNA/fold.h	MFE calculations for single RNA sequences	518
ViennaRNA/fold_compound.h	The Basic Fold Compound API	519
ViennaRNA/fold_vars.h	Here all all declarations of the global variables used throughout RNAlib	521
ViennaRNA/gquad.h	G-quadruplexes	523
ViennaRNA/grammar.h	Implementations for the RNA folding grammar	523
ViennaRNA/hairpin_loops.h	Energy evaluation of hairpin loops for MFE and partition function calculations	524
ViennaRNA/interior_loops.h	Energy evaluation of interior loops for MFE and partition function calculations	525
ViennaRNA/intl11.h	??
ViennaRNA/intl11dH.h	??
ViennaRNA/intl21.h	??
ViennaRNA/intl21dH.h	??
ViennaRNA/intl22.h	??
ViennaRNA/intl22dH.h	??
ViennaRNA/inverse.h	Inverse folding routines	525
ViennaRNA/Lfold.h	Functions for locally optimal MFE structure prediction	526

ViennaRNA/ loop_energies.h	Energy evaluation for MFE and partition function calculations	526
ViennaRNA/ LPfold.h	Partition function implementation for the Lfold algorithm	527
ViennaRNA/ MEA.h	Computes a MEA (maximum expected accuracy) structure	528
ViennaRNA/ mfe.h	MFE calculations for single RNA sequences	529
ViennaRNA/ mm.h	Several Maximum Matching implementations	529
ViennaRNA/ model.h	The model details data structure and its corresponding modifiers	530
ViennaRNA/ move_set.h	??
ViennaRNA/ multibranch_loops.h	Energy evaluation of multibranch loops for MFE and partition function calculations	534
ViennaRNA/ naview.h	535
ViennaRNA/ neighbor.h	Methods to compute the neighbors of an RNA secondary structure	535
ViennaRNA/ pair_mat.h	??
ViennaRNA/ params.h	Functions to deal with sets of energy parameters	536
ViennaRNA/ part_func.h	Partition function implementations	537
ViennaRNA/ part_func_co.h	Partition function for two RNA sequences	541
ViennaRNA/ part_func_up.h	Implementations for accessibility and RNA-RNA interaction as a stepwise process	547
ViennaRNA/ perturbation_fold.h	Find a vector of perturbation energies that minimizes the discrepancies between predicted and observed pairing probabilities and the amount of necessary adjustments	548
ViennaRNA/ PKplex.h	??
ViennaRNA/ plex.h	??
ViennaRNA/ plot_aln.h	Various functions for plotting Sequence / Structure Alignments	549
ViennaRNA/ plot_layouts.h	Secondary structure plot layout algorithms	549
ViennaRNA/ plot_structure.h	Various functions for plotting RNA secondary structures	550
ViennaRNA/ plot_utils.h	Various utilities to assist in plotting secondary structures and consensus structures	555
ViennaRNA/ ProfileAln.h	??
ViennaRNA/ profiledist.h	556
ViennaRNA/ PS_dot.h	Various functions for plotting RNA secondary structures, dot-plots and other visualizations	558
ViennaRNA/ read_epars.h	Read and write energy parameter files	559
ViennaRNA/ ribo.h	Parse RiboSum Scoring Matrices for Covariance Scoring of Alignments	559
ViennaRNA/ RNAstruct.h	Parsing and Coarse Graining of Structures	560
ViennaRNA/ snofold.h	??
ViennaRNA/ snoop.h	??
ViennaRNA/ special_const.h	??
ViennaRNA/ string_utils.h	General utility- and helper-functions for RNA sequence and structure strings used throughout the ViennaRNA Package	561
ViennaRNA/ stringdist.h	Functions for String Alignment	564

ViennaRNA/ structure_utils.h	Various utility- and helper-functions for secondary structure parsing, converting, etc	565
ViennaRNA/ structured_domains.h	This module provides interfaces that deal with additional structured domains in the folding grammar	568
ViennaRNA/ subopt.h	RNAsubopt and density of states declarations	568
ViennaRNA/ svm_utils.h	??
ViennaRNA/ treedist.h	Functions for Tree Edit Distances	570
ViennaRNA/ ugly_bt.h	??
ViennaRNA/ units.h	Physical Units and Functions to convert them into each other	571
ViennaRNA/ unstructured_domains.h	Functions to modify unstructured domains, e.g. to incorporate ligands binding to unpaired stretches	572
ViennaRNA/ utils.h	General utility- and helper-functions used throughout the <i>ViennaRNA Package</i>	574
ViennaRNA/ vrna_config.h	??
ViennaRNA/ walk.h	Methods to generate particular paths such as gradient or random walks through the energy landscape of an RNA sequence	580

Chapter 17

Module Documentation

17.1 Free energy evaluation

Secondary structure and loop free energy evaluation.

Collaboration diagram for Free energy evaluation:

Modules

- Process and evaluate individual loops

Files

- file `eval.h`

Functions and variables related to energy evaluation of sequence/structure pairs.

Functions

- float `vrna_eval_structure (vrna_fold_compound_t *vc, const char *structure)`
Calculate the free energy of an already folded RNA.
- float `vrna_eval_covar_structure (vrna_fold_compound_t *vc, const char *structure)`
Calculate the pseudo energy derived by the covariance scores of a set of aligned sequences.
- float `vrna_eval_structure_simple (const char *string, const char *structure)`
Calculate the free energy of an already folded RNA.
- float `vrna_eval_structure_verbose (vrna_fold_compound_t *vc, const char *structure, FILE *file)`
Calculate the free energy of an already folded RNA and print contributions on a per-loop base.
- float `vrna_eval_structure_v (vrna_fold_compound_t *vc, const char *structure, int verbosity_level, FILE *file)`
Calculate the free energy of an already folded RNA and print contributions on a per-loop base.
- float `vrna_eval_structure_simple_verbose (const char *string, const char *structure, FILE *file)`
Calculate the free energy of an already folded RNA and print contributions per loop.
- float `vrna_eval_structure_simple_v (const char *string, const char *structure, int verbosity_level, FILE *file)`
Calculate the free energy of an already folded RNA and print contributions per loop.

- int `vrna_eval_structure_pt` (`vrna_fold_compound_t` *vc, const short *pt)

Calculate the free energy of an already folded RNA.
- int `vrna_eval_structure_pt_simple` (const char *string, const short *pt)

Calculate the free energy of an already folded RNA.
- int `vrna_eval_structure_pt_verbose` (`vrna_fold_compound_t` *vc, const short *pt, FILE *file)

Calculate the free energy of an already folded RNA.
- int `vrna_eval_structure_pt_v` (`vrna_fold_compound_t` *vc, const short *pt, int verbosity_level, FILE *file)

Calculate the free energy of an already folded RNA.
- int `vrna_eval_structure_pt_simple_verbose` (const char *string, const short *pt, FILE *file)

Calculate the free energy of an already folded RNA.
- int `vrna_eval_structure_pt_simple_v` (const char *string, const short *pt, int verbosity_level, FILE *file)

Calculate the free energy of an already folded RNA.
- int `vrna_eval_loop_pt` (`vrna_fold_compound_t` *vc, int i, const short *pt)

Calculate energy of a loop.
- float `vrna_eval_move` (`vrna_fold_compound_t` *vc, const char *structure, int m1, int m2)

Calculate energy of a move (closing or opening of a base pair)
- int `vrna_eval_move_pt` (`vrna_fold_compound_t` *vc, short *pt, int m1, int m2)

Calculate energy of a move (closing or opening of a base pair)
- float `energy_of_structure` (const char *string, const char *structure, int verbosity_level)

Calculate the free energy of an already folded RNA using global model detail settings.
- float `energy_of_struct_par` (const char *string, const char *structure, `vrna_param_t` *parameters, int verbosity_level)

Calculate the free energy of an already folded RNA.
- float `energy_of_circ_structure` (const char *string, const char *structure, int verbosity_level)

Calculate the free energy of an already folded circular RNA.
- float `energy_of_circ_struct_par` (const char *string, const char *structure, `vrna_param_t` *parameters, int verbosity_level)

Calculate the free energy of an already folded circular RNA.
- int `energy_of_structure_pt` (const char *string, short *ptable, short *s, short *s1, int verbosity_level)

Calculate the free energy of an already folded RNA.
- int `energy_of_struct_pt_par` (const char *string, short *ptable, short *s, short *s1, `vrna_param_t` *parameters, int verbosity_level)

Calculate the free energy of an already folded RNA.
- float `energy_of_move` (const char *string, const char *structure, int m1, int m2)

Calculate energy of a move (closing or opening of a base pair)
- int `energy_of_move_pt` (short *pt, short *s, short *s1, int m1, int m2)

Calculate energy of a move (closing or opening of a base pair)
- int `loop_energy` (short *ptable, short *s, short *s1, int i)

Calculate energy of a loop.
- float `energy_of_struct` (const char *string, const char *structure)

Calculate the free energy of an already folded RNA.
- int `energy_of_struct_pt` (const char *string, short *ptable, short *s, short *s1)

Calculate the free energy of an already folded RNA.
- float `energy_of_circ_struct` (const char *string, const char *structure)

Variables

- int `cut_point`

set to first pos of second seq for cofolding
- int `eos_debug`

verbose info from energy_of_struct

17.1.1 Detailed Description

Secondary structure and loop free energy evaluation.


Functions and variables related to free energy evaluation of sequence/structure pairs.

This module covers the functions to evaluate the free energy of a secondary structure given its sequence.


Each base pair in a secondary structure closes a loop, thereby directly enclosing unpaired nucleotides, and/or further base pairs. Our implementation distinguishes four basic types of loops:

- hairpin loops
- interior loops
- multibranch loops
- exterior loop

While the exterior loop is a special case without a closing pair, the other loops are determined by the number of base pairs involved in the loop formation, i.e. hairpin loops are 1-loops, since only a single base pair delimits the loop. interior loops are 2-loops due to their enclosing, and enclosed base pair. All loops where more than two base pairs are involved, are termed multibranch loops.



Any secondary structure can be decomposed into its loops. Each of the loops then can be scored in terms of free energy, and the free energy of an entire secondary structure is simply the sum of free energies of its loops.



17.1.2 Function Documentation

17.1.2.1 vrna_eval_structure()

```
float vrna_eval_structure (
    vrna_fold_compound_t * vc,
    const char * structure )
```

#include <ViennaRNA/eval.h>

Calculate the free energy of an already folded RNA.

This function allows for energy evaluation of a given pair of structure and sequence (alignment). Model details, energy parameters, and possibly soft constraints are used as provided via the parameter 'vc'. The `vrna_fold_compound_t` does not need to contain any DP matrices, but requires all most basic init values as one would get from a call like this:

```
vc = vrna_fold_compound(sequence, NULL, VRNA_OPTION_EVAL_ONLY);
```

Note

Accepts `vrna_fold_compound_t` of type `VRNA_FC_TYPE_SINGLE` and `VRNA_FC_TYPE_COMPARATIVE`

See also

`vrna_eval_structure_pt()`, `vrna_eval_structure_verbose()`, `vrna_eval_structure_pt_verbose()`, `vrna_fold_compound()`, `vrna_fold_compound_comparative()`, `vrna_eval_covar_structure()`

Parameters

<code>vc</code>	A <code>vrna_fold_compound_t</code> containing the energy parameters and model details
<code>structure</code>	Secondary structure in dot-bracket notation

Returns

The free energy of the input structure given the input sequence in kcal/mol

SWIG Wrapper Notes This function is attached as method **eval_structure()** to objects of type *fold_compound*

17.1.2.2 vrna_eval_covar_structure()

```
float vrna_eval_covar_structure (
    vrna_fold_compound_t * vc,
    const char * structure )
```

#include <ViennaRNA/eval.h>

Calculate the pseudo energy derived by the covariance scores of a set of aligned sequences.

Consensus structure prediction is driven by covariance scores of base pairs in rows of the provided alignment. This function allows one to retrieve the total amount of this covariance pseudo energy scores. The **vrna_fold_compound_t** does not need to contain any DP matrices, but requires all most basic init values as one would get from a call like this:

```
vc = vrna_fold_compound_comparative(alignment, NULL,
    VRNA_OPTION_EVAL_ONLY);
```

Note

Accepts **vrna_fold_compound_t** of type **VRNA_FC_TYPE_COMPARATIVE** only!

See also

[vrna_fold_compound_comparative\(\)](#), [vrna_eval_structure\(\)](#)

Parameters

vc	A vrna_fold_compound_t containing the energy parameters and model details
structure	Secondary (consensus) structure in dot-bracket notation

Returns

The covariance pseudo energy score of the input structure given the input sequence alignment in kcal/mol

SWIG Wrapper Notes This function is attached as method **eval_covar_structure()** to objects of type *fold_compound*

17.1.2.3 vrna_eval_structure_simple()

```
float vrna_eval_structure_simple (
    const char * string,
    const char * structure )
```

```
#include <ViennaRNA/eval.h>
```

Calculate the free energy of an already folded RNA.

This function allows for energy evaluation of a given sequence/structure pair. In contrast to [vrna_eval_structure\(\)](#) this function assumes default model details and default energy parameters in order to evaluate the free energy of the secondary structure. Therefore, it serves as a simple interface function for energy evaluation for situations where no changes on the energy model are required.

See also

[vrna_eval_structure\(\)](#), [vrna_eval_structure_pt\(\)](#), [vrna_eval_structure_verbose\(\)](#), [vrna_eval_structure_pt_verbose\(\)](#),

Parameters

<i>string</i>	RNA sequence in uppercase letters
<i>structure</i>	Secondary structure in dot-bracket notation

Returns

The free energy of the input structure given the input sequence in kcal/mol

17.1.2.4 vrna_eval_structure_verbose()

```
float vrna_eval_structure_verbose (
    vrna_fold_compound_t * vc,
    const char * structure,
    FILE * file )
```

```
#include <ViennaRNA/eval.h>
```

Calculate the free energy of an already folded RNA and print contributions on a per-loop base.

This function is a simplified version of [vrna_eval_structure_v\(\)](#) that uses the *default* verbosity level. (

See also

[vrna_eval_structure_pt\(\)](#), [vrna_eval_structure_verbose\(\)](#), [vrna_eval_structure_pt_verbose\(\)](#),

Parameters

<i>vc</i>	A vrna_fold_compound_t containing the energy parameters and model details
<i>structure</i>	Secondary structure in dot-bracket notation
<i>file</i>	A file handle where this function should print to (may be NULL).

Returns

The free energy of the input structure given the input sequence in kcal/mol

SWIG Wrapper Notes This function is attached as method **eval_structure_verbose()** to objects of type *fold_compound*

17.1.2.5 vrna_eval_structure_v()

```
float vrna_eval_structure_v (
    vrna_fold_compound_t * vc,
    const char * structure,
    int verbosity_level,
    FILE * file )
```

```
#include <ViennaRNA/eval.h>
```

Calculate the free energy of an already folded RNA and print contributions on a per-loop base.

This function allows for detailed energy evaluation of a given sequence/structure pair. In contrast to [vrna_eval_structure\(\)](#) this function prints detailed energy contributions based on individual loops to a file handle. If NULL is passed as file handle, this function defaults to print to stdout. Any positive `verbosity_level` activates potential warning message of the energy evaluating functions, while values ≥ 1 allow for detailed control of what data is printed. A negative parameter `verbosity_level` turns off printing all together.

Model details, energy parameters, and possibly soft constraints are used as provided via the parameter 'vc'. The `fold_compound` does not need to contain any DP matrices, but all the most basic init values as one would get from a call like this:

```
vc = vrna_fold_compound(sequence, NULL, VRNA_OPTION_EVAL_ONLY);
```

See also

[vrna_eval_structure_pt\(\)](#), [vrna_eval_structure_verbose\(\)](#), [vrna_eval_structure_pt_verbose\(\)](#),

Parameters

<code>vc</code>	A <code>vrna_fold_compound_t</code> containing the energy parameters and model details
<code>structure</code>	Secondary structure in dot-bracket notation
<code>verbosity_level</code>	The level of verbosity of this function
<code>file</code>	A file handle where this function should print to (may be NULL).

Returns

The free energy of the input structure given the input sequence in kcal/mol

17.1.2.6 vrna_eval_structure_simple_verbose()

```
float vrna_eval_structure_simple_verbose (
    const char * string,
    const char * structure,
    FILE * file )
```

#include <ViennaRNA/eval.h>

Calculate the free energy of an already folded RNA and print contributions per loop.

This function is a simplified version of [vrna_eval_structure_simple_v\(\)](#) that uses the *default* verbosity level.

See also

[vrna_eval_structure_simple_v\(\)](#), [vrna_eval_structure_verbose\(\)](#), [vrna_eval_structure_pt\(\)](#), [vrna_eval_structure_verbose\(\)](#), [vrna_eval_structure_pt_verbose\(\)](#)

Parameters

<i>string</i>	RNA sequence in uppercase letters
<i>structure</i>	Secondary structure in dot-bracket notation
<i>file</i>	A file handle where this function should print to (may be NULL).

Returns

The free energy of the input structure given the input sequence in kcal/mol

17.1.2.7 vrna_eval_structure_simple_v()

```
float vrna_eval_structure_simple_v (
    const char * string,
    const char * structure,
    int verbosity_level,
    FILE * file )
```

#include <ViennaRNA/eval.h>

Calculate the free energy of an already folded RNA and print contributions per loop.

This function allows for detailed energy evaluation of a given sequence/structure pair. In contrast to [vrna_eval_structure\(\)](#) this function prints detailed energy contributions based on individual loops to a file handle. If NULL is passed as file handle, this function defaults to print to stdout. Any positive *verbosity_level* activates potential warning message of the energy evaluating functions, while values ≥ 1 allow for detailed control of what data is printed. A negative parameter *verbosity_level* turns off printing all together.

In contrast to [vrna_eval_structure_verbose\(\)](#) this function assumes default model details and default energy parameters in order to evaluate the free energy of the secondary structure. Therefore, it serves as a simple interface function for energy evaluation for situations where no changes on the energy model are required.

See also

[vrna_eval_structure_verbose\(\)](#), [vrna_eval_structure_pt\(\)](#), [vrna_eval_structure_verbose\(\)](#), [vrna_eval_structure_pt_verbose\(\)](#),

Parameters

<i>string</i>	RNA sequence in uppercase letters
<i>structure</i>	Secondary structure in dot-bracket notation
<i>verbosity_level</i>	The level of verbosity of this function
<i>file</i>	A file handle where this function should print to (may be NULL).

Returns

The free energy of the input structure given the input sequence in kcal/mol

17.1.2.8 vrna_eval_structure_pt()

```
int vrna_eval_structure_pt (
    vrna_fold_compound_t * vc,
    const short * pt )
```

```
#include <ViennaRNA/eval.h>
```

Calculate the free energy of an already folded RNA.

This function allows for energy evaluation of a given sequence/structure pair where the structure is provided in pair_table format as obtained from [vrna_ptable\(\)](#). Model details, energy parameters, and possibly soft constraints are used as provided via the parameter 'vc'. The fold_compound does not need to contain any DP matrices, but all the most basic init values as one would get from a call like this:

```
vc = vrna_fold_compound(sequence, NULL, VRNA_OPTION_EVAL_ONLY);
```

See also

[vrna_ptable\(\)](#), [vrna_eval_structure\(\)](#), [vrna_eval_structure_pt_verbose\(\)](#)

Parameters

<i>vc</i>	A vrna_fold_compound_t containing the energy parameters and model details
<i>pt</i>	Secondary structure as pair_table

Returns

The free energy of the input structure given the input sequence in 10cal/mol

SWIG Wrapper Notes This function is attached as method **eval_structure_pt()** to objects of type *fold_compound*

17.1.2.9 vrna_eval_structure_pt_simple()

```
int vrna_eval_structure_pt_simple (
    const char * string,
    const short * pt )
```

```
#include <ViennaRNA/eval.h>
```

Calculate the free energy of an already folded RNA.

In contrast to [vrna_eval_structure_pt\(\)](#) this function assumes default model details and default energy parameters in order to evaluate the free energy of the secondary structure. Therefore, it serves as a simple interface function for energy evaluation for situations where no changes on the energy model are required.

See also

[vrna_ptable\(\)](#), [vrna_eval_structure_simple\(\)](#), [vrna_eval_structure_pt\(\)](#)

Parameters

<i>string</i>	RNA sequence in uppercase letters
<i>pt</i>	Secondary structure as pair_table

Returns

The free energy of the input structure given the input sequence in 10cal/mol

17.1.2.10 vrna_eval_structure_pt_verbose()

```
int vrna_eval_structure_pt_verbose (
    vrna_fold_compound_t * vc,
    const short * pt,
    FILE * file )
```

```
#include <ViennaRNA/eval.h>
```

Calculate the free energy of an already folded RNA.

This function is a simplified version of [vrna_eval_structure_simple_v\(\)](#) that uses the *default* verbosity level.

See also

[vrna_eval_structure_pt_v\(\)](#), [vrna_ptable\(\)](#), [vrna_eval_structure_pt\(\)](#), [vrna_eval_structure_verbose\(\)](#)

Parameters

<i>vc</i>	A vrna_fold_compound_t containing the energy parameters and model details
<i>pt</i>	Secondary structure as pair_table
<i>file</i>	A file handle where this function should print to (may be NULL).

Returns

The free energy of the input structure given the input sequence in 10cal/mol

SWIG Wrapper Notes This function is attached as method **eval_structure_pt_verbose()** to objects of type *fold_compound*

17.1.2.11 vrna_eval_structure_pt_v()

```
int vrna_eval_structure_pt_v (
    vrna_fold_compound_t * vc,
    const short * pt,
    int verbosity_level,
    FILE * file )
```

```
#include <ViennaRNA/eval.h>
```

Calculate the free energy of an already folded RNA.

This function allows for energy evaluation of a given sequence/structure pair where the structure is provided in pair_table format as obtained from [vrna_ptable\(\)](#). Model details, energy parameters, and possibly soft constraints are used as provided via the parameter 'vc'. The fold_compound does not need to contain any DP matrices, but all the most basic init values as one would get from a call like this:

```
vc = vrna_fold_compound(sequence, NULL, VRNA_OPTION_EVAL_ONLY);
```

In contrast to [vrna_eval_structure_pt\(\)](#) this function prints detailed energy contributions based on individual loops to a file handle. If NULL is passed as file handle, this function defaults to print to stdout. Any positive `verbosity_level` activates potential warning message of the energy evaluating functions, while values ≥ 1 allow for detailed control of what data is printed. A negative parameter `verbosity_level` turns off printing all together.

See also

[vrna_ptable\(\)](#), [vrna_eval_structure_pt\(\)](#), [vrna_eval_structure_verbose\(\)](#)

Parameters

<i>vc</i>	A vrna_fold_compound_t containing the energy parameters and model details
<i>pt</i>	Secondary structure as pair_table
<i>verbosity_level</i>	The level of verbosity of this function
<i>file</i>	A file handle where this function should print to (may be NULL).

Returns

The free energy of the input structure given the input sequence in 10cal/mol

17.1.2.12 vrna_eval_structure_pt_simple_verbose()

```
int vrna_eval_structure_pt_simple_verbose (
    const char * string,
    const short * pt,
    FILE * file )
```

#include <ViennaRNA/eval.h>

Calculate the free energy of an already folded RNA.

This function is a simplified version of [vrna_eval_structure_pt_simple_v\(\)](#) that uses the *default* verbosity level.

See also

[vrna_eval_structure_pt_simple_v\(\)](#), [vrna_ptable\(\)](#), [vrna_eval_structure_pt_verbose\(\)](#), [vrna_eval_structure_simple\(\)](#)

Parameters

<i>string</i>	RNA sequence in uppercase letters
<i>pt</i>	Secondary structure as pair_table
<i>file</i>	A file handle where this function should print to (may be NULL).

Returns

The free energy of the input structure given the input sequence in 10cal/mol

17.1.2.13 vrna_eval_structure_pt_simple_v()

```
int vrna_eval_structure_pt_simple_v (
    const char * string,
    const short * pt,
    int verbosity_level,
    FILE * file )
```

#include <ViennaRNA/eval.h>

Calculate the free energy of an already folded RNA.

This function allows for energy evaluation of a given sequence/structure pair where the structure is provided in pair_table format as obtained from [vrna_ptable\(\)](#). Model details, energy parameters, and possibly soft constraints are used as provided via the parameter 'vc'. The fold_compound does not need to contain any DP matrices, but all the most basic init values as one would get from a call like this:

```
vc = vrna_fold_compound(sequence, NULL, VRNA_OPTION_EVAL_ONLY);
```

In contrast to [vrna_eval_structure_pt_verbose\(\)](#) this function assumes default model details and default energy parameters in order to evaluate the free energy of the secondary structure. Therefore, it serves as a simple interface function for energy evaluation for situations where no changes on the energy model are required.

See also

[vrna_ptable\(\)](#), [vrna_eval_structure_pt_v\(\)](#), [vrna_eval_structure_simple\(\)](#)

Parameters

<i>string</i>	RNA sequence in uppercase letters
<i>pt</i>	Secondary structure as <code>pair_table</code>
<i>verbosity_level</i>	The level of verbosity of this function
<i>file</i>	A file handle where this function should print to (may be NULL).

Returns

The free energy of the input structure given the input sequence in 10cal/mol

17.1.2.14 vrna_eval_loop_pt()

```
int vrna_eval_loop_pt (
    vrna_fold_compound_t * vc,
    int i,
    const short * pt )

#include <ViennaRNA/eval.h>
```

Calculate energy of a loop.

Parameters

<i>vc</i>	A <code>vrna_fold_compound_t</code> containing the energy parameters and model details
<i>i</i>	position of covering base pair
<i>pt</i>	the pair table of the secondary structure

Returns

free energy of the loop in 10cal/mol

SWIG Wrapper Notes This function is attached as method `eval_loop_pt()` to objects of type `fold_compound`

17.1.2.15 vrna_eval_move()

```
float vrna_eval_move (
    vrna_fold_compound_t * vc,
    const char * structure,
    int m1,
    int m2 )

#include <ViennaRNA/eval.h>
```

Calculate energy of a move (closing or opening of a base pair)

If the parameters m1 and m2 are negative, it is deletion (opening) of a base pair, otherwise it is insertion (opening).

See also

[vrna_eval_move_pt\(\)](#)

Parameters

<i>vc</i>	A vrna_fold_compound_t containing the energy parameters and model details
<i>structure</i>	secondary structure in dot-bracket notation
<i>m1</i>	first coordinate of base pair
<i>m2</i>	second coordinate of base pair

Returns

energy change of the move in kcal/mol

SWIG Wrapper Notes This function is attached as method **eval_move()** to objects of type *fold_compound*

17.1.2.16 [vrna_eval_move_pt\(\)](#)

```
int vrna_eval_move_pt (
    vrna_fold_compound_t * vc,
    short * pt,
    int m1,
    int m2 )
```

#include <ViennaRNA/eval.h>

Calculate energy of a move (closing or opening of a base pair)

If the parameters *m1* and *m2* are negative, it is deletion (opening) of a base pair, otherwise it is insertion (opening).

See also

[vrna_eval_move\(\)](#)

Parameters

<i>vc</i>	A vrna_fold_compound_t containing the energy parameters and model details
<i>pt</i>	the pair table of the secondary structure
<i>m1</i>	first coordinate of base pair
<i>m2</i>	second coordinate of base pair

Returns

energy change of the move in 10cal/mol

SWIG Wrapper Notes This function is attached as method **eval_move_pt()** to objects of type *fold_compound*

17.1.2.17 `energy_of_structure()`

```
float energy_of_structure (
    const char * string,
    const char * structure,
    int verbosity_level )  
  
#include <ViennaRNA/eval.h>
```

Calculate the free energy of an already folded RNA using global model detail settings.

If verbosity level is set to a value >0 , energies of structure elements are printed to stdout

Note

OpenMP: This function relies on several global model settings variables and thus is not to be considered threadsafe. See [energy_of_struct_par\(\)](#) for a completely threadsafe implementation.

Deprecated Use [vrna_eval_structure\(\)](#) or [vrna_eval_structure_verbose\(\)](#) instead!

See also

[vrna_eval_structure\(\)](#)

Parameters

<code>string</code>	RNA sequence
<code>structure</code>	secondary structure in dot-bracket notation
<code>verbosity_level</code>	a flag to turn verbose output on/off

Returns

the free energy of the input structure given the input sequence in kcal/mol

17.1.2.18 `energy_of_struct_par()`

```
float energy_of_struct_par (
    const char * string,
    const char * structure,
    vrna_param_t * parameters,
    int verbosity_level )  
  
#include <ViennaRNA/eval.h>
```

Calculate the free energy of an already folded RNA.

If verbosity level is set to a value >0 , energies of structure elements are printed to stdout

Deprecated Use [vrna_eval_structure\(\)](#) or [vrna_eval_structure_verbose\(\)](#) instead!

See also

[vrna_eval_structure\(\)](#)

Parameters

<i>string</i>	RNA sequence in uppercase letters
<i>structure</i>	Secondary structure in dot-bracket notation
<i>parameters</i>	A data structure containing the prescaled energy contributions and the model details.
<i>verbosity_level</i>	A flag to turn verbose output on/off

Returns

The free energy of the input structure given the input sequence in kcal/mol

17.1.2.19 `energy_of_circ_structure()`

```
float energy_of_circ_structure (
    const char * string,
    const char * structure,
    int verbosity_level )

#include <ViennaRNA/eval.h>
```

Calculate the free energy of an already folded circular RNA.

Note

OpenMP: This function relies on several global model settings variables and thus is not to be considered threadsafe. See [energy_of_circ_struct_par\(\)](#) for a completely threadsafe implementation.

If verbosity level is set to a value >0 , energies of structure elements are printed to stdout

Deprecated Use [vrna_eval_structure\(\)](#) or [vrna_eval_structure_verbose\(\)](#) instead!

See also

[vrna_eval_structure\(\)](#)

Parameters

<i>string</i>	RNA sequence
<i>structure</i>	Secondary structure in dot-bracket notation
<i>verbosity_level</i>	A flag to turn verbose output on/off

Returns

The free energy of the input structure given the input sequence in kcal/mol

17.1.2.20 `energy_of_circ_struct_par()`

```
float energy_of_circ_struct_par (
    const char * string,
    const char * structure,
    vrna_param_t * parameters,
    int verbosity_level )
```



```
#include <ViennaRNA/eval.h>
```

Calculate the free energy of an already folded circular RNA.

If verbosity level is set to a value >0 , energies of structure elements are printed to stdout

Deprecated Use [vrna_eval_structure\(\)](#) or [vrna_eval_structure_verbose\(\)](#) instead!

See also

[vrna_eval_structure\(\)](#)

Parameters

<code>string</code>	RNA sequence
<code>structure</code>	Secondary structure in dot-bracket notation
<code>parameters</code>	A data structure containing the prescaled energy contributions and the model details.
<code>verbosity_level</code>	A flag to turn verbose output on/off

Returns

The free energy of the input structure given the input sequence in kcal/mol

17.1.2.21 `energy_of_structure_pt()`

```
int energy_of_structure_pt (
    const char * string,
    short * ptable,
    short * s,
    short * sl,
    int verbosity_level )
```



```
#include <ViennaRNA/eval.h>
```

Calculate the free energy of an already folded RNA.

If verbosity level is set to a value >0 , energies of structure elements are printed to stdout

Note

OpenMP: This function relies on several global model settings variables and thus is not to be considered threadsafe. See [energy_of_struct_pt_par\(\)](#) for a completely threadsafe implementation.

Deprecated Use [vrna_eval_structure_pt\(\)](#) or [vrna_eval_structure_pt_verbose\(\)](#) instead!

See also

[vrna_eval_structure_pt\(\)](#)

Parameters

<i>string</i>	RNA sequence
<i>ptable</i>	the pair table of the secondary structure
<i>s</i>	encoded RNA sequence
<i>s1</i>	encoded RNA sequence
<i>verbosity_level</i>	a flag to turn verbose output on/off

Returns

the free energy of the input structure given the input sequence in 10kcal/mol

17.1.2.22 energy_of_struct_pt_par()

```
int energy_of_struct_pt_par (
    const char * string,
    short * ptable,
    short * s,
    short * s1,
    vrna_param_t * parameters,
    int verbosity_level )
```

#include <ViennaRNA/eval.h>

Calculate the free energy of an already folded RNA.

If verbosity level is set to a value >0, energies of structure elements are printed to stdout

Deprecated Use [vrna_eval_structure_pt\(\)](#) or [vrna_eval_structure_pt_verbose\(\)](#) instead!

See also

[vrna_eval_structure_pt\(\)](#)

Parameters

<i>string</i>	RNA sequence in uppercase letters
<i>ptable</i>	The pair table of the secondary structure
<i>s</i>	Encoded RNA sequence
<i>s1</i>	Encoded RNA sequence
<i>parameters</i>	A data structure containing the prescaled energy contributions and the model details.
<i>verbosity_level</i>	A flag to turn verbose output on/off

Returns

The free energy of the input structure given the input sequence in 10kcal/mol

17.1.2.23 energy_of_move()

```
float energy_of_move (
    const char * string,
    const char * structure,
    int m1,
    int m2 )
```

```
#include <ViennaRNA/eval.h>
```

Calculate energy of a move (closing or opening of a base pair)

If the parameters m1 and m2 are negative, it is deletion (opening) of a base pair, otherwise it is insertion (opening).

Deprecated Use [vrna_eval_move\(\)](#) instead!

See also

[vrna_eval_move\(\)](#)

Parameters

<i>string</i>	RNA sequence
<i>structure</i>	secondary structure in dot-bracket notation
<i>m1</i>	first coordinate of base pair
<i>m2</i>	second coordinate of base pair

Returns

energy change of the move in kcal/mol

17.1.2.24 energy_of_move_pt()

```
int energy_of_move_pt (
    short * pt,
    short * s,
    short * s1,
    int m1,
    int m2 )
```

#include <ViennaRNA/eval.h>

Calculate energy of a move (closing or opening of a base pair)

If the parameters m1 and m2 are negative, it is deletion (opening) of a base pair, otherwise it is insertion (opening).

Deprecated Use [vrna_eval_move_pt\(\)](#) instead!

See also

[vrna_eval_move_pt\(\)](#)

Parameters

<i>pt</i>	the pair table of the secondary structure
<i>s</i>	encoded RNA sequence
<i>s1</i>	encoded RNA sequence
<i>m1</i>	first coordinate of base pair
<i>m2</i>	second coordinate of base pair

Returns

energy change of the move in 10cal/mol

17.1.2.25 loop_energy()

```
int loop_energy (
    short * ptable,
    short * s,
    short * s1,
    int i )
```

#include <ViennaRNA/eval.h>

Calculate energy of a loop.

Deprecated Use [vrna_eval_loop_pt\(\)](#) instead!

See also

[vrna_eval_loop_pt\(\)](#)

Parameters

<i>ptable</i>	the pair table of the secondary structure
<i>s</i>	encoded RNA sequence
<i>s1</i>	encoded RNA sequence
<i>i</i>	position of covering base pair

Returns

free energy of the loop in 10cal/mol

17.1.2.26 energy_of_struct()

```
float energy_of_struct (
    const char * string,
    const char * structure )

#include <ViennaRNA/eval.h>
```

Calculate the free energy of an already folded RNA

Note

This function is not entirely threadsafe! Depending on the state of the global variable `eos_debug` it prints energy information to stdout or not...

Deprecated This function is deprecated and should not be used in future programs! Use `energy_of_structure()` instead!

See also

[energy_of_structure](#), [energy_of_circ_struct\(\)](#), [energy_of_struct_pt\(\)](#)

Parameters

<i>string</i>	RNA sequence
<i>structure</i>	secondary structure in dot-bracket notation

Returns

the free energy of the input structure given the input sequence in kcal/mol

17.1.2.27 energy_of_struct_pt()

```
int energy_of_struct_pt (
    const char * string,
    short * ptable,
    short * s,
    short * s1 )
```

#include <ViennaRNA/eval.h>

Calculate the free energy of an already folded RNA

Note

This function is not entirely threadsafe! Depending on the state of the global variable `eos_debug` it prints energy information to stdout or not...

Deprecated This function is deprecated and should not be used in future programs! Use [energy_of_structure_pt\(\)](#) instead!

See also

[make_pair_table\(\)](#), [energy_of_structure\(\)](#)

Parameters

<code>string</code>	RNA sequence
<code>ptable</code>	the pair table of the secondary structure
<code>s</code>	encoded RNA sequence
<code>s1</code>	encoded RNA sequence

Returns

the free energy of the input structure given the input sequence in 10kcal/mol

17.1.2.28 energy_of_circ_struct()

```
float energy_of_circ_struct (
    const char * string,
    const char * structure )
```

#include <ViennaRNA/eval.h>

Calculate the free energy of an already folded circular RNA

Note

This function is not entirely threadsafe! Depending on the state of the global variable `eos_debug` it prints energy information to stdout or not...

Deprecated This function is deprecated and should not be used in future programs Use [energy_of_circ_structure\(\)](#) instead!

See also

[energy_of_circ_structure\(\)](#), [energy_of_struct\(\)](#), [energy_of_struct_pt\(\)](#)

Parameters

<i>string</i>	RNA sequence
<i>structure</i>	secondary structure in dot-bracket notation

Returns

the free energy of the input structure given the input sequence in kcal/mol

17.2 Process and evaluate individual loops

Collaboration diagram for Process and evaluate individual loops:

Files

- file [exterior_loops.h](#)
Energy evaluation of exterior loops for MFE and partition function calculations.
- file [hairpin_loops.h](#)
Energy evaluation of hairpin loops for MFE and partition function calculations.
- file [interior_loops.h](#)
Energy evaluation of interior loops for MFE and partition function calculations.
- file [loop_energies.h](#)
Energy evaluation for MFE and partition function calculations.
- file [multibranch_loops.h](#)
Energy evaluation of multibranch loops for MFE and partition function calculations.

Data Structures

- struct [vrna_mx_pf_aux_el_t](#)
Auxiliary helper arrays for fast exterior loop computations. [More...](#)
- struct [vrna_mx_pf_aux_ml_t](#)
Auxiliary helper arrays for fast exterior loop computations. [More...](#)

Functions

- int [E_ExtLoop](#) (int type, int si1, int sj1, [vrna_param_t](#) *P)
- [FLT_OR_DBL exp_E_ExtLoop](#) (int type, int si1, int sj1, [vrna_exp_param_t](#) *P)
- int [E_Stem](#) (int type, int si1, int sj1, int extLoop, [vrna_param_t](#) *P)
- [FLT_OR_DBL exp_E_Stem](#) (int type, int si1, int sj1, int extLoop, [vrna_exp_param_t](#) *P)
- PRIVATE int [E_Hairpin](#) (int size, int type, int si1, int sj1, const char *string, [vrna_param_t](#) *P)
Compute the Energy of a hairpin-loop.
- PRIVATE [FLT_OR_DBL exp_E_Hairpin](#) (int u, int type, short si1, short sj1, const char *string, [vrna_exp_param_t](#) *P)
Compute Boltzmann weight $e^{-\Delta G/kT}$ of a hairpin loop.
- int [vrna_E_hp_loop](#) ([vrna_fold_compound_t](#) *vc, int i, int j)
Evaluate the free energy of a hairpin loop and consider hard constraints if they apply.
- int [vrna_E_ext_hp_loop](#) ([vrna_fold_compound_t](#) *vc, int i, int j)
Evaluate the free energy of an exterior hairpin loop and consider possible hard constraints.
- int [vrna_eval_ext_hp_loop](#) ([vrna_fold_compound_t](#) *vc, int i, int j)
Evaluate free energy of an exterior hairpin loop.
- int [vrna_eval_hp_loop](#) ([vrna_fold_compound_t](#) *vc, int i, int j)
Evaluate free energy of a hairpin loop.
- [FLT_OR_DBL vrna_exp_E_hp_loop](#) ([vrna_fold_compound_t](#) *vc, int i, int j)
High-Level function for hairpin loop energy evaluation (partition function variant)
- int [vrna_BT_hp_loop](#) ([vrna_fold_compound_t](#) *vc, int i, int j, int en, [vrna_bp_stack_t](#) *bp_stack, int *stack_count)

Backtrack a hairpin loop closed by (i, j).

- PRIVATE int [E_IntLoop](#) (int n1, int n2, int type, int type_2, int si1, int sj1, int sp1, int sq1, [vrna_param_t](#) *P)
- PRIVATE [FLT_OR_DBL exp_E_IntLoop](#) (int u1, int u2, int type, int type2, short si1, short sj1, short sp1, short sq1, [vrna_exp_param_t](#) *P)
- int [vrna_eval_int_loop](#) ([vrna_fold_compound_t](#) *vc, int i, int j, int k, int l)

Evaluate the free energy contribution of an interior loop with delimiting base pairs (i, j) and (k, l).

- int [vrna_BT_stack](#) ([vrna_fold_compound_t](#) *vc, int *i, int *j, int *en, [vrna_bp_stack_t](#) *bp_stack, int *stack_count)

Backtrack a stacked pair closed by (i, j).

- int [vrna_BT_int_loop](#) ([vrna_fold_compound_t](#) *vc, int *i, int *j, int en, [vrna_bp_stack_t](#) *bp_stack, int *stack_count)

Backtrack an interior loop closed by (i, j).

- int [vrna_E_mb_loop_stack](#) ([vrna_fold_compound_t](#) *vc, int i, int j)

Evaluate energy of a multi branch helices stacking onto closing pair (i,j)

- int [vrna_BT_mb_loop](#) ([vrna_fold_compound_t](#) *vc, int *i, int *j, int *k, int en, int *component1, int *component2)

Backtrack the decomposition of a multi branch loop closed by (i, j).

17.2.1 Detailed Description

17.2.2 Data Structure Documentation

17.2.2.1 struct vrna_mx_pf_aux_el_t

Auxiliary helper arrays for fast exterior loop computations.

See also

[vrna_exp_E_ext_fast_init\(\)](#), [vrna_exp_E_ext_fast_rotate\(\)](#), [vrna_exp_E_ext_fast_free\(\)](#), [vrna_exp_E_ext_fast\(\)](#)

17.2.2.2 struct vrna_mx_pf_aux_ml_t

Auxiliary helper arrays for fast exterior loop computations.

See also

[vrna_exp_E_ml_fast_init\(\)](#), [vrna_exp_E_ml_fast_rotate\(\)](#), [vrna_exp_E_ml_fast_free\(\)](#), [vrna_exp_E_ml_fast\(\)](#)

17.2.3 Function Documentation

17.2.3.1 E_ExtLoop()

```
int E_ExtLoop (
    int type,
    int si1,
    int sj1,
    vrna_param_t * P )

#include <ViennaRNA/exterior_loops.h>
```

Compute the Energy contribution of an Exterior loop stem

This definition is a wrapper for the [E_Stem\(\)](#) function. It is substituted by an [E_Stem\(\)](#) function call with argument extLoop=1, so the energy contribution returned reflects a stem introduced in an exterior-loop.

As for the parameters si1 and sj1 of the substituted [E_Stem\(\)](#) function, you can inhibit to take 5'-, 3'-dangles or mismatch contributions to be taken into account by passing -1 to these parameters.

See also

[E_Stem\(\)](#)

Parameters

<i>type</i>	The pair type of the stem-closing pair
<i>si1</i>	The 5'-mismatching nucleotide
<i>sj1</i>	The 3'-mismatching nucleotide
<i>P</i>	The data structure containing scaled energy parameters

Returns

The energy contribution of the introduced exterior-loop stem

17.2.3.2 exp_E_ExtLoop()

```
FLOAT_OR_DOUBLE exp_E_ExtLoop (
    int type,
    int si1,
    int sj1,
    vrna_exp_param_t * P )

#include <ViennaRNA/exterior_loops.h>
```

This is the partition function variant of [E_ExtLoop\(\)](#)

See also

[E_ExtLoop\(\)](#)

Returns

The Boltzmann weighted energy contribution of the introduced exterior-loop stem

17.2.3.3 E_Stem()


```
int E_Stem (
    int type,
    int si1,
    int sj1,
    int extLoop,
    vrna_param_t * P )

#include <ViennaRNA/exterior_loops.h>
```

Compute the energy contribution of a stem branching off a loop-region

This function computes the energy contribution of a stem that branches off a loop region. This can be the case in multiloops, when a stem branching off increases the degree of the loop but also *immediately interior base pairs* of an exterior loop contribute free energy. To switch the behavior of the function according to the evaluation of a multiloop- or exterior-loop-stem, you pass the flag 'extLoop'. The returned energy contribution consists of a TerminalAU penalty if the pair type is greater than 2, dangling end contributions of mismatching nucleotides adjacent to the stem if only one of the si1, sj1 parameters is greater than 0 and mismatch energies if both mismatching nucleotides are positive values. Thus, to avoid incorporating dangling end or mismatch energies just pass a negative number, e.g. -1 to the mismatch argument.

This is an illustration of how the energy contribution is assembled:



Here, (X,Y) is the base pair that closes the stem that branches off a loop region. The nucleotides si1 and sj1 are the 5'- and 3'- mismatches, respectively. If the base pair type of (X,Y) is greater than 2 (i.e. an A-U or G-U pair, the TerminalAU penalty will be included in the energy contribution returned. If si1 and sj1 are both nonnegative numbers, mismatch energies will also be included. If one of si1 or sj1 is a negative value, only 5' or 3' dangling end contributions are taken into account. To prohibit any of these mismatch contributions to be incorporated, just pass a negative number to both, si1 and sj1. In case the argument extLoop is 0, the returned energy contribution also includes the *internal-loop-penalty* of a multiloop stem with closing pair type.

See also

[E_MLstem\(\)](#)
[E_ExtLoop\(\)](#)

Note

This function is threadsafe

Parameters

<i>type</i>	The pair type of the first base pair un the stem
<i>si1</i>	The 5'-mismatching nucleotide
<i>sj1</i>	The 3'-mismatching nucleotide
<i>extLoop</i>	A flag that indicates whether the contribution reflects the one of an exterior loop or not
<i>P</i>	The data structure containing scaled energy parameters

Returns

The Free energy of the branch off the loop in dcal/mol

17.2.3.4 exp_E_Stem()

```
FLT_OR_DBL exp_E_Stem (
    int type,
    int sil,
    int sjl,
    int extLoop,
    vrna_exp_param_t * P )
```

```
#include <ViennaRNA/exterior_loops.h>
```

Compute the Boltzmann weighted energy contribution of a stem branching off a loop-region

This is the partition function variant of [E_Stem\(\)](#)

See also

[E_Stem\(\)](#)

Note

This function is threadsafe

Returns

The Boltzmann weighted energy contribution of the branch off the loop

17.2.3.5 E_Hairpin()

```
PRIVATE int E_Hairpin (
    int size,
    int type,
    int sil,
    int sjl,
    const char * string,
    vrna_param_t * P )
```

```
#include <ViennaRNA/hairpin_loops.h>
```

Compute the Energy of a hairpin-loop.

To evaluate the free energy of a hairpin-loop, several parameters have to be known. A general hairpin-loop has this structure:

```

a3  a4
a2      a5
a1      a6
X - Y
|   |
5'   3'

```

where X-Y marks the closing pair [e.g. a (**G,C**) pair]. The length of this loop is 6 as there are six unpaired nucleotides (a1-a6) enclosed by (X,Y). The 5' mismatching nucleotide is a1 while the 3' mismatch is a6. The nucleotide sequence of this loop is "a1.a2.a3.a4.a5.a6"

Note

The parameter sequence should contain the sequence of the loop in capital letters of the nucleic acid alphabet if the loop size is below 7. This is useful for unusually stable tri-, tetra- and hexa-loops which are treated differently (based on experimental data) if they are tabulated.

See also

[scale_parameters\(\)](#)
[vrna_param_t](#)

Warning

Not (really) thread safe! A threadsafe implementation will replace this function in a future release!
 Energy evaluation may change due to updates in global variable "tetra_loop"

Parameters

<i>size</i>	The size of the loop (number of unpaired nucleotides)
<i>type</i>	The pair type of the base pair closing the hairpin
<i>si1</i>	The 5'-mismatching nucleotide
<i>sj1</i>	The 3'-mismatching nucleotide
<i>string</i>	The sequence of the loop
<i>P</i>	The datastructure containing scaled energy parameters

Returns

The Free energy of the Hairpin-loop in dcal/mol

17.2.3.6 exp_E_Hairpin()

```

PRIVATE FLT\_OR\_DBL exp_E_Hairpin (
    int u,
    int type,
    short si1,
    short sj1,

```

```

    const char * string,
    vrna_exp_param_t * P )

```

```
#include <ViennaRNA/hairpin_loops.h>
```

Compute Boltzmann weight $e^{-\Delta G/kT}$ of a hairpin loop.

multiply by scale[u+2]

See also

[get_scaled_pf_parameters\(\)](#)
[vrna_exp_param_t](#)
[E_Hairpin\(\)](#)

Warning

Not (really) thread safe! A threadsafe implementation will replace this function in a future release!
Energy evaluation may change due to updates in global variable "tetra_loop"

Parameters

<i>u</i>	The size of the loop (number of unpaired nucleotides)
<i>type</i>	The pair type of the base pair closing the hairpin
<i>si1</i>	The 5'-mismatching nucleotide
<i>sj1</i>	The 3'-mismatching nucleotide
<i>string</i>	The sequence of the loop
<i>P</i>	The datastructure containing scaled Boltzmann weights of the energy parameters

Returns

The Boltzmann weight of the Hairpin-loop

17.2.3.7 vrna_E_hp_loop()

```

int vrna_E_hp_loop (
    vrna_fold_compound_t * vc,
    int i,
    int j )

#include <ViennaRNA/hairpin_loops.h>

```

Evaluate the free energy of a hairpin loop and consider hard constraints if they apply.

This function evaluates the free energy of a hairpin loop

In case the base pair is not allowed due to a constraint conflict, this function returns [INF](#).

Note

This function is polymorphic! The provided [vrna_fold_compound_t](#) may be of type [VRNA_FC_TYPE_SINGLE](#) or [VRNA_FC_TYPE_COMPARATIVE](#)

Parameters

<i>vc</i>	The <code>vrna_fold_compound_t</code> that stores all relevant model settings
<i>i</i>	The 5' nucleotide of the base pair (3' to evaluate the pair as exterior hairpin loop)
<i>j</i>	The 3' nucleotide of the base pair (5' to evaluate the pair as exterior hairpin loop)

Returns

The free energy of the hairpin loop in 10cal/mol

17.2.3.8 `vrna_E_ext_hp_loop()`

```
int vrna_E_ext_hp_loop (
    vrna_fold_compound_t * vc,
    int i,
    int j )

#include <ViennaRNA/hairpin_loops.h>
```

Evaluate the free energy of an exterior hairpin loop and consider possible hard constraints.

Note

This function is polymorphic! The provided `vrna_fold_compound_t` may be of type `VRNA_FC_TYPE_SINGLE` or `VRNA_FC_TYPE_COMPARATIVE`

17.2.3.9 `vrna_eval_hp_loop()`

```
int vrna_eval_hp_loop (
    vrna_fold_compound_t * vc,
    int i,
    int j )

#include <ViennaRNA/hairpin_loops.h>
```

Evaluate free energy of a hairpin loop.

Note

This function is polymorphic! The provided `vrna_fold_compound_t` may be of type `VRNA_FC_TYPE_SINGLE` or `VRNA_FC_TYPE_COMPARATIVE`

Parameters

<i>vc</i>	The <code>vrna_fold_compound_t</code> for the particular energy evaluation
<i>i</i>	5'-position of the base pair
<i>j</i>	3'-position of the base pair

Returns

Free energy of the hairpin loop closed by (i, j) in deka-kal/mol

SWIG Wrapper Notes This function is attached as method **eval_hp_loop()** to objects of type *fold_compound*

17.2.3.10 vrna_exp_E_hp_loop()

```
FLOAT vrna_exp_E_hp_loop (
    vrna_fold_compound_t * vc,
    int i,
    int j )

#include <ViennaRNA/hairpin_loops.h>
```

High-Level function for hairpin loop energy evaluation (partition function variant)

See also

[vrna_E_hp_loop\(\)](#) for it's free energy counterpart

Note

This function is polymorphic! The provided [vrna_fold_compound_t](#) may be of type [VRNA_FC_TYPE_SINGLE](#) or [VRNA_FC_TYPE_COMPARATIVE](#)

17.2.3.11 vrna_BT_hp_loop()

```
int vrna_BT_hp_loop (
    vrna_fold_compound_t * vc,
    int i,
    int j,
    int en,
    vrna_bp_stack_t * bp_stack,
    int * stack_count )
```

```
#include <ViennaRNA/hairpin_loops.h>
```

Backtrack a hairpin loop closed by (i, j) .

Note


This function is polymorphic! The provided [vrna_fold_compound_t](#) may be of type [VRNA_FC_TYPE_SINGLE](#) or [VRNA_FC_TYPE_COMPARATIVE](#)

17.2.3.12 E_IntLoop()

```
PRIVATE int E_IntLoop (
    int n1,
    int n2,
    int type,
    int type_2,
    int sil,
    int sj1,
    int sp1,
    int sq1,
    vrna_param_t * P )
#include <ViennaRNA/interior_loops.h>
```

Compute the Energy of an interior-loop

This function computes the free energy ΔG of an interior-loop with the following structure:



This general structure depicts an interior-loop that is closed by the base pair (X,Y). The enclosed base pair is (V,U) which leaves the unpaired bases a_1-a_n and b_1-b_m that constitute the loop. In this example, the length of the interior-loop is $(n + m)$ where n or m may be 0 resulting in a bulge-loop or base pair stack. The mismatching nucleotides for the closing pair (X,Y) are:

5'-mismatch: a_1

3'-mismatch: b_m

and for the enclosed base pair (V,U):

5'-mismatch: b_1

3'-mismatch: a_n

Note

Base pairs are always denoted in 5'->3' direction. Thus the enclosed base pair must be 'turned around' when evaluating the free energy of the interior-loop

See also

[scale_parameters\(\)](#)
[vrna_param_t](#)

Note

This function is threadsafe

Parameters

<i>n1</i>	The size of the 'left'-loop (number of unpaired nucleotides)
<i>n2</i>	The size of the 'right'-loop (number of unpaired nucleotides)
<i>type</i>	The pair type of the base pair closing the interior loop
<i>type₂</i>	The pair type of the enclosed base pair
<i>si1</i>	The 5'-mismatching nucleotide of the closing pair
<i>sj1</i>	The 3'-mismatching nucleotide of the closing pair
<i>sp1</i>	The 3'-mismatching nucleotide of the enclosed pair
<i>sq1</i>	The 5'-mismatching nucleotide of the enclosed pair
<i>P</i>	The datastructure containing scaled energy parameters

Returns

The Free energy of the Interior-loop in dcal/mol

17.2.3.13 exp_E_IntLoop()

```
PRIVATE FLT\_OR\_DBL exp_E_IntLoop (
    int u1,
    int u2,
    int type,
    int type2,
    short sil,
    short sj1,
    short sp1,
    short sq1,
    vrna\_exp\_param\_t * P )
```

```
#include <ViennaRNA/interior_loops.h>
```

Compute Boltzmann weight $e^{-\Delta G/kT}$ of interior loop

multiply by scale[u1+u2+2] for scaling

See also

[get_scaled_pf_parameters\(\)](#)
[vrna_exp_param_t](#)
[E_IntLoop\(\)](#)

Note

This function is threadsafe

Parameters

<i>u1</i>	The size of the 'left'-loop (number of unpaired nucleotides)
<i>u2</i>	The size of the 'right'-loop (number of unpaired nucleotides)
<i>type</i>	The pair type of the base pair closing the interior loop
<i>type2</i>	The pair type of the enclosed base pair
<i>si1</i>	The 5'-mismatching nucleotide of the closing pair
<i>sj1</i>	The 3'-mismatching nucleotide of the closing pair
<i>sp1</i>	The 3'-mismatching nucleotide of the enclosed pair
<i>sq1</i>	The 5'-mismatching nucleotide of the enclosed pair
<i>P</i>	The datastructure containing scaled Boltzmann weights of the energy parameters

Returns

The Boltzmann weight of the Interior-loop

17.2.3.14 vrna_eval_int_loop()

```
int vrna_eval_int_loop (
    vrna_fold_compound_t * vc,
    int i,
    int j,
    int k,
    int l )

#include <ViennaRNA/interior_loops.h>
```

Evaluate the free energy contribution of an interior loop with delimiting base pairs (*i,j*) and (*k,l*).

Note

This function is polymorphic, i.e. it accepts `vrna_fold_compound_t` of type `VRNA_FC_TYPE_SINGLE` as well as `VRNA_FC_TYPE_COMPARATIVE`

SWIG Wrapper Notes This function is attached as method `eval_int_loop()` to objects of type `fold_compound`

17.2.3.15 vrna_E_mb_loop_stack()

```
int vrna_E_mb_loop_stack (
    vrna_fold_compound_t * vc,
    int i,
    int j )

#include <ViennaRNA/multibranch_loops.h>
```

Evaluate energy of a multi branch helices stacking onto closing pair (i,j)

Computes total free energy for coaxial stacking of (i,j) with (i+1,k) or (k+1,j-1)

17.2.3.16 vrna_BT_mb_loop()

```
int vrna_BT_mb_loop (
    vrna_fold_compound_t * vc,
    int * i,
    int * j,
    int * k,
    int en,
    int * component1,
    int * component2 )
```

#include <ViennaRNA/multibranch_loops.h>

Backtrack the decomposition of a multi branch loop closed by (i, j) .

Parameters

<i>vc</i>	The vrna_fold_compound_t filled with all relevant data for backtracking
<i>i</i>	5' position of base pair closing the loop (will be set to 5' position of leftmost decomposed block upon successful backtracking)
<i>j</i>	3' position of base pair closing the loop (will be set to 3' position of rightmost decomposed block upon successful backtracking)
<i>k</i>	Split position that delimits leftmost from rightmost block, [i,k] and [k+1, j], respectively. (Will be set upon successful backtracking)
<i>en</i>	The energy contribution of the substructure enclosed by (i, j)
<i>component1</i>	Type of leftmost block (1 = ML, 2 = C)
<i>component2</i>	Type of rightmost block (1 = ML, 2 = C)

Returns

1, if backtracking succeeded, 0 otherwise.

17.3 The RNA folding grammar

The RNA folding grammar as implemented in RNAlib.

Collaboration diagram for The RNA folding grammar:

Modules

- [Fine-tuning of the implemented models](#)

Functions and data structures to fine-tune the implemented secondary structure evaluation model.

- [Energy parameters](#)

All relevant functions to retrieve and copy pre-calculated energy parameter sets as well as reading/writing the energy parameter set from/to file(s).

- [Extending the folding grammar with additional domains](#)

This module covers simple and straight-forward extensions to the RNA folding grammar.

- [Constraining the RNA folding grammar](#)

This module provides general functions that allow for an easy control of constrained secondary structure prediction and evaluation.

Files


- file [grammar.h](#)

Implementations for the RNA folding grammar.

17.3.1 Detailed Description

The RNA folding grammar as implemented in RNAlib.

This module is split into different aspects of how to modify and manipulate the underlying RNA folding grammar.



- [Extending the folding grammar with additional domains](#), and
- [Constraining the RNA folding grammar](#)

17.4 Fine-tuning of the implemented models

Functions and data structures to fine-tune the implemented secondary structure evaluation model.

Collaboration diagram for Fine-tuning of the implemented models:

Files

- file [model.h](#)

The model details data structure and its corresponding modifiers.

Data Structures

- struct [vrna_md_s](#)

The data structure that contains the complete model details used throughout the calculations. [More...](#)

Macros

- `#define VRNA_MODEL_DEFAULT_TEMPERATURE 37.0`
Default temperature for structure prediction and free energy evaluation in °C
- `#define VRNA_MODEL_DEFAULT_PF_SCALE -1`
Default scaling factor for partition function computations.
- `#define VRNA_MODEL_DEFAULT_BETA_SCALE 1.`
Default scaling factor for absolute thermodynamic temperature in Boltzmann factors.
- `#define VRNA_MODEL_DEFAULT_DANGLES 2`
Default dangling end model.
- `#define VRNA_MODEL_DEFAULT_SPECIAL_HP 1`
Default model behavior for lookup of special tri-, tetra-, and hexa-loops.
- `#define VRNA_MODEL_DEFAULT_NO_LP 0`
Default model behavior for so-called 'lonely pairs'.
- `#define VRNA_MODEL_DEFAULT_NO_GU 0`
Default model behavior for G-U base pairs.
- `#define VRNA_MODEL_DEFAULT_NO_GU_CLOSURE 0`
Default model behavior for G-U base pairs closing a loop.
- `#define VRNA_MODEL_DEFAULT_CIRC 0`
Default model behavior to treat a molecule as a circular RNA (DNA)
- `#define VRNA_MODEL_DEFAULT_GQUAD 0`
Default model behavior regarding the treatment of G-Quadruplexes.
- `#define VRNA_MODEL_DEFAULT_UNIQ_ML 0`
Default behavior of the model regarding unique multi-branch loop decomposition.
- `#define VRNA_MODEL_DEFAULT_ENERGY_SET 0`
Default model behavior on which energy set to use.
- `#define VRNA_MODEL_DEFAULT_BACKTRACK 1`
Default model behavior with regards to backtracking of structures.
- `#define VRNA_MODEL_DEFAULT_BACKTRACK_TYPE 'F'`
Default model behavior on what type of backtracking to perform.
- `#define VRNA_MODEL_DEFAULT_COMPUTE_BPP 1`

- `#define VRNA_MODEL_DEFAULT_MAX_BP_SPAN -1`
Default model behavior with regards to computing base pair probabilities.
- `#define VRNA_MODEL_DEFAULT_WINDOW_SIZE -1`
Default model behavior for the allowed maximum base pair span.
- `#define VRNA_MODEL_DEFAULT_LOG_ML 0`
Default model behavior for the sliding window approach.
- `#define VRNA_MODEL_DEFAULT_ALI_OLD_EN 0`
Default model behavior on how to evaluate the energy contribution of multi-branch loops.
- `#define VRNA_MODEL_DEFAULT_ALI_RIBO 0`
Default model behavior for consensus structure energy evaluation.
- `#define VRNA_MODEL_DEFAULT_ALI_CV_FACT 1.`
Default model behavior for consensus structure co-variance contribution assessment.
- `#define VRNA_MODEL_DEFAULT_ALI_NC_FACT 1.`
Default model behavior for weighting the co-variance score in consensus structure prediction.
- `#define MAXALPHA 20`
Default model behavior for weighting the nucleotide conservation? in consensus structure prediction.
- `Maximal length of alphabet.`

Typedefs

- `typedef struct vrna_md_s vrna_md_t`
Typename for the model details data structure `vrna_md_s`.

Functions

- `void vrna_md_set_default (vrna_md_t *md)`
Apply default model details to a provided `vrna_md_t` data structure.
- `void vrna_md_update (vrna_md_t *md)`
Update the model details data structure.
- `vrna_md_t * vrna_md_copy (vrna_md_t *md_to, const vrna_md_t *md_from)`
Copy/Clone a `vrna_md_t` model.
- `char * vrna_md_option_string (vrna_md_t *md)`
Get a corresponding commandline parameter string of the options in a `vrna_md_t`.
- `void vrna_md_defaults_reset (vrna_md_t *md_p)`
Reset the global default model details to a specific set of parameters, or their initial values.
- `void vrna_md_defaults_temperature (double T)`
Set default temperature for energy evaluation of loops.
- `double vrna_md_defaults_temperature_get (void)`
Get default temperature for energy evaluation of loops.
- `void vrna_md_defaults_betaScale (double b)`
Set default scaling factor of thermodynamic temperature in Boltzmann factors.
- `double vrna_md_defaults_betaScale_get (void)`
Get default scaling factor of thermodynamic temperature in Boltzmann factors.
- `void vrna_md_defaults_dangles (int d)`
Set default dangle model for structure prediction.
- `int vrna_md_defaults_dangles_get (void)`
Get default dangle model for structure prediction.
- `void vrna_md_defaults_special_hp (int flag)`
Set default behavior for lookup of tabulated free energies for special hairpin loops, such as Tri-, Tetra-, or Hexa-loops.

- int `vrna_md_defaults_special_hp_get` (void)
Get default behavior for lookup of tabulated free energies for special hairpin loops, such as Tri-, Tetra-, or Hexa-loops.
- void `vrna_md_defaults_noLP` (int flag)
Set default behavior for prediction of canonical secondary structures.
- int `vrna_md_defaults_noLP_get` (void)
Get default behavior for prediction of canonical secondary structures.
- void `vrna_md_defaults_noGU` (int flag)
Set default behavior for treatment of G-U wobble pairs.
- int `vrna_md_defaults_noGU_get` (void)
Get default behavior for treatment of G-U wobble pairs.
- void `vrna_md_defaults_noGUclosure` (int flag)
Set default behavior for G-U pairs as closing pair for loops.
- int `vrna_md_defaults_noGUclosure_get` (void)
Get default behavior for G-U pairs as closing pair for loops.
- void `vrna_md_defaults_logML` (int flag)
Set default behavior recomputing free energies of multi-branch loops using a logarithmic model.
- int `vrna_md_defaults_logML_get` (void)
Get default behavior recomputing free energies of multi-branch loops using a logarithmic model.
- void `vrna_md_defaults_circ` (int flag)
Set default behavior whether input sequences are circularized.
- int `vrna_md_defaults_circ_get` (void)
Get default behavior whether input sequences are circularized.
- void `vrna_md_defaults_gquad` (int flag)
Set default behavior for treatment of G-Quadruplexes.
- int `vrna_md_defaults_gquad_get` (void)
Get default behavior for treatment of G-Quadruplexes.
- void `vrna_md_defaults_uniq_ML` (int flag)
Set default behavior for creating additional matrix for unique multi-branch loop prediction.
- int `vrna_md_defaults_uniq_ML_get` (void)
Get default behavior for creating additional matrix for unique multi-branch loop prediction.
- void `vrna_md_defaults_energy_set` (int e)
Set default energy set.
- int `vrna_md_defaults_energy_set_get` (void)
Get default energy set.
- void `vrna_md_defaults_backtrack` (int flag)
Set default behavior for whether to backtrack secondary structures.
- int `vrna_md_defaults_backtrack_get` (void)
Get default behavior for whether to backtrack secondary structures.
- void `vrna_md_defaults_backtrack_type` (char t)
Set default backtrack type, i.e. which DP matrix is used.
- char `vrna_md_defaults_backtrack_type_get` (void)
Get default backtrack type, i.e. which DP matrix is used.
- void `vrna_md_defaults_compute_bpp` (int flag)
Set the default behavior for whether to compute base pair probabilities after partition function computation.
- int `vrna_md_defaults_compute_bpp_get` (void)
Get the default behavior for whether to compute base pair probabilities after partition function computation.
- void `vrna_md_defaults_max_bp_span` (int span)
Set default maximal base pair span.
- int `vrna_md_defaults_max_bp_span_get` (void)
Get default maximal base pair span.
- void `vrna_md_defaults_min_loop_size` (int size)

- `int vrna_md_defaults_min_loop_size_get (void)`

Set default minimal loop size.
- `void vrna_md_defaults_window_size (int size)`

Get default minimal loop size.
- `int vrna_md_defaults_window_size_get (void)`

Set default window size for sliding window structure prediction approaches.
- `void vrna_md_defaults_oldAliEn (int flag)`

Get default window size for sliding window structure prediction approaches.
- `int vrna_md_defaults_oldAliEn_get (void)`

Set default behavior for whether to use old energy model for comparative structure prediction.
- `void vrna_md_defaults_ribo (int flag)`

Get default behavior for whether to use old energy model for comparative structure prediction.
- `int vrna_md_defaults_ribo_get (void)`

Set default behavior for whether to use Ribosum Scoring in comparative structure prediction.
- `void vrna_md_defaults_cv_fact (double factor)`

Get default behavior for whether to use Ribosum Scoring in comparative structure prediction.
- `double vrna_md_defaults_cv_fact_get (void)`

Set the default co-variance scaling factor used in comparative structure prediction.
- `void vrna_md_defaults_nc_fact (double factor)`

Get the default co-variance scaling factor used in comparative structure prediction.
- `double vrna_md_defaults_nc_fact_get (void)`

Set the default scaling factor used to avoid under-/overflows in partition function computation.
- `void set_model_details (vrna_md_t *md)`

Get the default scaling factor used to avoid under-/overflows in partition function computation.
- `Set default model details.`

Variables

- `double temperature`

Rescale energy parameters to a temperature in degC.
- `double pf_scale`

A scaling factor used by `pf_fold()` to avoid overflows.
- `int dangles`

Switch the energy model for dangling end contributions (0, 1, 2, 3)
- `int tetra_loop`

Include special stabilizing energies for some tri-, tetra- and hexa-loops;.
- `int noLonelyPairs`

Global switch to avoid/allow helices of length 1.
- `int noGU`

Global switch to forbid/allow GU base pairs at all.
- `int no_closingGU`

GU allowed only inside stacks if set to 1.
- `int circ`

backward compatibility variable.. this does not effect anything
- `int gquad`

Allow G-quadruplex formation.
- `int uniq_ML`

do ML decomposition uniquely (for subopt)

- int `energy_set`
 $0 = BP; 1=any with GC; 2=any with AU-parameter$
- int `do_backtrack`
`do backtracking, i.e. compute secondary structures or base pair probabilities`
- char `backtrack_type`
`A backtrack array marker for inverse_fold()`
- char * `nonstandards`
`contains allowed non standard base pairs`
- int `max_bp_span`
`Maximum allowed base pair span.`
- int `oldAliEn`
`use old alifold energies (with gaps)`
- int `ribo`
`use ribosum matrices`
- int `logML`
`if nonzero use logarithmic ML energy in energy_of_struct`

17.4.1 Detailed Description

Functions and data structures to fine-tune the implemented secondary structure evaluation model.

17.4.2 Data Structure Documentation

17.4.2.1 struct vrna_md_s

The data structure that contains the complete model details used throughout the calculations.

For convenience reasons, we provide the type name `vrna_md_t` to address this data structure without the use of the `struct` keyword

See also

`vrna_md_set_default()`, `set_model_details()`, `vrna_md_update()`, `vrna_md_t`

SWIG Wrapper Notes This data structure is wrapped as an object `md` with multiple related functions attached as methods.

A new set of default parameters can be obtained by calling the constructor of `md`:

- `md()` – Initialize with default settings

The resulting object has a list of attached methods which directly correspond to functions that mainly operate on the corresponding C data structure:

- `reset()` – `vrna_md_set_default()`
- `set_from_globals()` – `set_model_details()`
- `option_string()` – `vrna_md_option_string()`

Note, that default parameters can be modified by directly setting any of the following global variables. Internally, getting/setting default parameters using their global variable representative translates into calls of the following functions, therefore these wrappers for these functions do not exist in the scripting language interface(s):

global variable	C getter	C setter
temperature	<code>vrna_md_defaults_temperature_get()</code>	<code>vrna_md_defaults_temperature()</code>
dangles	<code>vrna_md_defaults_dangles_get()</code>	<code>vrna_md_defaults_dangles()</code>
betaScale	<code>vrna_md_defaults_betaScale_get()</code>	<code>vrna_md_defaults_betaScale()</code>
tetra_loop	this is an alias of <code>special_hp</code>	
special_hp	<code>vrna_md_defaults_special_hp_get()</code>	<code>vrna_md_defaults_special_hp()</code>
noLonelyPairs	this is an alias of <code>noLP</code>	
noLP	<code>vrna_md_defaults_noLP_get()</code>	<code>vrna_md_defaults_noLP()</code>
noGU	<code>vrna_md_defaults_noGU_get()</code>	<code>vrna_md_defaults_noGU()</code>
no_closingGU	this is an alias of <code>noGUclosure</code>	
noGUclosure	<code>vrna_md_defaults_noGUclosure_get()</code>	<code>vrna_md_defaults_noGUclosure()</code>
logML	<code>vrna_md_defaults_logML_get()</code>	<code>vrna_md_defaults_logML()</code>
circ	<code>vrna_md_defaults_circ_get()</code>	<code>vrna_md_defaults_circ()</code>
gquad	<code>vrna_md_defaults_gquad_get()</code>	<code>vrna_md_defaults_gquad()</code>
uniq_ML	<code>vrna_md_defaults_uniq_ML_get()</code>	<code>vrna_md_defaults_uniq_ML()</code>
energy_set	<code>vrna_md_defaults_energy_set_get()</code>	<code>vrna_md_defaults_energy_set()</code>
backtrack	<code>vrna_md_defaults_backtrack_get()</code>	<code>vrna_md_defaults_backtrack()</code>
backtrack_type	<code>vrna_md_defaults_backtrack_type_get()</code>	<code>vrna_md_defaults_backtrack_type()</code>
do_backtrack	this is an alias of <code>compute_bpp</code>	
compute_bpp	<code>vrna_md_defaults_compute_bpp_get()</code>	<code>vrna_md_defaults_compute_bpp()</code>
max_bp_span	<code>vrna_md_defaults_max_bp_span_get()</code>	<code>vrna_md_defaults_max_bp_span()</code>
min_loop_size	<code>vrna_md_defaults_min_loop_size_get()</code>	<code>vrna_md_defaults_min_loop_size()</code>
window_size	<code>vrna_md_defaults_window_size_get()</code>	<code>vrna_md_defaults_window_size()</code>
oldAliEn	<code>vrna_md_defaults_oldAliEn_get()</code>	<code>vrna_md_defaults_oldAliEn()</code>
ribo	<code>vrna_md_defaults_ribo_get()</code>	<code>vrna_md_defaults_ribo()</code>
cv_fact	<code>vrna_md_defaults_cv_fact_get()</code>	<code>vrna_md_defaults_cv_fact()</code>
nc_fact	<code>vrna_md_defaults_nc_fact_get()</code>	<code>vrna_md_defaults_nc_fact()</code>
sfact	<code>vrna_md_defaults_sfact_get()</code>	<code>vrna_md_defaults_sfact()</code>

Data Fields

- double `temperature`
The temperature used to scale the thermodynamic parameters.
- double `betaScale`
A scaling factor for the thermodynamic temperature of the Boltzmann factors.
- int `dangles`
Specifies the dangle model used in any energy evaluation (0,1,2 or 3)
- int `special_hp`
Include special hairpin contributions for tri, tetra and hexaloops.
- int `noLP`
Only consider canonical structures, i.e. no 'lonely' base pairs.
- int `noGU`
Do not allow GU pairs.

- int `noGUclosure`
Do not allow loops to be closed by GU pair.
- int `logML`
Use logarithmic scaling for multiloops.
- int `circ`
Assume RNA to be circular instead of linear.
- int `gquad`
Include G-quadruplexes in structure prediction.
- int `uniq_ML`
Flag to ensure unique multi-branch loop decomposition during folding.
- int `energy_set`
Specifies the energy set that defines set of compatible base pairs.
- int `backtrack`
Specifies whether or not secondary structures should be backtraced.
- char `backtrack_type`
Specifies in which matrix to backtrack.
- int `compute_bpp`
Specifies whether or not backward recursions for base pair probability (bpp) computation will be performed.
- char `nonstandards` [64]
contains allowed non standard bases
- int `max_bp_span`
maximum allowed base pair span
- int `min_loop_size`
Minimum size of hairpin loops.
- int `window_size`
Size of the sliding window for locally optimal structure prediction.
- int `oldAliEn`
Use old alifold energy model.
- int `ribo`
Use ribosum scoring table in alifold energy model.
- double `cv_fact`
Co-variance scaling factor for consensus structure prediction.
- double `nc_fact`
Scaling factor to weight co-variance contributions of non-canonical pairs.
- double `sfact`
Scaling factor for partition function scaling.
- int `rtype` [8]
Reverse base pair type array.
- short `alias` [`MAXALPHA+1`]
alias of an integer nucleotide representation
- int `pair` [`MAXALPHA+1`][`MAXALPHA+1`]
Integer representation of a base pair.

17.4.2.1.1 Field Documentation

17.4.2.1.1.1 dangles

```
int vrna_md_s::dangles
```

Specifies the dangle model used in any energy evaluation (0,1,2 or 3)

If set to 0 no stabilizing energies are assigned to bases adjacent to helices in free ends and multiloops (so called dangling ends). Normally (dangles = 1) dangling end energies are assigned only to unpaired bases and a base cannot participate simultaneously in two dangling ends. In the partition function algorithm [vrna_pf\(\)](#) these checks are neglected. To provide comparability between free energy minimization and partition function algorithms, the default setting is 2. This treatment of dangling ends gives more favorable energies to helices directly adjacent to one another, which can be beneficial since such helices often do engage in stabilizing interactions through co-axial stacking.

If set to 3 co-axial stacking is explicitly included for adjacent helices in multiloops. The option affects only mfe folding and energy evaluation ([vrna_mfe\(\)](#) and [vrna_eval_structure\(\)](#)), as well as suboptimal folding ([vrna_subopt\(\)](#)) via re-evaluation of energies. Co-axial stacking with one intervening mismatch is not considered so far.

Note

Some functions do not implement all dangle model but only a subset of (0,1,2,3). In particular, partition function algorithms can only handle 0 and 2. Read the documentation of the particular recurrences or energy evaluation function for information about the provided dangle model.

17.4.2.1.1.2 min_loop_size

```
int vrna_md_s::min_loop_size
```

Minimum size of hairpin loops.

Note

The default value for this field is [TURN](#), however, it may be 0 in cofolding context.

17.4.3 Macro Definition Documentation

17.4.3.1 VRNA_MODEL_DEFAULT_TEMPERATURE

```
#define VRNA_MODEL_DEFAULT_TEMPERATURE 37.0
```

```
#include <ViennaRNA/model.h>
```

Default temperature for structure prediction and free energy evaluation in $^{\circ}\text{C}$

See also

[vrna_md_t.temperature](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.2 VRNA_MODEL_DEFAULT_PF_SCALE

```
#define VRNA_MODEL_DEFAULT_PF_SCALE -1  
#include <ViennaRNA/model.h>
```

Default scaling factor for partition function computations.

See also

[vrna_exp_param_t\(pf_scale\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.3 VRNA_MODEL_DEFAULT_BETA_SCALE

```
#define VRNA_MODEL_DEFAULT_BETA_SCALE 1.  
#include <ViennaRNA/model.h>
```

Default scaling factor for absolute thermodynamic temperature in Boltzmann factors.

See also

[vrna_exp_param_t\(alpha\)](#), [vrna_md_t\(betaScale\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.4 VRNA_MODEL_DEFAULT_DANGLES

```
#define VRNA_MODEL_DEFAULT_DANGLES 2  
#include <ViennaRNA/model.h>
```

Default dangling end model.

See also

[vrna_md_t\(dangles\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.5 VRNA_MODEL_DEFAULT_SPECIAL_HP

```
#define VRNA_MODEL_DEFAULT_SPECIAL_HP 1  
#include <ViennaRNA/model.h>
```

Default model behavior for lookup of special tri-, tetra-, and hexa-loops.

See also

[vrna_md_t\(special_hp\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.6 VRNA_MODEL_DEFAULT_NO_LP

```
#define VRNA_MODEL_DEFAULT_NO_LP 0
```

```
#include <ViennaRNA/model.h>
```

Default model behavior for so-called 'lonely pairs'.

See also

[vrna_md_t.noLP](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.7 VRNA_MODEL_DEFAULT_NO_GU

```
#define VRNA_MODEL_DEFAULT_NO_GU 0
```

```
#include <ViennaRNA/model.h>
```

Default model behavior for G-U base pairs.

See also

[vrna_md_t.noGU](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.8 VRNA_MODEL_DEFAULT_NO_GU_CLOSURE

```
#define VRNA_MODEL_DEFAULT_NO_GU_CLOSURE 0
```

```
#include <ViennaRNA/model.h>
```

Default model behavior for G-U base pairs closing a loop.

See also

[vrna_md_t.noGUclosure](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.9 VRNA_MODEL_DEFAULT_CIRC

```
#define VRNA_MODEL_DEFAULT_CIRC 0
```

```
#include <ViennaRNA/model.h>
```

Default model behavior to treat a molecule as a circular RNA (DNA)

See also

[vrna_md_t.circ](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.10 VRNA_MODEL_DEFAULT_GQUAD

```
#define VRNA_MODEL_DEFAULT_GQUAD 0  
  
#include <ViennaRNA/model.h>
```

Default model behavior regarding the treatment of G-Quadruplexes.

See also

[vrna_md_t.gquad](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.11 VRNA_MODEL_DEFAULT_UNIQ_ML

```
#define VRNA_MODEL_DEFAULT_UNIQ_ML 0  
  
#include <ViennaRNA/model.h>
```

Default behavior of the model regarding unique multi-branch loop decomposition.

See also

[vrna_md_t.uniq_ML](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.12 VRNA_MODEL_DEFAULT_ENERGY_SET

```
#define VRNA_MODEL_DEFAULT_ENERGY_SET 0  
  
#include <ViennaRNA/model.h>
```

Default model behavior on which energy set to use.

See also

[vrna_md_t.energy_set](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.13 VRNA_MODEL_DEFAULT_BACKTRACK

```
#define VRNA_MODEL_DEFAULT_BACKTRACK 1  
  
#include <ViennaRNA/model.h>
```

Default model behavior with regards to backtracking of structures.

See also

[vrna_md_t.backtrack](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.14 VRNA_MODEL_DEFAULT_BACKTRACK_TYPE

```
#define VRNA_MODEL_DEFAULT_BACKTRACK_TYPE 'F'  
  
#include <ViennaRNA/model.h>
```

Default model behavior on what type of backtracking to perform.

See also

[vrna_md_t.backtrack_type](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.15 VRNA_MODEL_DEFAULT_COMPUTE_BPP

```
#define VRNA_MODEL_DEFAULT_COMPUTE_BPP 1  
  
#include <ViennaRNA/model.h>
```

Default model behavior with regards to computing base pair probabilities.

See also

[vrna_md_t.compute_bpp](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.16 VRNA_MODEL_DEFAULT_MAX_BP_SPAN

```
#define VRNA_MODEL_DEFAULT_MAX_BP_SPAN -1  
  
#include <ViennaRNA/model.h>
```

Default model behavior for the allowed maximum base pair span.

See also

[vrna_md_t.max_bp_span](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.17 VRNA_MODEL_DEFAULT_WINDOW_SIZE

```
#define VRNA_MODEL_DEFAULT_WINDOW_SIZE -1  
  
#include <ViennaRNA/model.h>
```

Default model behavior for the sliding window approach.

See also

[vrna_md_t.window_size](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.18 VRNA_MODEL_DEFAULT_LOG_ML

```
#define VRNA_MODEL_DEFAULT_LOG_ML 0

#include <ViennaRNA/model.h>
```

Default model behavior on how to evaluate the energy contribution of multi-branch loops.

See also

[vrna_md_t.logML](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.19 VRNA_MODEL_DEFAULT_ALI_OLD_EN

```
#define VRNA_MODEL_DEFAULT_ALI_OLD_EN 0

#include <ViennaRNA/model.h>
```

Default model behavior for consensus structure energy evaluation.

See also

[vrna_md_t.oldAliEn](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.20 VRNA_MODEL_DEFAULT_ALI_RIBO

```
#define VRNA_MODEL_DEFAULT_ALI_RIBO 0

#include <ViennaRNA/model.h>
```

Default model behavior for consensus structure co-variance contribution assessment.

See also

[vrna_md_t.ribo](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.21 VRNA_MODEL_DEFAULT_ALI_CV_FACT

```
#define VRNA_MODEL_DEFAULT_ALI_CV_FACT 1.

#include <ViennaRNA/model.h>
```

Default model behavior for weighting the co-variance score in consensus structure prediction.

See also

[vrna_md_t.cv_fact](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.3.22 VRNA_MODEL_DEFAULT_ALI_NC_FACT

```
#define VRNA_MODEL_DEFAULT_ALI_NC_FACT 1.
```

```
#include <ViennaRNA/model.h>
```

Default model behavior for weighting the nucleotide conservation? in consensus structure prediction.

See also

[vrna_md_t.nc_fact](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#)

17.4.4 Function Documentation

17.4.4.1 vrna_md_set_default()

```
void vrna_md_set_default (
    vrna_md_t * md )
```

```
#include <ViennaRNA/model.h>
```

Apply default model details to a provided [vrna_md_t](#) data structure.

Use this function to initialize a [vrna_md_t](#) data structure with its default values

Parameters

<i>md</i>	A pointer to the data structure that is about to be initialized
-----------	---

17.4.4.2 vrna_md_update()

```
void vrna_md_update (
    vrna_md_t * md )
```

```
#include <ViennaRNA/model.h>
```

Update the model details data structure.

This function should be called after changing the [vrna_md_t.energy_set](#) attribute since it re-initializes base pairing related arrays within the [vrna_md_t](#) data structure. In particular, [vrna_md_t.pair](#), [vrna_md_t.alias](#), and [vrna_md_t.rtype](#) are set to the values that correspond to the specified [vrna_md_t.energy_set](#) option

See also

[vrna_md_t](#), [vrna_md_t.energy_set](#), [vrna_md_t.pair](#), [vrna_md_t.rtype](#), [vrna_md_t.alias](#), [vrna_md_set_default\(\)](#)

17.4.4.3 vrna_md_copy()

```
vrna_md_t* vrna_md_copy (
    vrna_md_t * md_to,
    const vrna_md_t * md_from )
```

```
#include <ViennaRNA/model.h>
```

Copy/Clone a [vrna_md_t](#) model.

Use this function to clone a given model either inplace (target container `md_to` given) or create a copy by cloning the source model and returning it (`md_to == NULL`).

Parameters

<code>md_to</code>	The model to be overwritten (if non-NULL and <code>md_to != md_from</code>)
<code>md_from</code>	The model to copy (if non-NULL)

Returns

A pointer to the copy model (or NULL if `md_from == NULL`)

17.4.4.4 vrna_md_option_string()

```
char* vrna_md_option_string (
    vrna_md_t * md )
```

```
#include <ViennaRNA/model.h>
```

Get a corresponding commandline parameter string of the options in a [vrna_md_t](#).

Note

This function is not threadsafe!

17.4.4.5 vrna_md_defaults_reset()

```
void vrna_md_defaults_reset (
    vrna_md_t * md_p )
```

```
#include <ViennaRNA/model.h>
```

Reset the global default model details to a specific set of parameters, or their initial values.

This function resets the global default model details to their initial values, i.e. as specified by the ViennaRNA Package release, upon passing NULL as argument. Alternatively it resets them according to a set of provided parameters.

Note

The global default parameters affect all function calls of RNAlib where model details are not explicitly provided. Hence, any change of them is not considered threadsafe.

Warning

This function first resets the global default settings to factory defaults, and only then applies user provided settings (if any). User settings that do not meet specifications are skipped.

See also

[vrna_md_set_default\(\)](#), [vrna_md_t](#)

Parameters

<i>md_p</i>	A set of model details to use as global default (if NULL is passed, factory defaults are restored)
-------------	--

17.4.4.6 vrna_md_defaults_temperature()

```
void vrna_md_defaults_temperature (
    double T )

#include <ViennaRNA/model.h>
```

Set default temperature for energy evaluation of loops.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_TEMPERATURE](#)

Parameters

<i>T</i>	Temperature in centigrade
----------	---------------------------

17.4.4.7 vrna_md_defaults_temperature_get()

```
double vrna_md_defaults_temperature_get (
    void )

#include <ViennaRNA/model.h>
```

Get default temperature for energy evaluation of loops.

See also

[vrna_md_defaults_temperature\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_TEMPERATURE](#)

Returns

The global default settings for temperature in centigrade

17.4.4.8 vrna_md_defaults_betaScale()

```
void vrna_md_defaults_betaScale (
    double b )
```

```
#include <ViennaRNA/model.h>
```

Set default scaling factor of thermodynamic temperature in Boltzmann factors.

Boltzmann factors are then computed as $\exp(-E/(b \cdot kT))$.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_BETA_SCALE](#)

Parameters

<i>b</i>	The scaling factor, default is 1.0
----------	---------------------------------------

17.4.4.9 vrna_md_defaults_betaScale_get()

```
double vrna_md_defaults_betaScale_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default scaling factor of thermodynamic temperature in Boltzmann factors.

See also

[vrna_md_defaults_betaScale\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_BETA_SCALE](#)

Returns

The global default thermodynamic temperature scaling factor

17.4.4.10 vrna_md_defaults_dangles()

```
void vrna_md_defaults_dangles (
    int d )
```

```
#include <ViennaRNA/model.h>
```

Set default dangle model for structure prediction.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_DANGLES](#)

Parameters

<i>d</i>	The dangle model
----------	------------------

17.4.4.11 vrna_md_defaults_dangles_get()

```
int vrna_md_defaults_dangles_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default dangle model for structure prediction.

See also

[vrna_md_defaults_dangles\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_DANGLES](#)

Returns

The global default settings for the dangle model

17.4.4.12 vrna_md_defaults_special_hp()

```
void vrna_md_defaults_special_hp (
    int flag )
```

```
#include <ViennaRNA/model.h>
```

Set default behavior for lookup of tabulated free energies for special hairpin loops, such as Tri-, Tetra-, or Hexa-loops.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_SPECIAL_HP](#)

Parameters

<i>flag</i>	On/Off switch (0 = OFF, else = ON)
-------------	------------------------------------

17.4.4.13 vrna_md_defaults_special_hp_get()

```
int vrna_md_defaults_special_hp_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default behavior for lookup of tabulated free energies for special hairpin loops, such as Tri-, Tetra-, or Hexa-loops.

See also

[vrna_md_defaults_special_hp\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_SPECIAL_HP](#)

Returns

The global default settings for the treatment of special hairpin loops

17.4.4.14 vrna_md_defaults_noLP()

```
void vrna_md_defaults_noLP (
    int flag )
```

```
#include <ViennaRNA/model.h>
```

Set default behavior for prediction of canonical secondary structures.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_NO_LP](#)

Parameters

<i>flag</i>	On/Off switch (0 = OFF, else = ON)
-------------	------------------------------------

17.4.4.15 vrna_md_defaults_noLP_get()

```
int vrna_md_defaults_noLP_get (
```

```
    void  )

#include <ViennaRNA/model.h>
```

Get default behavior for prediction of canonical secondary structures.

See also

[vrna_md_defaults_noLP\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_NO_LP](#)

Returns

The global default settings for predicting canonical secondary structures

17.4.4.16 vrna_md_defaults_noGU()

```
void vrna_md_defaults_noGU (
    int flag )
```

```
#include <ViennaRNA/model.h>
```

Set default behavior for treatment of G-U wobble pairs.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_NO_GU](#)

Parameters

<i>flag</i>	On/Off switch (0 = OFF, else = ON)
-------------	------------------------------------

17.4.4.17 vrna_md_defaults_noGU_get()

```
int vrna_md_defaults_noGU_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default behavior for treatment of G-U wobble pairs.

See also

[vrna_md_defaults_noGU\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_NO_GU](#)

Returns

The global default settings for treatment of G-U wobble pairs

17.4.4.18 vrna_md_defaults_noGUclosure()

```
void vrna_md_defaults_noGUclosure (
    int flag )
```

```
#include <ViennaRNA/model.h>
```

Set default behavior for G-U pairs as closing pair for loops.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_NO_GU_CLOSURE](#)

Parameters

<i>flag</i>	On/Off switch (0 = OFF, else = ON)
-------------	------------------------------------

17.4.4.19 vrna_md_defaults_noGUclosure_get()

```
int vrna_md_defaults_noGUclosure_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default behavior for G-U pairs as closing pair for loops.

See also

[vrna_md_defaults_noGUclosure\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_NO_GU_CLOSURE](#)

Returns

The global default settings for treatment of G-U pairs closing a loop

17.4.4.20 vrna_md_defaults_logML()

```
void vrna_md_defaults_logML (
    int flag )
```

```
#include <ViennaRNA/model.h>
```

Set default behavior recomputing free energies of multi-branch loops using a logarithmic model.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_LOG_ML](#)

Parameters

<i>flag</i>	On/Off switch (0 = OFF, else = ON)
-------------	------------------------------------

17.4.4.21 vrna_md_defaults_logML_get()

```
int vrna_md_defaults_logML_get (
    void )
```



```
#include <ViennaRNA/model.h>
```

Get default behavior recomputing free energies of multi-branch loops using a logarithmic model.

See also

[vrna_md_defaults_logML\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_LOG_M](#)

Returns

The global default settings for logarithmic model in multi-branch loop free energy evaluation

17.4.4.22 vrna_md_defaults_circ()

```
void vrna_md_defaults_circ (
    int flag )
```



```
#include <ViennaRNA/model.h>
```

Set default behavior whether input sequences are circularized.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_CIRC](#)

Parameters

<i>flag</i>	On/Off switch (0 = OFF, else = ON)
-------------	------------------------------------

17.4.4.23 vrna_md_defaults_circ_get()

```
int vrna_md_defaults_circ_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default behavior whether input sequences are circularized.

See also

[vrna_md_defaults_circ\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_CIRC](#)

Returns

The global default settings for treating input sequences as circular

17.4.4.24 vrna_md_defaults_gquad()

```
void vrna_md_defaults_gquad (
    int flag )
```

```
#include <ViennaRNA/model.h>
```

Set default behavior for treatment of G-Quadruplexes.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_GQUAD](#)

Parameters

<i>flag</i>	On/Off switch (0 = OFF, else = ON)
-------------	------------------------------------

17.4.4.25 vrna_md_defaults_gquad_get()

```
int vrna_md_defaults_gquad_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default behavior for treatment of G-Quadruplexes.

See also

[vrna_md_defaults_gquad\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_GQUAD](#)

Returns

The global default settings for treatment of G-Quadruplexes

17.4.4.26 vrna_md_defaults_uniq_ML()

```
void vrna_md_defaults_uniq_ML (
    int flag )
```

```
#include <ViennaRNA/model.h>
```

Set default behavior for creating additional matrix for unique multi-branch loop prediction.

Note

Activating this option usually results in higher memory consumption!

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_UNIQ_ML](#)

Parameters

<i>flag</i>	On/Off switch (0 = OFF, else = ON)
-------------	------------------------------------

17.4.4.27 vrna_md_defaults_uniq_ML_get()

```
int vrna_md_defaults_uniq_ML_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default behavior for creating additional matrix for unique multi-branch loop prediction.

See also

[vrna_md_defaults_uniq_ML\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_UNIQ_ML](#)

Returns

The global default settings for creating additional matrices for unique multi-branch loop prediction

17.4.4.28 vrna_md_defaults_energy_set()

```
void vrna_md_defaults_energy_set (
    int e )
```

```
#include <ViennaRNA/model.h>
```

Set default energy set.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_ENERGY_SET](#)

Parameters

<i>e</i>	Energy set (0, 1, 2, 3)
----------	-------------------------

17.4.4.29 vrna_md_defaults_energy_set_get()

```
int vrna_md_defaults_energy_set_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default energy set.

See also

[vrna_md_defaults_energy_set\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_EN](#)

Returns

The global default settings for the energy set

17.4.4.30 vrna_md_defaults_backtrack()

```
void vrna_md_defaults_backtrack (
    int flag )
```

```
#include <ViennaRNA/model.h>
```

Set default behavior for whether to backtrack secondary structures.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_BACKTRACK](#)

Parameters

<i>flag</i>	On/Off switch (0 = OFF, else = ON)
-------------	------------------------------------

17.4.4.31 vrna_md_defaults_backtrack_get()

```
int vrna_md_defaults_backtrack_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default behavior for whether to backtrack secondary structures.

See also

[vrna_md_defaults_backtrack\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_BACKTRACK_TYPE](#)

Returns

The global default settings for backtracking structures

17.4.4.32 vrna_md_defaults_backtrack_type()

```
void vrna_md_defaults_backtrack_type (
    char t )
```

```
#include <ViennaRNA/model.h>
```

Set default backtrack type, i.e. which DP matrix is used.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_BACKTRACK_TYPE](#)

Parameters

<i>t</i>	The type ('F', 'C', or 'M')
----------	-----------------------------

17.4.4.33 vrna_md_defaults_backtrack_type_get()

```
char vrna_md_defaults_backtrack_type_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default backtrack type, i.e. which DP matrix is used.

See also

[vrna_md_defaults_backtrack_type\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_BACKTRACK_TYPE](#)

Returns

The global default settings that specify which DP matrix is used for backtracking

17.4.4.34 vrna_md_defaults_compute_bpp()

```
void vrna_md_defaults_compute_bpp (
    int flag )
```

```
#include <ViennaRNA/model.h>
```

Set the default behavior for whether to compute base pair probabilities after partition function computation.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_COMPUTE_BPP](#)

Parameters

<i>flag</i>	On/Off switch (0 = OFF, else = ON)
-------------	------------------------------------

17.4.4.35 vrna_md_defaults_compute_bpp_get()

```
int vrna_md_defaults_compute_bpp_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get the default behavior for whether to compute base pair probabilities after partition function computation.

See also

[vrna_md_defaults_compute_bpp\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_COMPUTE_BPP](#)

Returns

The global default settings that specify whether base pair probabilities are computed together with partition function

17.4.4.36 vrna_md_defaults_max_bp_span()

```
void vrna_md_defaults_max_bp_span (
    int span )
```

```
#include <ViennaRNA/model.h>
```

Set default maximal base pair span.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_MAX_BP_SPAN](#)

Parameters

<i>span</i>	Maximal base pair span
-------------	------------------------

17.4.4.37 vrna_md_defaults_max_bp_span_get()

```
int vrna_md_defaults_max_bp_span_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default maximal base pair span.

See also

[vrna_md_defaults_max_bp_span\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_](#)

Returns

The global default settings for maximum base pair span

17.4.4.38 vrna_md_defaults_min_loop_size()

```
void vrna_md_defaults_min_loop_size (
    int size )
```

```
#include <ViennaRNA/model.h>
```

Set default minimal loop size.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [TURN](#)

Parameters

<i>size</i>	Minimal size, i.e. number of unpaired nucleotides for a hairpin loop
-------------	--

17.4.4.39 vrna_md_defaults_min_loop_size_get()

```
int vrna_md_defaults_min_loop_size_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default minimal loop size.

See also

[vrna_md_defaults_min_loop_size\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [TURN](#)

Returns

The global default settings for minimal size of hairpin loops

17.4.4.40 vrna_md_defaults_window_size()

```
void vrna_md_defaults_window_size (
    int size )
```

```
#include <ViennaRNA/model.h>
```

Set default window size for sliding window structure prediction approaches.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_WINDOW_SIZE](#)

Parameters

<code>size</code>	The size of the sliding window
-------------------	--------------------------------

17.4.4.41 vrna_md_defaults_window_size_get()

```
int vrna_md_defaults_window_size_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default window size for sliding window structure prediction approaches.

See also

[vrna_md_defaults_window_size\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_WINDOW_SIZE](#)

Returns

The global default settings for the size of the sliding window

17.4.4.42 vrna_md_defaults_oldAliEn()

```
void vrna_md_defaults_oldAliEn (
    int flag )
```

```
#include <ViennaRNA/model.h>
```

Set default behavior for whether to use old energy model for comparative structure prediction.

Note

This option is outdated. Activating the old energy model usually results in worse consensus structure predictions.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_ALI_OLD_EN](#)

Parameters

<i>flag</i>	On/Off switch (0 = OFF, else = ON)
-------------	------------------------------------

17.4.4.43 vrna_md_defaults_oldAliEn_get()

```
int vrna_md_defaults_oldAliEn_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default behavior for whether to use old energy model for comparative structure prediction.

See also

[vrna_md_defaults_oldAliEn\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_ALI_OLD_EN](#)

Returns

The global default settings for using old energy model for comparative structure prediction

17.4.4.44 vrna_md_defaults_ribo()

```
void vrna_md_defaults_ribo (
    int flag )
```

```
#include <ViennaRNA/model.h>
```

Set default behavior for whether to use Ribosum Scoring in comparative structure prediction.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_ALI_RIBO](#)

Parameters

<i>flag</i>	On/Off switch (0 = OFF, else = ON)
-------------	------------------------------------

17.4.4.45 vrna_md_defaults_ribo_get()

```
int vrna_md_defaults_ribo_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get default behavior for whether to use Ribosum Scoring in comparative structure prediction.

See also

[vrna_md_defaults_ribo\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_ALI_RIBO](#)

Returns

The global default settings for using Ribosum scoring in comparative structure prediction

17.4.4.46 vrna_md_defaults_cv_fact()

```
void vrna_md_defaults_cv_fact (
    double factor )
```

```
#include <ViennaRNA/model.h>
```

Set the default co-variance scaling factor used in comparative structure prediction.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_ALI_CV_FACT](#)

Parameters

<i>factor</i>	The co-variance factor
---------------	------------------------

17.4.4.47 vrna_md_defaults_cv_fact_get()

```
double vrna_md_defaults_cv_fact_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

Get the default co-variance scaling factor used in comparative structure prediction.

See also

[vrna_md_defaults_cv_fact\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_ALI_CV_FACT](#)

Returns

The global default settings for the co-variance factor

17.4.4.48 vrna_md_defaults_nc_fact()

```
void vrna_md_defaults_nc_fact (
    double factor )
```

```
#include <ViennaRNA/model.h>
```

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_ALI_NC_FACT](#)

Parameters

factor

17.4.4.49 vrna_md_defaults_nc_fact_get()

```
double vrna_md_defaults_nc_fact_get (
    void )
```

```
#include <ViennaRNA/model.h>
```

See also

[vrna_md_defaults_nc_fact\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#), [VRNA_MODEL_DEFAULT_ALI_NC_FACT](#)

Returns

17.4.4.50 vrna_md_defaults_sfact()

```
void vrna_md_defaults_sfact (
    double factor )
```

#include <ViennaRNA/model.h>

Set the default scaling factor used to avoid under-/overflows in partition function computation.

See also

[vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#)

Parameters

<i>factor</i>	The scaling factor (default: 1.07)
---------------	------------------------------------

17.4.4.51 vrna_md_defaults_sfact_get()

```
double vrna_md_defaults_sfact_get (
    void )
```

#include <ViennaRNA/model.h>

Get the default scaling factor used to avoid under-/overflows in partition function computation.

See also

[vrna_md_defaults_sfact\(\)](#), [vrna_md_defaults_reset\(\)](#), [vrna_md_set_default\(\)](#), [vrna_md_t](#)

Returns

The global default settings of the scaling factor

17.4.4.52 set_model_details()

```
void set_model_details (
    vrna_md_t * md )
```

#include <ViennaRNA/model.h>

Set default model details.

Use this function if you wish to initialize a [vrna_md_t](#) data structure with its default values, i.e. the global model settings as provided by the deprecated global variables.

Deprecated This function will vanish as soon as backward compatibility of RNAlib is dropped (expected in version 3). Use [vrna_md_set_default\(\)](#) instead!

Parameters

<i>md</i>	A pointer to the data structure that is about to be initialized
-----------	---

17.4.5 Variable Documentation

17.4.5.1 temperature

```
double temperature
```

```
#include <ViennaRNA/model.h>
```

Rescale energy parameters to a temperature in degC.

Default is 37C. You have to call the `update_..._params()` functions after changing this parameter.

Deprecated Use [vrna_md_defaults_temperature\(\)](#), and [vrna_md_defaults_temperature_get\(\)](#) to change, and read the global default temperature settings

See also

[vrna_md_defaults_temperature\(\)](#), [vrna_md_defaults_temperature_get\(\)](#), [vrna_md_defaults_reset\(\)](#)

17.4.5.2 pf_scale

```
double pf_scale
```

```
#include <ViennaRNA/model.h>
```

A scaling factor used by [pf_fold\(\)](#) to avoid overflows.

Should be set to approximately $\exp((-F/kT)/length)$, where F is an estimate for the ensemble free energy, for example the minimum free energy. You must call [update_pf_params\(\)](#) after changing this parameter.

If `pf_scale` is -1 (the default), an estimate will be provided automatically when computing partition functions, e.g. [pf_fold\(\)](#). The automatic estimate is usually insufficient for sequences more than a few hundred bases long.

17.4.5.3 dangles

```
int dangles

#include <ViennaRNA/model.h>
```

Switch the energy model for dangling end contributions (0, 1, 2, 3)

If set to 0 no stabilizing energies are assigned to bases adjacent to helices in free ends and multiloops (so called dangling ends). Normally (dangles = 1) dangling end energies are assigned only to unpaired bases and a base cannot participate simultaneously in two dangling ends. In the partition function algorithm [pf_fold\(\)](#) these checks are neglected. If [dangles](#) is set to 2, all folding routines will follow this convention. This treatment of dangling ends gives more favorable energies to helices directly adjacent to one another, which can be beneficial since such helices often do engage in stabilizing interactions through co-axial stacking.

If [dangles](#) = 3 co-axial stacking is explicitly included for adjacent helices in multiloops. The option affects only mfe folding and energy evaluation ([fold\(\)](#) and [energy_of_structure\(\)](#)), as well as suboptimal folding ([subopt\(\)](#)) via re-evaluation of energies. Co-axial stacking with one intervening mismatch is not considered so far.

Default is 2 in most algorithms, partition function algorithms can only handle 0 and 2

17.4.5.4 tetra_loop

```
int tetra_loop

#include <ViennaRNA/model.h>
```

Include special stabilizing energies for some tri-, tetra- and hexa-loops;.

default is 1.

17.4.5.5 noLonelyPairs

```
int noLonelyPairs

#include <ViennaRNA/model.h>
```

Global switch to avoid/allow helices of length 1.

Disallow all pairs which can only occur as lonely pairs (i.e. as helix of length 1). This avoids lonely base pairs in the predicted structures in most cases.

17.4.5.6 energy_set

```
int energy_set

#include <ViennaRNA/model.h>

0 = BP; 1=any with GC; 2=any with AU-parameter
```

If set to 1 or 2: fold sequences from an artificial alphabet ABCD..., where A pairs B, C pairs D, etc. using either GC (1) or AU parameters (2); default is 0, you probably don't want to change it.

17.4.5.7 do_backtrack

```
int do_backtrack
```

```
#include <ViennaRNA/model.h>
```

do backtracking, i.e. compute secondary structures or base pair probabilities

If 0, do not calculate pair probabilities in [pf_fold\(\)](#); this is about twice as fast. Default is 1.

17.4.5.8 backtrack_type

```
char backtrack_type
```

```
#include <ViennaRNA/model.h>
```

A backtrack array marker for [inverse_fold\(\)](#)

If set to 'C': force (1,N) to be paired, 'M' fold as if the sequence were inside a multiloop. Otherwise ('F') the usual mfe structure is computed.

17.4.5.9 nonstandards

```
char* nonstandards
```

```
#include <ViennaRNA/model.h>
```

contains allowed non standard base pairs

Lists additional base pairs that will be allowed to form in addition to GC, CG, AU, UA, GU and UG. Nonstandard base pairs are given a stacking energy of 0.

17.4.5.10 max_bp_span

```
int max_bp_span
```

```
#include <ViennaRNA/model.h>
```

Maximum allowed base pair span.

A value of -1 indicates no restriction for distant base pairs.

17.5 Energy parameters

All relevant functions to retrieve and copy pre-calculated energy parameter sets as well as reading/writing the energy parameter set from/to file(s).

Collaboration diagram for Energy parameters:

Modules

- [Reading/Writing Energy Parameter Sets from/to File](#)

Read and Write energy parameter sets from and to text files.

Files

- file [convert_epars.h](#)

Functions and definitions for energy parameter file format conversion.

- file [energy_const.h](#)

Energy parameter constants.

- file [params.h](#)

Functions to deal with sets of energy parameters.

- file [read_epars.h](#)

Read and write energy parameter files.

Data Structures

- struct [vrna_param_s](#)

The datastructure that contains temperature scaled energy parameters. [More...](#)

- struct [vrna_exp_param_s](#)

The data structure that contains temperature scaled Boltzmann weights of the energy parameters. [More...](#)

Typedefs

- typedef struct [vrna_param_s](#) [vrna_param_t](#)

Typename for the free energy parameter data structure [vrna_params](#).

- typedef struct [vrna_exp_param_s](#) [vrna_exp_param_t](#)

Typename for the Boltzmann factor data structure [vrna_exp_params](#).

- typedef struct [vrna_param_s](#) [paramT](#)

Old typename of [vrna_param_s](#).

- typedef struct [vrna_exp_param_s](#) [pf_paramT](#)

Old typename of [vrna_exp_param_s](#).

Functions

- `vrna_param_t * vrna_params (vrna_md_t *md)`
Get a data structure containing prescaled free energy parameters.
- `vrna_param_t * vrna_params_copy (vrna_param_t *par)`
Get a copy of the provided free energy parameters.
- `vrna_exp_param_t * vrna_exp_params (vrna_md_t *md)`
Get a data structure containing prescaled free energy parameters already transformed to Boltzmann factors.
- `vrna_exp_param_t * vrna_exp_params_comparative (unsigned int n_seq, vrna_md_t *md)`
Get a data structure containing prescaled free energy parameters already transformed to Boltzmann factors (alifold version)
- `vrna_exp_param_t * vrna_exp_params_copy (vrna_exp_param_t *par)`
Get a copy of the provided free energy parameters (provided as Boltzmann factors)
- `void vrna_params_subst (vrna_fold_compound_t *vc, vrna_param_t *par)`
Update/Reset energy parameters data structure within a `vrna_fold_compound_t`.
- `void vrna_exp_params_subst (vrna_fold_compound_t *vc, vrna_exp_param_t *params)`
Update the energy parameters for subsequent partition function computations.
- `void vrna_exp_params_rescale (vrna_fold_compound_t *vc, double *mfe)`
Rescale Boltzmann factors for partition function computations.
- `void vrna_params_reset (vrna_fold_compound_t *vc, vrna_md_t *md_p)`
Reset free energy parameters within a `vrna_fold_compound_t` according to provided, or default model details.
- `void vrna_exp_params_reset (vrna_fold_compound_t *vc, vrna_md_t *md_p)`
Reset Boltzmann factors for partition function computations within a `vrna_fold_compound_t` according to provided, or default model details.
- `vrna_exp_param_t * get_scaled_pf_parameters (void)`
- `vrna_exp_param_t * get_boltzmann_factors (double temperature, double betaScale, vrna_md_t md, double pf_scale)`
Get precomputed Boltzmann factors of the loop type dependent energy contributions with independent thermodynamic temperature.
- `vrna_exp_param_t * get_boltzmann_factor_copy (vrna_exp_param_t *parameters)`
Get a copy of already precomputed Boltzmann factors.
- `vrna_exp_param_t * get_scaled_alipf_parameters (unsigned int n_seq)`
Get precomputed Boltzmann factors of the loop type dependent energy contributions (alifold variant)
- `vrna_exp_param_t * get_boltzmann_factors_ali (unsigned int n_seq, double temperature, double betaScale, vrna_md_t md, double pf_scale)`
Get precomputed Boltzmann factors of the loop type dependent energy contributions (alifold variant) with independent thermodynamic temperature.
- `vrna_param_t * scale_parameters (void)`
Get precomputed energy contributions for all the known loop types.
- `vrna_param_t * get_scaled_parameters (double temperature, vrna_md_t md)`
Get precomputed energy contributions for all the known loop types.

17.5.1 Detailed Description

All relevant functions to retrieve and copy pre-calculated energy parameter sets as well as reading/writing the energy parameter set from/to file(s).

This module covers all relevant functions for pre-calculation of the energy parameters necessary for the folding routines provided by RNAlib. Furthermore, the energy parameter set in the RNAlib can be easily exchanged by a user-defined one. It is also possible to write the current energy parameter set into a text file.

17.5.2 Data Structure Documentation

17.5.2.1 struct vrna_param_s

The datastructure that contains temperature scaled energy parameters.

Collaboration diagram for vrna_param_s:

Data Fields

- double **temperature**
Temperature used for loop contribution scaling.
- **vrna_md_t model_details**
Model details to be used in the recursions.
- char **param_file** [256]
The filename the parameters were derived from, or empty string if they represent the default.

17.5.2.2 struct vrna_exp_param_s

The data structure that contains temperature scaled Boltzmann weights of the energy parameters.

Collaboration diagram for vrna_exp_param_s:

Data Fields

- int **id**
An identifier for the data structure.
- double **pf_scale**
Scaling factor to avoid over-/underflows.
- double **temperature**
Temperature used for loop contribution scaling.
- double **alpha**
Scaling factor for the thermodynamic temperature.
- **vrna_md_t model_details**
Model details to be used in the recursions.
- char **param_file** [256]
The filename the parameters were derived from, or empty string if they represent the default.

17.5.2.2.1 Field Documentation

17.5.2.2.1.1 id

```
int vrna_exp_param_s::id
```

An identifier for the data structure.

Deprecated This attribute will be removed in version 3

17.5.2.2.1.2 alpha

```
double vrna_exp_param_s::alpha
```

Scaling factor for the thermodynamic temperature.

This allows for temperature scaling in Boltzmann factors independently from the energy contributions. The resulting Boltzmann factors are then computed by $e^{-E/(\alpha \cdot K \cdot T)}$

17.5.3 Typedef Documentation

17.5.3.1 paramT

```
typedef struct vrna_param_s paramT  
  
#include <ViennaRNA/params.h>
```

Old typename of [vrna_param_s](#).

Deprecated Use [vrna_param_t](#) instead!

17.5.3.2 pf_paramT

```
typedef struct vrna_exp_param_s pf_paramT  
  
#include <ViennaRNA/params.h>
```

Old typename of [vrna_exp_param_s](#).

Deprecated Use [vrna_exp_param_t](#) instead!

17.5.4 Function Documentation

17.5.4.1 vrna_params()

```
vrna_param_t* vrna_params (
    vrna_md_t * md )  
  
#include <ViennaRNA/params.h>
```

Get a data structure containing prescaled free energy parameters.

If a NULL pointer is passed for the model details parameter, the default model parameters are stored within the requested `vrna_param_t` structure.

See also

`vrna_md_t`, `vrna_md_set_default()`, `vrna_exp_params()`

Parameters

<i>md</i>	A pointer to the model details to store inside the structure (Maybe NULL)
-----------	---

Returns

A pointer to the memory location where the requested parameters are stored

17.5.4.2 `vrna_params_copy()`

```
vrna_param_t* vrna_params_copy (
    vrna_param_t * par )
```

```
#include <ViennaRNA/params.h>
```

Get a copy of the provided free energy parameters.

If NULL is passed as parameter, a default set of energy parameters is created and returned.

See also

[vrna_params\(\)](#), [vrna_param_t](#)

Parameters

<i>par</i>	The free energy parameters that are to be copied (Maybe NULL)
------------	---

Returns

A copy or a default set of the (provided) parameters

17.5.4.3 `vrna_exp_params()`

```
vrna_exp_param_t* vrna_exp_params (
    vrna_md_t * md )
```

```
#include <ViennaRNA/params.h>
```

Get a data structure containing prescaled free energy parameters already transformed to Boltzmann factors.

This function returns a data structure that contains all necessary precomputed energy contributions for each type of loop.

In contrast to [vrna_params\(\)](#), the free energies within this data structure are stored as their Boltzmann factors, i.e. $\exp(-E/kT)$

where E is the free energy.

If a NULL pointer is passed for the model details parameter, the default model parameters are stored within the requested [vrna_exp_param_t](#) structure.

See also

[vrna_md_t](#), [vrna_md_set_default\(\)](#), [vrna_params\(\)](#), [vrna_rescale_pf_params\(\)](#)

Parameters

<i>md</i>	A pointer to the model details to store inside the structure (Maybe NULL)
-----------	---

Returns

A pointer to the memory location where the requested parameters are stored

17.5.4.4 `vrna_exp_params_comparative()`

```
vrna_exp_param_t* vrna_exp_params_comparative (
    unsigned int n_seq,
    vrna_md_t * md )
```

```
#include <ViennaRNA/params.h>
```

Get a data structure containing prescaled free energy parameters already transformed to Boltzmann factors (alifold version)

If a NULL pointer is passed for the model details parameter, the default model parameters are stored within the requested `vrna_exp_param_t` structure.

See also

[vrna_md_t](#), [vrna_md_set_default\(\)](#), [vrna_exp_params\(\)](#), [vrna_params\(\)](#)

Parameters

<i>n_seq</i>	The number of sequences in the alignment
<i>md</i>	A pointer to the model details to store inside the structure (Maybe NULL)

Returns

A pointer to the memory location where the requested parameters are stored

17.5.4.5 `vrna_exp_params_copy()`

```
vrna_exp_param_t* vrna_exp_params_copy (
    vrna_exp_param_t * par )
```

```
#include <ViennaRNA/params.h>
```

Get a copy of the provided free energy parameters (provided as Boltzmann factors)

If NULL is passed as parameter, a default set of energy parameters is created and returned.

See also

[vrna_exp_params\(\)](#), [vrna_exp_param_t](#)

Parameters

<i>par</i>	The free energy parameters that are to be copied (Maybe NULL)
------------	---

Returns

A copy or a default set of the (provided) parameters

17.5.4.6 vrna_params_subst()

```
void vrna_params_subst (
    vrna_fold_compound_t * vc,
    vrna_param_t * par )
```

#include <ViennaRNA/params.h>

Update/Reset energy parameters data structure within a [vrna_fold_compound_t](#).

Passing NULL as second argument leads to a reset of the energy parameters within vc to their default values. Otherwise, the energy parameters provided will be copied over into vc.

See also

[vrna_params_reset\(\)](#), [vrna_param_t](#), [vrna_md_t](#), [vrna_params\(\)](#)

Parameters

<i>vc</i>	The vrna_fold_compound_t that is about to receive updated energy parameters
<i>par</i>	The energy parameters used to substitute those within vc (Maybe NULL)

SWIG Wrapper Notes This function is attached to [vrna_fc_s](#) objects as **params_subst()** method.

17.5.4.7 vrna_exp_params_subst()

```
void vrna_exp_params_subst (
    vrna_fold_compound_t * vc,
    vrna_exp_param_t * params )
```

#include <ViennaRNA/params.h>

Update the energy parameters for subsequent partition function computations.

This function can be used to properly assign new energy parameters for partition function computations to a `vrna_fold_compound_t`. For this purpose, the data of the provided pointer `params` will be copied into `vc` and a recomputation of the partition function scaling factor is issued, if the `pf_scale` attribute of `params` is less than `1.0`.

Passing `NULL` as second argument leads to a reset of the energy parameters within `vc` to their default values

See also

[vrna_exp_params_reset\(\)](#), [vrna_exp_params_rescale\(\)](#), [vrna_exp_param_t](#), [vrna_md_t](#), [vrna_exp_params\(\)](#)

Parameters

<code>vc</code>	The fold compound data structure
<code>params</code>	A pointer to the new energy parameters

17.5.4.8 `vrna_exp_params_rescale()`

```
void vrna_exp_params_rescale (
    vrna_fold_compound_t * vc,
    double * mfe )
#include <ViennaRNA/params.h>
```

Rescale Boltzmann factors for partition function computations.

This function may be used to (automatically) rescale the Boltzmann factors used in partition function computations. Since partition functions over subsequences can easily become extremely large, the RNAlib internally rescales them to avoid numerical over- and/or underflow. Therefore, a proper scaling factor s needs to be chosen that in turn is then used to normalize the corresponding partition functions $\hat{q}[i, j] = q[i, j]/s^{(j-i+1)}$.

This function provides two ways to automatically adjust the scaling factor.

1. Automatic guess
2. Automatic adjustment according to MFE

Passing `NULL` as second parameter activates the *automatic guess mode*. Here, the scaling factor is recomputed according to a mean free energy of $184.3 \cdot \text{length} \cdot \text{cal}$ for random sequences.

Note

This recomputation only takes place if the `pf_scale` attribute of the `exp_params` data structure contained in `vc` has a value below `1.0`.

On the other hand, if the MFE for a sequence is known, it can be used to recompute a more robust scaling factor, since it represents the lowest free energy of the entire ensemble of structures, i.e. the highest Boltzmann factor. To activate this second mode of *automatic adjustment according to MFE*, a pointer to the MFE value needs to be passed as second argument. This value is then taken to compute the scaling factor as $s = \exp((sfact * MFE)/kT/\text{length})$, where `sfact` is an additional scaling weight located in the `vrna_md_t` data structure of `exp_params` in `vc`.

The computed scaling factor s will be stored as `pf_scale` attribute of the `exp_params` data structure in `vc`.

See also

[vrna_exp_params_subst\(\)](#), [vrna_md_t](#), [vrna_exp_param_t](#), [vrna_fold_compound_t](#)

Parameters

<i>vc</i>	The fold compound data structure
<i>mfe</i>	A pointer to the MFE (in kcal/mol) or NULL

SWIG Wrapper Notes This function is attached to `vrna_fc_s` objects as overloaded `exp_params_rescale()` method.

When no parameter is passed to this method, the resulting action is the same as passing `NULL` as second parameter to `vrna_exp_params_rescale()`, i.e. default scaling of the partition function. Passing an energy in kcal/mol, e.g. as retrieved by a previous call to the `mfe()` method, instructs all subsequent calls to scale the partition function accordingly.

17.5.4.9 `vrna_params_reset()`

```
void vrna_params_reset (
    vrna_fold_compound_t * vc,
    vrna_md_t * md_p )

#include <ViennaRNA/params.h>
```

Reset free energy parameters within a `vrna_fold_compound_t` according to provided, or default model details.

This function allows one to rescale free energy parameters for subsequent structure prediction or evaluation according to a set of model details, e.g. temperature values. To do so, the caller provides either a pointer to a set of model details to be used for rescaling, or `NULL` if global default setting should be used.

See also

[vrna_exp_params_reset\(\)](#), [vrna_params_subs\(\)](#)

Parameters

<i>vc</i>	The fold compound data structure
<i>md_p</i>	A pointer to the new model details (or <code>NULL</code> for reset to defaults)

SWIG Wrapper Notes This function is attached to `vrna_fc_s` objects as overloaded `params_reset()` method.

When no parameter is passed to this method, the resulting action is the same as passing `NULL` as second parameter to `vrna_params_reset()`, i.e. global default model settings are used. Passing an object of type `vrna_md_s` resets the fold compound according to the specifications stored within the `vrna_md_s` object.

17.5.4.10 vrna_exp_params_reset()

```
vrna_exp_params_reset (
    vrna_fold_compound_t * vc,
    vrna_md_t * md_p )
```

#include <ViennaRNA/params.h>

Reset Boltzmann factors for partition function computations within a `vrna_fold_compound_t` according to provided, or default model details.

This function allows one to rescale Boltzmann factors for subsequent partition function computations according to a set of model details, e.g. temperature values. To do so, the caller provides either a pointer to a set of model details to be used for rescaling, or NULL if global default setting should be used.

See also

[vrna_params_reset\(\)](#), [vrna_exp_params_subst\(\)](#), [vrna_exp_params_rescale\(\)](#)

Parameters

<code>vc</code>	The fold compound data structure
<code>md_p</code>	A pointer to the new model details (or NULL for reset to defaults)

SWIG Wrapper Notes This function is attached to `vrna_fc_s` objects as overloaded `exp_params_reset()` method.

When no parameter is passed to this method, the resulting action is the same as passing `NULL` as second parameter to `vrna_exp_params_reset()`, i.e. global default model settings are used. Passing an object of type `vrna_md_s` resets the fold compound according to the specifications stored within the `vrna_md_s` object.

17.5.4.11 get_scaled_pf_parameters()

```
vrna_exp_param_t* get_scaled_pf_parameters (
    void )
```

#include <ViennaRNA/params.h>

get a data structure of type `vrna_exp_param_t` which contains the Boltzmann weights of several energy parameters scaled according to the current temperature

Deprecated Use `vrna_exp_params()` instead!

Returns

The data structure containing Boltzmann weights for use in partition function calculations

17.5.4.12 `get_boltzmann_factors()`

```
vrna_exp_param_t* get_boltzmann_factors (
    double temperature,
    double betaScale,
    vrna_md_t md,
    double pf_scale )
```

```
#include <ViennaRNA/params.h>
```

Get precomputed Boltzmann factors of the loop type dependent energy contributions with independent thermodynamic temperature.

This function returns a data structure that contains all necessary precalculated Boltzmann factors for each loop type contribution.

In contrast to `get_scaled_pf_parameters()`, this function enables setting of independent temperatures for both, the individual energy contributions as well as the thermodynamic temperature used in $\exp(-\Delta G/kT)$

Deprecated Use `vrna_exp_params()` instead!

See also

`get_scaled_pf_parameters()`, `get_boltzmann_factor_copy()`

Parameters

<code>temperature</code>	The temperature in degrees Celcius used for (re-)scaling the energy contributions
<code>betaScale</code>	A scaling value that is used as a multiplication factor for the absolute temperature of the system
<code>md</code>	The model details to be used
<code>pf_scale</code>	The scaling factor for the Boltzmann factors

Returns

A set of precomputed Boltzmann factors

17.5.4.13 `get_boltzmann_factor_copy()`

```
vrna_exp_param_t* get_boltzmann_factor_copy (
    vrna_exp_param_t * parameters )
```

```
#include <ViennaRNA/params.h>
```

Get a copy of already precomputed Boltzmann factors.

Deprecated Use `vrna_exp_params_copy()` instead!

See also

`get_boltzmann_factors()`, `get_scaled_pf_parameters()`

Parameters

<i>parameters</i>	The input data structure that shall be copied
-------------------	---

Returns

A copy of the provided Boltzmann factor data set

17.5.4.14 get_scaled_alipf_parameters()

```
vrna_exp_param_t* get_scaled_alipf_parameters (
    unsigned int n_seq )
```

```
#include <ViennaRNA/params.h>
```

Get precomputed Boltzmann factors of the loop type dependent energy contributions (alifold variant)

Deprecated Use [vrna_exp_params_comparative\(\)](#) instead!

17.5.4.15 get_boltzmann_factors_ali()

```
vrna_exp_param_t* get_boltzmann_factors_ali (
    unsigned int n_seq,
    double temperature,
    double betaScale,
    vrna_md_t md,
    double pf_scale )
```

```
#include <ViennaRNA/params.h>
```

Get precomputed Boltzmann factors of the loop type dependent energy contributions (alifold variant) with independent thermodynamic temperature.

Deprecated Use [vrna_exp_params_comparative\(\)](#) instead!

17.5.4.16 scale_parameters()

```
vrna_param_t* scale_parameters (
    void )  
  
#include <ViennaRNA/params.h>
```

Get precomputed energy contributions for all the known loop types.

Note

OpenMP: This function relies on several global model settings variables and thus is not to be considered threadsafe. See [get_scaled_parameters\(\)](#) for a completely threadsafe implementation.

Deprecated Use [vrna_params\(\)](#) instead!

Returns

A set of precomputed energy contributions

17.5.4.17 get_scaled_parameters()

```
vrna_param_t* get_scaled_parameters (
    double temperature,
    vrna_md_t md )
```

```
#include <ViennaRNA/params.h>
```

Get precomputed energy contributions for all the known loop types.

Call this function to retrieve precomputed energy contributions, i.e. scaled according to the temperature passed. Furthermore, this function assumes a data structure that contains the model details as well, such that subsequent folding recursions are able to retrieve the correct model settings

Deprecated Use [vrna_params\(\)](#) instead!

See also

[vrna_md_t](#), [set_model_details\(\)](#)

Parameters

<i>temperature</i>	The temperature in degrees Celcius
<i>md</i>	The model details

Returns

precomputed energy contributions and model settings

17.6 Extending the folding grammar with additional domains

This module covers simple and straight-forward extensions to the RNA folding grammar.

Collaboration diagram for Extending the folding grammar with additional domains:


Modules

- [Unstructured domains](#)
Add and modify unstructured domains to the RNA folding grammar.
- [Structured domains](#)
Add and modify structured domains to the RNA folding grammar.

17.6.1 Detailed Description

This module covers simple and straight-forward extensions to the RNA folding grammar.

Some applications of RNA secondary structure prediction require an extension of the *regular* RNA folding grammar. For instance one would like to include proteins and other ligands binding to unpaired loop regions while competing with conventional base pairing. Another application could be that one may want to include the formation of self-enclosed structural modules, such as G-quadruplexes. For such applications, we provide a pair of additional domains that extend the regular RNA folding grammar, [Structured domains](#) and [Unstructured domains](#).



While unstructured domains are usually determined by a more or less precise sequence motif, e.g. the binding site for a protein, structured domains are considered self-enclosed modules with a more or less complex pairing pattern. Our extension with these two domains introduces two production rules to fill additional dynamic processing matrices S and U where we store the pre-computed contributions of structured domains (S), and unstructured domains (U).

For the sake of flexibility, each of the domains is associated with a specific data structure serving as an abstract interface to the extension. The interface uses callback functions to (i) pre-compute arbitrary data, e.g. filling up additional dynamic programming matrices, and (ii) evaluate the contribution of a paired or unpaired structural feature of the RNA. Implementations of these callbacks are separate for regular free energy evaluation, e.g. MFE prediction, and partition function applications. A data structure holding arbitrary data required for the callback functions can be associated to the domain as well. While RNAlib comes with a default implementation for structured and unstructured domains, the system is entirely user-customizable.

17.7 Unstructured domains

Add and modify unstructured domains to the RNA folding grammar.

Collaboration diagram for Unstructured domains:

Files

- file [unstructured_domains.h](#)

Functions to modify unstructured domains, e.g. to incorporate ligands binding to unpaired stretches.

Data Structures

- struct [vrna_unstructured_domain_s](#)

Data structure to store all functionality for ligand binding. [More...](#)

Macros

- #define [VRNA_UNSTRUCTURED_DOMAIN_EXT_LOOP](#) 1U
Flag to indicate ligand bound to unpaired stretch in the exterior loop.
- #define [VRNA_UNSTRUCTURED_DOMAIN_HP_LOOP](#) 2U
Flag to indicate ligand bound to unpaired stretch in a hairpin loop.
- #define [VRNA_UNSTRUCTURED_DOMAIN_INT_LOOP](#) 4U
Flag to indicate ligand bound to unpaired stretch in an interior loop.
- #define [VRNA_UNSTRUCTURED_DOMAIN_MB_LOOP](#) 8U
Flag to indicate ligand bound to unpaired stretch in a multibranch loop.
- #define [VRNA_UNSTRUCTURED_DOMAIN_MOTIF](#) 16U
Flag to indicate ligand binding without additional unbound nucleotides (motif-only)
- #define [VRNA_UNSTRUCTURED_DOMAIN_ALL_LOOPS](#) ([VRNA_UNSTRUCTURED_DOMAIN_EXT_LOOP](#) | [VRNA_UNSTRUCTURED_DOMAIN_HP_LOOP](#) | [VRNA_UNSTRUCTURED_DOMAIN_INT_LOOP](#) | [VRNA_UNSTRUCTURED_DOMAIN_MB_LOOP](#))
Flag to indicate ligand bound to unpaired stretch in any loop (convenience macro)

Typedefs

- typedef struct [vrna_unstructured_domain_s](#) [vrna_ud_t](#)
Typename for the ligand binding extension data structure [vrna_unstructured_domain_s](#).
- typedef int() [vrna_callback_ud_energy](#)([vrna_fold_compound_t](#) *vc, int i, int j, unsigned int loop_type, void *data)
Callback to retrieve binding free energy of a ligand bound to an unpaired sequence segment.
- typedef [FLT_OR_DBL\(\)](#) [vrna_callback_ud_exp_energy](#)([vrna_fold_compound_t](#) *vc, int i, int j, unsigned int loop_type, void *data)
Callback to retrieve Boltzmann factor of the binding free energy of a ligand bound to an unpaired sequence segment.
- typedef void() [vrna_callback_ud_production](#)([vrna_fold_compound_t](#) *vc, void *data)
Callback for pre-processing the production rule of the ligand binding to unpaired stretches feature.
- typedef void() [vrna_callback_ud_exp_production](#)([vrna_fold_compound_t](#) *vc, void *data)
Callback for pre-processing the production rule of the ligand binding to unpaired stretches feature (partition function variant)
- typedef void() [vrna_callback_ud_probs_add](#)([vrna_fold_compound_t](#) *vc, int i, int j, unsigned int loop_type, [FLT_OR_DBL](#) exp_energy, void *data)
Callback to store/add equilibrium probability for a ligand bound to an unpaired sequence segment.
- typedef [FLT_OR_DBL\(\)](#) [vrna_callback_ud_probs_get](#)([vrna_fold_compound_t](#) *vc, int i, int j, unsigned int loop_type, int motif, void *data)
Callback to retrieve equilibrium probability for a ligand bound to an unpaired sequence segment.

Functions


- void `vrna_ud_add_motif (vrna_fold_compound_t *vc, const char *motif, double motif_en, unsigned int loop←_type)`
Add an unstructured domain motif, e.g. for ligand binding.
- void `vrna_ud_remove (vrna_fold_compound_t *vc)`
Remove ligand binding to unpaired stretches.
- void `vrna_ud_set_data (vrna_fold_compound_t *vc, void *data, vrna_callback_free_auxdata *free_cb)`
Attach an auxiliary data structure.
- void `vrna_ud_set_prod_rule_cb (vrna_fold_compound_t *vc, vrna_callback_ud_production *pre_cb, vrna_callback_ud_energy *e_cb)`
Attach production rule callbacks for free energies computations.
- void `vrna_ud_set_exp_prod_rule_cb (vrna_fold_compound_t *vc, vrna_callback_ud_exp_production *pre←_cb, vrna_callback_ud_exp_energy *exp_e_cb)`
Attach production rule for partition function.

17.7.1 Detailed Description

Add and modify unstructured domains to the RNA folding grammar.


This module provides the tools to add and modify unstructured domains to the production rules of the RNA folding grammar. Usually this functionality is utilized for incorporating ligand binding to unpaired stretches of an RNA.

Unstructured domains appear in the production rules of the RNA folding grammar wherever new unpaired nucleotides are attached to a growing substructure (see also [12]):



The white boxes represent the stretch of RNA bound to the ligand and represented by a more or less specific sequence motif. The motif itself is considered unable to form basepairs. The additional production rule U is used to precompute the contribution of unpaired stretches possibly bound by one or more ligands. The auxiliary DP matrix for this production rule is filled right before processing the other (regular) production rules of the RNA folding grammar.

In a context with [Structured domains](#) the grammar is extended as follows:



Bug Although the additional production rule(s) for unstructured domains in the descriptions of this feature are always treated as 'segments possibly bound to one or more ligands', the current implementation requires that at least one ligand is bound. The default implementation already takes care of the required changes, however, upon using callback functions other than the default ones, one has to take care of this fact. Please also note, that this behavior might change in one of the next releases, such that the decomposition schemes as shown above comply with the actual implementation.

A default implementation allows one to readily use this feature by simply adding sequence motifs and corresponding binding free energies with the function `vrna_ud_add_motif()` (see also [Ligands binding to unstructured domains](#)).

The grammar extension is realized using a callback function that

- evaluates the binding free energy of a ligand to its target sequence segment (white boxes in the figures above), or
- returns the free energy of an unpaired stretch possibly bound by a ligand, stored in the additional *UDP* matrix.

The callback is passed the segment positions, the loop context, and which of the two above mentioned evaluations are required. A second callback implements the pre-processing step that prepares the *UDP* matrix by evaluating all possible cases of the additional production rule. Both callbacks have a default implementation in *RNAlib*, but may be over-written by a user-implementation, making it fully user-customizable.

For equilibrium probability computations, two additional callbacks exist. One to store/add and one to retrieve the probability of unstructured domains at particular positions. Our implementation already takes care of computing the probabilities, but users of the unstructured domain feature are required to provide a mechanism to efficiently store/add the corresponding values into some external data structure.

17.7.2 Data Structure Documentation

17.7.2.1 struct vrna_unstructured_domain_s

Data structure to store all functionality for ligand binding.

Data Fields

- int `uniq_motif_count`
The unique number of motifs of different lengths.
- unsigned int * `uniq_motif_size`
An array storing a unique list of motif lengths.
- int `motif_count`
Total number of distinguished motifs.
- char ** `motif`
Motif sequences.
- unsigned int * `motif_size`
Motif lengths.
- double * `motif_en`
Ligand binding free energy contribution.
- unsigned int * `motif_type`
Type of motif, i.e. loop type the ligand binds to.
- `vrna_callback_ud_production` * `prod_cb`
Callback to ligand binding production rule, i.e. create/fill DP free energy matrices.
- `vrna_callback_ud_exp_production` * `exp_prod_cb`
Callback to ligand binding production rule, i.e. create/fill DP partition function matrices.
- `vrna_callback_ud_energy` * `energy_cb`
Callback to evaluate free energy of ligand binding to a particular unpaired stretch.
- `vrna_callback_ud_exp_energy` * `exp_energy_cb`
Callback to evaluate Boltzmann factor of ligand binding to a particular unpaired stretch.
- void * `data`
Auxiliary data structure passed to energy evaluation callbacks.
- `vrna_callback_free_auxdata` * `free_data`
Callback to free auxiliary data structure.
- `vrna_callback_ud_probs_add` * `probs_add`
Callback to store/add outside partition function.
- `vrna_callback_ud_probs_get` * `probs_get`
Callback to retrieve outside partition function.

17.7.2.1.1 Field Documentation

17.7.2.1.1.1 `prod_cb`

`vrna_callback_ud_production`* `vrna_unstructured_domain_s::prod_cb`

Callback to ligand binding production rule, i.e. create/fill DP free energy matrices.

This callback will be executed right before the actual secondary structure decompositions, and, therefore, any implementation must not interleave with the regular DP matrices.

17.7.3 Typedef Documentation

17.7.3.1 vrna_callback_ud_energy

```
typedef int() vrna_callback_ud_energy(vrna_fold_compound_t *vc, int i, int j, unsigned int
loop_type, void *data)
```

```
#include <ViennaRNA/unstructured_domains.h>
```

Callback to retrieve binding free energy of a ligand bound to an unpaired sequence segment.

Notes on Callback Functions This function will be called to determine the additional energy contribution of a specific unstructured domain, e.g. the binding free energy of some ligand.

Parameters

<i>vc</i>	The current <code>vrna_fold_compound_t</code>
<i>i</i>	The start of the unstructured domain (5' end)
<i>j</i>	The end of the unstructured domain (3' end)
<i>loop_type</i>	The loop context of the unstructured domain
<i>data</i>	Auxiliary data

Returns

The auxiliary energy contribution in deka-cal/mol

17.7.3.2 vrna_callback_ud_exp_energy

```
typedef FLT_OR_DBL() vrna_callback_ud_exp_energy(vrna_fold_compound_t *vc, int i, int j, unsigned
int loop_type, void *data)
```

```
#include <ViennaRNA/unstructured_domains.h>
```

Callback to retrieve Boltzmann factor of the binding free energy of a ligand bound to an unpaired sequence segment.

Notes on Callback Functions This function will be called to determine the additional energy contribution of a specific unstructured domain, e.g. the binding free energy of some ligand (Partition function variant, i.e. the Boltzmann factors instead of actual free energies).

Parameters

<i>vc</i>	The current <code>vrna_fold_compound_t</code>
<i>i</i>	The start of the unstructured domain (5' end)
<i>j</i>	The end of the unstructured domain (3' end)
<i>loop_type</i>	The loop context of the unstructured domain
<i>data</i>	Auxiliary data

Returns

The auxiliary energy contribution as Boltzmann factor

17.7.3.3 vrna_callback_ud_production

```
typedef void() vrna_callback_ud_production(vrna_fold_compound_t *vc, void *data)

#include <ViennaRNA/unstructured_domains.h>
```

Callback for pre-processing the production rule of the ligand binding to unpaired stretches feature.

Notes on Callback Functions The production rule for the unstructured domain grammar extension

17.7.3.4 vrna_callback_ud_exp_production

```
typedef void() vrna_callback_ud_exp_production(vrna_fold_compound_t *vc, void *data)

#include <ViennaRNA/unstructured_domains.h>
```

Callback for pre-processing the production rule of the ligand binding to unpaired stretches feature (partition function variant)

Notes on Callback Functions The production rule for the unstructured domain grammar extension (Partition function variant)

17.7.3.5 vrna_callback_ud_probs_add

```
typedef void() vrna_callback_ud_probs_add(vrna_fold_compound_t *vc, int i, int j, unsigned int
loop_type, FLT_OR_DBL exp_energy, void *data)

#include <ViennaRNA/unstructured_domains.h>
```

Callback to store/add equilibrium probability for a ligand bound to an unpaired sequence segment.

Notes on Callback Functions A callback function to store equilibrium probabilities for the unstructured domain feature

17.7.3.6 vrna_callback_ud_probs_get

```
typedef FLT_OR_DBL() vrna_callback_ud_probs_get(vrna_fold_compound_t *vc, int i, int j, unsigned
int loop_type, int motif, void *data)
```

```
#include <ViennaRNA/unstructured_domains.h>
```

Callback to retrieve equilibrium probability for a ligand bound to an unpaired sequence segment.

Notes on Callback Functions A callback function to retrieve equilibrium probabilities for the unstructured domain feature

17.7.4 Function Documentation

17.7.4.1 vrna_ud_add_motif()

```
void vrna_ud_add_motif (
    vrna_fold_compound_t * vc,
    const char * motif,
    double motif_en,
    unsigned int loop_type )
```

```
#include <ViennaRNA/unstructured_domains.h>
```

Add an unstructured domain motif, e.g. for ligand binding.

This function adds a ligand binding motif and the associated binding free energy to the `vrna_ud_t` attribute of a `vrna_fold_compound_t`. The motif data will then be used in subsequent secondary structure predictions. Multiple calls to this function with different motifs append all additional data to a list of ligands, which all will be evaluated. Ligand motif data can be removed from the `vrna_fold_compound_t` again using the `vrna_ud_remove()` function. The loop type parameter allows one to limit the ligand binding to particular loop type, such as the exterior loop, hairpin loops, interior loops, or multibranch loops.

See also

`VRNA_UNSTRUCTURED_DOMAIN_EXT_LOOP`, `VRNA_UNSTRUCTURED_DOMAIN_HP_LOOP`, `VRNA_UNSTRUCTURED_DOMAIN_MB_LOOP`, `VRNA_UNSTRUCTURED_DOMAIN_ALL_LOOPS`,
`vrna_ud_remove()`

Parameters

<code>vc</code>	The <code>vrna_fold_compound_t</code> data structure the ligand motif should be bound to
<code>motif</code>	The sequence motif the ligand binds to
<code>motif_en</code>	The binding free energy of the ligand in kcal/mol
<code>loop_type</code>	The loop type the ligand binds to

SWIG Wrapper Notes This function is attached as method `ud_add_motif()` to objects of type `fold_compound`

17.7.4.2 vrna_ud_remove()

```
void vrna_ud_remove (
    vrna_fold_compound_t * vc )
```

#include <ViennaRNA/unstructured_domains.h>

Remove ligand binding to unpaired stretches.

This function removes all ligand motifs that were bound to a `vrna_fold_compound_t` using the `vrna_ud_add_motif()` function.

Parameters

<code>vc</code>	The <code>vrna_fold_compound_t</code> data structure the ligand motif data should be removed from
-----------------	---

SWIG Wrapper Notes This function is attached as method `ud_remove()` to objects of type `fold_compound`

17.7.4.3 vrna_ud_set_data()

```
void vrna_ud_set_data (
    vrna_fold_compound_t * vc,
    void * data,
    vrna_callback_free_auxdata * free )
```

#include <ViennaRNA/unstructured_domains.h>

Attach an auxiliary data structure.

This function binds an arbitrary, auxiliary data structure for user-implemented ligand binding. The optional callback `free` will be passed the bound data structure whenever the `vrna_fold_compound_t` is removed from memory to avoid memory leaks.

See also

`vrna_ud_set_prod_rule_cb()`, `vrna_ud_set_exp_prod_rule_cb()`, `vrna_ud_remove()`

Parameters

<code>vc</code>	The <code>vrna_fold_compound_t</code> data structure the auxiliary data structure should be bound to
<code>data</code>	A pointer to the auxiliary data structure
<code>free_cb</code>	A pointer to a callback function that free's memory occupied by <code>data</code>

SWIG Wrapper Notes This function is attached as method `ud_set_data()` to objects of type `fold_compound`

17.7.4.4 vrna_ud_set_prod_rule_cb()


```
void vrna_ud_set_prod_rule_cb (
    vrna_fold_compound_t * vc,
    vrna_callback_ud_production * pre_cb,
    vrna_callback_ud_energy * e_cb )

#include <ViennaRNA/unstructured_domains.h>
```


Attach production rule callbacks for free energies computations.

Use this function to bind a user-implemented grammar extension for unstructured domains.

The callback `e_cb` needs to evaluate the free energy contribution $f(i, j)$ of the unpaired segment $[i, j]$. It will be executed in each of the regular secondary structure production rules. Whenever the callback is passed the `VRNA_UNSTRUCTURED_DOMAIN_MOTIF` flag via its `loop_type` parameter the contribution of any ligand that consecutively binds from position i to j (the white box) is requested. Otherwise, the callback usually performs a lookup in the precomputed B matrices. Which B matrix is addressed will be indicated by the flags `VRNA_UNSTRUCTURED_DOMAIN_EXT_LOOP`, `VRNA_UNSTRUCTURED_DOMAIN_HP_LOOP`, `VRNA_UNSTRUCTURED_DOMAIN_INT_LOOP`, and `VRNA_UNSTRUCTURED_DOMAIN_MB_LOOP`. As their names already imply, they specify exterior loops (F production rule), hairpin loops and interior loops (C production rule), and multibranch loops (M and M1 production rule).



The `pre_cb` callback will be executed as a pre-processing step right before the regular secondary structure rules. Usually one would use this callback to fill the dynamic programming matrices U and preparations of the auxiliary data structure `vrna_unstructured_domain_s.data`



Parameters

<code>vc</code>	The <code>vrna_fold_compound_t</code> data structure the callback will be bound to
<code>pre_cb</code>	A pointer to a callback function for the B production rule
<code>e_cb</code>	A pointer to a callback function for free energy evaluation

SWIG Wrapper Notes This function is attached as method `ud_set_prod_rule_cb()` to objects of type `fold_compound`

17.7.4.5 `vrna_ud_set_exp_prod_rule_cb()`

```
void vrna_ud_set_exp_prod_rule_cb (
    vrna_fold_compound_t * vc,
    vrna_callback_ud_exp_production * pre_cb,
    vrna_callback_ud_exp_energy * exp_e_cb )
```

#include <ViennaRNA/unstructured_domains.h>

Attach production rule for partition function.

This function is the partition function companion of `vrna_ud_set_prod_rule_cb()`.

Use it to bind callbacks to (i) fill the \mathbb{U} production rule dynamic programming matrices and/or prepare the `vrna_unstructured_domain_s.data`, and (ii) provide a callback to retrieve partition functions for subsegments $[i, j]$.

$$\begin{matrix} \mathbf{B} \\ \text{---} \\ i & j \end{matrix} = \begin{matrix} \mathbf{B} \\ \text{---} \\ i & j-1 \end{matrix} \bullet \mid \begin{matrix} \mathbf{B} \\ \text{---} \\ i & u \end{matrix} \quad \boxed{} \quad \boxed{} \quad \boxed{}$$

$$\mathbf{f}(i,j) = \boxed{} \quad \mid \quad \begin{matrix} \mathbf{B} \\ \text{---} \\ i & j \end{matrix}$$

See also

[vrna_ud_set_prod_rule_cb\(\)](#)

Parameters

<code>vc</code>	The <code>vrna_fold_compound_t</code> data structure the callback will be bound to
<code>pre_cb</code>	A pointer to a callback function for the \mathbb{B} production rule
<code>exp_e_cb</code>	A pointer to a callback function that retrieves the partition function for a segment $[i, j]$ that may be bound by one or more ligands.

SWIG Wrapper Notes This function is attached as method `ud_set_exp_prod_rule_cb()` to objects of type `fold_compound`

17.8 Structured domains

Add and modify structured domains to the RNA folding grammar.

Collaboration diagram for Structured domains:

Files

- file [structured_domains.h](#)

This module provides interfaces that deal with additional structured domains in the folding grammar.

17.8.1 Detailed Description

Add and modify structured domains to the RNA folding grammar.

This module provides the tools to add and modify structured domains to the production rules of the RNA folding grammar. Usually this functionality is utilized for incorporating self-enclosed structural modules that exhibit a more or less complex base pairing pattern.

17.9 Constraining the RNA folding grammar

This module provides general functions that allow for an easy control of constrained secondary structure prediction and evaluation.

Collaboration diagram for Constraining the RNA folding grammar:

Modules

- **Hard constraints**

This module covers all functionality for hard constraints in secondary structure prediction.

- **Soft constraints**

Functions and data structures for secondary structure soft constraints.

Files

- file **constraints.h**

Functions and data structures for constraining secondary structure predictions and evaluation.

Macros

- **#define VRNA_CONSTRAINT_FILE 0**
Flag for `vrna_constraints_add()` to indicate that constraints are present in a text file.
- **#define VRNA_CONSTRAINT_SOFT_MFE 0**
Indicate generation of constraints for MFE folding.
- **#define VRNA_CONSTRAINT_SOFT_PF VRNA_OPTION_PF**
Indicate generation of constraints for partition function computation.
- **#define VRNA_DECOMP_PAIR_HP (unsigned char)1**
Flag passed to generic softt constraints callback to indicate hairpin loop decomposition step.
- **#define VRNA_DECOMP_PAIR_IL (unsigned char)2**
Indicator for interior loop decomposition step.
- **#define VRNA_DECOMP_PAIR_DL (unsigned char)3**
Indicator for multibranch loop decomposition step.
- **#define VRNA_DECOMP_DL_DL_DL (unsigned char)5**
Indicator for decomposition of multibranch loop part.
- **#define VRNA_DECOMP_DL_STEM (unsigned char)6**
Indicator for decomposition of multibranch loop part.
- **#define VRNA_DECOMP_DL_DL (unsigned char)7**
Indicator for decomposition of multibranch loop part.
- **#define VRNA_DECOMP_DL_UP (unsigned char)8**
Indicator for decomposition of multibranch loop part.
- **#define VRNA_DECOMP_DL_DL_STEM (unsigned char)9**
Indicator for decomposition of multibranch loop part.
- **#define VRNA_DECOMP_DL_COAXIAL (unsigned char)10**
Indicator for decomposition of multibranch loop part.
- **#define VRNA_DECOMP_DL_COAXIAL_ENC (unsigned char)11**
Indicator for decomposition of multibranch loop part.

- `#define VRNA_DECOMP_EXT_EXT` (unsigned char)12
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_UP` (unsigned char)13
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_STEM` (unsigned char)14
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_EXT_EXT` (unsigned char)15
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_STEM_EXT` (unsigned char)16
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_STEM_OUTSIDE` (unsigned char)17
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_EXT_STEM` (unsigned char)18
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_EXT_STEM1` (unsigned char)19
Indicator for decomposition of exterior loop part.

Functions

- `void vrna_constraints_add (vrna_fold_compound_t *vc, const char *constraint, unsigned int options)`
Add constraints to a `vrna_fold_compound_t` data structure.
- `void vrna_message_constraint_options (unsigned int option)`
Print a help message for pseudo dot-bracket structure constraint characters to stdout. (constraint support is specified by option parameter)
- `void vrna_message_constraint_options_all (void)`
Print structure constraint characters to stdout (full constraint support)

17.9.1 Detailed Description


This module provides general functions that allow for an easy control of constrained secondary structure prediction and evaluation.

Secondary Structure constraints can be subdivided into two groups:

- [Hard constraints](#), and
- [Soft constraints](#).

While Hard-Constraints directly influence the production rules used in the folding recursions by allowing, disallowing, or enforcing certain decomposition steps, Soft-constraints on the other hand are used to change position specific contributions in the recursions by adding bonuses/penalties in form of pseudo free energies to certain loop configurations.

Secondary structure constraints are always applied at decomposition level, i.e. in each step of the recursive structure decomposition, for instance during MFE prediction. Below is a visualization of the decomposition scheme



For **Hard constraints** the following option flags may be used to constrain the pairing behavior of single, or pairs of nucleotides:

- `VRNA_CONSTRAINT_CONTEXT_EXT_LOOP` - Hard constraints flag, base pair in the exterior loop.
- `VRNA_CONSTRAINT_CONTEXT_HP_LOOP` - Hard constraints flag, base pair encloses hairpin loop.
- `VRNA_CONSTRAINT_CONTEXT_INT_LOOP` - Hard constraints flag, base pair encloses an interior loop.
- `VRNA_CONSTRAINT_CONTEXT_INT_LOOP_ENC` - Hard constraints flag, base pair encloses a multi branch loop.
- `VRNA_CONSTRAINT_CONTEXT_MB_LOOP` - Hard constraints flag, base pair is enclosed in an interior loop.
- `VRNA_CONSTRAINT_CONTEXT_MB_LOOP_ENC` - Hard constraints flag, base pair is enclosed in a multi branch loop.
- `VRNA_CONSTRAINT_CONTEXT_ENFORCE` - Hard constraint flag to indicate enforcement of constraints.
- `VRNA_CONSTRAINT_CONTEXT_NO_REMOVE` - Hard constraint flag to indicate not to remove base pairs that conflict with a given constraint.
- `VRNA_CONSTRAINT_CONTEXT_ALL_LOOPS` - Constraint context flag indicating any loop context.

However, for **Soft constraints** we do not allow for simple loop type dependent constraining. But soft constraints are equipped with generic constraint support. This enables the user to pass arbitrary callback functions that return auxiliary energy contributions for evaluation of any decomposition.

The callback will then always be notified about the type of decomposition that is happening, and the corresponding delimiting sequence positions. The following decomposition steps are distinguished, and should be captured by the user's implementation of the callback:

- `VRNA_DECOMP_PAIR_HP` - Flag passed to generic softt constraints callback to indicate hairpin loop decomposition step.
- `VRNA_DECOMP_PAIR_IL` - Indicator for interior loop decomposition step.
- `VRNA_DECOMP_PAIR_ML` - Indicator for multibranch loop decomposition step.
- `VRNA_DECOMP_ML_ML_ML` - Indicator for decomposition of multibranch loop part.

- `VRNA_DECOMP_ML_STEM` - Indicator for decomposition of multibranch loop part.
- `VRNA_DECOMP_ML_ML` - Indicator for decomposition of multibranch loop part.
- `VRNA_DECOMP_ML_UP` - Indicator for decomposition of multibranch loop part.
- `VRNA_DECOMP_ML_ML_STEM` - Indicator for decomposition of multibranch loop part.
- `VRNA_DECOMP_ML_COAXIAL` - Indicator for decomposition of multibranch loop part.
- `VRNA_DECOMP_EXT_EXT` - Indicator for decomposition of exterior loop part.
- `VRNA_DECOMP_EXT_UP` - Indicator for decomposition of exterior loop part.
- `VRNA_DECOMP_EXT_STEM` - Indicator for decomposition of exterior loop part.
- `VRNA_DECOMP_EXT_EXT_EXT` - Indicator for decomposition of exterior loop part.
- `VRNA_DECOMP_EXT_STEM_EXT` - Indicator for decomposition of exterior loop part.
- `VRNA_DECOMP_EXT_STEM_OUTSIDE` - Indicator for decomposition of exterior loop part.
- `VRNA_DECOMP_EXT_EXT_STEM` - Indicator for decomposition of exterior loop part.
- `VRNA_DECOMP_EXT_EXT_STEM1` - Indicator for decomposition of exterior loop part.

Simplified interfaces to the soft constraints framework can be obtained by the implementations in the submodules

- `SHAPE reactivity data` and
- ligands.

An implementation that generates soft constraints for unpaired nucleotides by minimizing the discrepancy between their predicted and expected pairing probability is available in submodule [Generate soft constraints from data](#).

17.9.2 Macro Definition Documentation

17.9.2.1 VRNA_CONSTRAINT_FILE

```
#define VRNA_CONSTRAINT_FILE 0

#include <ViennaRNA/constraints.h>
```

Flag for `vrna_constraints_add()` to indicate that constraints are present in a text file.

See also

[vrna_constraints_add\(\)](#)

Deprecated Use 0 instead!

17.9.2.2 VRNA_CONSTRAINT_SOFT_MFE

```
#define VRNA_CONSTRAINT_SOFT_MFE 0  
#include <ViennaRNA/constraints.h>
```

Indicate generation of constraints for MFE folding.

Deprecated This flag has no meaning anymore, since constraints are now always stored!

17.9.2.3 VRNA_CONSTRAINT_SOFT_PF

```
#define VRNA_CONSTRAINT_SOFT_PF VRNA_OPTION_PF  
#include <ViennaRNA/constraints.h>
```

Indicate generation of constraints for partition function computation.


Deprecated Use `VRNA_OPTION_PF` instead!

17.9.2.4 VRNA_DECOMP_PAIR_HP

```
#define VRNA_DECOMP_PAIR_HP (unsigned char)1  
#include <ViennaRNA/constraints.h>
```

Flag passed to generic softt constraints callback to indicate hairpin loop decomposition step.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates a hairpin loop enclosed by the base pair (i, j) .




17.9.2.5 VRNA_DECOMP_PAIR_IL

```
#define VRNA_DECOMP_PAIR_IL (unsigned char)2
```

```
#include <ViennaRNA/constraints.h>
```

Indicator for interior loop decomposition step.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates an interior loop enclosed by the base pair (i, j) , and enclosing the base pair (k, l) .




17.9.2.6 VRNA_DECOMP_PAIR_ML

```
#define VRNA_DECOMP_PAIR_ML (unsigned char)3
```

```
#include <ViennaRNA/constraints.h>
```

Indicator for multibranch loop decomposition step.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates a multi-branch loop enclosed by the base pair (i, j) , and consisting of some enclosed multi loop content from k to l .




17.9.2.7 VRNA_DECOMP_ML_ML_ML

```
#define VRNA_DECOMP_ML_ML_ML (unsigned char)5

#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of multibranch loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates a multi-branch loop part in the interval $[i : j]$, which will be decomposed into two multibranch loop parts $[i : k]$, and $[l : j]$.




17.9.2.8 VRNA_DECOMP_ML_STEM

```
#define VRNA_DECOMP_ML_STEM (unsigned char) 6

#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of multibranch loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates a multi-branch loop part in the interval $[i : j]$, which will be considered a single stem branching off with base pair (k, l) .




17.9.2.9 VRNA_DECOMP_ML_ML

```
#define VRNA_DECOMP_ML_ML (unsigned char) 7

#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of multibranch loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates a multi-branch loop part in the interval $[i : j]$, which will be decomposed into a (usually) smaller multibranch loop part $[k : l]$.




17.9.2.10 VRNA_DECOMP_ML_UP

```
#define VRNA_DECOMP_ML_UP (unsigned char) 8

#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of multibranch loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates a multi-branch loop part in the interval $[i : j]$, which will be considered a multibranch loop part that only consists of unpaired nucleotides.




17.9.2.11 VRNA_DECOMP_ML_ML_STEM

```
#define VRNA_DECOMP_ML_ML_STEM (unsigned char) 9
```

```
#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of multibranch loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates a multi-branch loop part in the interval $[i : j]$, which will decomposed into a multibranch loop part $[i : k]$, and a stem with enclosing base pair (l, j) .




17.9.2.12 VRNA_DECOMP_ML_COAXIAL

```
#define VRNA_DECOMP_ML_COAXIAL (unsigned char)10
```

```
#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of multibranch loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates a multi-branch loop part in the interval $[i : j]$, where two stems with enclosing pairs (i, k) and (l, j) are coaxially stacking onto each other.




17.9.2.13 VRNA_DECOMP_ML_COAXIAL_ENC

```
#define VRNA_DECOMP_ML_COAXIAL_ENC (unsigned char)11
```

```
#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of multibranch loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates a multi-branch loop part in the interval $[i : j]$, where two stems with enclosing pairs (i, k) and (l, j) are coaxially stacking onto each other.




17.9.2.14 VRNA_DECOMP_EXT_EXT

```
#define VRNA_DECOMP_EXT_EXT (unsigned char)12
```

```
#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of exterior loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates an exterior loop part in the interval $[i : j]$, which will be decomposed into a (usually) smaller exterior loop part $[k : l]$.




17.9.2.15 VRNA_DECOMP_EXT_UP

```
#define VRNA_DECOMP_EXT_UP (unsigned char)13
```

```
#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of exterior loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates an exterior loop part in the interval $[i : j]$, which will be considered as an exterior loop component consisting of only unpaired nucleotides.




17.9.2.16 VRNA_DECOMP_EXT_STEM

```
#define VRNA_DECOMP_EXT_STEM (unsigned char)14
```

```
#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of exterior loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates an exterior loop part in the interval $[i : j]$, which will be considered a stem with enclosing pair (k, l) .




17.9.2.17 VRNA_DECOMP_EXT_EXT_EXT

```
#define VRNA_DECOMP_EXT_EXT_EXT (unsigned char)15
```

```
#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of exterior loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates an exterior loop part in the interval $[i : j]$, which will be decomposed into two exterior loop parts $[i : k]$ and $[l : j]$.




17.9.2.18 VRNA_DECOMP_EXT_STEM_EXT

```
#define VRNA_DECOMP_EXT_STEM_EXT (unsigned char)16
```

```
#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of exterior loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates an exterior loop part in the interval $[i : j]$, which will be decomposed into a stem branching off with base pair (i, k) , and an exterior loop part $[l : j]$.




17.9.2.19 VRNA_DECOMP_EXT_EXT_STEM

```
#define VRNA_DECOMP_EXT_EXT_STEM (unsigned char)18
```

```
#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of exterior loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates an exterior loop part in the interval $[i : j]$, which will be decomposed into an exterior loop part $[i : k]$, and a stem branching off with base pair (l, j) .




17.9.2.20 VRNA_DECOMP_EXT_EXT_STEM1

```
#define VRNA_DECOMP_EXT_EXT_STEM1 (unsigned char)19
```

```
#include <ViennaRNA/constraints.h>
```

Indicator for decomposition of exterior loop part.

This flag notifies the soft or hard constraint callback function that the current decomposition step evaluates an exterior loop part in the interval $[i : j]$, which will be decomposed into an exterior loop part $[i : k]$, and a stem branching off with base pair $(l, j - 1)$.



17.9.3 Function Documentation

17.9.3.1 vrna_constraints_add()

```
void vrna_constraints_add (
    vrna_fold_compound_t * vc,
    const char * constraint,
    unsigned int options )
```

```
#include <ViennaRNA/constraints.h>
```

Add constraints to a `vrna_fold_compound_t` data structure.

Use this function to add/update the hard/soft constraints. The function allows for passing a string 'constraint' that can either be a filename that points to a constraints definition file or it may be a pseudo dot-bracket notation indicating hard constraints. For the latter, the user has to pass the `VRNA_CONSTRAINT_DB` option. Also, the user has to specify, which characters are allowed to be interpreted as constraints by passing the corresponding options via the third parameter.

See also

`vrna_hc_init()`, `vrna_hc_add_up()`, `vrna_hc_add_up_batch()`, `vrna_hc_add_bp()`, `vrna_sc_init()`, `vrna_sc_set_up()`,
`vrna_sc_set_bp()`, `vrna_sc_add_SHAPE_deigan()`, `vrna_sc_add_SHAPE_zarringhalam()`, `vrna_hc_free()`,
`vrna_sc_free()`, `VRNA_CONSTRAINT_DB`, `VRNA_CONSTRAINT_DB_DEFAULT`, `VRNA_CONSTRAINT_DB_PIPE`,
`VRNA_CONSTRAINT_DB_DOT`, `VRNA_CONSTRAINT_DB_X`, `VRNA_CONSTRAINT_DB_ANG_BRACK`,
`VRNA_CONSTRAINT_DB_RND_BRACK`, `VRNA_CONSTRAINT_DB_INTRAMOL`, `VRNA_CONSTRAINT_DB_INTERMOL`,
`VRNA_CONSTRAINT_DB_GQUAD`

The following is an example for adding hard constraints given in pseudo dot-bracket notation. Here, `vc` is the `vrna_fold_compound_t` object, `structure` is a char array with the hard constraint in dot-bracket notation, and `enforceConstraints` is a flag indicating whether or not constraints for base pairs should be enforced instead of just doing a removal of base pair that conflict with the constraint.

```

unsigned int constraint_options = VRNA_CONSTRAINT_DB_DEFAULT;

if (enforceConstraints)
    constraint_options |= VRNA_CONSTRAINT_DB_ENFORCE_BP;

if (canonicalBPonly)
    constraint_options |= VRNA_CONSTRAINT_DB_CANONICAL_BP;

vrna_constraints_add(vc, (const char *)cstruc, constraint_options);

```

In contrast to the above, constraints may also be read from file:

```

vrna_constraints_add(vc, constraints_file,
VRNA_OPTION_MFE | ((pf) ? VRNA_OPTION_PF : 0));

```

See also

[vrna_hc_add_from_db\(\)](#), [vrna_hc_add_up\(\)](#), [vrna_hc_add_up_batch\(\)](#), [vrna_hc_add_bp_unspecific\(\)](#), [vrna_hc_add_bp\(\)](#)

Parameters

<i>vc</i>	The fold compound
<i>constraint</i>	A string with either the filename of the constraint definitions or a pseudo dot-bracket notation of the hard constraint. May be NULL.
<i>options</i>	The option flags

17.9.3.2 vrna_message_constraint_options()

```

void vrna_message_constraint_options (
    unsigned int option )

#include <ViennaRNA/constraints_hard.h>

```

Print a help message for pseudo dot-bracket structure constraint characters to stdout. (constraint support is specified by option parameter)

Currently available options are:

VRNA_CONSTRAINT_DB_PIPE (paired with another base)
VRNA_CONSTRAINT_DB_DOT (no constraint at all)
VRNA_CONSTRAINT_DB_X (base must not pair)
VRNA_CONSTRAINT_DB_ANG_BRACK (paired downstream/upstream)
VRNA_CONSTRAINT_DB_RND_BRACK (base i pairs base j)
 pass a collection of options as one value like this:

```
vrna_message_constraints(option_1 | option_2 | option_n)
```

See also

[vrna_message_constraint_options_all\(\)](#), [vrna_constraints_add\(\)](#), [VRNA_CONSTRAINT_DB](#), [VRNA_CONSTRAINT_DB_PIPE](#), [VRNA_CONSTRAINT_DB_DOT](#), [VRNA_CONSTRAINT_DB_X](#), [VRNA_CONSTRAINT_DB_ANG_BRACK](#), [VRNA_CONSTRAINT_DB_RND_BRACK](#), [VRNA_CONSTRAINT_DB_INTERMOL](#), [VRNA_CONSTRAINT_DB_INTRAMOL](#)

Parameters

<i>option</i>	Option switch that tells which constraint help will be printed
---------------	--

17.9.3.3 vrna_message_constraint_options_all()

```
void vrna_message_constraint_options_all (
    void )  
  
#include <ViennaRNA/constraints_hard.h>
```

Print structure constraint characters to stdout (full constraint support)

See also

[vrna_message_constraint_options\(\)](#), [vrna_constraints_add\(\)](#), [VRNA_CONSTRAINT_DB](#), [VRNA_CONSTRAINT_DB_PIPE](#),
[VRNA_CONSTRAINT_DB_DOT](#), [VRNA_CONSTRAINT_DB_X](#), [VRNA_CONSTRAINT_DB_ANG_BRACK](#),
[VRNA_CONSTRAINT_DB_RND_BRACK](#), [VRNA_CONSTRAINT_DB_INTERMOL](#), [VRNA_CONSTRAINT_DB_INTRAMOL](#)

17.10 Hard constraints

This module covers all functionality for hard constraints in secondary structure prediction.

Collaboration diagram for Hard constraints:

Files

- file `constraints_hard.h`

Functions and data structures for handling of secondary structure hard constraints.

Data Structures

- struct `vrna_hc_s`
The hard constraints data structure. [More...](#)
- struct `vrna_hc_up_s`
A single hard constraint for a single nucleotide. [More...](#)

Macros

- `#define VRNA_CONSTRAINT_DB 16384U`
Flag for `vrna_constraints_add()` to indicate that constraint is passed in pseudo dot-bracket notation.
- `#define VRNA_CONSTRAINT_DB_ENFORCE_BP 32768U`
Switch for dot-bracket structure constraint to enforce base pairs.
- `#define VRNA_CONSTRAINT_DB_PIPE 65536U`
Flag that is used to indicate the pipe '|` sign in pseudo dot-bracket notation of hard constraints.
- `#define VRNA_CONSTRAINT_DB_DOT 131072U`
dot '.' switch for structure constraints (no constraint at all)
- `#define VRNA_CONSTRAINT_DB_X 262144U`
'x' switch for structure constraint (base must not pair)
- `#define VRNA_CONSTRAINT_DB_RND_BRACK 1048576U`
round brackets '(),' switch for structure constraint (base i pairs base j)
- `#define VRNA_CONSTRAINT_DB_INTRAMOL 2097152U`
Flag that is used to indicate the character 'l' in pseudo dot-bracket notation of hard constraints.
- `#define VRNA_CONSTRAINT_DB_INTERMOL 4194304U`
Flag that is used to indicate the character 'e' in pseudo dot-bracket notation of hard constraints.
- `#define VRNA_CONSTRAINT_DB_GQUAD 8388608U`
 '+' switch for structure constraint (base is involved in a gquad)
- `#define VRNA_CONSTRAINT_DB_WUSS 33554432U`
Flag to indicate Washington University Secondary Structure (WUSS) notation of the hard constraint string.
- `#define VRNA_CONSTRAINT_DB_DEFAULT`
Switch for dot-bracket structure constraint with default symbols.
- `#define VRNA_CONSTRAINT_CONTEXT_EXT_LOOP (unsigned char)0x01`
Hard constraints flag, base pair in the exterior loop.
- `#define VRNA_CONSTRAINT_CONTEXT_HP_LOOP (unsigned char)0x02`
Hard constraints flag, base pair encloses hairpin loop.
- `#define VRNA_CONSTRAINT_CONTEXT_INT_LOOP (unsigned char)0x04`

- `#define VRNA_CONSTRAINT_CONTEXT_INT_LOOP_ENC` (unsigned char)0x08
Hard constraints flag, base pair encloses an interior loop.
- `#define VRNA_CONSTRAINT_CONTEXT_MB_LOOP` (unsigned char)0x10
Hard constraints flag, base pair encloses a multi branch loop.
- `#define VRNA_CONSTRAINT_CONTEXT_MB_LOOP_ENC` (unsigned char)0x20
Hard constraints flag, base pair is enclosed in an interior loop.
- `#define VRNA_CONSTRAINT_CONTEXT_ALL_LOOPS`
Constraint context flag indicating any loop context.

TypeDefs

- `typedef struct vrna_hc_s vrna_hc_t`
Typename for the hard constraints data structure `vrna_hc_s`.
- `typedef struct vrna_hc_up_s vrna_hc_up_t`
Typename for the single nucleotide hard constraint data structure `vrna_hc_up_s`.
- `typedef unsigned char() vrna_callback_hc_evaluate`(int i, int j, int k, int l, unsigned char d, void *data)
Callback to evaluate whether or not a particular decomposition step is contributing to the solution space.

Functions

- `void vrna_hc_init (vrna_fold_compound_t *vc)`
Initialize/Reset hard constraints to default values.
- `void vrna_hc_add_up (vrna_fold_compound_t *vc, int i, unsigned char option)`
Make a certain nucleotide unpaired.
- `int vrna_hc_add_up_batch (vrna_fold_compound_t *vc, vrna_hc_up_t *constraints)`
Apply a list of hard constraints for single nucleotides.
- `void vrna_hc_add_bp (vrna_fold_compound_t *vc, int i, int j, unsigned char option)`
Favorize/Enforce a certain base pair (i,j)
- `void vrna_hc_add_bp_nonspecific (vrna_fold_compound_t *vc, int i, int d, unsigned char option)`
Enforce a nucleotide to be paired (upstream/downstream)
- `void vrna_hc_free (vrna_hc_t *hc)`
Free the memory allocated by a `vrna_hc_t` data structure.
- `int vrna_hc_add_from_db (vrna_fold_compound_t *vc, const char *constraint, unsigned int options)`
Add hard constraints from pseudo dot-bracket notation.

17.10.1 Detailed Description

This module covers all functionality for hard constraints in secondary structure prediction.

17.10.2 Data Structure Documentation

17.10.2.1 struct vrna_hc_s

The hard constraints data structure.

The content of this data structure determines the decomposition pattern used in the folding recursions. Attribute 'matrix' is used as source for the branching pattern of the decompositions during all folding recursions. Any entry in matrix[i,j] consists of the 6 LSB that allows one to distinguish the following types of base pairs:

- in the exterior loop ([VRNA_CONSTRAINT_CONTEXT_EXT_LOOP](#))
- enclosing a hairpin ([VRNA_CONSTRAINT_CONTEXT_HP_LOOP](#))
- enclosing an interior loop ([VRNA_CONSTRAINT_CONTEXT_INT_LOOP](#))
- enclosed by an exterior loop ([VRNA_CONSTRAINT_CONTEXT_INT_LOOP_ENC](#))
- enclosing a multi branch loop ([VRNA_CONSTRAINT_CONTEXT_MB_LOOP](#))
- enclosed by a multi branch loop ([VRNA_CONSTRAINT_CONTEXT_MB_LOOP_ENC](#))

The four linear arrays 'up_xxx' provide the number of available unpaired nucleotides (including position i) 3' of each position in the sequence.

See also

[vrna_hc_init\(\)](#), [vrna_hc_free\(\)](#), [VRNA_CONSTRAINT_CONTEXT_EXT_LOOP](#), [VRNA_CONSTRAINT_CONTEXT_HP_LOOP](#),
[VRNA_CONSTRAINT_CONTEXT_INT_LOOP](#), [VRNA_CONSTRAINT_CONTEXT_MB_LOOP](#), [VRNA_CONSTRAINT_CONTEXT_MB_LOOP_ENC](#)

Collaboration diagram for vrna_hc_s:

Data Fields

- int * [up_ext](#)
A linear array that holds the number of allowed unpaired nucleotides in an exterior loop.
- int * [up_hp](#)
A linear array that holds the number of allowed unpaired nucleotides in a hairpin loop.
- int * [up_int](#)
A linear array that holds the number of allowed unpaired nucleotides in an interior loop.
- int * [up_ml](#)
A linear array that holds the number of allowed unpaired nucleotides in a multi branched loop.
- [vrna_callback_hc_evaluate](#) * [f](#)
A function pointer that returns whether or not a certain decomposition may be evaluated.
- void * [data](#)
A pointer to some structure where the user may store necessary data to evaluate its generic hard constraint function.
- [vrna_callback_free_auxdata](#) * [free_data](#)
A pointer to a function to free memory occupied by auxiliary data.
- unsigned char * [matrix](#)
Upper triangular matrix that encodes where a base pair or unpaired nucleotide is allowed.

17.10.2.1.1 Field Documentation

17.10.2.1.1.1 free_data

```
vrna_callback_free_auxdata* vrna_hc_s::free_data
```

A pointer to a function to free memory occupied by auxiliary data.

The function this pointer is pointing to will be called upon destruction of the `vrna_hc_s`, and provided with the `vrna_hc_s.data` pointer that may hold auxiliary data. Hence, to avoid leaking memory, the user may use this pointer to free memory occupied by auxiliary data.

17.10.2.2 struct vrna_hc_up_s

A single hard constraint for a single nucleotide.

Data Fields

- int `position`
The sequence position (1-based)
- unsigned char `options`
The hard constraint option.

17.10.3 Macro Definition Documentation

17.10.3.1 VRNA_CONSTRAINT_DB

```
#define VRNA_CONSTRAINT_DB 16384U  
  
#include <ViennaRNA/constraints_hard.h>
```

Flag for `vrna_constraints_add()` to indicate that constraint is passed in pseudo dot-bracket notation.

See also

`vrna_constraints_add()`, `vrna_message_constraint_options()`, `vrna_message_constraint_options_all()`

17.10.3.2 VRNA_CONSTRAINT_DB_ENFORCE_BP

```
#define VRNA_CONSTRAINT_DB_ENFORCE_BP 32768U
```

```
#include <ViennaRNA/constraints_hard.h>
```

Switch for dot-bracket structure constraint to enforce base pairs.

This flag should be used to really enforce base pairs given in dot-bracket constraint rather than just weakly-enforcing them.

See also

[vrna_hc_add_from_db\(\)](#), [vrna_constraints_add\(\)](#), [vrna_message_constraint_options\(\)](#), [vrna_message_constraint_options_all\(\)](#)

17.10.3.3 VRNA_CONSTRAINT_DB_PIPE

```
#define VRNA_CONSTRAINT_DB_PIPE 65536U
```

```
#include <ViennaRNA/constraints_hard.h>
```

Flag that is used to indicate the pipe '|' sign in pseudo dot-bracket notation of hard constraints.

Use this definition to indicate the pipe sign '|' (paired with another base)

See also

[vrna_hc_add_from_db\(\)](#), [vrna_constraints_add\(\)](#), [vrna_message_constraint_options\(\)](#), [vrna_message_constraint_options_all\(\)](#)

17.10.3.4 VRNA_CONSTRAINT_DB_DOT

```
#define VRNA_CONSTRAINT_DB_DOT 131072U
```

```
#include <ViennaRNA/constraints_hard.h>
```

dot '.' switch for structure constraints (no constraint at all)

See also

[vrna_hc_add_from_db\(\)](#), [vrna_constraints_add\(\)](#), [vrna_message_constraint_options\(\)](#), [vrna_message_constraint_options_all\(\)](#)

17.10.3.5 VRNA_CONSTRAINT_DB_X

```
#define VRNA_CONSTRAINT_DB_X 262144U

#include <ViennaRNA/constraints_hard.h>

'x' switch for structure constraint (base must not pair)
```

See also

[vrna_hc_add_from_db\(\)](#), [vrna_constraints_add\(\)](#), [vrna_message_constraint_options\(\)](#), [vrna_message_constraint_options_all\(\)](#)

17.10.3.6 VRNA_CONSTRAINT_DB_RND_BRACK

```
#define VRNA_CONSTRAINT_DB_RND_BRACK 1048576U

#include <ViennaRNA/constraints_hard.h>

round brackets '(),' switch for structure constraint (base i pairs base j)
```

See also

[vrna_hc_add_from_db\(\)](#), [vrna_constraints_add\(\)](#), [vrna_message_constraint_options\(\)](#), [vrna_message_constraint_options_all\(\)](#)

17.10.3.7 VRNA_CONSTRAINT_DB_INTRAMOL

```
#define VRNA_CONSTRAINT_DB_INTRAMOL 2097152U

#include <ViennaRNA/constraints_hard.h>

Flag that is used to indicate the character 'l' in pseudo dot-bracket notation of hard constraints.

Use this definition to indicate the usage of 'l' character (intramolecular pairs only)
```

See also

[vrna_hc_add_from_db\(\)](#), [vrna_constraints_add\(\)](#), [vrna_message_constraint_options\(\)](#), [vrna_message_constraint_options_all\(\)](#)

17.10.3.8 VRNA_CONSTRAINT_DB_INTERMOL

```
#define VRNA_CONSTRAINT_DB_INTERMOL 4194304U

#include <ViennaRNA/constraints_hard.h>
```

Flag that is used to indicate the character 'e' in pseudo dot-bracket notation of hard constraints.

Use this definition to indicate the usage of 'e' character (intermolecular pairs only)

See also

[vrna_hc_add_from_db\(\)](#), [vrna_constraints_add\(\)](#), [vrna_message_constraint_options\(\)](#), [vrna_message_constraint_options_all\(\)](#)

17.10.3.9 VRNA_CONSTRAINT_DB_GQUAD

```
#define VRNA_CONSTRAINT_DB_GQUAD 8388608U

#include <ViennaRNA/constraints_hard.h>

'+' switch for structure constraint (base is involved in a gquad)
```

See also

[vrna_hc_add_from_db\(\)](#), [vrna_constraints_add\(\)](#), [vrna_message_constraint_options\(\)](#), [vrna_message_constraint_options_all\(\)](#)

Warning

This flag is for future purposes only! No implementation recognizes it yet.

17.10.3.10 VRNA_CONSTRAINT_DB_WUSS

```
#define VRNA_CONSTRAINT_DB_WUSS 33554432U

#include <ViennaRNA/constraints_hard.h>
```

Flag to indicate Washington University Secondary Structure (WUSS) notation of the hard constraint string.

This secondary structure notation for RNAs is usually used as consensus secondary structure (SS_cons) entry in Stockholm formatted files

Note

See

17.10.3.11 VRNA_CONSTRAINT_DB_DEFAULT

```
#define VRNA_CONSTRAINT_DB_DEFAULT
#include <ViennaRNA/constraints_hard.h>
```

Value:

```
(VRNA_CONSTRAINT_DB \
| VRNA_CONSTRAINT_DB_PIPE \
| VRNA_CONSTRAINT_DB_DOT \
| VRNA_CONSTRAINT_DB_X \
| VRNA_CONSTRAINT_DB_ANG_BRACK \
| VRNA_CONSTRAINT_DB_RND_BRACK \
| VRNA_CONSTRAINT_DB_INTRAMOL \
| VRNA_CONSTRAINT_DB_INTERMOL \
| VRNA_CONSTRAINT_DB_GQUAD \
)
```

Switch for dot-bracket structure constraint with default symbols.

This flag conveniently combines all possible symbols in dot-bracket notation for hard constraints and [VRNA_CONSTRAINT_DB](#)

See also

[vrna_hc_add_from_db\(\)](#), [vrna_constraints_add\(\)](#), [vrna_message_constraint_options\(\)](#), [vrna_message_constraint_options_all\(\)](#)

17.10.4 Typedef Documentation

17.10.4.1 vrna_callback_hc_evaluate

```
typedef unsigned char() vrna_callback_hc_evaluate(int i, int j, int k, int l, unsigned char d,
void *data)
```

```
#include <ViennaRNA/constraints_hard.h>
```

Callback to evaluate whether or not a particular decomposition step is contributing to the solution space.

This is the prototype for callback functions used by the folding recursions to evaluate generic hard constraints. The first four parameters passed indicate the delimiting nucleotide positions of the decomposition, and the parameter *d* denotes the decomposition step. The last parameter *data* is the auxiliary data structure associated to the hard constraints via [vrna_hc_add_data\(\)](#), or NULL if no auxiliary data was added.

Notes on Callback Functions This callback enables one to over-rule default hard constraints in secondary structure decompositions.

See also

```
VRNA_DECOMP_PAIR_HP, VRNA_DECOMP_PAIR_IL, VRNA_DECOMP_PAIR_ML, VRNA_DECOMP_ML_ML_ML,
VRNA_DECOMP_ML_STEM, VRNA_DECOMP_ML_ML, VRNA_DECOMP_ML_UP, VRNA_DECOMP_ML_ML_STEM,
VRNA_DECOMP_ML_COAXIAL, VRNA_DECOMP_EXT_EXT, VRNA_DECOMP_EXT_UP, VRNA_DECOMP_EXT_STEM,
VRNA_DECOMP_EXT_EXT_EXT, VRNA_DECOMP_EXT_STEM_EXT, VRNA_DECOMP_EXT_EXT_STEM,
VRNA_DECOMP_EXT_EXT_STEM1, vrna_hc_add_f(), vrna_hc_add_data()
```

Parameters

<i>i</i>	Left (5') delimiter position of substructure
<i>j</i>	Right (3') delimiter position of substructure
<i>k</i>	Left delimiter of decomposition
<i>l</i>	Right delimiter of decomposition
<i>d</i>	Decomposition step indicator
<i>data</i>	Auxiliary data

Returns

A non-zero value if the decomposition is valid, 0 otherwise

17.10.5 Function Documentation

17.10.5.1 vrna_hc_init()

```
void vrna_hc_init (
    vrna_fold_compound_t * vc )
```

```
#include <ViennaRNA/constraints_hard.h>
```

Initialize/Reset hard constraints to default values.

This function resets the hard constraints to their default values, i.e. all positions may be unpaired in all contexts, and base pairs are allowed in all contexts, if they resemble canonical pairs. Previously set hard constraints will be removed before initialization.

See also

[vrna_hc_add_bp\(\)](#), [vrna_hc_add_bp_nonspecific\(\)](#), [vrna_hc_add_up\(\)](#)

Parameters

<i>vc</i>	The fold compound
-----------	-------------------

SWIG Wrapper Notes This function is attached as method **hc_init()** to objects of type *fold_compound*

17.10.5.2 vrna_hc_add_up()

```
void vrna_hc_add_up (
    vrna_fold_compound_t * vc,
```

```

    int i,
    unsigned char option )

#include <ViennaRNA/constraints_hard.h>

```

Make a certain nucleotide unpaired.

See also

[vrna_hc_add_bp\(\)](#), [vrna_hc_add_bp_nonspecific\(\)](#), [vrna_hc_init\(\)](#), [VRNA_CONSTRAINT_CONTEXT_EXT_LOOP](#),
[VRNA_CONSTRAINT_CONTEXT_HP_LOOP](#), [VRNA_CONSTRAINT_CONTEXT_INT_LOOP](#), [VRNA_CONSTRAINT_CONTEXT_ALL_LOOPS](#)

Parameters

<i>vc</i>	The vrna_fold_compound_t the hard constraints are associated with
<i>i</i>	The position that needs to stay unpaired (1-based)
<i>option</i>	The options flag indicating how/where to store the hard constraints

17.10.5.3 vrna_hc_add_up_batch()

```

int vrna_hc_add_up_batch (
    vrna_fold_compound_t * vc,
    vrna_hc_up_t * constraints )

#include <ViennaRNA/constraints_hard.h>

```

Apply a list of hard constraints for single nucleotides.

Parameters

<i>vc</i>	The vrna_fold_compound_t the hard constraints are associated with
<i>constraints</i>	The list off constraints to apply, last entry must have position attribute set to 0

17.10.5.4 vrna_hc_add_bp()

```

void vrna_hc_add_bp (
    vrna_fold_compound_t * vc,
    int i,
    int j,
    unsigned char option )

#include <ViennaRNA/constraints_hard.h>

```

Favorize/Enforce a certain base pair (i,j)

See also

`vrna_hc_add_bp_nonspecific()`, `vrna_hc_add_up()`, `vrna_hc_init()`, `VRNA_CONSTRAINT_CONTEXT_EXT_LOOP`,
`VRNA_CONSTRAINT_CONTEXT_HP_LOOP`, `VRNA_CONSTRAINT_CONTEXT_INT_LOOP`, `VRNA_CONSTRAINT_CONTEXT_MB_LOOP`,
`VRNA_CONSTRAINT_CONTEXT_MB_LOOP_ENC`,
`VRNA_CONSTRAINT_CONTEXT_ENFORCE`, `VRNA_CONSTRAINT_CONTEXT_ALL_LOOPS`

Parameters

<i>vc</i>	The <code>vrna_fold_compound_t</code> the hard constraints are associated with
<i>i</i>	The 5' located nucleotide position of the base pair (1-based)
<i>j</i>	The 3' located nucleotide position of the base pair (1-based)
<i>option</i>	The options flag indicating how/where to store the hard constraints

17.10.5.5 `vrna_hc_add_bp_nonspecific()`

```
void vrna_hc_add_bp_nonspecific (
    vrna_fold_compound_t * vc,
    int i,
    int d,
    unsigned char option )

#include <ViennaRNA/constraints_hard.h>
```

Enforce a nucleotide to be paired (upstream/downstream)

See also

`vrna_hc_add_bp()`, `vrna_hc_add_up()`, `vrna_hc_init()`, `VRNA_CONSTRAINT_CONTEXT_EXT_LOOP`,
`VRNA_CONSTRAINT_CONTEXT_HP_LOOP`, `VRNA_CONSTRAINT_CONTEXT_INT_LOOP`, `VRNA_CONSTRAINT_CONTEXT_MB_LOOP`,
`VRNA_CONSTRAINT_CONTEXT_MB_LOOP_ENC`,
`VRNA_CONSTRAINT_CONTEXT_ALL_LOOPS`

Parameters

<i>vc</i>	The <code>vrna_fold_compound_t</code> the hard constraints are associated with
<i>i</i>	The position that needs to stay unpaired (1-based)
<i>d</i>	The direction of base pairing (<i>d</i> < 0: pairs upstream, <i>d</i> > 0: pairs downstream, <i>d</i> == 0: no direction)
<i>option</i>	The options flag indicating in which loop type context the pairs may appear

17.10.5.6 `vrna_hc_free()`

```
void vrna_hc_free (
    vrna_hc_t * hc )

#include <ViennaRNA/constraints_hard.h>
```

Free the memory allocated by a `vrna_hc_t` data structure.

Use this function to free all memory that was allocated for a data structure of type `vrna_hc_t`.

See also

`get_hard_constraints()`, `vrna_hc_t`

17.10.5.7 `vrna_hc_add_from_db()`

```
int vrna_hc_add_from_db (
    vrna_fold_compound_t * vc,
    const char * constraint,
    unsigned int options )

#include <ViennaRNA/constraints_hard.h>
```

Add hard constraints from pseudo dot-bracket notation.

This function allows one to apply hard constraints from a pseudo dot-bracket notation. The `options` parameter controls, which characters are recognized by the parser. Use the `VRNA_CONSTRAINT_DB_DEFAULT` convenience macro, if you want to allow all known characters

See also

`VRNA_CONSTRAINT_DB_PIPE`, `VRNA_CONSTRAINT_DB_DOT`, `VRNA_CONSTRAINT_DB_X`, `VRNA_CONSTRAINT_DB_RND_BRACK`, `VRNA_CONSTRAINT_DB_INTRAMOL`, `VRNA_CONSTRAINT_DB_INTERMOL`, `VRNA_CONSTRAINT_DB_GQUAD`

Parameters

<code>vc</code>	The fold compound
<code>constraint</code>	A pseudo dot-bracket notation of the hard constraint.
<code>options</code>	The option flags

SWIG Wrapper Notes This function is attached as method `hc_add_from_db()` to objects of type `fold_compound`

17.11 Soft constraints

Functions and data structures for secondary structure soft constraints.

Collaboration diagram for Soft constraints:

Files

- file `constraints_soft.h`

Functions and data structures for secondary structure soft constraints.

Data Structures

- struct `vrna_sc_s`

The soft constraints data structure. [More...](#)

Typedefs

- typedef struct `vrna_sc_s` `vrna_sc_t`
Typename for the soft constraints data structure `vrna_sc_s`.
- typedef int() `vrna_callback_sc_energy`(int i, int j, int k, int l, unsigned char d, void *data)
Callback to retrieve pseudo energy contribution for soft constraint feature.
- typedef `FLT_OR_DBL()` `vrna_callback_sc_exp_energy`(int i, int j, int k, int l, unsigned char d, void *data)
Callback to retrieve pseudo energy contribution as Boltzmann Factors for soft constraint feature.
- typedef `vrna_basepair_t *()` `vrna_callback_sc_backtrack`(int i, int j, int k, int l, unsigned char d, void *data)
Callback to retrieve auxiliary base pairs for soft constraint feature.

Functions

- void `vrna_sc_init` (`vrna_fold_compound_t` *vc)
Initialize an empty soft constraints data structure within a `vrna_fold_compound_t`.
- void `vrna_sc_set_bp` (`vrna_fold_compound_t` *vc, const `FLT_OR_DBL` **constraints, unsigned int options)
Set soft constraints for paired nucleotides.
- void `vrna_sc_add_bp` (`vrna_fold_compound_t` *vc, int i, int j, `FLT_OR_DBL` energy, unsigned int options)
Add soft constraints for paired nucleotides.
- void `vrna_sc_set_up` (`vrna_fold_compound_t` *vc, const `FLT_OR_DBL` *constraints, unsigned int options)
Set soft constraints for unpaired nucleotides.
- void `vrna_sc_add_up` (`vrna_fold_compound_t` *vc, int i, `FLT_OR_DBL` energy, unsigned int options)
Add soft constraints for unpaired nucleotides.
- void `vrna_sc_remove` (`vrna_fold_compound_t` *vc)
Remove soft constraints from `vrna_fold_compound_t`.
- void `vrna_sc_free` (`vrna_sc_t` *sc)
Free memory occupied by a `vrna_sc_t` data structure.
- void `vrna_sc_add_data` (`vrna_fold_compound_t` *vc, void *data, `vrna_callback_free_auxdata` *free_data)
Add an auxiliary data structure for the generic soft constraints callback function.
- void `vrna_sc_add_f` (`vrna_fold_compound_t` *vc, `vrna_callback_sc_energy` *f)
Bind a function pointer for generic soft constraint feature (MFE version)
- void `vrna_sc_add_bt` (`vrna_fold_compound_t` *vc, `vrna_callback_sc_backtrack` *f)
Bind a backtracking function pointer for generic soft constraint feature.
- void `vrna_sc_add_exp_f` (`vrna_fold_compound_t` *vc, `vrna_callback_sc_exp_energy` *exp_f)
Bind a function pointer for generic soft constraint feature (PF version)

17.11.1 Detailed Description

Functions and data structures for secondary structure soft constraints.

Soft-constraints are used to change position specific contributions in the recursions by adding bonuses/penalties in form of pseudo free energies to certain loop configurations.

17.11.2 Data Structure Documentation

17.11.2.1 struct vrna_sc_s

The soft constraints data structure.

Collaboration diagram for vrna_sc_s:

Data Fields

- int ** **energy_up**
Energy contribution for stretches of unpaired nucleotides.
- **FLT_OR_DBL ** exp_energy_up**
Boltzmann Factors of the energy contributions for unpaired sequence stretches.
- int * **up_storage**
Storage container for energy contributions per unpaired nucleotide.
- **vrna_sc_bp_storage_t ** bp_storage**
Storage container for energy contributions per base pair.
- int * **energy_stack**
Pseudo Energy contribution per base pair involved in a stack.
- **FLT_OR_DBL * exp_energy_stack**
Boltzmann weighted pseudo energy contribution per nucleotide involved in a stack.
- **vrna_callback_sc_energy * f**
A function pointer used for pseudo energy contribution in MFE calculations.
- **vrna_callback_sc_backtrack * bt**
A function pointer used to obtain backtraced base pairs in loop regions that were altered by soft constrained pseudo energy contributions.
- **vrna_callback_sc_exp_energy * exp_f**
A function pointer used for pseudo energy contribution boltzmann factors in PF calculations.
- void * **data**
A pointer to the data object provided for for pseudo energy contribution functions of the generic soft constraints feature.
- int * **energy_bp**
Energy contribution for base pairs.
- **FLT_OR_DBL * exp_energy_bp**
Boltzmann Factors of the energy contribution for base pairs.
- int ** **energy_bp_local**
Energy contribution for base pairs (sliding window approach)
- **FLT_OR_DBL ** exp_energy_bp_local**
Boltzmann Factors of the energy contribution for base pairs (sliding window approach)

17.11.2.1.1 Field Documentation

17.11.2.1.1.1 f

`vrna_callback_sc_energy* vrna_sc_s::f`

A function pointer used for pseudo energy contribution in MFE calculations.

See also

[vrna_sc_add_f\(\)](#)

17.11.2.1.1.2 bt

`vrna_callback_sc_backtrack* vrna_sc_s::bt`

A function pointer used to obtain backtraced base pairs in loop regions that were altered by soft constrained pseudo energy contributions.

See also

[vrna_sc_add_bt\(\)](#)

17.11.2.1.1.3 exp_f

`vrna_callback_sc_exp_energy* vrna_sc_s::exp_f`

A function pointer used for pseudo energy contribution boltzmann factors in PF calculations.

See also

[vrna_sc_add_exp_f\(\)](#)

17.11.3 Typedef Documentation

17.11.3.1 vrna_callback_sc_energy

```
typedef int() vrna_callback_sc_energy(int i, int j, int k, int l, unsigned char d, void *data)

#include <ViennaRNA/constraints_soft.h>
```

Callback to retrieve pseudo energy contribution for soft constraint feature.

This is the prototype for callback functions used by the folding recursions to evaluate generic soft constraints. The first four parameters passed indicate the delimiting nucleotide positions of the decomposition, and the parameter `d` denotes the decomposition step. The last parameter `data` is the auxiliary data structure associated to the hard constraints via [vrna_sc_add_data\(\)](#), or `NULL` if no auxiliary data was added.

Notes on Callback Functions This callback enables one to add (pseudo-)energy contributions to individual decompositions of the secondary structure.

See also

[VRNA_DECOMP_PAIR_HP](#), [VRNA_DECOMP_PAIR_IL](#), [VRNA_DECOMP_PAIR_ML](#), [VRNA_DECOMP_ML_ML_ML](#),
[VRNA_DECOMP_ML_STEM](#), [VRNA_DECOMP_ML_ML](#), [VRNA_DECOMP_ML_UP](#), [VRNA_DECOMP_ML_ML_STEM](#),
[VRNA_DECOMP_ML_COAXIAL](#), [VRNA_DECOMP_EXT_EXT](#), [VRNA_DECOMP_EXT_UP](#), [VRNA_DECOMP_EXT_STEM](#),
[VRNA_DECOMP_EXT_EXT_EXT](#), [VRNA_DECOMP_EXT_STEM_EXT](#), [VRNA_DECOMP_EXT_EXT_STEM](#),
[VRNA_DECOMP_EXT_EXT_STEM1](#), [vrna_sc_add_f\(\)](#), [vrna_sc_add_exp_f\(\)](#), [vrna_sc_add_bt\(\)](#), [vrna_sc_add_data\(\)](#)

Parameters

<i>i</i>	Left (5') delimiter position of substructure
<i>j</i>	Right (3') delimiter position of substructure
<i>k</i>	Left delimiter of decomposition
<i>l</i>	Right delimiter of decomposition
<i>d</i>	Decomposition step indicator
<i>data</i>	Auxiliary data

Returns

Pseudo energy contribution in deka-kalories per mol

17.11.3.2 vrna_callback_sc_exp_energy

```
typedef FLT\_OR\_DBL\(\) vrna_callback_sc_exp_energy(int i, int j, int k, int l, unsigned char d,
void *data)
```

```
#include <ViennaRNA/constraints\_soft.h>
```

Callback to retrieve pseudo energy contribution as Boltzmann Factors for soft constraint feature.

This is the prototype for callback functions used by the partition function recursions to evaluate generic soft constraints. The first four parameters passed indicate the delimiting nucleotide positions of the decomposition, and the parameter `d` denotes the decomposition step. The last parameter `data` is the auxiliary data structure associated to the hard constraints via [vrna_sc_add_data\(\)](#), or NULL if no auxiliary data was added.

Notes on Callback Functions This callback enables one to add (pseudo-)energy contributions to individual decompositions of the secondary structure (Partition function variant, i.e. contributions must be returned as Boltzmann factors).

See also

```
VRNA\_DECOMP\_PAIR\_HP, VRNA\_DECOMP\_PAIR\_IL, VRNA\_DECOMP\_PAIR\_ML, VRNA\_DECOMP\_ML\_ML\_ML,
VRNA\_DECOMP\_ML\_STEM, VRNA\_DECOMP\_ML\_ML, VRNA\_DECOMP\_ML\_UP, VRNA\_DECOMP\_ML\_ML\_STEM,
VRNA\_DECOMP\_ML\_COAXIAL, VRNA\_DECOMP\_EXT\_EXT, VRNA\_DECOMP\_EXT\_UP, VRNA\_DECOMP\_EXT\_STEM,
VRNA\_DECOMP\_EXT\_EXT\_EXT, VRNA\_DECOMP\_EXT\_STEM\_EXT, VRNA\_DECOMP\_EXT\_EXT\_STEM,
VRNA\_DECOMP\_EXT\_EXT\_STEM1, vrna\_sc\_add\_exp\_f\(\), vrna\_sc\_add\_f\(\), vrna\_sc\_add\_bt\(\), vrna\_sc\_add\_data\(\)
```

Parameters

<i>i</i>	Left (5') delimiter position of substructure
<i>j</i>	Right (3') delimiter position of substructure
<i>k</i>	Left delimiter of decomposition
<i>l</i>	Right delimiter of decomposition
<i>d</i>	Decomposition step indicator
<i>data</i>	Auxiliary data

Returns

Pseudo energy contribution in deka-kalories per mol

17.11.3.3 vrna_callback_sc_backtrack

```
typedef vrna_basepair_t*() vrna_callback_sc_backtrack(int i, int j, int k, int l, unsigned
char d, void *data)
```

```
#include <ViennaRNA/constraints_soft.h>
```

Callback to retrieve auxiliary base pairs for soft constraint feature.

Notes on Callback Functions This callback enables one to add auxiliary base pairs in the backtracking steps of hairpin- and interior loops.

See also

```
VRNA_DECOMP_PAIR_HP, VRNA_DECOMP_PAIR_IL, VRNA_DECOMP_PAIR_ML, VRNA_DECOMP_ML_ML_ML,
VRNA_DECOMP_ML_STEM, VRNA_DECOMP_ML_ML, VRNA_DECOMP_ML_UP, VRNA_DECOMP_ML_ML_STEM,
VRNA_DECOMP_ML_COAXIAL, VRNA_DECOMP_EXT_EXT, VRNA_DECOMP_EXT_UP, VRNA_DECOMP_EXT_STEM,
VRNA_DECOMP_EXT_EXT_EXT, VRNA_DECOMP_EXT_STEM_EXT, VRNA_DECOMP_EXT_EXT_STEM,
VRNA_DECOMP_EXT_EXT_STEM1, vrna_sc_add_bt(), vrna_sc_add_f(), vrna_sc_add_exp_f(), vrna_sc_add_data()
```

Parameters

<i>i</i>	Left (5') delimiter position of substructure
<i>j</i>	Right (3') delimiter position of substructure
<i>k</i>	Left delimiter of decomposition
<i>l</i>	Right delimiter of decomposition
<i>d</i>	Decomposition step indicator
<i>data</i>	Auxiliary data

Returns

List of additional base pairs

17.11.4 Function Documentation**17.11.4.1 vrna_sc_init()**

```
void vrna_sc_init (
    vrna_fold_compound_t * vc )
```

```
#include <ViennaRNA/constraints_soft.h>
```

Initialize an empty soft constraints data structure within a [vrna_fold_compound_t](#).

This function adds a proper soft constraints data structure to the [vrna_fold_compound_t](#) data structure. If soft constraints already exist within the fold compound, they are removed.

Note

Accepts [vrna_fold_compound_t](#) of type [VRNA_FC_TYPE_SINGLE](#) and [VRNA_FC_TYPE_COMPARATIVE](#)

See also

[vrna_sc_set_bp\(\)](#), [vrna_sc_set_up\(\)](#), [vrna_sc_add_SHAPE_deigan\(\)](#), [vrna_sc_add_SHAPE_zarringhalam\(\)](#),
[vrna_sc_remove\(\)](#), [vrna_sc_add_f\(\)](#), [vrna_sc_add_exp_f\(\)](#), [vrna_sc_add_pre\(\)](#), [vrna_sc_add_post\(\)](#)

Parameters

<code>vc</code>	The vrna_fold_compound_t where an empty soft constraint feature is to be added to
-----------------	---

SWIG Wrapper Notes This function is attached as method `sc_init()` to objects of type `fold_compound`

17.11.4.2 [vrna_sc_set_bp\(\)](#)

```
void vrna_sc_set_bp (
    vrna_fold_compound_t * vc,
    const FLT_OR_DBL ** constraints,
    unsigned int options )
```

```
#include <ViennaRNA/constraints_soft.h>
```

Set soft constraints for paired nucleotides.

Note

This function replaces any pre-existing soft constraints with the ones supplied in `constraints`.

See also

[vrna_sc_add_bp\(\)](#), [vrna_sc_set_up\(\)](#), [vrna_sc_add_up\(\)](#)

Parameters

<code>vc</code>	The vrna_fold_compound_t the soft constraints are associated with
<code>constraints</code>	A two-dimensional array of pseudo free energies in <i>kcal/mol</i>
<code>options</code>	The options flag indicating how/where to store the soft constraints

SWIG Wrapper Notes This function is attached as method **sc_set_bp()** to objects of type *fold_compound*

17.11.4.3 vrna_sc_add_bp()

```
void vrna_sc_add_bp (
    vrna_fold_compound_t * vc,
    int i,
    int j,
    FLT_OR_DBL energy,
    unsigned int options )

#include <ViennaRNA/constraints_soft.h>
```

Add soft constraints for paired nucleotides.

See also

[vrna_sc_set_bp\(\)](#), [vrna_sc_set_up\(\)](#), [vrna_sc_add_up\(\)](#)

Parameters

<i>vc</i>	The vrna_fold_compound_t the soft constraints are associated with
<i>i</i>	The 5' position of the base pair the soft constraint is added for
<i>j</i>	The 3' position of the base pair the soft constraint is added for
<i>energy</i>	The free energy (soft-constraint) in <i>kcal/mol</i>
<i>options</i>	The options flag indicating how/where to store the soft constraints

SWIG Wrapper Notes This function is attached as an overloaded method **sc_add_bp()** to objects of type *fold_compound*. The method either takes arguments for a single base pair (i,j) with the corresponding energy value:

```
fold_compound.sc_add_bp(i, j, energy, options)
```

or an entire 2-dimensional matrix with dimensions n x n that stores free energy contributions for any base pair (i,j) with $1 \leq i < j \leq n$:

```
fold_compound.sc_add_bp(matrix, options)
```

In both variants, the *options* argument is optional can may be omitted.

17.11.4.4 vrna_sc_set_up()

```
void vrna_sc_set_up (
    vrna_fold_compound_t * vc,
    const FLT_OR_DBL * constraints,
    unsigned int options )

#include <ViennaRNA/constraints_soft.h>
```

Set soft constraints for unpaired nucleotides.

Note

This function replaces any pre-existing soft constraints with the ones supplied in `constraints`.

See also

[vrna_sc_add_up\(\)](#), [vrna_sc_set_bp\(\)](#), [vrna_sc_add_bp\(\)](#)

Parameters

<code>vc</code>	The vrna_fold_compound_t the soft constraints are associated with
<code>constraints</code>	A vector of pseudo free energies in <i>kcal/mol</i>
<code>options</code>	The options flag indicating how/where to store the soft constraints

SWIG Wrapper Notes This function is attached as method `sc_set_up()` to objects of type *fold_compound*

17.11.4.5 vrna_sc_add_up()

```
void vrna_sc_add_up (
    vrna_fold_compound_t * vc,
    int i,
    FLT_OR_DBL energy,
    unsigned int options )

#include <ViennaRNA/constraints_soft.h>
```

Add soft constraints for unpaired nucleotides.

See also

[vrna_sc_set_up\(\)](#), [vrna_sc_add_bp\(\)](#), [vrna_sc_set_bp\(\)](#)

Parameters

<code>vc</code>	The vrna_fold_compound_t the soft constraints are associated with
<code>i</code>	The nucleotide position the soft constraint is added for
<code>energy</code>	The free energy (soft-constraint) in <i>kcal/mol</i>
<code>options</code>	The options flag indicating how/where to store the soft constraints

SWIG Wrapper Notes This function is attached as an overloaded method `sc_add_up()` to objects of type *fold_compound*. The method either takes arguments for a single nucleotide i with the corresponding energy value:

```
fold_compound.sc_add_up(i, energy, options)
```

or an entire vector that stores free energy contributions for each nucleotide i with $1 \leq i \leq n$:

```
fold_compound.sc_add_bp(vector, options)
```

In both variants, the `options` argument is optional and may be omitted.

17.11.4.6 vrna_sc_remove()

```
void vrna_sc_remove (
    vrna_fold_compound_t * vc )
```

```
#include <ViennaRNA/constraints_soft.h>
```

Remove soft constraints from `vrna_fold_compound_t`.

Note

Accepts `vrna_fold_compound_t` of type `VRNA_FC_TYPE_SINGLE` and `VRNA_FC_TYPE_COMPARATIVE`

Parameters

<code>vc</code>	The <code>vrna_fold_compound_t</code> possibly containing soft constraints
-----------------	--

SWIG Wrapper Notes This function is attached as method `sc_remove()` to objects of type `fold_compound`

17.11.4.7 vrna_sc_free()

```
void vrna_sc_free (
    vrna_sc_t * sc )
```

```
#include <ViennaRNA/constraints_soft.h>
```

Free memory occupied by a `vrna_sc_t` data structure.

Parameters

<code>sc</code>	The data structure to free from memory
-----------------	--

17.11.4.8 vrna_sc_add_data()

```
void vrna_sc_add_data (
    vrna_fold_compound_t * vc,
```

```

void * data,
vrna_callback_free_auxdata * free_data )

#include <ViennaRNA/constraints_soft.h>

```

Add an auxiliary data structure for the generic soft constraints callback function.

See also

[vrna_sc_add_f\(\)](#), [vrna_sc_add_exp_f\(\)](#), [vrna_sc_add_bt\(\)](#)

Parameters

<i>vc</i>	The fold compound the generic soft constraint function should be bound to
<i>data</i>	A pointer to the data structure that holds required data for function 'f'
<i>free_data</i>	A pointer to a function that free's the memory occupied by <i>data</i> (Maybe NULL)

SWIG Wrapper Notes This function is attached as method **sc_add_data()** to objects of type *fold_compound*

17.11.4.9 vrna_sc_add_f()

```

void vrna_sc_add_f (
    vrna_fold_compound_t * vc,
    vrna_callback_sc_energy * f )

#include <ViennaRNA/constraints_soft.h>

```

Bind a function pointer for generic soft constraint feature (MFE version)

This function allows one to easily bind a function pointer and corresponding data structure to the soft constraint part **vrna_sc_t** of the **vrna_fold_compound_t**. The function for evaluating the generic soft constraint feature has to return a pseudo free energy \hat{E} in *dacal/mol*, where $1\text{dacal/mol} = 10\text{cal/mol}$.

See also

[vrna_sc_add_data\(\)](#), [vrna_sc_add_bt\(\)](#), [vrna_sc_add_exp_f\(\)](#)

Parameters

<i>vc</i>	The fold compound the generic soft constraint function should be bound to
<i>f</i>	A pointer to the function that evaluates the generic soft constraint feature

SWIG Wrapper Notes This function is attached as method **sc_add_f()** to objects of type *fold_compound*

17.11.4.10 vrna_sc_add_bt()

```
void vrna_sc_add_bt (
    vrna_fold_compound_t * vc,
    vrna_callback_sc_backtrack * f )

#include <ViennaRNA/constraints_soft.h>
```

Bind a backtracking function pointer for generic soft constraint feature.

This function allows one to easily bind a function pointer to the soft constraint part `vrna_sc_t` of the `vrna_fold_compound_t`. The provided function should be used for backtracking purposes in loop regions that were altered via the generic soft constraint feature. It has to return an array of `vrna_basepair_t` data structures, were the last element in the list is indicated by a value of -1 in it's i position.

See also

[vrna_sc_add_data\(\)](#), [vrna_sc_add_f\(\)](#), [vrna_sc_add_exp_f\(\)](#)

Parameters

<code>vc</code>	The fold compound the generic soft constraint function should be bound to
<code>f</code>	A pointer to the function that returns additional base pairs

SWIG Wrapper Notes This function is attached as method `sc_add_bt()` to objects of type `fold_compound`

17.11.4.11 vrna_sc_add_exp_f()

```
void vrna_sc_add_exp_f (
    vrna_fold_compound_t * vc,
    vrna_callback_sc_exp_energy * exp_f )

#include <ViennaRNA/constraints_soft.h>
```

Bind a function pointer for generic soft constraint feature (PF version)

This function allows one to easily bind a function pointer and corresponding data structure to the soft constraint part `vrna_sc_t` of the `vrna_fold_compound_t`. The function for evaluating the generic soft constraint feature has to return a pseudo free energy \hat{E} as Boltzmann factor, i.e. $\exp(-\hat{E}/kT)$. The required unit for E is cal/mol .

See also

[vrna_sc_add_bt\(\)](#), [vrna_sc_add_f\(\)](#), [vrna_sc_add_data\(\)](#)

Parameters

<code>vc</code>	The fold compound the generic soft constraint function should be bound to
<code>exp_f</code>	A pointer to the function that evaluates the generic soft constraint feature

SWIG Wrapper Notes This function is attached as method `sc_add_exp_f()` to objects of type *fold_compound*

17.12 The RNA secondary structure landscape

Collaboration diagram for The RNA secondary structure landscape:

Modules

- Neighborhood relation and move sets for secondary structures

Different functions to generate structural neighbors of a secondary structure according to a particular Move Set.

- Refolding paths of secondary structures

17.12.1 Detailed Description

17.13 Minimum Free Energy (MFE) algorithms

Compute Minimum Free energy (MFE) and backtrace corresponding secondary structures from RNA sequence data.

Collaboration diagram for Minimum Free Energy (MFE) algorithms:

Modules

- MFE Consensus Structures for Sequence Alignment(s)
- Calculating MFE representatives of a Distance Based Partitioning

Compute the minimum free energy (MFE) and secondary structures for a partitioning of the secondary structure space according to the base pair distance to two fixed reference structures basepair distance to two fixed reference structures.

- MFE Structures of single Nucleic Acid Sequences

This module contains all functions and variables related to the calculation of global minimum free energy structures for single sequences.

- MFE Structures of two hybridized Sequences

*MFE version of cofolding routines This file includes (almost) all function declarations within the **RNALib** that are related to MFE Cofolding... This also includes the Zuker suboptimals calculations, since they are implemented using the cofold routines.*

- Local MFE Structure Prediction and Z-scores

Files

- file `fold.h`

MFE calculations for single RNA sequences.

Typedefs

- `typedef void() vrna_mfe_window_callback(int start, int end, const char *structure, float en, void *data)`

The default callback for sliding window MFE structure predictions.

Functions

- `float vrna_mfe (vrna_fold_compound_t *vc, char *structure)`

Compute minimum free energy and an appropriate secondary structure of an RNA sequence, or RNA sequence alignment.

17.13.1 Detailed Description

Compute Minimum Free energy (MFE) and backtrace corresponding secondary structures from RNA sequence data.

The library provides a fast dynamic programming minimum free energy folding algorithm as described in [24]. All relevant parts that directly implement the "Zuker & Stiegler" algorithm for single sequences are described in this section.

Folding of circular RNA sequences is handled as a post-processing step of the forward recursions. See [9] for further details.

Nevertheless, the RNALib also provides interfaces for the prediction of consensus MFE structures of sequence alignments, MFE structure for two hybridized sequences, local optimal structures and many more. For those more specialized variants of MFE folding routines, please consult the appropriate subsections (Modules) as listed above.

17.13.2 Typedef Documentation

17.13.2.1 vrna_mfe_window_callback

```
typedef void() vrna_mfe_window_callback(int start, int end, const char *structure, float en,
void *data)
```

```
#include <ViennaRNA/mfe.h>
```

The default callback for sliding window MFE structure predictions.

Notes on Callback Functions This function will be called for each hit in a sliding window MFE prediction.

See also

[vrna_mfe_window\(\)](#)

Parameters

<i>start</i>	provides the first position of the hit (1-based, relative to entire sequence/alignment)
<i>end</i>	provides the last position of the hit (1-based, relative to the entire sequence/alignment)
<i>structure</i>	provides the (sub)structure in dot-bracket notation
<i>en</i>	is the free energy of the structure hit in kcal/mol
<i>data</i>	is some arbitrary data pointer passed through by the function executing the callback

17.13.3 Function Documentation

17.13.3.1 vrna_mfe()

```
float vrna_mfe (
    vrna_fold_compound_t * vc,
    char * structure )

#include <ViennaRNA/mfe.h>
```

Compute minimum free energy and an appropriate secondary structure of an RNA sequence, or RNA sequence alignment.

Depending on the type of the provided [vrna_fold_compound_t](#), this function predicts the MFE for a single sequence, or a corresponding averaged MFE for a sequence alignment. If backtracking is activated, it also constructs the corresponding secondary structure, or consensus structure. Therefore, the second parameter, *structure*, has to point to an allocated block of memory with a size of at least `strlen(sequence) + 1` to store the backtracked MFE structure. (For consensus structures, this is the length of the alignment + 1. If `NULL` is passed, no backtracking will be performed.

Note

This function is polymorphic. It accepts `vrna_fold_compound_t` of type `VRNA_FC_TYPE_SINGLE`, and `VRNA_FC_TYPE_COMPARATIVE`.

See also

`vrna_fold_compound_t`, `vrna_fold_compound()`, `vrna_fold()`, `vrna_circfold()`, `vrna_fold_compound_comparative()`,
`vrna_alifold()`, `vrna_circalifold()`

Parameters

<code>vc</code>	fold compound
<code>structure</code>	A pointer to the character array where the secondary structure in dot-bracket notation will be written to (Maybe NULL)

Returns

the minimum free energy (MFE) in kcal/mol

SWIG Wrapper Notes This function is attached as method `mfe()` to objects of type `fold_compound`

17.14 Partition function and equilibrium properties

Compute the partition function and various equilibrium properties derived from it.

Collaboration diagram for Partition function and equilibrium properties:

Modules

- Partition Function and Base Pair Probabilities for Sequence Alignment(s)
- Calculate Partition Functions of a Distance Based Partitioning

Compute the partition function and stochastically sample secondary structures for a partitioning of the secondary structure space according to the base pair distance to two fixed reference structures.

- Partition Function for two hybridized Sequences

Partition Function Cofolding.

- Partition Function for two hybridized Sequences as a stepwise Process

RNA-RNA interaction as a stepwise process.

- Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures

Files

- file `equilibrium_probs.h`

Equilibrium Probability implementations.

- file `part_func.h`

Partition function implementations.

- file `part_func_co.h`

Partition function for two RNA sequences.

- file `part_func_up.h`

Implementations for accessibility and RNA-RNA interaction as a stepwise process.

Functions

- double `vrna_mean_bp_distance_pr` (int length, `FLT_OR_DBL *pr`)

Get the mean base pair distance in the thermodynamic ensemble from a probability matrix.

- double `vrna_mean_bp_distance` (`vrna_fold_compound_t *vc`)

Get the mean base pair distance in the thermodynamic ensemble.

- `vrna_ep_t * vrna_stack_prob` (`vrna_fold_compound_t *vc`, double cutoff)

Compute stacking probabilities.

- float `vrna_pf` (`vrna_fold_compound_t *vc`, char *structure)

Compute the partition function Q for a given RNA sequence, or sequence alignment.

- float `vrna_pf_fold` (const char *sequence, char *structure, `vrna_ep_t **pl`)

Compute Partition function Q (and base pair probabilities) for an RNA sequence using a comparative method.

- float `vrna_pf_circfold` (const char *sequence, char *structure, `vrna_ep_t **pl`)

Compute Partition function Q (and base pair probabilities) for a circular RNA sequences using a comparative method.

- float `pf_fold_par` (const char *sequence, char *structure, `vrna_exp_param_t *parameters`, int calculate_←
bpm, int is_constrained, int is_circular)

Compute the partition function Q for a given RNA sequence.

- float `pf_fold` (const char *sequence, char *structure)

- float `pf_circ_fold` (const char *sequence, char *structure)

Compute the partition function Q of an RNA sequence.
- void `free_pf_arrays` (void)

Free arrays for the partition function recursions.
- void `update_pf_params` (int length)

Recalculate energy parameters.
- void `update_pf_params_par` (int length, `vrna_exp_param_t` *parameters)

Recalculate energy parameters.
- `FLT_OR_DBL * export_bppm` (void)

Get a pointer to the base pair probability array
Accessing the base pair probabilities for a pair (i,j) is achieved by.
- int `get_pf_arrays` (short **S_p, short **S1_p, char **ptype_p, `FLT_OR_DBL` **qb_p, `FLT_OR_DBL` **qm_p, `FLT_OR_DBL` **q1k_p, `FLT_OR_DBL` **qln_p)

Get the pointers to (almost) all relevant computation arrays used in partition function computation.
- double `mean_bp_distance` (int length)

Get the mean base pair distance of the last partition function computation.
- double `mean_bp_distance_pr` (int length, `FLT_OR_DBL` *pr)

Get the mean base pair distance in the thermodynamic ensemble.
- `vrna_ep_t * vrna_plist_from_probs` (`vrna_fold_compound_t` *vc, double cut_off)

Create a `vrna_ep_t` from base pair probability matrix.
- void `assign_plist_from_pr` (`vrna_ep_t` **pl, `FLT_OR_DBL` *probs, int length, double cutoff)

Create a `vrna_ep_t` from a probability matrix.

17.14.1 Detailed Description

Compute the partition function and various equilibrium properties derived from it.

Instead of the minimum free energy structure the partition function of all possible structures and from that the pairing probability for every possible pair can be calculated, using a dynamic programming algorithm as described in [15].

17.14.2 Function Documentation

17.14.2.1 `vrna_mean_bp_distance_pr()`

```
double vrna_mean_bp_distance_pr (
    int length,
    FLT_OR_DBL * pr )
#include <ViennaRNA/equilibrium_probs.h>
```

Get the mean base pair distance in the thermodynamic ensemble from a probability matrix.

$\langle d \rangle = \sum_{a,b} p_a p_b d(S_a, S_b)$
 this can be computed from the pair probs p_{ij} as
 $\langle d \rangle = \sum_{ij} p_{ij} (1 - p_{ij})$

Parameters

<i>length</i>	The length of the sequence
<i>pr</i>	The matrix containing the base pair probabilities

Returns

The mean pair distance of the structure ensemble

17.14.2.2 vrna_mean_bp_distance()

```
double vrna_mean_bp_distance (
    vrna_fold_compound_t * vc )
```

```
#include <ViennaRNA/equilibrium_probs.h>
```

Get the mean base pair distance in the thermodynamic ensemble.

$\langle d \rangle = \sum_{a,b} p_a p_b d(S_a, S_b)$
 this can be computed from the pair probs p_{ij} as
 $\langle d \rangle = \sum_{ij} p_{ij}(1 - p_{ij})$

Parameters

<i>vc</i>	The fold compound data structure
-----------	----------------------------------

Returns

The mean pair distance of the structure ensemble

SWIG Wrapper Notes This function is attached as method [mean_bp_distance\(\)](#) to objects of type *fold_compound*

17.14.2.3 vrna_stack_prob()

```
vrna_ep_t* vrna_stack_prob (
    vrna_fold_compound_t * vc,
    double cutoff )
```

```
#include <ViennaRNA/equilibrium_probs.h>
```

Compute stacking probabilities.

For each possible base pair (i, j) , compute the probability of a stack $(i, j), (i + 1, j - 1)$.

Parameters

<i>vc</i>	The fold compound data structure with precomputed base pair probabilities
<i>cutoff</i>	A cutoff value that limits the output to stacks with $p > \text{cutoff}$.

Returns

A list of stacks with enclosing base pair (i, j) and probabiltiy p

17.14.2.4 vrna_pf()

```
float vrna_pf (
    vrna_fold_compound_t * vc,
    char * structure )

#include <ViennaRNA/part_func.h>
```

Compute the partition function Q for a given RNA sequence, or sequence alignment.

If *structure* is not a NULL pointer on input, it contains on return a string consisting of the letters ". , | { } () " denoting bases that are essentially unpaired, weakly paired, strongly paired without preference, weakly upstream (downstream) paired, or strongly up- (down-)stream paired bases, respectively. If the parameter calculate_bppm is set to 0 base pairing probabilities will not be computed (saving CPU time), otherwise after calculations took place *pr* will contain the probability that bases i and j pair.

Note

This function is polymorphic. It accepts *vrna_fold_compound_t* of type [VRNA_FC_TYPE_SINGLE](#), and [VRNA_FC_TYPE_COMPARATIVE](#).

See also

[vrna_fold_compound_t](#), [vrna_fold_compound\(\)](#), [vrna_pf_fold\(\)](#), [vrna_pf_circfold\(\)](#), [vrna_fold_compound_comparative\(\)](#), [vrna_pf_alifold\(\)](#), [vrna_pf_circalifold\(\)](#), [vrna_db_from_probs\(\)](#), [vrna_exp_params\(\)](#), [vrna_aln_pinfo\(\)](#)

Parameters

<i>in, out</i>	<i>vc</i>	The fold compound data structure
<i>in, out</i>	<i>structure</i>	A pointer to the character array where position-wise pairing propensity will be stored. (Maybe NULL)

Returns

The Gibbs free energy of the ensemble ($G = -RT \cdot \log(Q)$) in kcal/mol

SWIG Wrapper Notes This function is attached as method **pf()** to objects of type *fold_compound*

17.14.2.5 vrna_pf_fold()

```
float vrna_pf_fold (
    const char * sequence,
    char * structure,
    vrna_ep_t ** pl )

#include <ViennaRNA/part_func.h>
```

Compute Partition function Q (and base pair probabilities) for an RNA sequence using a comparative method.

This simplified interface to [vrna_pf\(\)](#) computes the partition function and, if required, base pair probabilities for an RNA sequence using default options. Memory required for dynamic programming (DP) matrices will be allocated and free'd on-the-fly. Hence, after return of this function, the recursively filled matrices are not available any more for any post-processing.

Note

In case you want to use the filled DP matrices for any subsequent post-processing step, or you require other conditions than specified by the default model details, use [vrna_pf\(\)](#), and the data structure [vrna_fold_compound_t](#) instead.

See also

[vrna_pf_circfold\(\)](#), [vrna_pf\(\)](#), [vrna_fold_compound\(\)](#), [vrna_fold_compound_t](#)

Parameters

<i>sequence</i>	RNA sequence
<i>structure</i>	A pointer to the character array where position-wise pairing propensity will be stored. (Maybe NULL)
<i>pl</i>	A pointer to a list of vrna_ep_t to store pairing probabilities (Maybe NULL)

Returns

The Gibbs free energy of the ensemble ($G = -RT \cdot \log(Q)$) in kcal/mol

17.14.2.6 vrna_pf_circfold()

```
float vrna_pf_circfold (
    const char * sequence,
    char * structure,
    vrna_ep_t ** pl )

#include <ViennaRNA/part_func.h>
```

Compute Partition function Q (and base pair probabilities) for a circular RNA sequences using a comparative method.

This simplified interface to [vrna_pf\(\)](#) computes the partition function and, if required, base pair probabilities for a circular RNA sequence using default options. Memory required for dynamic programming (DP) matrices will be allocated and free'd on-the-fly. Hence, after return of this function, the recursively filled matrices are not available any more for any post-processing.

Note

In case you want to use the filled DP matrices for any subsequent post-processing step, or you require other conditions than specified by the default model details, use [vrna_pf\(\)](#), and the data structure [vrna_fold_compound_t](#) instead.

Folding of circular RNA sequences is handled as a post-processing step of the forward recursions. See [9] for further details.

See also

[vrna_pf_fold\(\)](#), [vrna_pf\(\)](#), [vrna_fold_compound\(\)](#), [vrna_fold_compound_t](#)

Parameters

<i>sequence</i>	A circular RNA sequence
<i>structure</i>	A pointer to the character array where position-wise pairing propensity will be stored. (Maybe NULL)
<i>pl</i>	A pointer to a list of vrna_ep_t to store pairing probabilities (Maybe NULL)

Returns

The Gibbs free energy of the ensemble ($G = -RT \cdot \log(Q)$) in kcal/mol

17.14.2.7 pf_fold_par()

```
float pf_fold_par (
    const char * sequence,
    char * structure,
    vrna_exp_param_t * parameters,
    int calculate_bppm,
    int is_constrained,
    int is_circular )
```

```
#include <ViennaRNA/part_func.h>
```

Compute the partition function Q for a given RNA sequence.

If *structure* is not a NULL pointer on input, it contains on return a string consisting of the letters ". , | { } ()" denoting bases that are essentially unpaired, weakly paired, strongly paired without preference, weakly upstream (downstream) paired, or strongly up- (down-)stream paired bases, respectively. If [fold_constrained](#) is not 0, the *structure* string is interpreted on input as a list of constraints for the folding. The character "x" marks bases that must be unpaired, matching brackets "()" denote base pairs, all other characters are ignored. Any pairs conflicting with the constraint will be forbidden. This is usually sufficient to ensure the constraints are honored. If the parameter [calculate_bppm](#) is set to 0 base pairing probabilities will not be computed (saving CPU time), otherwise after calculations took place *pr* will contain the probability that bases *i* and *j* pair.

Deprecated Use [vrna_pf\(\)](#) instead

Note

The global array `pr` is deprecated and the user who wants the calculated base pair probabilities for further computations is advised to use the function `export_bppm()`

Postcondition

After successful run the hidden folding matrices are filled with the appropriate Boltzmann factors. Depending on whether the global variable `do_backtrack` was set the base pair probabilities are already computed and may be accessed for further usage via the `export_bppm()` function. A call of `free_pf_arrays()` will free all memory allocated by this function. Successive calls will first free previously allocated memory before starting the computation.

See also

`vrna_pf()`, `bppm_to_structure()`, `export_bppm()`, `vrna_exp_params()`, `free_pf_arrays()`

Parameters

in	<i>sequence</i>	The RNA sequence input
in, out	<i>structure</i>	A pointer to a char array where a base pair probability information can be stored in a pseudo-dot-bracket notation (may be NULL, too)
in	<i>parameters</i>	Data structure containing the precalculated Boltzmann factors
in	<i>calculate_bppm</i>	Switch to Base pair probability calculations on/off (0==off)
in	<i>is_constrained</i>	Switch to indicate that a structure constraint is passed via the structure argument (0==off)
in	<i>is_circular</i>	Switch to (de-)activate postprocessing steps in case RNA sequence is circular (0==off)

Returns

The Gibbs free energy of the ensemble ($G = -RT \cdot \log(Q)$) in kcal/mol

17.14.2.8 pf_fold()

```
float pf_fold (
    const char * sequence,
    char * structure )

#include <ViennaRNA/part_func.h>
```

Compute the partition function Q of an RNA sequence.

If *structure* is not a NULL pointer on input, it contains on return a string consisting of the letters ". , | { } () " denoting bases that are essentially unpaired, weakly paired, strongly paired without preference, weakly upstream (downstream) paired, or strongly up- (down-)stream paired bases, respectively. If `fold_constrained` is not 0, the *structure* string is interpreted on input as a list of constraints for the folding. The character "x" marks bases that must be unpaired, matching brackets "()" denote base pairs, all other characters are ignored. Any pairs conflicting with the constraint will be forbidden. This is usually sufficient to ensure the constraints are honored. If `do_backtrack` has been set to 0 base pairing probabilities will not be computed (saving CPU time), otherwise `pr` will contain the probability that bases *i* and *j* pair.

Note

The global array `pr` is deprecated and the user who wants the calculated base pair probabilities for further computations is advised to use the function `export_bppm()`.

OpenMP: This function is not entirely threadsafe. While the recursions are working on their own copies of data the model details for the recursions are determined from the global settings just before entering the recursions. Consider using `pf_fold_par()` for a really threadsafe implementation.

Precondition

This function takes its model details from the global variables provided in *RNALib*

Postcondition

After successful run the hidden folding matrices are filled with the appropriate Boltzmann factors. Depending on whether the global variable `do_backtrack` was set the base pair probabilities are already computed and may be accessed for further usage via the `export_bppm()` function. A call of `free_pf_arrays()` will free all memory allocated by this function. Successive calls will first free previously allocated memory before starting the computation.

See also

`pf_fold_par()`, `pf_circ_fold()`, `bppm_to_structure()`, `export_bppm()`

Parameters

<code>sequence</code>	The RNA sequence input
<code>structure</code>	A pointer to a char array where a base pair probability information can be stored in a pseudo-dot-bracket notation (may be NULL, too)

Returns

The Gibbs free energy of the ensemble ($G = -RT \cdot \log(Q)$) in kcal/mol

17.14.2.9 pf_circ_fold()

```
float pf_circ_fold (
    const char * sequence,
    char * structure )

#include <ViennaRNA/part_func.h>
```

Compute the partition function of a circular RNA sequence.

Note

The global array `pr` is deprecated and the user who wants the calculated base pair probabilities for further computations is advised to use the function `export_bppm()`.

OpenMP: This function is not entirely threadsafe. While the recursions are working on their own copies of data the model details for the recursions are determined from the global settings just before entering the recursions. Consider using `pf_fold_par()` for a really threadsafe implementation.

Precondition

This function takes its model details from the global variables provided in *RNAlib*

Postcondition

After successful run the hidden folding matrices are filled with the appropriate Boltzmann factors. Depending on whether the global variable `do_backtrack` was set the base pair probabilities are already computed and may be accessed for further usage via the `export_bppm()` function. A call of `free_pf_arrays()` will free all memory allocated by this function. Successive calls will first free previously allocated memory before starting the computation.

See also

[vrna_pf\(\)](#)

Deprecated Use [vrna_pf\(\)](#) instead!

Parameters

<code>in</code>	<code>sequence</code>	The RNA sequence input
<code>in, out</code>	<code>structure</code>	A pointer to a char array where a base pair probability information can be stored in a pseudo-dot-bracket notation (may be NULL, too)

Returns

The Gibbs free energy of the ensemble ($G = -RT \cdot \log(Q)$) in kcal/mol

17.14.2.10 free_pf_arrays()

```
void free_pf_arrays (
    void )

#include <ViennaRNA/part_func.h>
```

Free arrays for the partition function recursions.

Call this function if you want to free all allocated memory associated with the partition function forward recursion.

Note

Successive calls of `pf_fold()`, `pf_circ_fold()` already check if they should free any memory from a previous run.

OpenMP notice:

This function should be called before leaving a thread in order to avoid leaking memory

Deprecated See `vrna_fold_compound_t` and its related functions for how to free memory occupied by the dynamic programming matrices

Postcondition

All memory allocated by `pf_fold_par()`, `pf_fold()` or `pf_circ_fold()` will be freed

See also

[pf_fold_par\(\)](#), [pf_fold\(\)](#), [pf_circ_fold\(\)](#)

17.14.2.11 update_pf_params()

```
void update_pf_params (
    int length )

#include <ViennaRNA/part_func.h>
```

Recalculate energy parameters.

Call this function to recalculate the pair matrix and energy parameters after a change in folding parameters like temperature

Deprecated Use [vrna_exp_params_subst\(\)](#) instead

17.14.2.12 update_pf_params_par()

```
void update_pf_params_par (
    int length,
    vrna_exp_param_t * parameters )

#include <ViennaRNA/part_func.h>
```

Recalculate energy parameters.

Deprecated Use [vrna_exp_params_subst\(\)](#) instead

17.14.2.13 export_bppm()

```
FLOAT_OR_DOUBLE* export_bppm (
    void )

#include <ViennaRNA/part_func.h>
```

Get a pointer to the base pair probability array

Accessing the base pair probabilities for a pair (i,j) is achieved by.

```
FLOAT_OR_DOUBLE *pr = export_bppm();
pr_ij = pr[iindx[i]-j];
```

Precondition

Call [pf_fold_par\(\)](#), [pf_fold\(\)](#) or [pf_circ_fold\(\)](#) first to fill the base pair probability array

See also

[pf_fold\(\)](#), [pf_circ_fold\(\)](#), [vrna_idx_row_wise\(\)](#)

Returns

A pointer to the base pair probability array

17.14.2.14 `get_pf_arrays()`

```
int get_pf_arrays (
    short ** S_p,
    short ** S1_p,
    char ** ptype_p,
    FLT_OR_DBL ** qb_p,
    FLT_OR_DBL ** qm_p,
    FLT_OR_DBL ** q1k_p,
    FLT_OR_DBL ** qln_p )

#include <ViennaRNA/part_func.h>
```

Get the pointers to (almost) all relavant computation arrays used in partition function computation.

Precondition

In order to assign meaningful pointers, you have to call `pf_fold_par()` or `pf_fold()` first!

See also

`pf_fold_par()`, `pf_fold()`, `pf_circ_fold()`

Parameters

out	<i>S_p</i>	A pointer to the 'S' array (integer representation of nucleotides)
out	<i>S1_p</i>	A pointer to the 'S1' array (2nd integer representation of nucleotides)
out	<i>ptype_p</i>	A pointer to the pair type matrix
out	<i>qb_p</i>	A pointer to the Q ^B matrix
out	<i>qm_p</i>	A pointer to the Q ^M matrix
out	<i>q1k_p</i>	A pointer to the 5' slice of the Q matrix (<i>q1k(k)</i> = $Q(1, k)$)
out	<i>qln_p</i>	A pointer to the 3' slice of the Q matrix (<i>qln(l)</i> = $Q(l, n)$)

Returns

Non Zero if everything went fine, 0 otherwise

17.14.2.15 `mean_bp_distance()`

```
double mean_bp_distance (
    int length )

#include <ViennaRNA/part_func.h>
```

Get the mean base pair distance of the last partition function computation.

Deprecated Use `vrna_mean_bp_distance()` or `vrna_mean_bp_distance_pr()` instead!

See also

`vrna_mean_bp_distance()`, `vrna_mean_bp_distance_pr()`

Parameters

<i>length</i>	
---------------	--

Returns

mean base pair distance in thermodynamic ensemble

17.14.2.16 `mean_bp_distance_pr()`

```
double mean_bp_distance_pr (
    int length,
    FIT_OR_DBL * pr )
```

```
#include <ViennaRNA/part_func.h>
```

Get the mean base pair distance in the thermodynamic ensemble.

This is a threadsafe implementation of `mean_bp_dist()` !

$\langle d \rangle = \sum_{a,b} p_a p_b d(S_a, S_b)$
 this can be computed from the pair probs p_{ij} as
 $\langle d \rangle = \sum_{ij} p_{ij}(1 - p_{ij})$

Deprecated Use `vrna_mean_bp_distance()` or `vrna_mean_bp_distance_pr()` instead!

Parameters

<i>length</i>	The length of the sequence
<i>pr</i>	The matrix containing the base pair probabilities

Returns

The mean pair distance of the structure ensemble

17.14.2.17 `vrna plist_from_probs()`

```
vrna_ep_t* vrna plist_from_probs (
    vrna_fold_compound_t * vc,
    double cut_off )
```

```
#include <ViennaRNA/structure_utils.h>
```

Create a `vrna_ep_t` from base pair probability matrix.

The probability matrix provided via the `vrna_fold_compound_t` is parsed and all pair probabilities above the given threshold are used to create an entry in the plist

The end of the plist is marked by sequence positions i as well as j equal to 0. This condition should be used to stop looping over its entries

Parameters

in	<i>vc</i>	The fold compound
in	<i>cut_off</i>	The cutoff value

Returns

A pointer to the plist that is to be created

17.14.2.18 assign_plist_from_pr()

```
void assign_plist_from_pr (
    vrna_ep_t ** pl,
    FLT_OR_DBL * probs,
    int length,
    double cutoff )

#include <ViennaRNA/structure_utils.h>
```

Create a vrna_ep_t from a probability matrix.

The probability matrix given is parsed and all pair probabilities above the given threshold are used to create an entry in the plist

The end of the plist is marked by sequence positions i as well as j equal to 0. This condition should be used to stop looping over its entries

Note

This function is threadsafe

Deprecated Use [vrna_plist_from_probs\(\)](#) instead!

Parameters

out	<i>pl</i>	A pointer to the vrna_ep_t that is to be created
in	<i>probs</i>	The probability matrix used for creating the plist
in	<i>length</i>	The length of the RNA sequence
in	<i>cutoff</i>	The cutoff value

17.15 Suboptimals and representative structures

Sample and enumerate suboptimal secondary structures from RNA sequence data.

Collaboration diagram for Suboptimals and representative structures:

Modules

- [Suboptimal structures sensu Stiegler et al. 1984 / Zuker et al. 1989](#)
- [Suboptimal structures within an energy band around the MFE](#)
- [Structure sampling from the ensemble](#)
- [Compute the structure with maximum expected accuracy \(MEA\)](#)
- [Compute the centroid structure](#)

Files

- file [boltzmann_sampling.h](#)
Boltzmann Sampling of secondary structures from the ensemble.
- file [centroid.h](#)
Centroid structure computation.
- file [MEA.h](#)
Computes a MEA (maximum expected accuracy) structure.
- file [mm.h](#)
Several Maximum Matching implementations.
- file [subopt.h](#)
RNAsubopt and density of states declarations.

17.15.1 Detailed Description

Sample and enumerate suboptimal secondary structures from RNA sequence data.

17.16 Suboptimal structures sensu Stiegler et al. 1984 / Zuker et al. 1989

Collaboration diagram for Suboptimal structures sensu Stiegler et al. 1984 / Zuker et al. 1989:

Functions

- `vrna_subopt_solution_t * vrna_subopt_zuker (vrna_fold_compound_t *vc)`
Compute Zuker type suboptimal structures.
- `SOLUTION * zukersubopt (const char *string)`
Compute Zuker type suboptimal structures.
- `SOLUTION * zukersubopt_par (const char *string, vrna_param_t *parameters)`
Compute Zuker type suboptimal structures.

17.16.1 Detailed Description

17.16.2 Function Documentation

17.16.2.1 `vrna_subopt_zuker()`

```
vrna_subopt_solution_t * vrna_subopt_zuker (
    vrna_fold_compound_t * vc )
#include <ViennaRNA/subopt.h>
```

Compute Zuker type suboptimal structures.

Compute Suboptimal structures according to M. Zuker [23] , i.e. for every possible base pair the minimum energy structure containing the resp. base pair. Returns a list of these structures and their energies.

Note

This function internally uses the cofold implementation to compute the suboptimal structures. For that purpose, the function doubles the sequence and enlarges the DP matrices, which in fact will grow by a factor of 4 during the computation! At the end of the structure prediction, everything will be re-set to its original requirements, i.e. normal sequence, normal (empty) DP matrices.

Bug Due to resizing, any pre-existing constraints will be lost!

See also

[vrna_subopt\(\)](#), [zukersubopt\(\)](#), [zukersubopt_par\(\)](#)

Parameters

<code>vc</code>	fold compound
-----------------	---------------

Returns

List of zuker suboptimal structures

SWIG Wrapper Notes This function is attached as method `subopt_zuker()` to objects of type `fold_compound`

17.16.2.2 zukersubopt()

```
SOLUTION* zukersubopt (
    const char * string )

#include <ViennaRNA/subopt.h>
```

Compute Zuker type suboptimal structures.

Compute Suboptimal structures according to M. Zuker, i.e. for every possible base pair the minimum energy structure containing the resp. base pair. Returns a list of these structures and their energies.

Deprecated use `vrna_zukersubopt()` instead

Parameters

<code>string</code>	RNA sequence
---------------------	--------------

Returns

List of zuker suboptimal structures

17.16.2.3 zukersubopt_par()

```
SOLUTION* zukersubopt_par (
    const char * string,
    vrna_param_t * parameters )

#include <ViennaRNA/subopt.h>
```

Compute Zuker type suboptimal structures.

Deprecated use `vrna_zukersubopt()` instead

17.17 Suboptimal structures within an energy band arround the MFE

Collaboration diagram for Suboptimal structures within an energy band arround the MFE:

Typedefs

- `typedef void() vrna_subopt_callback(const char *structure, float energy, void *data)`
Callback for `vrna_subopt_cb()`

Functions

- `vrna_subopt_solution_t * vrna_subopt(vrna_fold_compound_t *vc, int delta, int sorted, FILE *fp)`
Returns list of subopt structures or writes to fp.
- `void vrna_subopt_cb(vrna_fold_compound_t *vc, int delta, vrna_subopt_callback *cb, void *data)`
Generate suboptimal structures within an energy band arround the MFE.
- `SOLUTION * subopt(char *seq, char *structure, int delta, FILE *fp)`
Returns list of subopt structures or writes to fp.
- `SOLUTION * subopt_par(char *seq, char *structure, vrna_param_t *parameters, int delta, int is_constrained, int is_circular, FILE *fp)`
Returns list of subopt structures or writes to fp.
- `SOLUTION * subopt_circ(char *seq, char *sequence, int delta, FILE *fp)`
Returns list of circular subopt structures or writes to fp.

Variables

- `double print_energy`
printing threshold for use with logML
- `int subopt_sorted`
Sort output by energy.

17.17.1 Detailed Description

17.17.2 Typedef Documentation

17.17.2.1 `vrna_subopt_callback`

```
typedef void() vrna_subopt_callback(const char *structure, float energy, void *data)
#include <ViennaRNA/subopt.h>
```

Callback for `vrna_subopt_cb()`

Notes on Callback Functions This function will be called for each suboptimal secondary structure that is successfully backtraced.

See also

`vrna_subopt_cb()`

Parameters

<i>structure</i>	The suboptimal secondary structure in dot-bracket notation
<i>energy</i>	The free energy of the secondary structure in kcal/mol
<i>data</i>	Some arbitrary, auxiliary data address as passed to vrna_subopt_cb()

17.17.3 Function Documentation

17.17.3.1 vrna_subopt()

```
vrna_subopt_solution_t * vrna_subopt (
    vrna_fold_compound_t * vc,
    int delta,
    int sorted,
    FILE * fp )
```

#include <ViennaRNA/subopt.h>

Returns list of subopt structures or writes to fp.

This function produces **all** suboptimal secondary structures within '*delta*' * 0.01 kcal/mol of the optimum, see [21]. The results are either directly written to a 'fp' (if 'fp' is not NULL), or (fp==NULL) returned in a *vrna_subopt_solution_t* * list terminated by an entry were the 'structure' member is NULL.

Note

This function requires all multibranch loop DP matrices for unique multibranch loop backtracing. Therefore, the supplied *vrna_fold_compound_t* *vc* (argument 1) must be initialized with *vrna_md_t.uniq_ML* = 1, for instance like this:

```
vrna_md_t md;
vrna_md_set_default(&md);
md.uniq_ML = 1;

vrna_fold_compound_t *vc=vrna_fold_compound("GGGGGGAAAAAACCCCCC", &md
, VRNA_OPTION_DEFAULT);
```

See also

[vrna_subopt_cb\(\)](#), [vrna_subopt_zuker\(\)](#)

Parameters

<i>vc</i>	
<i>delta</i>	
<i>sorted</i>	Sort results by energy in ascending order
<i>fp</i>	

Returns

SWIG Wrapper Notes This function is attached as method **subopt()** to objects of type *fold_compound*

17.17.3.2 vrna_subopt_cb()

```
void vrna_subopt_cb (
    vrna_fold_compound_t * vc,
    int delta,
    vrna_subopt_callback * cb,
    void * data )
```

```
#include <ViennaRNA/subopt.h>
```

Generate suboptimal structures within an energy band arround the MFE.

This is the most generic implementation of the suboptimal structure generator according to Wuchty et al. 1999 [21]. Identical to **vrna_subopt()**, it computes all secondary structures within an energy band *delta* arround the MFE. However, this function does not print the resulting structures and their corresponding free energies to a file pointer, or returns them as a list. Instead, it calls a user-provided callback function which it passes the structure in dot-bracket format, the corresponding free energy in kcal/mol, and a user-provided data structure each time a structure was backtracked successfully. This function indicates the final output, i.e. the end of the backtracking procedure by passing NULL instead of an actual dot-bracket string to the callback.

Note

This function requires all multibranch loop DP matrices for unique multibranch loop backtracing. Therefore, the supplied **vrna_fold_compound_t** *vc* (argument 1) must be initialized with **vrna_md_t.uniq_ML** = 1, for instance like this:

```
vrna_md_t md;
vrna_md_set_default (&md);
md.uniq_ML = 1;

vrna_fold_compound_t *vc=vrna_fold_compound ("GGGGGGAAAAAAACCCCCC", &md
, VRNA_OPTION_DEFAULT);
```

See also

[vrna_subopt_callback](#), [vrna_subopt\(\)](#), [vrna_subopt_zuker\(\)](#)

Parameters

<i>vc</i>	fold compound with the sequence data
<i>delta</i>	Energy band arround the MFE in 10cal/mol, i.e. deka-calories
<i>cb</i>	Pointer to a callback function that handles the backtracked structure and its free energy in kcal/mol
<i>data</i>	Pointer to some data structure that is passed along to the callback

SWIG Wrapper Notes This function is attached as method **subopt_cb()** to objects of type *fold_compound*

17.17.3.3 subopt()

```
SOLUTION* subopt (
    char * seq,
    char * structure,
    int delta,
    FILE * fp )
```

```
#include <ViennaRNA/subopt.h>
```

Returns list of subopt structures or writes to fp.

This function produces **all** suboptimal secondary structures within 'delta' * 0.01 kcal/mol of the optimum. The results are either directly written to a 'fp' (if 'fp' is not NULL), or (fp==NULL) returned in a **SOLUTION** * list terminated by an entry were the 'structure' pointer is NULL.

Parameters

<i>seq</i>	
<i>structure</i>	
<i>delta</i>	
<i>fp</i>	

Returns

17.17.3.4 subopt_circ()

```
SOLUTION* subopt_circ (
    char * seq,
    char * sequence,
    int delta,
    FILE * fp )
```

```
#include <ViennaRNA/subopt.h>
```

Returns list of circular subopt structures or writes to fp.

This function is similar to [subopt\(\)](#) but calculates secondary structures assuming the RNA sequence to be circular instead of linear

Parameters

<i>seq</i>	
<i>sequence</i>	
<i>delta</i>	
<i>fp</i>	

Returns

17.18 Structure sampling from the ensemble

Collaboration diagram for Structure sampling from the ensemble:

```

graph TD
    A[vrna_fold_compound_t] --> B[vrna_pbacktrack5]

```

Modules

- Stochastic Backtracking of Consensus Structures from Sequence Alignment(s)
- Stochastic Backtracking of Structures from Distance Based Partitioning

Contains functions related to stochastic backtracking from a specified distance class.

Functions

- `char * vrna_pbacktrack5 (vrna_fold_compound_t *vc, int length)`
Sample a secondary structure of a subsequence from the Boltzmann ensemble according its probability.
- `char * vrna_pbacktrack (vrna_fold_compound_t *vc)`
Sample a secondary structure (consensus structure) from the Boltzmann ensemble according its probability.
- `char * pbacktrack (char *sequence)`
Sample a secondary structure from the Boltzmann ensemble according its probability.
- `char * pbacktrack_circ (char *sequence)`
Sample a secondary structure of a circular RNA from the Boltzmann ensemble according its probability.

Variables

- `int st_back`
Flag indicating that auxiliary arrays are needed throughout the computations. This is essential for stochastic backtracking.

17.18.1 Detailed Description

17.18.2 Function Documentation

17.18.2.1 vrna_pbacktrack5()

```
char * vrna_pbacktrack5 (
    vrna_fold_compound_t * vc,
    int length )

#include <ViennaRNA/boltzmann_sampling.h>
```

Sample a secondary structure of a subsequence from the Boltzmann ensemble according its probability.

Precondition

Unique multiloop decomposition has to be active upon creation of `vc` with `vrna_fold_compound()` or similar. This can be done easily by passing `vrna_fold_compound()` a model details parameter with `vrna_md_t.uniq_ML = 1`. `vrna_pf()` has to be called first to fill the partition function matrices

Parameters

<code>vc</code>	The fold compound data structure
<code>length</code>	The length of the subsequence to consider (starting with 5' end)

Returns

A sampled secondary structure in dot-bracket notation (or NULL on error)

SWIG Wrapper Notes This function is attached as overloaded method `pbacktrack()` to objects of type `fold_<compound>`

17.18.2.2 `vrna_pbacktrack()`

```
char * vrna_pbacktrack (
    vrna_fold_compound_t * vc )

#include <ViennaRNA/boltzmann_sampling.h>
```

Sample a secondary structure (consensus structure) from the Boltzmann ensemble according its probability.

Precondition

Unique multiloop decomposition has to be active upon creation of `vc` with `vrna_fold_compound()` or similar. This can be done easily by passing `vrna_fold_compound()` a model details parameter with `vrna_md_t.uniq_ML = 1`.
`vrna_pf()` has to be called first to fill the partition function matrices

Note

This function is polymorphic. It accepts `vrna_fold_compound_t` of type `VRNA_FC_TYPE_SINGLE`, and `VRNA_FC_TYPE_COMPARATIVE`.

The function will automatically detect circular RNAs based on the `model_details` in `exp_params` as provided via the `vrna_fold_compound_t`

Parameters

<code>vc</code>	The fold compound data structure
-----------------	----------------------------------

Returns

A sampled secondary structure in dot-bracket notation (or NULL on error)

SWIG Wrapper Notes This function is attached as overloaded method `pbacktrack()` to objects of type `fold_<compound>` that accepts an optional `length` argument. Hence, it serves as a replacement for `vrna_pbacktrack()`.

17.18.2.3 pbacktrack()

```
char* pbacktrack (
    char * sequence )
```

```
#include <ViennaRNA/part_func.h>
```

Sample a secondary structure from the Boltzmann ensemble according its probability.

Precondition

`st_back` has to be set to 1 before calling `pf_fold()` or `pf_fold_par()`
`pf_fold_par()` or `pf_fold()` have to be called first to fill the partition function matrices

Parameters

<code>sequence</code>	The RNA sequence
-----------------------	------------------

Returns

A sampled secondary structure in dot-bracket notation

17.18.2.4 pbacktrack_circ()

```
char* pbacktrack_circ (
    char * sequence )
```

```
#include <ViennaRNA/part_func.h>
```

Sample a secondary structure of a circular RNA from the Boltzmann ensemble according its probability.

This function does the same as `pbacktrack()` but assumes the RNA molecule to be circular

Precondition

`st_back` has to be set to 1 before calling `pf_fold()` or `pf_fold_par()`
`pf_fold_par()` or `pf_circ_fold()` have to be called first to fill the partition function matrices

Deprecated Use `vrna_pbacktrack()` instead.

Parameters

<code>sequence</code>	The RNA sequence
-----------------------	------------------

Returns

A sampled secondary structure in dot-bracket notation

17.18.3 Variable Documentation

17.18.3.1 st_back

```
int st_back

#include <ViennaRNA/part_func.h>
```

Flag indicating that auxiliary arrays are needed throughout the computations. This is essential for stochastic backtracking.

Set this variable to 1 prior to a call of [pf_fold\(\)](#) to ensure that all matrices needed for stochastic backtracking are filled in the forward recursions

Deprecated set the *uniq_ML* flag in [vrna_md_t](#) before passing it to [vrna_fold_compound\(\)](#).

See also

[pbacktrack\(\)](#), [pbacktrack_circ](#)

17.19 Compute the structure with maximum expected accuracy (MEA)

Collaboration diagram for Compute the structure with maximum expected accuracy (MEA):

Functions

- float **MEA** (plist *p, char *structure, double gamma)
Computes a MEA (maximum expected accuracy) structure.

17.19.1 Detailed Description

17.19.2 Function Documentation

17.19.2.1 MEA()

```
float MEA (
    plist * p,
    char * structure,
    double gamma )

#include <ViennaRNA/MEA.h>
```

Computes a MEA (maximum expected accuracy) structure.

The algorithm maximizes the expected accuracy

$$A(S) = \sum_{(i,j) \in S} 2\gamma p_{ij} + \sum_{i \notin S} p_i^u$$

Higher values of γ result in more base pairs of lower probability and thus higher sensitivity. Low values of γ result in structures containing only highly likely pairs (high specificity). The code of the MEA function also demonstrates the use of sparse dynamic programming scheme to reduce the time and memory complexity of folding.

17.20 Compute the centroid structure

Collaboration diagram for Compute the centroid structure:

```

graph TD
    A[vrna_fold_compound_t] --- B[vrna_centroid_t]
    C[vrna_ep_t] --- B

```

Functions

- `char * vrna_centroid (vrna_fold_compound_t *vc, double *dist)`
Get the centroid structure of the ensemble.
- `char * vrna_centroid_from_plist (int length, double *dist, vrna_ep_t *pl)`
Get the centroid structure of the ensemble.
- `char * vrna_centroid_from_probs (int length, double *dist, FLT_OR_DBL *probs)`
Get the centroid structure of the ensemble.

17.20.1 Detailed Description

17.20.2 Function Documentation

17.20.2.1 vrna_centroid()

```
char* vrna_centroid (
    vrna_fold_compound_t * vc,
    double * dist )

#include <ViennaRNA/centroid.h>
```

Get the centroid structure of the ensemble.

The centroid is the structure with the minimal average distance to all other structures

$$\langle d(S) \rangle = \sum_{(i,j) \in S} (1 - p_{ij}) + \sum_{(i,j) \notin S} p_{ij}$$

Thus, the centroid is simply the structure containing all pairs with $p_{ij} > 0.5$. The distance of the centroid to the ensemble is written to the memory addressed by `dist`.

Parameters

in	<code>vc</code>	The fold compound data structure
out	<code>dist</code>	A pointer to the distance variable where the centroid distance will be written to

Returns

The centroid structure of the ensemble in dot-bracket notation

17.20.2.2 vrna_centroid_from_plist()

```
char* vrna_centroid_from plist (
    int length,
    double * dist,
    vrna_ep_t * pl )

#include <ViennaRNA/centroid.h>
```

Get the centroid structure of the ensemble.

This function is a threadsafe replacement for [centroid\(\)](#) with a [vrna_ep_t](#) input

The centroid is the structure with the minimal average distance to all other structures

$$\langle d(S) \rangle = \sum_{(i,j) \in S} (1 - p_{ij}) + \sum_{(i,j) \notin S} p_{ij}$$

Thus, the centroid is simply the structure containing all pairs with $p_{ij} > 0.5$. The distance of the centroid to the ensemble is written to the memory addressed by *dist*.

Parameters

in	<i>length</i>	The length of the sequence
out	<i>dist</i>	A pointer to the distance variable where the centroid distance will be written to
in	<i>pl</i>	A pair list containing base pair probability information about the ensemble

Returns

The centroid structure of the ensemble in dot-bracket notation

17.20.2.3 vrna_centroid_from_probs()

```
char* vrna_centroid_from_probs (
    int length,
    double * dist,
    FLT_OR_DBL * probs )

#include <ViennaRNA/centroid.h>
```

Get the centroid structure of the ensemble.

This function is a threadsafe replacement for [centroid\(\)](#) with a probability array input

The centroid is the structure with the minimal average distance to all other structures

$$\langle d(S) \rangle = \sum_{(i,j) \in S} (1 - p_{ij}) + \sum_{(i,j) \notin S} p_{ij}$$

Thus, the centroid is simply the structure containing all pairs with $p_{ij} > 0.5$. The distance of the centroid to the ensemble is written to the memory addressed by *dist*.

Parameters

in	<i>length</i>	The length of the sequence
out	<i>dist</i>	A pointer to the distance variable where the centroid distance will be written to
in	<i>probs</i>	An upper triangular matrix containing base pair probabilities (access via iindx vrna_idx_row_wise())

Returns

The centroid structure of the ensemble in dot-bracket notation

17.21 RNA-RNA interaction

Predict structures formed by two molecules upon hybridization.

Collaboration diagram for RNA-RNA interaction:

Modules

- [MFE Structures of two hybridized Sequences](#)

*MFE version of cofolding routines This file includes (almost) all function declarations within the **RNALib** that are related to MFE Cofolding... This also includes the Zuker suboptimals calculations, since they are implemented using the cofold routines.*

- [Partition Function for two hybridized Sequences](#)

Partition Function Cofolding.

- [Partition Function for two hybridized Sequences as a stepwise Process](#)

RNA-RNA interaction as a stepwise process.

Files

- file [cofold.h](#)

MFE implementations for RNA-RNA interaction.

- file [duplex.h](#)

Functions for simple RNA-RNA duplex interactions.

- file [part_func_co.h](#)

Partition function for two RNA sequences.

- file [part_func_up.h](#)

Implementations for accessibility and RNA-RNA interaction as a stepwise process.

17.21.1 Detailed Description

Predict structures formed by two molecules upon hybridization.

The function of an RNA molecule often depends on its interaction with other RNAs. The following routines therefore allows one to predict structures formed by two RNA molecules upon hybridization.

One approach to co-folding two RNAs consists of concatenating the two sequences and keeping track of the concatenation point in all energy evaluations. Correspondingly, many of the [cofold\(\)](#) and [co_pf_fold\(\)](#) routines below take one sequence string as argument and use the global variable [cut_point](#) to mark the concatenation point. Note that while the *RNACofold* program uses the '<>' character to mark the chain break in its input, you should not use an '<>' when using the library routines (set [cut_point](#) instead).

In a second approach to co-folding two RNAs, cofolding is seen as a stepwise process. In the first step the probability of an unpaired region is calculated and in a second step this probability of an unpaired region is multiplied with the probability of an interaction between the two RNAs. This approach is implemented for the interaction between a long target sequence and a short ligand RNA. Function [pf_unstru\(\)](#) calculates the partition function over all unpaired regions in the input sequence. Function [pf_interact\(\)](#), which calculates the partition function over all possible interactions between two sequences, needs both sequence as separate strings as input.

17.22 Locally stable structures

Collaboration diagram for Locally stable structures:

Modules

- Local MFE Structure Prediction and Z-scores
- Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures
- Local MFE Consensus Structure Prediction for Sequence Alignments

Files

- file [Lfold.h](#)
Functions for locally optimal MFE structure prediction.
- file [LPfold.h](#)
Partition function implementation for the Lfold algorithm.

17.22.1 Detailed Description

17.23 Comparative structure prediction

compute various properties (consensus MFE structures, partition function, Boltzmann distributed stochastic samples, ...) for RNA sequence alignments

Collaboration diagram for Comparative structure prediction:

Modules

- [MFE Consensus Structures for Sequence Alignment\(s\)](#)
- [Partition Function and Base Pair Probabilities for Sequence Alignment\(s\)](#)
- [Stochastic Backtracking of Consensus Structures from Sequence Alignment\(s\)](#)
- [Local MFE Consensus Structure Prediction for Sequence Alignments](#)

Files

- file [alifold.h](#)
Functions for comparative structure prediction using RNA sequence alignments.

Functions

- float [energy_of_alistru](#) (const char **sequences, const char *structure, int n_seq, float *energy)
Calculate the free energy of a consensus structure given a set of aligned sequences.
- int [get_alipf_arrays](#) (short ***S_p, short ***S5_p, short ***S3_p, unsigned short ***a2s_p, char ***Ss_p, [FLT_OR_DBL](#) **qb_p, [FLT_OR_DBL](#) **qm_p, [FLT_OR_DBL](#) **q1k_p, [FLT_OR_DBL](#) **qln_p, short **pscore)
Get pointers to (almost) all relevant arrays used in alifold's partition function computation.
- void [update_alifold_params](#) (void)
Update the energy parameters for alifold function.
- float ** [get_ribosum](#) (const char **Alseq, int n_seq, int length)
Retrieve a RiboSum Scoring Matrix for a given Alignment.

Variables

- double [cv_fact](#)
This variable controls the weight of the covariance term in the energy function of alignment folding algorithms.
- double [nc_fact](#)
This variable controls the magnitude of the penalty for non-compatible sequences in the covariance term of alignment folding algorithms.

17.23.1 Detailed Description

compute various properties (consensus MFE structures, partition function, Boltzmann distributed stochastic samples, ...) for RNA sequence alignments

Consensus structures can be predicted by a modified version of the [fold\(\)](#) algorithm that takes a set of aligned sequences instead of a single sequence. The energy function consists of the mean energy averaged over the sequences, plus a covariance term that favors pairs with consistent and compensatory mutations and penalizes pairs that cannot be formed by all structures. For details see [7] and [1].

17.23.2 Function Documentation

17.23.2.1 energy_of_alistruct()

```
float energy_of_alistruct (
    const char ** sequences,
    const char * structure,
    int n_seq,
    float * energy )
```

#include <ViennaRNA/alifold.h>

Calculate the free energy of a consensus structure given a set of aligned sequences.

Deprecated Usage of this function is discouraged! Use [vrna_eval_structure\(\)](#), and [vrna_eval_covar_structure\(\)](#) instead!

Parameters

<i>sequences</i>	The NULL terminated array of sequences
<i>structure</i>	The consensus structure
<i>n_seq</i>	The number of sequences in the alignment
<i>energy</i>	A pointer to an array of at least two floats that will hold the free energies (energy[0] will contain the free energy, energy[1] will be filled with the covariance energy term)

Returns

free energy in kcal/mol

17.23.2.2 get_alipf_arrays()

```
int get_alipf_arrays (
    short *** S_p,
    short *** S5_p,
    short *** S3_p,
    unsigned short *** a2s_p,
    char *** Ss_p,
    FLT_OR_DBL ** qb_p,
    FLT_OR_DBL ** qm_p,
    FLT_OR_DBL ** qlk_p,
    FLT_OR_DBL ** qln_p,
    short ** pscore )
```

#include <ViennaRNA/alifold.h>

Get pointers to (almost) all relevant arrays used in alifold's partition function computation.

Note

To obtain meaningful pointers, call `alipf_fold` first!

See also

`pf_alifold()`, `alipf_circ_fold()`

Deprecated It is discouraged to use this function! The new `vrna_fold_compound_t` allows direct access to all necessary consensus structure prediction related variables!

See also

`vrna_fold_compound_t`, `vrna_fold_compound_comparative()`, `vrna_pf()`

Parameters

<code>S_p</code>	A pointer to the 'S' array (integer representation of nucleotides)
<code>S5_p</code>	A pointer to the 'S5' array
<code>S3_p</code>	A pointer to the 'S3' array
<code>a2s_← _p</code>	A pointer to the alignment-column to sequence position mapping array
<code>Ss_p</code>	A pointer to the 'Ss' array
<code>qb_p</code>	A pointer to the Q ^B matrix
<code>qm_p</code>	A pointer to the Q ^M matrix
<code>q1k_← _p</code>	A pointer to the 5' slice of the Q matrix ($q1k(k) = Q(1, k)$)
<code>qln_p</code>	A pointer to the 3' slice of the Q matrix ($qln(l) = Q(l, n)$)
<code>pscore</code>	A pointer to the start of a pscore list

Returns

Non Zero if everything went fine, 0 otherwise

17.23.2.3 update_alifold_params()

```
void update_alifold_params (
    void
)

#include <ViennaRNA/alifold.h>
```

Update the energy parameters for alifold function.

Call this to recalculate the pair matrix and energy parameters after a change in folding parameters like `temperature`

Deprecated Usage of this function is discouraged! The new API uses `vrna_fold_compound_t` to lump all folding related necessities together, including the energy parameters. Use `vrna_update_fold_params()` to update the energy parameters within a `vrna_fold_compound_t`.

17.23.3 Variable Documentation

17.23.3.1 cv_fact

```
double cv_fact

#include <ViennaRNA/alifold.h>
```

This variable controls the weight of the covariance term in the energy function of alignment folding algorithms.

Deprecated See [vrna_md_t.cv_fact](#), and [vrna_mfe\(\)](#) to avoid using global variables

Default is 1.

17.23.3.2 nc_fact

```
double nc_fact

#include <ViennaRNA/alifold.h>
```

This variable controls the magnitude of the penalty for non-compatible sequences in the covariance term of alignment folding algorithms.

Deprecated See [vrna_md_t.nc_fact](#), and [vrna_mfe\(\)](#) to avoid using global variables

Default is 1.

17.24 MFE Consensus Structures for Sequence Alignment(s)

Collaboration diagram for MFE Consensus Structures for Sequence Alignment(s):

```

graph TD
    A[vrna_alifold] --- B["Compute Minimum Free Energy (MFE), and a corresponding consensus secondary structure for an RNA sequence alignment using a comparative method."]
    A[vrna_circalifold] --- C["Compute Minimum Free Energy (MFE), and a corresponding consensus secondary structure for a sequence alignment of circular RNAs using a comparative method."]
    A[alifold] --- D["Compute MFE and according consensus structure of an alignment of sequences."]
    A[circalifold] --- E["Compute MFE and according structure of an alignment of sequences assuming the sequences are circular instead of linear."]
    A[free_alifold_arrays] --- F["Free the memory occupied by MFE alifold functions."]

```

Functions

- float [vrna_alifold](#) (const char **sequences, char *structure)
Compute Minimum Free Energy (MFE), and a corresponding consensus secondary structure for an RNA sequence alignment using a comparative method.
- float [vrna_circalifold](#) (const char **sequences, char *structure)
Compute Minimum Free Energy (MFE), and a corresponding consensus secondary structure for a sequence alignment of circular RNAs using a comparative method.
- float [alifold](#) (const char **strings, char *structure)
Compute MFE and according consensus structure of an alignment of sequences.
- float [circalifold](#) (const char **strings, char *structure)
Compute MFE and according structure of an alignment of sequences assuming the sequences are circular instead of linear.
- void [free_alifold_arrays](#) (void)
Free the memory occupied by MFE alifold functions.

17.24.1 Detailed Description

17.24.2 Function Documentation

17.24.2.1 [vrna_alifold\(\)](#)

```
float vrna_alifold (
    const char ** sequences,
    char * structure )
```

```
#include <ViennaRNA/alifold.h>
```

Compute Minimum Free Energy (MFE), and a corresponding consensus secondary structure for an RNA sequence alignment using a comparative method.

This simplified interface to [vrna_mfe\(\)](#) computes the MFE and, if required, a consensus secondary structure for an RNA sequence alignment using default options. Memory required for dynamic programming (DP) matrices will be allocated and free'd on-the-fly. Hence, after return of this function, the recursively filled matrices are not available any more for any post-processing, e.g. suboptimal backtracking, etc.

Note

In case you want to use the filled DP matrices for any subsequent post-processing step, or you require other conditions than specified by the default model details, use [vrna_mfe\(\)](#), and the data structure [vrna_fold_compound_t](#) instead.

See also

[vrna_circalifold\(\)](#), [vrna_mfe\(\)](#), [vrna_fold_compound\(\)](#), [vrna_fold_compound_t](#)

Parameters

<i>sequences</i>	RNA sequence alignment
<i>structure</i>	A pointer to the character array where the secondary structure in dot-bracket notation will be written to

Returns

the minimum free energy (MFE) in kcal/mol

17.24.2.2 vrna_circalifold()

```
float vrna_circalifold (
    const char ** sequences,
    char * structure )

#include <ViennaRNA/alifold.h>
```

Compute Minimum Free Energy (MFE), and a corresponding consensus secondary structure for a sequence alignment of circular RNAs using a comparative method.

This simplified interface to [vrna_mfe\(\)](#) computes the MFE and, if required, a consensus secondary structure for an RNA sequence alignment using default options. Memory required for dynamic programming (DP) matrices will be allocated and free'd on-the-fly. Hence, after return of this function, the recursively filled matrices are not available any more for any post-processing, e.g. suboptimal backtracking, etc.

Folding of circular RNA sequences is handled as a post-processing step of the forward recursions. See [\[9\]](#) for further details.

Note

In case you want to use the filled DP matrices for any subsequent post-processing step, or you require other conditions than specified by the default model details, use [vrna_mfe\(\)](#), and the data structure [vrna_fold_compound_t](#) instead.

See also

[vrna_alifold\(\)](#), [vrna_mfe\(\)](#), [vrna_fold_compound\(\)](#), [vrna_fold_compound_t](#)

Parameters

<i>sequences</i>	Sequence alignment of circular RNAs
<i>structure</i>	A pointer to the character array where the secondary structure in dot-bracket notation will be written to

Returns

the minimum free energy (MFE) in kcal/mol

17.24.2.3 alifold()

```
float alifold (
    const char ** strings,
    char * structure )
```

```
#include <ViennaRNA/alifold.h>
```

Compute MFE and according consensus structure of an alignment of sequences.

This function predicts the consensus structure for the aligned 'sequences' and returns the minimum free energy; the mfe structure in bracket notation is returned in 'structure'.

Sufficient space must be allocated for 'structure' before calling [alifold\(\)](#).

Deprecated Usage of this function is discouraged! Use [vrna_alifold\(\)](#), or [vrna_mfe\(\)](#) instead!

See also

[vrna_alifold\(\)](#), [vrna_mfe\(\)](#)

Parameters

<i>strings</i>	A pointer to a NULL terminated array of character arrays
<i>structure</i>	A pointer to a character array that may contain a constraining consensus structure (will be overwritten by a consensus structure that exhibits the MFE)

Returns

The free energy score in kcal/mol

17.24.2.4 circalifold()

```
float circalifold (
    const char ** strings,
    char * structure )
```

```
#include <ViennaRNA/alifold.h>
```

Compute MFE and according structure of an alignment of sequences assuming the sequences are circular instead of linear.

Deprecated Usage of this function is discouraged! Use [vrna_alicircfold\(\)](#), and [vrna_mfe\(\)](#) instead!

See also

[vrna_alicircfold\(\)](#), [vrna_alifold\(\)](#), [vrna_mfe\(\)](#)

Parameters

<code>strings</code>	A pointer to a NULL terminated array of character arrays
<code>structure</code>	A pointer to a character array that may contain a constraining consensus structure (will be overwritten by a consensus structure that exhibits the MFE)

Returns

The free energy score in kcal/mol

17.24.2.5 `free_alifold_arrays()`

```
void free_alifold_arrays (
    void )

#include <ViennaRNA/alifold.h>
```

Free the memory occupied by MFE alifold functions.

Deprecated Usage of this function is discouraged! It only affects memory being free'd that was allocated by an old API function before. Release of memory occupied by the newly introduced `vrna_fold_compound_t` is handled by `vrna_vrna_fold_compound_free()`

See also

`vrna_vrna_fold_compound_free()`

17.25 Partition Function and Base Pair Probabilities for Sequence Alignment(s)

Collaboration diagram for Partition Function and Base Pair Probabilities for Sequence Alignment(s):

Functions

- float [vrna_pf_alifold](#) (const char **sequences, char *structure, [vrna_ep_t](#) **pl)

Compute Partition function Q (and base pair probabilities) for an RNA sequence alignment using a comparative method.
- float [vrna_pf_circalifold](#) (const char **sequences, char *structure, [vrna_ep_t](#) **pl)

Compute Partition function Q (and base pair probabilities) for an alignment of circular RNA sequences using a comparative method.
- float [alipf_fold_par](#) (const char **sequences, char *structure, [vrna_ep_t](#) **pl, [vrna_exp_param_t](#) *parameters, int calculate_bppm, int is_constrained, int is_circular)

The partition function version of [alifold\(\)](#) works in analogy to [pf_fold\(\)](#). Pair probabilities and information about sequence covariations are returned via the 'pi' variable as a list of [vrna_pinfo_t](#) structs. The list is terminated by the first entry with $pi.i = 0$.
- float [alipf_circ_fold](#) (const char **sequences, char *structure, [vrna_ep_t](#) **pl)

Get a pointer to the base pair probability array.
- [FLT_OR_DBL * export_ali_bppm](#) (void)

Free the memory occupied by folding matrices allocated by [alipf_fold](#), [alipf_circ_fold](#), etc.
- void [free_alipf_arrays](#) (void)

Free the memory occupied by folding matrices allocated by [alipf_fold](#), [alipf_circ_fold](#), etc.

17.25.1 Detailed Description

17.25.2 Function Documentation

17.25.2.1 [vrna_pf_alifold\(\)](#)

```
float vrna_pf_alifold (
    const char ** sequences,
    char * structure,
    vrna_ep_t ** pl )
#include <ViennaRNA/alifold.h>
```

Compute Partition function Q (and base pair probabilities) for an RNA sequence alignment using a comparative method.

This simplified interface to [vrna_pf\(\)](#) computes the partition function and, if required, base pair probabilities for an RNA sequence alignment using default options. Memory required for dynamic programming (DP) matrices will be allocated and free'd on-the-fly. Hence, after return of this function, the recursively filled matrices are not available any more for any post-processing.

Note

In case you want to use the filled DP matrices for any subsequent post-processing step, or you require other conditions than specified by the default model details, use [vrna_pf\(\)](#), and the data structure [vrna_fold_compound_t](#) instead.

See also

[vrna_pf_circalifold\(\)](#), [vrna_pf\(\)](#), [vrna_fold_compound_comparative\(\)](#), [vrna_fold_compound_t](#)

Parameters

<i>sequences</i>	RNA sequence alignment
<i>structure</i>	A pointer to the character array where position-wise pairing propensity will be stored. (Maybe NULL)
<i>pl</i>	A pointer to a list of vrna_ep_t to store pairing probabilities (Maybe NULL)

Returns

The Gibbs free energy of the ensemble ($G = -RT \cdot \log(Q)$) in kcal/mol

17.25.2.2 vrna_pf_circalifold()

```
float vrna_pf_circalifold (
    const char ** sequences,
    char * structure,
    vrna\_ep\_t ** pl )
```

```
#include <ViennaRNA/alifold.h>
```

Compute Partition function Q (and base pair probabilities) for an alignment of circular RNA sequences using a comparative method.

This simplified interface to [vrna_pf\(\)](#) computes the partition function and, if required, base pair probabilities for an RNA sequence alignment using default options. Memory required for dynamic programming (DP) matrices will be allocated and free'd on-the-fly. Hence, after return of this function, the recursively filled matrices are not available any more for any post-processing.

Note

In case you want to use the filled DP matrices for any subsequent post-processing step, or you require other conditions than specified by the default model details, use [vrna_pf\(\)](#), and the data structure [vrna_fold_compound_t](#) instead.

Folding of circular RNA sequences is handled as a post-processing step of the forward recursions. See [9] for further details.

See also

[vrna_pf_alifold\(\)](#), [vrna_pf\(\)](#), [vrna_fold_compound_comparative\(\)](#), [vrna_fold_compound_t](#)

Parameters

<i>sequences</i>	Sequence alignment of circular RNAs
<i>structure</i>	A pointer to the character array where position-wise pairing propensity will be stored. (Maybe NULL)
<i>pl</i>	A pointer to a list of vrna_ep_t to store pairing probabilities (Maybe NULL)

Returns

The Gibbs free energy of the ensemble ($G = -RT \cdot \log(Q)$) in kcal/mol

17.25.2.3 alipf_fold_par()

```
float alipf_fold_par (
    const char ** sequences,
    char * structure,
    vrna_ep_t ** pl,
    vrna_exp_param_t * parameters,
    int calculate_bppm,
    int is_constrained,
    int is_circular )
```

```
#include <ViennaRNA/alifold.h>
```

Deprecated Use [vrna_pf\(\)](#) instead

Parameters

<i>sequences</i>	
<i>structure</i>	
<i>pl</i>	
<i>parameters</i>	
<i>calculate_bppm</i>	
<i>is_constrained</i>	
<i>is_circular</i>	

Returns**17.25.2.4 alipf_fold()**

```
float alipf_fold (
    const char ** sequences,
    char * structure,
    vrna_ep_t ** pl )
```

```
#include <ViennaRNA/alifold.h>
```

The partition function version of [alifold\(\)](#) works in analogy to [pf_fold\(\)](#). Pair probabilities and information about sequence covariations are returned via the 'pi' variable as a list of [vrna_pinfo_t](#) structs. The list is terminated by the first entry with pi.i = 0.

Deprecated Use [vrna_pf\(\)](#) instead

Parameters

<i>sequences</i>	
<i>structure</i>	
<i>pl</i>	

Returns**17.25.2.5 alipf_circ_fold()**

```
float alipf_circ_fold (
    const char ** sequences,
    char * structure,
    vrna_ep_t ** pl )
```

```
#include <ViennaRNA/alifold.h>
```

Deprecated Use [vrna_pf\(\)](#) instead

Parameters

<i>sequences</i>	
<i>structure</i>	
<i>pl</i>	

Returns**17.25.2.6 export_ali_bppm()**

```
FLOAT_OR_DBL* export_ali_bppm (
    void )
```

```
#include <ViennaRNA/alifold.h>
```

Get a pointer to the base pair probability array.

Accessing the base pair probabilities for a pair (i,j) is achieved by

```
FLOAT_OR_DBL *pr = export_bppm(); pr_ij = pr[iindx[i]-j];
```

Deprecated Usage of this function is discouraged! The new [vrna_fold_compound_t](#) allows direct access to the folding matrices, including the pair probabilities! The pair probability array returned here reflects the one of the latest call to [vrna_pf\(\)](#), or any of the old API calls for consensus structure partition function folding.

See also

[vrna_fold_compound_t](#), [vrna_fold_compound_comparative\(\)](#), and [vrna_pf\(\)](#)

Returns

A pointer to the base pair probability array

17.25.2.7 free_alipf_arrays()

```
void free_alipf_arrays (
    void )  
  
#include <ViennaRNA/alifold.h>
```

Free the memory occupied by folding matrices allocated by alipf_fold, alipf_circ_fold, etc.

Deprecated Usage of this function is discouraged! This function only free's memory allocated by old API function calls. Memory allocated by any of the new API calls (starting with vrna_) will be not affected!

See also

[vrna_fold_compound_t](#), [vrna_vrna_fold_compound_free\(\)](#)

17.26 Stochastic Backtracking of Consensus Structures from Sequence Alignment(s)

Collaboration diagram for Stochastic Backtracking of Consensus Structures from Sequence Alignment(s):

Functions

- `char * alipbacktrack (double *prob)`

Sample a consensus secondary structure from the Boltzmann ensemble according its probability.

17.26.1 Detailed Description

17.26.2 Function Documentation

17.26.2.1 alipbacktrack()

```
char* alipbacktrack (
    double * prob )

#include <ViennaRNA/alifold.h>
```

Sample a consensus secondary structure from the Boltzmann ensemble according its probability.

Deprecated Use [vrna_pbacktrack\(\)](#) instead!

Parameters

<code>prob</code>	to be described (berni)
-------------------	-------------------------

Returns

A sampled consensus secondary structure in dot-bracket notation

17.27 Classified Dynamic Programming variants

Collaboration diagram for Classified Dynamic Programming variants:

Modules

- Distance based partitioning of the Secondary Structure Space
Compute Thermodynamic properties for a Distance Class Partitioning of the Secondary Structure Space.
- Compute the Density of States

17.27.1 Detailed Description

17.28 Distance based partitioning of the Secondary Structure Space

Compute Thermodynamic properties for a Distance Class Partitioning of the Secondary Structure Space.

Collaboration diagram for Distance based partitioning of the Secondary Structure Space:

Modules

- [Calculating MFE representatives of a Distance Based Partitioning](#)

Compute the minimum free energy (MFE) and secondary structures for a partitioning of the secondary structure space according to the base pair distance to two fixed reference structures basepair distance to two fixed reference structures.

- [Calculate Partition Functions of a Distance Based Partitioning](#)

Compute the partition function and stochastically sample secondary structures for a partitioning of the secondary structure space according to the base pair distance to two fixed reference structures.

- [Stochastic Backtracking of Structures from Distance Based Partitioning](#)

Contains functions related to stochastic backtracking from a specified distance class.

Files

- file [2Dfold.h](#)

MFE structures for base pair distance classes.

- file [2Dpfold.h](#)

Partition function implementations for base pair distance classes.

17.28.1 Detailed Description

Compute Thermodynamic properties for a Distance Class Partitioning of the Secondary Structure Space.

All functions related to this group implement the basic recursions for MFE folding, partition function computation and stochastic backtracking with a *classified dynamic programming* approach. The secondary structure space is divided into partitions according to the base pair distance to two given reference structures and all relevant properties are calculated for each of the resulting partitions

See also

For further details, we refer to Lorenz et al. 2009 [11]

17.29 Calculating MFE representatives of a Distance Based Partitioning

Compute the minimum free energy (MFE) and secondary structures for a partitioning of the secondary structure space according to the base pair distance to two fixed reference structures basepair distance to two fixed reference structures.

Collaboration diagram for Calculating MFE representatives of a Distance Based Partitioning:

Data Structures

- struct [vrna_sol_TwoD_t](#)
Solution element returned from [vrna_mfe_TwoD\(\)](#) More...
- struct [TwoDfold_vars](#)
Variables compound for 2Dfold MFE folding. [More...](#)

Typedefs

- typedef struct [vrna_sol_TwoD_t](#) [vrna_sol_TwoD_t](#)
Solution element returned from [vrna_mfe_TwoD\(\)](#)
- typedef struct [TwoDfold_vars](#) [TwoDfold_vars](#)
Variables compound for 2Dfold MFE folding.

Functions

- [vrna_sol_TwoD_t * vrna_mfe_TwoD](#) ([vrna_fold_compound_t](#) *vc, int distance1, int distance2)
Compute MFE's and representative for distance partitioning.
- [char * vrna_backtrack5_TwoD](#) ([vrna_fold_compound_t](#) *vc, int k, int l, unsigned int j)
Backtrack a minimum free energy structure from a 5' section of specified length.
- [TwoDfold_vars * get_TwoDfold_variables](#) (const char *seq, const char *structure1, const char *structure2, int circ)
Get a structure of type [TwoDfold_vars](#) prefilled with current global settings.
- [void destroy_TwoDfold_variables](#) ([TwoDfold_vars](#) *our_variables)
Destroy a [TwoDfold_vars](#) datastructure without memory loss.
- [vrna_sol_TwoD_t * TwoDfoldList](#) ([TwoDfold_vars](#) *vars, int distance1, int distance2)
Compute MFE's and representative for distance partitioning.
- [char * TwoDfold_backtrack_f5](#) (unsigned int j, int k, int l, [TwoDfold_vars](#) *vars)
Backtrack a minimum free energy structure from a 5' section of specified length.

17.29.1 Detailed Description

Compute the minimum free energy (MFE) and secondary structures for a partitioning of the secondary structure space according to the base pair distance to two fixed reference structures basepair distance to two fixed reference structures.

See also

For further details, we refer to Lorenz et al. 2009 [11]

17.29.2 Data Structure Documentation

17.29.2.1 struct vrna_sol_TwoD_t

Solution element returned from [vrna_mfe_TwoD\(\)](#)

This element contains free energy and structure for the appropriate kappa (k), lambda (l) neighborhood. The data-structure contains two integer attributes 'k' and 'l' as well as an attribute 'en' of type float representing the free energy in kcal/mol and an attribute 's' of type char* containing the secondary structure representative,

A value of [INF](#) in k denotes the end of a list

See also

[vrna_mfe_TwoD\(\)](#)

Data Fields

- int [k](#)
Distance to first reference.
- int [l](#)
Distance to second reference.
- float [en](#)
Free energy in kcal/mol.
- char * [s](#)
MFE representative structure in dot-bracket notation.

17.29.2.2 struct TwoDfold_vars

Variables compound for 2Dfold MFE folding.

Deprecated This data structure will be removed from the library soon! Use [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_mfe_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

Collaboration diagram for TwoDfold_vars:

Data Fields

- `vrna_param_t * P`
Precomputed energy parameters and model details.
- `int do_backtrack`
Flag whether to do backtracing of the structure(s) or not.
- `char * ptype`
Precomputed array of pair types.
- `char * sequence`
The input sequence.
- `short * S1`
The input sequences in numeric form.
- `unsigned int maxD1`
Maximum allowed base pair distance to first reference.
- `unsigned int maxD2`
Maximum allowed base pair distance to second reference.
- `unsigned int * mm1`
Maximum matching matrix, reference struct 1 disallowed.
- `unsigned int * mm2`
Maximum matching matrix, reference struct 2 disallowed.
- `int * my_iindx`
Index for moving in quadratic distancy dimensions.
- `unsigned int * referenceBPs1`
Matrix containing number of basepairs of reference structure1 in interval [i,j].
- `unsigned int * referenceBPs2`
Matrix containing number of basepairs of reference structure2 in interval [i,j].
- `unsigned int * bpdist`
Matrix containing base pair distance of reference structure 1 and 2 on interval [i,j].

17.29.3 Typedef Documentation

17.29.3.1 `vrna_sol_TwoD_t`

```
typedef struct vrna_sol_TwoD_t vrna_sol_TwoD_t

#include <ViennaRNA/2Dfold.h>
```

Solution element returned from `vrna_mfe_TwoD()`

This element contains free energy and structure for the appropriate kappa (k), lambda (l) neighborhood. The data-structure contains two integer attributes 'k' and 'l' as well as an attribute 'en' of type float representing the free energy in kcal/mol and an attribute 's' of type char* containing the secondary structure representative,

A value of `INF` in k denotes the end of a list

See also

[vrna_mfe_TwoD\(\)](#)

17.29.3.2 TwoDfold_vars

```
typedef struct TwoDfold_vars TwoDfold_vars
```

```
#include <ViennaRNA/2Dfold.h>
```

Variables compound for 2Dfold MFE folding.

Deprecated This data structure will be removed from the library soon! Use [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_mfe_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

17.29.4 Function Documentation

17.29.4.1 vrna_mfe_TwoD()

```
vrna_sol_TwoD_t* vrna_mfe_TwoD (
    vrna_fold_compound_t * vc,
    int distance1,
    int distance2 )
```

```
#include <ViennaRNA/2Dfold.h>
```

Compute MFE's and representative for distance partitioning.

This function computes the minimum free energies and a representative secondary structure for each distance class according to the two references specified in the datastructure 'vars'. The maximum basepair distance to each of both references may be set by the arguments 'distance1' and 'distance2', respectively. If both distance arguments are set to '-1', no restriction is assumed and the calculation is performed for each distance class possible.

The returned list contains an entry for each distance class. If a maximum basepair distance to either of the references was passed, an entry with $k=l=-1$ will be appended in the list, denoting the class where all structures exceeding the maximum will be thrown into. The end of the list is denoted by an attribute value of [INF](#) in the k-attribute of the list entry.

See also

[vrna_fold_compound_TwoD\(\)](#), [vrna_fold_compound_free\(\)](#), [vrna_pf_TwoD\(\)](#) [vrna_backtrack5_TwoD\(\)](#),
[vrna_sol_TwoD_t](#), [vrna_fold_compound_t](#)

Parameters

<i>vc</i>	The datastructure containing all precomputed folding attributes
<i>distance1</i>	maximum distance to reference1 (-1 means no restriction)
<i>distance2</i>	maximum distance to reference2 (-1 means no restriction)

Returns

A list of minimum free energies (and corresponding structures) for each distance class

17.29.4.2 vrna_backtrack5_TwoD()

```
char* vrna_backtrack5_TwoD (
    vrna_fold_compound_t * vc,
    int k,
    int l,
    unsigned int j )

#include <ViennaRNA/2Dfold.h>
```

Backtrack a minimum free energy structure from a 5' section of specified length.

This function allows one to backtrack a secondary structure beginning at the 5' end, a specified length and residing in a specific distance class. If the argument 'k' gets a value of -1, the structure that is backtracked is assumed to reside in the distance class where all structures exceeding the maximum basepair distance specified in [vrna_mfe_TwoD\(\)](#) belong to.

Note

The argument 'vars' must contain precalculated energy values in the energy matrices, i.e. a call to [vrna_mfe_TwoD\(\)](#) preceding this function is mandatory!

See also

[vrna_mfe_TwoD\(\)](#)

Parameters

<i>vc</i>	The datastructure containing all precomputed folding attributes
<i>j</i>	The length in nucleotides beginning from the 5' end
<i>k</i>	distance to reference1 (may be -1)
<i>l</i>	distance to reference2

17.29.4.3 get_TwoDfold_variables()

```
TwoDfold_vars* get_TwoDfold_variables (
    const char * seq,
    const char * structure1,
    const char * structure2,
    int circ )

#include <ViennaRNA/2Dfold.h>
```

Get a structure of type [TwoDfold_vars](#) prefilled with current global settings.

This function returns a datastructure of type [TwoDfold_vars](#). The data fields inside the [TwoDfold_vars](#) are prefilled by global settings and all memory allocations necessary to start a computation are already done for the convenience of the user

Note

Make sure that the reference structures are compatible with the sequence according to Watson-Crick- and Wobble-base pairing

Deprecated Use the new API that relies on [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_mfe_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

Parameters

<i>seq</i>	The RNA sequence
<i>structure1</i>	The first reference structure in dot-bracket notation
<i>structure2</i>	The second reference structure in dot-bracket notation
<i>circ</i>	A switch to indicate the assumption to fold a circular instead of linear RNA (0=OFF, 1=ON)

Returns

A datastructure prefilled with folding options and allocated memory

17.29.4.4 `destroy_TwoDfold_variables()`

```
void destroy_TwoDfold_variables (
    TwoDfold_vars * our_variables )
```

```
#include <ViennaRNA/2Dfold.h>
```

Destroy a [TwoDfold_vars](#) datastructure without memory loss.

This function free's all allocated memory that depends on the datastructure given.

Deprecated Use the new API that relies on [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_mfe_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

Parameters

<i>our_variables</i>	A pointer to the datastructure to be destroyed
----------------------	--

17.29.4.5 `TwoDfoldList()`

```

vrna_sol_TwoD_t* TwoDfoldList (
    TwoDfold_vars * vars,
    int distance1,
    int distance2 )

```

```
#include <ViennaRNA/2Dfold.h>
```

Compute MFE's and representative for distance partitioning.

This function computes the minimum free energies and a representative secondary structure for each distance class according to the two references specified in the datastructure 'vars'. The maximum basepair distance to each of both references may be set by the arguments 'distance1' and 'distance2', respectively. If both distance arguments are set to '-1', no restriction is assumed and the calculation is performed for each distance class possible.

The returned list contains an entry for each distance class. If a maximum basepair distance to either of the references was passed, an entry with $k=l=-1$ will be appended in the list, denoting the class where all structures exceeding the maximum will be thrown into. The end of the list is denoted by an attribute value of **INF** in the k -attribute of the list entry.

Deprecated Use the new API that relies on [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_mfe_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

Parameters

<i>vars</i>	the datastructure containing all predefined folding attributes
<i>distance1</i>	maximum distance to reference1 (-1 means no restriction)
<i>distance2</i>	maximum distance to reference2 (-1 means no restriction)

17.29.4.6 TwoDfold_backtrack_f5()

```

char* TwoDfold_backtrack_f5 (
    unsigned int j,
    int k,
    int l,
    TwoDfold_vars * vars )

```

```
#include <ViennaRNA/2Dfold.h>
```

Backtrack a minimum free energy structure from a 5' section of specified length.

This function allows one to backtrack a secondary structure beginning at the 5' end, a specified length and residing in a specific distance class. If the argument 'k' gets a value of -1, the structure that is backtracked is assumed to reside in the distance class where all structures exceeding the maximum basepair distance specified in [TwoDfold\(\)](#) belong to.

Note

The argument 'vars' must contain precalculated energy values in the energy matrices, i.e. a call to [TwoDfold\(\)](#) preceding this function is mandatory!

Deprecated Use the new API that relies on [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_mfe_TwoD\(\)](#), [vrna_backtrack5_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

Parameters

<i>j</i>	The length in nucleotides beginning from the 5' end
<i>k</i>	distance to reference1 (may be -1)
<i>l</i>	distance to reference2
<i>vars</i>	the datastructure containing all predefined folding attributes

17.30 Calculate Partition Functions of a Distance Based Partitioning

Compute the partition function and stochastically sample secondary structures for a partitioning of the secondary structure space according to the base pair distance to two fixed reference structures.

Collaboration diagram for Calculate Partition Functions of a Distance Based Partitioning:

Data Structures

- struct [vrna_sol_TwoD_pf_t](#)
Solution element returned from [vrna_pf_TwoD\(\)](#) More...

Typedefs

- typedef struct [vrna_sol_TwoD_pf_t](#) [vrna_sol_TwoD_pf_t](#)
Solution element returned from [vrna_pf_TwoD\(\)](#)

Functions

- [vrna_sol_TwoD_pf_t * vrna_pf_TwoD \(vrna_fold_compound_t *vc, int maxDistance1, int maxDistance2\)](#)
Compute the partition function for all distance classes.

17.30.1 Detailed Description

Compute the partition function and stochastically sample secondary structures for a partitioning of the secondary structure space according to the base pair distance to two fixed reference structures.

17.30.2 Data Structure Documentation

17.30.2.1 struct [vrna_sol_TwoD_pf_t](#)

Solution element returned from [vrna_pf_TwoD\(\)](#)

This element contains the partition function for the appropriate kappa (k), lambda (l) neighborhood. The datastructure contains two integer attributes 'k' and 'l' as well as an attribute 'q' of type [FLT_OR_DBL](#)

A value of [INF](#) in k denotes the end of a list

See also

[vrna_pf_TwoD\(\)](#)

Data Fields

- int **k**
Distance to first reference.
- int **l**
Distance to second reference.
- **FLT_OR_DBL q**
partition function

17.30.3 Typedef Documentation**17.30.3.1 vrna_sol_TwoD_pf_t**

```
typedef struct vrna_sol_TwoD_pf_t vrna_sol_TwoD_pf_t
#include <ViennaRNA/2Dpfold.h>
```

Solution element returned from [vrna_pf_TwoD\(\)](#)

This element contains the partition function for the appropriate kappa (k), lambda (l) neighborhood. The datastructure contains two integer attributes 'k' and 'l' as well as an attribute 'q' of type [FLT_OR_DBL](#)

A value of [INF](#) in k denotes the end of a list

See also

[vrna_pf_TwoD\(\)](#)

17.30.4 Function Documentation**17.30.4.1 vrna_pf_TwoD()**

```
vrna_sol_TwoD_pf_t* vrna_pf_TwoD (
    vrna_fold_compound_t * vc,
    int maxDistance1,
    int maxDistance2 )
```

```
#include <ViennaRNA/2Dpfold.h>
```

Compute the partition function for all distance classes.

This function computes the partition functions for all distance classes according the two reference structures specified in the datastructure 'vars'. Similar to [vrna_mfe_TwoD\(\)](#) the arguments maxDistance1 and maxDistance2 specify the maximum distance to both reference structures. A value of '-1' in either of them makes the appropriate distance restrictionless, i.e. all basepair distancies to the reference are taken into account during computation. In case there is a restriction, the returned solution contains an entry where the attribute k=l=-1 contains the partition function for all structures exceeding the restriction. A value of [INF](#) in the attribute 'k' of the returned list denotes the end of the list

See also

[vrna_fold_compound_TwoD\(\)](#), [vrna_fold_compound_free\(\)](#), [vrna_fold_compound](#) [vrna_sol_TwoD_pf_t](#)

Parameters

<i>vc</i>	The datastructure containing all necessary folding attributes and matrices
<i>maxDistance1</i>	The maximum basepair distance to reference1 (may be -1)
<i>maxDistance2</i>	The maximum basepair distance to reference2 (may be -1)

Returns

A list of partition funtions for the correspoding distance classes

17.31 Stochastic Backtracking of Structures from Distance Based Partitioning

Contains functions related to stochastic backtracking from a specified distance class.

Collaboration diagram for Stochastic Backtracking of Structures from Distance Based Partitioning:

Functions

- `char * vrna_pbacktrack_TwoD (vrna_fold_compound_t *vc, int d1, int d2)`
Sample secondary structure representatives from a set of distance classes according to their Boltzmann probability.
- `char * vrna_pbacktrack5_TwoD (vrna_fold_compound_t *vc, int d1, int d2, unsigned int length)`
Sample secondary structure representatives with a specified length from a set of distance classes according to their Boltzmann probability.

17.31.1 Detailed Description

Contains functions related to stochastic backtracking from a specified distance class.

17.31.2 Function Documentation

17.31.2.1 vrna_pbacktrack_TwoD()

```
char* vrna_pbacktrack_TwoD (
    vrna_fold_compound_t * vc,
    int d1,
    int d2 )  
  
#include <ViennaRNA/2Dpfold.h>
```

Sample secondary structure representatives from a set of distance classes according to their Boltzmann probability.

If the argument 'd1' is set to '-1', the structure will be backtracked in the distance class where all structures exceeding the maximum basepair distance to either of the references reside.

Precondition

The argument 'vars' must contain precalculated partition function matrices, i.e. a call to `vrna_pf_TwoD()` preceding this function is mandatory!

See also

[vrna_pf_TwoD\(\)](#)

Parameters

<code>in, out</code>	<code>vc</code>	The <code>vrna_fold_compound_t</code> datastructure containing all necessary folding attributes and matrices
<code>in</code>	<code>d1</code>	The distance to reference1 (may be -1)
<code>in</code>	<code>d2</code>	The distance to reference2

Returns

A sampled secondary structure in dot-bracket notation

17.31.2.2 vrna_pbacktrack5_TwoD()

```
char* vrna_pbacktrack5_TwoD (
    vrna_fold_compound_t * vc,
    int d1,
    int d2,
    unsigned int length )

#include <ViennaRNA/2Dpfold.h>
```

Sample secondary structure representatives with a specified length from a set of distance classes according to their Boltzmann probability.

This function does essentially the same as `vrna_pbacktrack_TwoD()` with the only difference that partial structures, i.e. structures beginning from the 5' end with a specified length of the sequence, are backtracked

Note

This function does not work (since it makes no sense) for circular RNA sequences!

Precondition

The argument 'vars' must contain precalculated partition function matrices, i.e. a call to `vrna_pf_TwoD()` preceding this function is mandatory!

See also

`vrna_pbacktrack_TwoD()`, `vrna_pf_TwoD()`

Parameters

<code>in, out</code>	<code>vc</code>	The <code>vrna_fold_compound_t</code> datastructure containing all necessary folding attributes and matrices
<code>in</code>	<code>d1</code>	The distance to reference1 (may be -1)
<code>in</code>	<code>d2</code>	The distance to reference2
<code>in</code>	<code>length</code>	The length of the structure beginning from the 5' end

Returns

A sampled secondary structure in dot-bracket notation

17.32 Compute the Density of States

Collaboration diagram for Compute the Density of States:

Variables

- int `density_of_states [MAXDOS+1]`

The Density of States.

17.32.1 Detailed Description

17.32.2 Variable Documentation

17.32.2.1 `density_of_states`

```
int density_of_states[MAXDOS+1]

#include <ViennaRNA/subopt.h>
```

The Density of States.

This array contains the density of states for an RNA sequences after a call to `subopt_par()`, `subopt()` or `subopt_circ()`.

Precondition

Call one of the functions `subopt_par()`, `subopt()` or `subopt_circ()` prior accessing the contents of this array

See also

`subopt_par()`, `subopt()`, `subopt_circ()`

17.33 Inverse Folding (Design)

RNA sequence design.

Files

- file `inverse.h`

Inverse folding routines.

Functions

- float `inverse_fold` (char *start, const char *target)
Find sequences with predefined structure.
- float `inverse_pf_fold` (char *start, const char *target)
Find sequence that maximizes probability of a predefined structure.

Variables

- char * `symbolset`
This global variable points to the allowed bases, initially "AUGC". It can be used to design sequences from reduced alphabets.
- float `final_cost`
- int `give_up`
- int `inv_verbose`

17.33.1 Detailed Description

RNA sequence design.

17.33.2 Function Documentation

17.33.2.1 `inverse_fold()`

```
float inverse_fold (
    char * start,
    const char * target )

#include <ViennaRNA/inverse.h>
```

Find sequences with predefined structure.

This function searches for a sequence with minimum free energy structure provided in the parameter 'target', starting with sequence 'start'. It returns 0 if the search was successful, otherwise a structure distance in terms of the energy difference between the search result and the actual target 'target' is returned. The found sequence is returned in 'start'. If `give_up` is set to 1, the function will return as soon as it is clear that the search will be unsuccessful, this speeds up the algorithm if you are only interested in exact solutions.

Parameters

<i>start</i>	The start sequence
<i>target</i>	The target secondary structure in dot-bracket notation

Returns

The distance to the target in case a search was unsuccessful, 0 otherwise

17.33.2.2 inverse_pf_fold()

```
float inverse_pf_fold (
    char * start,
    const char * target )

#include <ViennaRNA/inverse.h>
```

Find sequence that maximizes probability of a predefined structure.

This function searches for a sequence with maximum probability to fold into the provided structure 'target' using the partition function algorithm. It returns $-kT \cdot \log(p)$ where p is the frequency of 'target' in the ensemble of possible structures. This is usually much slower than [inverse_fold\(\)](#).

Parameters

<i>start</i>	The start sequence
<i>target</i>	The target secondary structure in dot-bracket notation

Returns

The distance to the target in case a search was unsuccessful, 0 otherwise

17.33.3 Variable Documentation**17.33.3.1 final_cost**

```
float final_cost

#include <ViennaRNA/inverse.h>

when to stop inverse\_pf\_fold\(\)
```

17.33.3.2 give_up

```
int give_up

#include <ViennaRNA/inverse.h>

default 0: try to minimize structure distance even if no exact solution can be found
```

17.33.3.3 inv_verbose

```
int inv_verbose

#include <ViennaRNA/inverse.h>

print out substructure on which inverse_fold() fails
```

17.34 Neighborhood relation and move sets for secondary structures

Different functions to generate structural neighbors of a secondary structure according to a particular Move Set.

Collaboration diagram for Neighborhood relation and move sets for secondary structures:

Files

- file [neighbor.h](#)

Methods to compute the neighbors of an RNA secondary structure.

Data Structures

- struct [vrna_move_s](#)

An atomic representation of the transition / move from one structure to its neighbor. [More...](#)

Macros

- #define [VRNA_MOVESET_INSERTION](#) 4
Option flag indicating insertion move.
- #define [VRNA_MOVESET_DELETION](#) 8
Option flag indicating deletion move.
- #define [VRNA_MOVESET_SHIFT](#) 16
Option flag indicating shift move.
- #define [VRNA_MOVESET_NO_LP](#) 32
Option flag indicating moves without lonely base pairs.
- #define [VRNA_MOVESET_DEFAULT](#) ([VRNA_MOVESET_INSERTION](#) | [VRNA_MOVESET_DELETION](#))
Option flag indicating default move set, i.e. insertions/deletion of a base pair.

Functions

- void [vrna_move_list_free](#) ([vrna_move_t](#) *moves)
- void [vrna_move_apply](#) (short *pt, const [vrna_move_t](#) *m)
Apply a particular move / transition to a secondary structure, i.e. transform a structure.
- void [vrna_loopidx_update](#) (int *loopidx, const short *pt, int length, const [vrna_move_t](#) *m)
Alters the loopIndices array that was constructed with [vrna_loopidx_from_ptable\(\)](#).
- [vrna_move_t](#) * [vrna_neighbors](#) ([vrna_fold_compound_t](#) *vc, const short *pt, unsigned int options)
Generate neighbors of a secondary structure.
- [vrna_move_t](#) * [vrna_neighbors_successive](#) ([const vrna_fold_compound_t](#) *vc, [const vrna_move_t](#) *curr←_move, const short *prev_pt, [const vrna_move_t](#) *prev_neighbors, int size_prev_neighbors, int *size←_neighbors, unsigned int options)
Generate neighbors of a secondary structure (the fast way)

17.34.1 Detailed Description

Different functions to generate structural neighbors of a secondary structure according to a particular Move Set.

This module contains methods to compute the neighbors of an RNA secondary structure. Neighbors of a given structure are all structures that differ in exactly one base pair. That means one can insert or delete base pairs in the given structure. These insertions and deletions of base pairs are usually called moves. A third move which is considered in these methods is a shift move. A shifted base pair has one stable position and one position that changes. These moves are encoded as follows:

- insertion: (i, j) where $i, j > 0$
 - deletion: (i, j) where $i, j < 0$
shift: (i, j) where either $i > 0, j < 0$ or $i < 0, j > 0$
- The negative position of a shift indicates the position that has changed.

Example:

```
We have given a sequence and a structure.
Sequence AAGGAAACC
Structure ..(....)
Indices 123456789
```

```
The given base pair is (3,9) and the neighbors are the insertion (4, 8), the deletion (-3,-9), the
shift (3,-8)
and the shift (-4, 9).
This leads to the neighbored structures:
...(..)
.....
```

```
...(..).
....(....)
```


```
....(...)
```

A simple method to construct all insertions is to iterate over the positions of a sequence twice. The first iteration has the index i in $[1, \text{sequence length}]$, the second iteration has the index j in $[i+1, \text{sequence length}]$. All pairs (i,j) with compatible letters and which are non-crossing with present base pairs are valid neighbored insertion moves. Valid deletion moves are all present base pairs with negative sign. Valid shift moves are constructed by taking all paired positions as fix position of a shift move and iterating over all positions of the sequence. If the letters of a position are compatible and if it the move is non-crossing with existing base pairs, we have a valid shift move. The method of generating shift moves can be accelerated by skipping neighbored base pairs.

If we need to construct all neighbors several times for subsequent moves, we can speed up the task by using the move set of the previous structure. The previous move set has to be filtered, such that all moves that would cross the next selected move are non-crossing. Next, the selected move has to be removed. Then one has to only to generate all moves that were not possible before. One move is the inverted selected move (if it was an insertion, simply make the indices negative). The generation of all other new moves is different and depends on the selected move. It is easy for an insertion move, because we have only to include all non-crossing shift moves, that are possible with the new base pair. For that we can either iterate over the sequence or we can select all crossing shift moves in the filter procedure and convert them into shifts.

The generation of new moves given a deletion is a little bit more complex, because we can create more moves. At first we can insert the deleted pair as insertion move. Then we generate all insertions that would have crossed the deleted base pair. Finally we construct all crossing shift moves.

If the given move is a shift, we can save much time by specifying the intervals for the generation of new moves. The interval which was enclosed by the positive position of the shift move and the previous paired position is the freed interval after applying the move. This freed interval includes all positions and base pairs that we need to construct new insertions and shifts. All these new moves have one position in the freed interval and the other position in the environment of the freed interval. The environment are all position which are outside the freed interval, but within the same enclosing loop of the shift move. The environment for valid base pairs can be divided into one or more intervals, depending on the shift move. The following examples describe a few scenarios to specify the intervals of the environment.



Given the intervals of the environment and the freed interval, the new shift moves can be constructed quickly. One has to take all positions of pairs from the environment in order to create valid pairs with positions in the freed interval. The same procedure can be applied for the other direction. This is taking all paired positions within the freed interval in order to look for pairs with valid positions in the intervals of the environment.

17.34.2 Data Structure Documentation

17.34.2.1 struct vrna_move_s

An atomic representation of the transition / move from one structure to its neighbor.

An atomic transition / move may be (a) the insertion of a base pair (both fields are positive), (b) the deletion of a base pair (both fields are negative), or (c) a base pair shift where one position stays constant while the other is allowed to shift along the same loop it resides in (one field position and the other negative, where the positive field indicates the constant position and the absolute value of the negative field is the new position of the pairing partner).

A value of 0 is either field is typically used to indicate the lists last element.

Collaboration diagram for vrna_move_s:

Data Fields

- int pos_5
- int pos_3
- vrna_move_t * next

17.34.2.1.1 Field Documentation

17.34.2.1.1.1 pos_5

```
int vrna_move_s::pos_5
```

The 5' position of a base pair, or any position of a shifted pair

17.34.2.1.1.2 pos_3

```
int vrna_move_s::pos_3
```

The 3' position of a base pair, or any position of a shifted pair

17.34.2.1.1.3 next

```
vrna_move_t* vrna_move_s::next
```

The next base pair (if an elementary move changes more than one base pair) Has to be terminated with move 0,0

17.34.3 Macro Definition Documentation

17.34.3.1 VRNA_MOVESET_INSERTION

```
#define VRNA_MOVESET_INSERTION 4  
  
#include <ViennaRNA/neighbor.h>
```

Option flag indicating insertion move.

See also

[vrna_neighbors\(\)](#), [vrna_neighbors_successive\(\)](#), [vrna_path\(\)](#)

17.34.3.2 VRNA_MOVESET_DELETION

```
#define VRNA_MOVESET_DELETION 8  
  
#include <ViennaRNA/neighbor.h>
```

Option flag indicating deletion move.

See also

[vrna_neighbors\(\)](#), [vrna_neighbors_successive\(\)](#), [vrna_path\(\)](#)

17.34.3.3 VRNA_MOVESET_SHIFT

```
#define VRNA_MOVESET_SHIFT 16
#include <ViennaRNA/neighbor.h>
```

Option flag indicating shift move.

See also

[vrna_neighbors\(\)](#), [vrna_neighbors_successive\(\)](#), [vrna_path\(\)](#)

17.34.3.4 VRNA_MOVESET_NO_LP

```
#define VRNA_MOVESET_NO_LP 32
#include <ViennaRNA/neighbor.h>
```

Option flag indicating moves without lonely base pairs.

See also

[vrna_neighbors\(\)](#), [vrna_neighbors_successive\(\)](#), [vrna_path\(\)](#)

17.34.3.5 VRNA_MOVESET_DEFAULT

```
#define VRNA_MOVESET_DEFAULT (VRNA_MOVESET_INSERTION | VRNA_MOVESET_DELETION)
#include <ViennaRNA/neighbor.h>
```

Option flag indicating default move set, i.e. insertions/deletion of a base pair.

See also

[vrna_neighbors\(\)](#), [vrna_neighbors_successive\(\)](#), [vrna_path\(\)](#)

17.34.4 Function Documentation

17.34.4.1 vrna_move_list_free()

```
void vrna_move_list_free (
    vrna_move_t * moves )
#include <ViennaRNA/neighbor.h>
```

delete all moves in a zero terminated list.

17.34.4.2 vrna_move_apply()

```
void vrna_move_apply (
    short * pt,
    const vrna_move_t * m )
#include <ViennaRNA/neighbor.h>
```

Apply a particular move / transition to a secondary structure, i.e. transform a structure.

Parameters

in, out	<i>pt</i>	The pair table representation of the secondary structure
in	<i>m</i>	The move to apply

17.34.4.3 vrna_loopidx_update()

```
void vrna_loopidx_update (
    int * loopidx,
    const short * pt,
    int length,
    const vrna_move_t * m )

#include <ViennaRNA/neighbor.h>
```

Alters the loopIndices array that was constructed with [vrna_loopidx_from_ptable\(\)](#).

The loopIndex of the current move will be inserted. The correctness of the input will not be checked because the speed should be optimized.

Parameters

in, out	<i>loopidx</i>	The loop index data structure that needs an update
in	<i>pt</i>	A pair table on which the move will be executed
	<i>length</i>	The length of the structure
in	<i>m</i>	The move that is applied to the current structure

17.34.4.4 vrna_neighbors()

```
vrna_move_t* vrna_neighbors (
    vrna_fold_compound_t * vc,
    const short * pt,
    unsigned int options )
```

```
#include <ViennaRNA/neighbor.h>
```

Generate neighbors of a secondary structure.

This function allows one to generate all structural neighbors (according to a particular move set) of an RNA secondary structure. The neighborhood is then returned as a list of transitions / moves required to transform the current structure into the actual neighbor.

See also

[vrna_neighbors_successive\(\)](#), [vrna_move_apply\(\)](#), [VRNA_MOVESET_INSERTION](#), [VRNA_MOVESET_DELETION](#), [VRNA_MOVESET_SHIFT](#), [VRNA_MOVESET_DEFAULT](#)

Parameters

in	<i>vc</i>	A vrna_fold_compound_t containing the energy parameters and model details
in	<i>pt</i>	The pair table representation of the structure
	<i>options</i>	Options to modify the behavior of this function, e.g. available move set

Returns

Neighbors as a list of moves / transitions (the last element in the list has both of its fields set to 0)

17.34.4.5 vrna_neighbors_successive()

```
vrna_move_t* vrna_neighbors_successive (
    const vrna_fold_compound_t * vc,
    const vrna_move_t * curr_move,
    const short * prev_pt,
    const vrna_move_t * prev_neighbors,
    int size_prev_neighbors,
    int * size_neighbors,
    unsigned int options )
```

```
#include <ViennaRNA/neighbor.h>
```

Generate neighbors of a secondary structure (the fast way)

This function implements a fast way to generate all neighbors of a secondary structure that results from successive applications of individual moves. The speed-up results from updating an already known list of valid neighbors before the individual move towards the current structure took place. In essence, this function removes neighbors that are not accessible anymore and inserts neighbors emerging after a move took place.

See also

[vrna_neighbors\(\)](#), [vrna_move_apply\(\)](#), [VRNA_MOVESET_INSERTION](#), [VRNA_MOVESET_DELETION](#), [VRNA_MOVESET_SHIFT](#), [VRNA_MOVESET_DEFAULT](#)

Parameters

in	<i>vc</i>	A vrna_fold_compound_t containing the energy parameters and model details
in	<i>curr_move</i>	The move that was/will be applied to <i>prev_pt</i>
in	<i>prev_pt</i>	A pair table representation of the structure before <i>curr_move</i> is/was applied
in	<i>prev_neighbors</i>	The list of neighbors of <i>prev_pt</i>
	<i>size_prev_neighbors</i>	The size of <i>prev_neighbors</i> , i.e. the lists length
out	<i>size_neighbors</i>	A pointer to store the size / length of the new neighbor list
	<i>options</i>	Options to modify the behavior of this function, e.g. available move set

Returns

Neighbors as a list of moves / transitions (the last element in the list has both of its fields set to 0)

17.35 Refolding paths of secondary structures

Collaboration diagram for Refolding paths of secondary structures:

Modules

- Direct refolding paths between two secondary structures

Heuristics to explore direct, optimal (re-)folding paths between two secondary structures.

Files

- file `findpath.h`

A breadth-first search heuristic for optimal direct folding paths.

- file `walk.h`

Methods to generate particular paths such as gradient or random walks through the energy landscape of an RNA sequence.

Macros

- `#define VRNA_PATH_STEEPEST_DESCENT 128`

Option flag to request a steepest descent / gradient path.

- `#define VRNA_PATH_RANDOM 256`

Option flag to request a random walk path.

- `#define VRNA_PATH_NO_TRANSITION_OUTPUT 512`

Option flag to omit returning the transition path.

- `#define VRNA_PATH_DEFAULT (VRNA_PATH_STEEPEST_DESCENT | VRNA_MOVESET_DEFAULT)`

Option flag to request defaults (steepest descent / default move set)

Functions

- `vrna_move_t * vrna_path (vrna_fold_compound_t *vc, short *pt, unsigned int steps, unsigned int options)`

Compute a path, store the final structure, and return a list of transition moves from the start to the final structure.

- `vrna_move_t * vrna_path_gradient (vrna_fold_compound_t *vc, short *pt, unsigned int options)`

Compute a steepest descent / gradient path, store the final structure, and return a list of transition moves from the start to the final structure.

- `vrna_move_t * vrna_path_random (vrna_fold_compound_t *vc, short *pt, unsigned int steps, unsigned int options)`

Generate a random walk / path of a given length, store the final structure, and return a list of transition moves from the start to the final structure.

17.35.1 Detailed Description

17.35.2 Macro Definition Documentation

17.35.2.1 VRNA_PATH_STEEPEST_DESCENT

```
#define VRNA_PATH_STEEPEST_DESCENT 128  
  
#include <ViennaRNA/walk.h>
```

Option flag to request a steepest descent / gradient path.

See also

[vrna_path\(\)](#)

17.35.2.2 VRNA_PATH_RANDOM

```
#define VRNA_PATH_RANDOM 256  
  
#include <ViennaRNA/walk.h>
```

Option flag to request a random walk path.

See also

[vrna_path\(\)](#)

17.35.2.3 VRNA_PATH_NO_TRANSITION_OUTPUT

```
#define VRNA_PATH_NO_TRANSITION_OUTPUT 512  
  
#include <ViennaRNA/walk.h>
```

Option flag to omit returning the transition path.

See also

[vrna_path\(\)](#), [vrna_path_gradient\(\)](#), [vrna_path_random\(\)](#)

17.35.2.4 VRNA_PATH_DEFAULT

```
#define VRNA_PATH_DEFAULT (VRNA_PATH_STEEPEST_DESCENT | VRNA_MOVESET_DEFAULT)  
  
#include <ViennaRNA/walk.h>
```

Option flag to request defaults (steepest descent / default move set)

See also

[vrna_path\(\)](#), [VRNA_PATH_STEEPEST_DESCENT](#), [VRNA_MOVESET_DEFAULT](#)

17.35.3 Function Documentation

17.35.3.1 vrna_path()

```
vrna_move_t* vrna_path (
    vrna_fold_compound_t * vc,
    short * pt,
    unsigned int steps,
    unsigned int options )
```

```
#include <ViennaRNA/walk.h>
```

Compute a path, store the final structure, and return a list of transition moves from the start to the final structure.

This function computes, given a start structure in pair table format, a transition path, updates the pair table to the final structure of the path. Finally, if not requested otherwise by using the `VRNA_PATH_NO_TRANSITION_OUTPUT` flag in the `options` field, this function returns a list of individual transitions that lead from the start to the final structure if requested.

The currently available transition paths are

- Steepest Descent / Gradient walk (flag: `VRNA_PATH_STEEPEST_DESCENT`)
- Random walk (flag: `VRNA_PATH_RANDOM`)

The type of transitions must be set through the `options` parameter

Note

Since the result is written to the input structure you may want to use `vrna_ptable_copy()` before calling this function to keep the initial structure

See also

`vrna_path_gradient()`, `vrna_path_random()`, `vrna_ptable()`, `vrna_ptable_copy()`, `vrna_fold_compound()`,
`VRNA_PATH_STEEPEST_DESCENT`, `VRNA_PATH_RANDOM`, `VRNA_MOVESET_DEFAULT`, `VRNA_MOVESET_SHIFT`,
`VRNA_PATH_NO_TRANSITION_OUTPUT`

Parameters

<code>in</code>	<code>vc</code>	A <code>vrna_fold_compound_t</code> containing the energy parameters and model details
<code>in, out</code>	<code>pt</code>	The pair table containing the start structure. Used to update to the final structure after execution of this function
<code>in</code>	<code>options</code>	Options to modify the behavior of this function

Returns

A list of transition moves (default), or NULL (if `options & VRNA_PATH_NO_TRANSITION_OUTPUT`)

17.35.3.2 vrna_path_gradient()

```
vrna_move_t* vrna_path_gradient (
    vrna_fold_compound_t * vc,
    short * pt,
    unsigned int options )
```

#include <ViennaRNA/walk.h>

Compute a steepest descent / gradient path, store the final structure, and return a list of transition moves from the start to the final structure.

This function computes, given a start structure in pair table format, a steepest descent path, updates the pair table to the final structure of the path. Finally, if not requested otherwise by using the [VRNA_PATH_NO_TRANSITION_OUTPUT](#) flag in the `options` field, this function returns a list of individual transitions that lead from the start to the final structure if requested.

Note

Since the result is written to the input structure you may want to use [vrna_ptable_copy\(\)](#) before calling this function to keep the initial structure

See also

[vrna_path_random\(\)](#), [vrna_path\(\)](#), [vrna_ptable\(\)](#), [vrna_ptable_copy\(\)](#), [vrna_fold_compound\(\)](#) [VRNA_MOVESET_DEFAULT](#), [VRNA_MOVESET_SHIFT](#), [VRNA_PATH_NO_TRANSITION_OUTPUT](#)

Parameters

in	<code>vc</code>	A <code>vrna_fold_compound_t</code> containing the energy parameters and model details
in, out	<code>pt</code>	The pair table containing the start structure. Used to update to the final structure after execution of this function
in	<code>options</code>	Options to modify the behavior of this function

Returns

A list of transition moves (default), or NULL (if options & [VRNA_PATH_NO_TRANSITION_OUTPUT](#))

17.35.3.3 vrna_path_random()

```
vrna_move_t* vrna_path_random (
    vrna_fold_compound_t * vc,
    short * pt,
    unsigned int steps,
    unsigned int options )
```

#include <ViennaRNA/walk.h>

Generate a random walk / path of a given length, store the final structure, and return a list of transition moves from the start to the final structure.

This function generates, given a start structure in pair table format, a random walk / path, updates the pair table to the final structure of the path. Finally, if not requested otherwise by using the [VRNA_PATH_NO_TRANSITION_OUTPUT](#) flag in the `options` field, this function returns a list of individual transitions that lead from the start to the final structure if requested.

Note

Since the result is written to the input structure you may want to use [vrna_ptable_copy\(\)](#) before calling this function to keep the initial structure

See also

[vrna_path_gradient\(\)](#), [vrna_path\(\)](#), [vrna_ptable\(\)](#), [vrna_ptable_copy\(\)](#), [vrna_fold_compound\(\)](#) [VRNA_MOVESET_DEFAULT](#), [VRNA_MOVESET_SHIFT](#), [VRNA_PATH_NO_TRANSITION_OUTPUT](#)

Parameters

in	<i>vc</i>	A <code>vrna_fold_compound_t</code> containing the energy parameters and model details
in, out	<i>pt</i>	The pair table containing the start structure. Used to update to the final structure after execution of this function
in	<i>steps</i>	The length of the path, i.e. the total number of transitions / moves
in	<i>options</i>	Options to modify the behavior of this function

Returns

A list of transition moves (default), or NULL (if options & [VRNA_PATH_NO_TRANSITION_OUTPUT](#))

17.36 Experimental structure probing data

Include experimental structure probing data to guide structure predictions.

Collaboration diagram for Experimental structure probing data:

Modules

- [SHAPE reactivity data](#)

Incorporate SHAPE reactivity structure probing data into the folding recursions by means of soft constraints.

- [Generate soft constraints from data](#)

Find a vector of perturbation energies that minimizes the discrepancies between predicted and observed pairing probabilities and the amount of necessary adjustments.

17.36.1 Detailed Description

Include experimental structure probing data to guide structure predictions.

17.37 SHAPE reactivity data

Incorporate SHAPE reactivity structure probing data into the folding recursions by means of soft constraints.

Collaboration diagram for SHAPE reactivity data:

Files

- file `constraints_SHAPE.h`

This module provides function to incorporate SHAPE reactivity data into the folding recursions by means of soft constraints.

Functions

- int `vrna_sc_add_SHAPE_deigan` (`vrna_fold_compound_t` *vc, const double *reactivities, double m, double b, unsigned int options)
Add SHAPE reactivity data as soft constraints (Deigan et al. method)
- int `vrna_sc_add_SHAPE_deigan_ali` (`vrna_fold_compound_t` *vc, const char **shape_files, const int *shape_file_association, double m, double b, unsigned int options)
Add SHAPE reactivity data from files as soft constraints for consensus structure prediction (Deigan et al. method)
- int `vrna_sc_add_SHAPE_zarringhalam` (`vrna_fold_compound_t` *vc, const double *reactivities, double b, double default_value, const char *shape_conversion, unsigned int options)
Add SHAPE reactivity data as soft constraints (Zarringhalam et al. method)
- int `vrna_sc_SHAPE_to_pr` (const char *shape_conversion, double *values, int length, double default_value)
Convert SHAPE reactivity values to probabilities for being unpaired.

17.37.1 Detailed Description

Incorporate SHAPE reactivity structure probing data into the folding recursions by means of soft constraints.

Details for our implementation to incorporate SHAPE reactivity data to guide secondary structure prediction can be found in [13]

17.37.2 Function Documentation

17.37.2.1 vrna_sc_add_SHAPE_deigan()

```
int vrna_sc_add_SHAPE_deigan (
    vrna_fold_compound_t * vc,
    const double * reactivities,
    double m,
    double b,
    unsigned int options )
```

#include <ViennaRNA/constraints_SHAPE.h>

Add SHAPE reactivity data as soft constraints (Deigan et al. method)

This approach of SHAPE directed RNA folding uses the simple linear ansatz

$$\Delta G_{\text{SHAPE}}(i) = m \ln(\text{SHAPE reactivity}(i) + 1) + b$$

to convert SHAPE reactivity values to pseudo energies whenever a nucleotide i contributes to a stacked pair. A positive slope m penalizes high reactivities in paired regions, while a negative intercept b results in a confirmatory "bonus" free energy for correctly predicted base pairs. Since the energy evaluation of a base pair stack involves two pairs, the pseudo energies are added for all four contributing nucleotides. Consequently, the energy term is applied twice for pairs inside a helix and only once for pairs adjacent to other structures. For all other loop types the energy model remains unchanged even when the experimental data highly disagrees with a certain motif.

See also

For further details, we refer to [4].

[vrna_sc_remove\(\)](#), [vrna_sc_add_SHAPE_zarringhalam\(\)](#), [vrna_sc_minimize_perturbation\(\)](#)

Parameters

<i>vc</i>	The vrna_fold_compound_t the soft constraints are associated with
<i>reactivities</i>	A vector of normalized SHAPE reactivities
<i>m</i>	The slope of the conversion function
<i>b</i>	The intercept of the conversion function
<i>options</i>	The options flag indicating how/where to store the soft constraints

Returns

1 on successful extraction of the method, 0 on errors

SWIG Wrapper Notes This function is attached as method [sc_add_SHAPE_deigan\(\)](#) to objects of type *fold_<-compound*

17.37.2.2 vrna_sc_add_SHAPE_deigan_ali()

```
int vrna_sc_add_SHAPE_deigan_ali (
    vrna_fold_compound_t * vc,
    const char ** shape_files,
```

```

    const int * shape_file_association,
    double m,
    double b,
    unsigned int options )
}

#include <ViennaRNA/constraints_SHAPE.h>

```

Add SHAPE reactivity data from files as soft constraints for consensus structure prediction (Deigan et al. method)

Parameters

<i>vc</i>	The <code>vrna_fold_compound_t</code> the soft constraints are associated with
<i>shape_files</i>	A set of filenames that contain normalized SHAPE reactivity data
<i>shape_file_association</i>	An array of integers that associate the files with sequences in the alignment
<i>m</i>	The slope of the conversion function
<i>b</i>	The intercept of the conversion function
<i>options</i>	The options flag indicating how/where to store the soft constraints

Returns

1 on successful extraction of the method, 0 on errors

SWIG Wrapper Notes This function is attached as method `sc_add_SHAPE_deigan_ali()` to objects of type *fold ← compound*

17.37.2.3 vrna_sc_add_SHAPE_zarringhalam()

```

int vrna_sc_add_SHAPE_zarringhalam (
    vrna_fold_compound_t * vc,
    const double * reactivities,
    double b,
    double default_value,
    const char * shape_conversion,
    unsigned int options )

#include <ViennaRNA/constraints_SHAPE.h>

```

Add SHAPE reactivity data as soft constraints (Zarringhalam et al. method)

This method first converts the observed SHAPE reactivity of nucleotide i into a probability q_i that position i is unpaired by means of a non-linear map. Then pseudo-energies of the form

$$\Delta G_{\text{SHAPE}}(x, i) = \beta |x_i - q_i|$$

are computed, where $x_i = 0$ if position i is unpaired and $x_i = 1$ if i is paired in a given secondary structure. The parameter β serves as scaling factor. The magnitude of discrepancy between prediction and experimental observation is represented by $|x_i - q_i|$.

See also

For further details, we refer to [22]

`vrna_sc_remove()`, `vrna_sc_add_SHAPE_deigan()`, `vrna_sc_minimize_perturbation()`

Parameters

<i>vc</i>	The <code>vrna_fold_compound_t</code> the soft constraints are associated with
<i>reactivities</i>	A vector of normalized SHAPE reactivities
<i>b</i>	The scaling factor β of the conversion function
<i>default_value</i>	The default value for a nucleotide where reactivity data is missing for
<i>shape_conversion</i>	A flag that specifies how to convert reactivities to probabilities
<i>options</i>	The options flag indicating how/where to store the soft constraints

Returns

1 on successful extraction of the method, 0 on errors

SWIG Wrapper Notes This function is attached as method `sc_add_SHAPE_zarringhalam()` to objects of type `fold_compound`

17.37.2.4 `vrna_sc_SHAPE_to_pr()`

```
int vrna_sc_SHAPE_to_pr (
    const char * shape_conversion,
    double * values,
    int length,
    double default_value )

#include <ViennaRNA/constraints_SHAPE.h>
```

Convert SHAPE reactivity values to probabilities for being unpaired.

This function parses the informations from a given file and stores the result in the preallocated string sequence and the `FLT_OR_DBL` array values.

See also

[vrna_file_SHAPE_read\(\)](#)

Parameters

<i>shape_conversion</i>	String defining the method used for the conversion process
<i>values</i>	Pointer to an array of SHAPE reactivities
<i>length</i>	Length of the array of SHAPE reactivities
<i>default_value</i>	Result used for position with invalid/missing reactivity values

17.38 Generate soft constraints from data

Find a vector of perturbation energies that minimizes the discrepancies between predicted and observed pairing probabilities and the amount of necessary adjustments.

Collaboration diagram for Generate soft constraints from data:

Files

- file `perturbation_fold.h`

Find a vector of perturbation energies that minimizes the discrepancies between predicted and observed pairing probabilities and the amount of necessary adjustments.

Macros

- `#define VRNA_OBJECTIVE_FUNCTION_QUADRATIC 0`
Use the sum of squared aberrations as objective function.
- `#define VRNA_OBJECTIVE_FUNCTION_ABSOLUTE 1`
Use the sum of absolute aberrations as objective function.
- `#define VRNA_MINIMIZER_DEFAULT 0`
Use a custom implementation of the gradient descent algorithm to minimize the objective function.
- `#define VRNA_MINIMIZER_CONJUGATE_FR 1`
Use the GNU Scientific Library implementation of the Fletcher-Reeves conjugate gradient algorithm to minimize the objective function.
- `#define VRNA_MINIMIZER_CONJUGATE_PR 2`
Use the GNU Scientific Library implementation of the Polak-Ribiere conjugate gradient algorithm to minimize the objective function.
- `#define VRNA_MINIMIZER_VECTOR_BFGS 3`
Use the GNU Scientific Library implementation of the vector Broyden-Fletcher-Goldfarb-Shanno algorithm to minimize the objective function.
- `#define VRNA_MINIMIZER_VECTOR_BFGS2 4`
Use the GNU Scientific Library implementation of the vector Broyden-Fletcher-Goldfarb-Shanno algorithm to minimize the objective function.
- `#define VRNA_MINIMIZER_STEEPEST_DESCENT 5`
Use the GNU Scientific Library implementation of the steepest descent algorithm to minimize the objective function.

Typedefs

- `typedef void(* progress_callback) (int iteration, double score, double *epsilon)`
Callback for following the progress of the minimization process.

Functions

- `void vrna_sc_minimize_perturbation (vrna_fold_compound_t *vc, const double *q_prob_unpaired, int objective_function, double sigma_squared, double tau_squared, int algorithm, int sample_size, double *epsilon, double initialStepSize, double minStepSize, double minImprovement, double minimizerTolerance, progress_callback callback)`

Find a vector of perturbation energies that minimizes the discrepancies between predicted and observed pairing probabilities and the amount of necessary adjustments.

17.38.1 Detailed Description

Find a vector of perturbation energies that minimizes the discrepancies between predicted and observed pairing probabilities and the amount of necessary adjustments.

17.38.2 Macro Definition Documentation

17.38.2.1 VRNA_OBJECTIVE_FUNCTION_QUADRATIC

```
#define VRNA_OBJECTIVE_FUNCTION_QUADRATIC 0

#include <ViennaRNA/perturbation_fold.h>
```

Use the sum of squared aberrations as objective function.

$$F(\vec{\epsilon}) = \sum_{i=1}^n \frac{\epsilon_i^2}{\tau^2} + \sum_{i=1}^n \frac{(p_i(\vec{\epsilon}) - q_i)^2}{\sigma^2} \rightarrow \min$$

17.38.2.2 VRNA_OBJECTIVE_FUNCTION_ABSOLUTE

```
#define VRNA_OBJECTIVE_FUNCTION_ABSOLUTE 1

#include <ViennaRNA/perturbation_fold.h>
```

Use the sum of absolute aberrations as objective function.

$$F(\vec{\epsilon}) = \sum_{i=1}^n \frac{|\epsilon_i|}{\tau^2} + \sum_{i=1}^n \frac{|p_i(\vec{\epsilon}) - q_i|}{\sigma^2} \rightarrow \min$$

17.38.2.3 VRNA_MINIMIZER_CONJUGATE_FR

```
#define VRNA_MINIMIZER_CONJUGATE_FR 1

#include <ViennaRNA/perturbation_fold.h>
```

Use the GNU Scientific Library implementation of the Fletcher-Reeves conjugate gradient algorithm to minimize the objective function.

Please note that this algorithm can only be used when the GNU Scientific Library is available on your system

17.38.2.4 VRNA_MINIMIZER_CONJUGATE_PR

```
#define VRNA_MINIMIZER_CONJUGATE_PR 2

#include <ViennaRNA/perturbation_fold.h>
```

Use the GNU Scientific Library implementation of the Polak-Ribiere conjugate gradient algorithm to minimize the objective function.

Please note that this algorithm can only be used when the GNU Scientific Library is available on your system

17.38.2.5 VRNA_MINIMIZER_VECTOR_BFGS

```
#define VRNA_MINIMIZER_VECTOR_BFGS 3

#include <ViennaRNA/perturbation_fold.h>
```

Use the GNU Scientific Library implementation of the vector Broyden-Fletcher-Goldfarb-Shanno algorithm to minimize the objective function.

Please note that this algorithm can only be used when the GNU Scientific Library is available on your system

17.38.2.6 VRNA_MINIMIZER_VECTOR_BFGS2

```
#define VRNA_MINIMIZER_VECTOR_BFGS2 4

#include <ViennaRNA/perturbation_fold.h>
```

Use the GNU Scientific Library implementation of the vector Broyden-Fletcher-Goldfarb-Shanno algorithm to minimize the objective function.

Please note that this algorithm can only be used when the GNU Scientific Library is available on your system

17.38.2.7 VRNA_MINIMIZER_STEEPEST_DESCENT

```
#define VRNA_MINIMIZER_STEEPEST_DESCENT 5

#include <ViennaRNA/perturbation_fold.h>
```

Use the GNU Scientific Library implementation of the steepest descent algorithm to minimize the objective function.

Please note that this algorithm can only be used when the GNU Scientific Library is available on your system

17.38.3 Typedef Documentation

17.38.3.1 progress_callback

```
typedef void(* progress_callback) (int iteration, double score, double *epsilon)

#include <ViennaRNA/perturbation_fold.h>
```

Callback for following the progress of the minimization process.

Parameters

<i>iteration</i>	The number of the current iteration
<i>score</i>	The score of the objective function
<i>epsilon</i>	The perturbation vector yielding the reported score

17.38.4 Function Documentation

17.38.4.1 vrna_sc_minimize_perturbation()

```
void vrna_sc_minimize_perturbation (
    vrna_fold_compound_t * vc,
    const double * q_prob_unpaired,
    int objective_function,
    double sigma_squared,
    double tau_squared,
    int algorithm,
    int sample_size,
    double * epsilon,
    double initialStepSize,
    double minStepSize,
    double minImprovement,
    double minimizerTolerance,
    progress_callback callback )
```

#include <ViennaRNA/perturbation_fold.h>

Find a vector of perturbation energies that minimizes the discrepancies between predicted and observed pairing probabilities and the amount of necessary adjustments.

Use an iterative minimization algorithm to find a vector of perturbation energies whose incorporation as soft constraints shifts the predicted pairing probabilities closer to the experimentally observed probabilities. The algorithm aims to minimize an objective function that penalizes discrepancies between predicted and observed pairing probabilities and energy model adjustments, i.e. an appropriate vector of perturbation energies satisfies

$$F(\vec{\epsilon}) = \sum_{\mu} \frac{\epsilon_{\mu}^2}{\tau^2} + \sum_{i=1}^n \frac{(p_i(\vec{\epsilon}) - q_i)^2}{\sigma^2} \rightarrow \min .$$

An initialized fold compound and an array containing the observed probability for each nucleotide to be unbound are required as input data. The parameters `objective_function`, `sigma_squared` and `tau_squared` are responsible for adjusting the aim of the objective function. Dependend on which type of objective function is selected, either squared or absolute aberrations are contributing to the objective function. The ratio of the parameters `sigma_squared` and `tau_squared` can be used to adjust the algorithm to find a solution either close to the thermodynamic prediction (`sigma_squared >> tau_squared`) or close to the experimental data (`tau_squared >> sigma_squared`). The minimization can be performed by makeing use of a custom gradient descent implementation or using one of the minimizing algorithms provided by the GNU Scientific Library. All algorithms require the evaluation of the gradient of the objective function, which includes the evaluation of conditional pairing probabilites. Since an exact evaluation is expensive, the probabilities can also be estimated from sampling by setting an appropriate sample size. The found vector of perturbation energies will be stored in the array `epsilon`. The progress of the minimization process can be tracked by implementing and passing a callback function.

See also

For further details we refere to [20].

Parameters

<code>vc</code>	Pointer to a fold compound
-----------------	----------------------------

Parameters

<i>q_prob_unpaired</i>	Pointer to an array containing the probability to be unpaired for each nucleotide
<i>objective_function</i>	The type of objective function to be used (VRNA_OBJECTIVE_FUNCTION_QUADRATIC / VRNA_OBJECTIVE_FUNCTION_LINEAR)
<i>sigma_squared</i>	A factor used for weighting the objective function. More weight on this factor will lead to a solution close to the null vector.
<i>tau_squared</i>	A factor used for weighting the objective function. More weight on this factor will lead to a solution close to the data provided in <i>q_prob_unpaired</i> .
<i>algorithm</i>	The minimization algorithm (VRNA_MINIMIZER_*)
<i>sample_size</i>	The number of sampled sequences used for estimating the pairing probabilities. A value <= 0 will lead to an exact evaluation.
<i>epsilon</i>	A pointer to an array used for storing the calculated vector of perturbation energies
<i>callback</i>	A pointer to a callback function used for reporting the current minimization progress

17.39 Ligands binding to RNA structures

Simple extensions to model ligand binding to RNA structures.

Collaboration diagram for Ligands binding to RNA structures:

Modules

- [Ligands binding to unstructured domains](#)
Add ligand binding to loop regions using the [Unstructured domains](#) feature.
- [Incorporating ligands binding to specific sequence/structure motifs using soft constraints](#)
Ligand binding to specific hairpin/interior loop like motifs using the [Soft constraints](#) feature.

Files

- file [constraints_ligand.h](#)
Functions for incorporation of ligands binding to hairpin and interior loop motifs using the soft constraints framework.

17.39.1 Detailed Description

Simple extensions to model ligand binding to RNA structures.

17.40 Ligands binding to unstructured domains

Add ligand binding to loop regions using the [Unstructured domains](#) feature.

Collaboration diagram for Ligands binding to unstructured domains:

Add ligand binding to loop regions using the [Unstructured domains](#) feature.

Sometime, certain ligands, like single strand binding (SSB) proteins, compete with intramolecular base pairing of the RNA. In situations, where the dissociation constant of the ligand is known and the ligand binds to a consecutive stretch of single-stranded nucleotides we can use the [Unstructured domains](#) functionality to extend the RNA folding grammar. This module provides a convenience default implementation that covers most of the application scenarios.

The function `vrna_ud_add_motif()` attaches a ligands sequence motif and corresponding binding free energy to the list of known ligand motifs within a `vrna_fold_compound_t.domains_up` attribute. The first call to this function initializes the [Unstructured domains](#) feature with our default implementation. Subsequent calls of secondary structure prediction algorithms with the modified `vrna_fold_compound_t` then directly include the competition of the ligand with regules base pairing. Since we utilize the unstructured domain extension, The ligand binding model can be removed again using the `vrna_ud_remove()` function.

17.41 Incorporating ligands binding to specific sequence/structure motifs using soft constraints

Ligand binding to specific hairpin/interior loop like motifs using the [Soft constraints](#) feature.

Collaboration diagram for Incorporating ligands binding to specific sequence/structure motifs using soft constraints:


Functions

- int [vrna_sc_add_hi_motif](#) (vrna_fold_compound_t *vc, const char *seq, const char *structure, [FLT_OR_DBL](#) energy, unsigned int options)
- Add soft constraints for hairpin or interior loop binding motif.*

17.41.1 Detailed Description

Ligand binding to specific hairpin/interior loop like motifs using the [Soft constraints](#) feature.

Here is an example that adds a theophylline binding motif. Free energy contribution is derived from $k_d = 0.32\mu\text{mol}/l$, taken from Jenison et al. 1994



```
vrna_sc_add_hi_motif( vc,
    "GAUACCAG&CCCUUGGCAGC",
    "...((((&)....))...)",
    -9.22, VRNA_OPTION_DEFAULT);
```

17.41.2 Function Documentation

17.41.2.1 vrna_sc_add_hi_motif()

```
int vrna_sc_add_hi_motif (
    vrna_fold_compound_t * vc,
    const char * seq,
    const char * structure,
    FLT_OR_DBL energy,
    unsigned int options )

#include <ViennaRNA/constraints_ligand.h>
```

Add soft constraints for hairpin or interior loop binding motif.

Parameters

<i>vc</i>	The <code>vrna_fold_compound_t</code> the motif is applied to
<i>seq</i>	The sequence motif (may be interspaced by '&' character)
<i>structure</i>	The structure motif (may be interspaced by '&' character)
<i>energy</i>	The free energy of the motif (e.g. binding free energy)
<i>options</i>	Options

Returns

non-zero value if application of the motif using soft constraints was successful

SWIG Wrapper Notes This function is attached as method `sc_add_hi_motif()` to objects of type `fold_compound`

17.42 Complex structured modules

Collaboration diagram for Complex structured modules:

Modules

- [G-quadruplexes](#)

Various functions related to G-quadruplex computations.

Files

- file [gquad.h](#)

G-quadruplexes.

17.42.1 Detailed Description

17.43 G-quadruplexes

Various functions related to G-quadruplex computations.

Collaboration diagram for G-quadruplexes:

Functions

- int * [get_gquad_matrix](#) (short *S, [vrna_param_t](#) *P)
Get a triangular matrix prefilled with minimum free energy contributions of G-quadruplexes.
- int [parse_gquad](#) (const char *struc, int *L, int I[3])
- PRIVATE int [backtrack_GQuad_IntLoop](#) (int c, int i, int j, int type, short *S, int *ggg, int *index, int *p, int *q, [vrna_param_t](#) *P)
- PRIVATE int [backtrack_GQuad_IntLoop_L](#) (int c, int i, int j, int type, short *S, int **ggg, int maxdist, int *p, int *q, [vrna_param_t](#) *P)

17.43.1 Detailed Description

Various functions related to G-quadruplex computations.

17.43.2 Function Documentation

17.43.2.1 [get_gquad_matrix\(\)](#)

```
int* get_gquad_matrix (
    short * S,
    vrna_param_t * P )
#include <ViennaRNA/gquad.h>
```

Get a triangular matrix prefilled with minimum free energy contributions of G-quadruplexes.

At each position ij in the matrix, the minimum free energy of any G-quadruplex delimited by i and j is stored. If no G-quadruplex formation is possible, the matrix element is set to INF. Access the elements in the matrix via matrix[indx[j]+i]. To get the integer array indx see [get_jindx\(\)](#).

See also

[get_jindx\(\)](#), [encode_sequence\(\)](#)

Parameters

<i>S</i>	The encoded sequence
<i>P</i>	A pointer to the data structure containing the precomputed energy contributions

Returns

A pointer to the G-quadruplex contribution matrix

17.43.2.2 parse_gquad()

```
int parse_gquad (
    const char * struc,
    int * L,
    int l[3] )

#include <ViennaRNA/gquad.h>
```

given a dot-bracket structure (possibly) containing gquads encoded by '+' signs, find first gquad, return end position or 0 if none found Upon return L and l[] contain the number of stacked layers, as well as the lengths of the linker regions. To parse a string with many gquads, call parse_gquad repeatedly e.g. end1 = parse_gquad(struc, &L, l); ... ; end2 = parse_gquad(struc+end1, &L, l); end2+=end1; ... ; end3 = parse_gquad(struc+end2, &L, l); end3+=end2; ... ;

17.43.2.3 backtrack_GQuad_IntLoop()

```
PRIVATE int backtrack_GQuad_IntLoop (
    int c,
    int i,
    int j,
    int type,
    short * S,
    int * ggg,
    int * index,
    int * p,
    int * q,
    vrna_param_t * P )
```

```
#include <ViennaRNA/gquad.h>
```

backtrack an interior loop like enclosed g-quadruplex with closing pair (i,j)

Parameters

<i>c</i>	The total contribution the loop should resemble
<i>i</i>	position i of enclosing pair
<i>j</i>	position j of enclosing pair
<i>type</i>	base pair type of enclosing pair (must be reverse type)
<i>S</i>	integer encoded sequence
<i>ggg</i>	triangular matrix containing g-quadruplex contributions
<i>index</i>	the index for accessing the triangular matrix
<i>p</i>	here the 5' position of the gquad is stored
<i>q</i>	here the 3' position of the gquad is stored
<i>P</i>	the datastructure containing the precalculated contributions

Returns

1 on success, 0 if no gquad found

17.43.2.4 backtrack_GQuad_IntLoop_L()

```
PRIVATE int backtrack_GQuad_IntLoop_L (
    int c,
    int i,
    int j,
    int type,
    short * S,
    int ** ggg,
    int maxdist,
    int * p,
    int * q,
    vrna_param_t * P )
```

```
#include <ViennaRNA/gquad.h>
```

backtrack an interior loop like enclosed g-quadruplex with closing pair (i,j) with underlying Lfold matrix

Parameters

<i>c</i>	The total contribution the loop should resemble
<i>i</i>	position i of enclosing pair
<i>j</i>	position j of enclosing pair
<i>type</i>	base pair type of enclosing pair (must be reverse type)
<i>S</i>	integer encoded sequence
<i>ggg</i>	triangular matrix containing g-quadruplex contributions
<i>p</i>	here the 5' position of the gquad is stored
<i>q</i>	here the 3' position of the gquad is stored
<i>P</i>	the datastructure containing the precalculated contributions

Returns

1 on success, 0 if no gquad found

17.44 Data Structures and Preprocessor Macros

All datastructures and typedefs shared among the ViennaRNA Package can be found here.

Collaboration diagram for Data Structures and Preprocessor Macros:

Modules

- [The Fold Compound](#)

This module provides interfaces that deal with the most basic data structure used in structure predicting and energy evaluating function of the RNAlib.

- [The Dynamic Programming Matrices](#)

This module provides interfaces that deal with creation and destruction of dynamic programming matrices used within the RNAlib.

Files

- file [data_structures.h](#)

Various data structures and pre-processor macros.

- file [dp_matrices.h](#)

Functions to deal with standard dynamic programming (DP) matrices.

Data Structures

- struct [vrna_basepair_s](#)

Base pair data structure used in subopt.c. [More...](#)

- struct [vrna_cpair_s](#)

this datastructure is used as input parameter in functions of PS_dot.c [More...](#)

- struct [vrna_color_s](#)

- struct [vrna_data_linear_s](#)

- struct [vrna_sect_s](#)

Stack of partial structures for backtracking. [More...](#)

- struct [vrna_bp_stack_s](#)

Base pair stack element. [More...](#)

- struct [pu_contrib](#)

contributions to p_u [More...](#)

- struct [interact](#)

interaction data structure for RNAup [More...](#)

- struct [pu_out](#)

Collection of all free_energy of beeing unpaired values for output. [More...](#)

- struct [constrain](#)

constraints for cofolding [More...](#)

- struct [duplexT](#)

Data structure for RNAduplex. [More...](#)

- struct [node](#)

Data structure for RNAsnoop (fold energy list) [More...](#)

- struct [snoopT](#)

Data structure for RNAsnoop. [More...](#)

- struct [dupVar](#)

Data structure used in RNApkplex. [More...](#)

Typedefs

- `typedef struct vrna_basepair_s vrna_basepair_t`
Typename for the base pair representing data structure `vrna_basepair_s`.
- `typedef struct vrna_elem_prob_s vrna_plist_t`
Typename for the base pair list representing data structure `vrna_elem_prob_s`.
- `typedef struct vrna_bp_stack_s vrna_bp_stack_t`
Typename for the base pair stack representing data structure `vrna_bp_stack_s`.
- `typedef struct vrna_cpair_s vrna_cpair_t`
Typename for data structure `vrna_cpair_s`.
- `typedef struct vrna_sect_s vrna_sect_t`
Typename for stack of partial structures `vrna_sect_s`.
- `typedef double FLT_OR_DBL`
Typename for floating point number in partition function computations.
- `typedef struct vrna_basepair_s PAIR`
Old typename of `vrna_basepair_s`.
- `typedef struct vrna_elem_prob_s plist`
Old typename of `vrna_elem_prob_s`.
- `typedef struct vrna_cpair_s cpair`
Old typename of `vrna_cpair_s`.
- `typedef struct vrna_sect_s sect`
Old typename of `vrna_sect_s`.
- `typedef struct vrna_bp_stack_s bondT`
Old typename of `vrna_bp_stack_s`.
- `typedef struct pu_contrib pu_contrib`
contributions to p_u
- `typedef struct interact interact`
interaction data structure for RNAup
- `typedef struct pu_out pu_out`
Collection of all free_energy of being unpaired values for output.
- `typedef struct constrain constrain`
constraints for cofolding
- `typedef struct node folder`
Data structure for RNAsnooop (fold energy list)
- `typedef struct dupVar dupVar`
Data structure used in RNApkplex.

Functions

- `void vrna_C11_features (void)`
Dummy symbol to check whether the library was build using C11/C++11 features.

17.44.1 Detailed Description

All datastructures and typedefs shared among the ViennaRNA Package can be found here.

17.44.2 Data Structure Documentation

17.44.2.1 struct vrna_basepair_s

Base pair data structure used in subopt.c.


17.44.2.2 struct vrna_cpair_s

this datastructure is used as input parameter in functions of PS_dot.c

17.44.2.3 struct vrna_color_s

17.44.2.4 struct vrna_data_linear_s

Collaboration diagram for vrna_data_linear_s:



```
graph TD; A[vrna_data_linear_s] --- B[vrna_bp_stack_s]; A --- C[vrna_sect_s]
```

17.44.2.5 struct vrna_sect_s

Stack of partial structures for backtracking.

17.44.2.6 struct vrna_bp_stack_s

Base pair stack element.

17.44.2.7 struct pu_contrib

contributions to p_u

Data Fields

- double ** **H**
hairpin loops
- double ** **I**
interior loops
- double ** **M**
multi loops
- double ** **E**
exterior loop
- int **length**
length of the input sequence
- int **w**
longest unpaired region

17.44.2.8 struct interact

interaction data structure for RNAUp

Data Fields

- double * **Pi**
probabilities of interaction
- double * **Gi**
free energies of interaction
- double **Gikjl**
full free energy for interaction between [k,i] k < i in longer seq and [j,l] j < l in shorter seq
- double **Gikjl_wo**
Gikjl without contributions for prob_unpaired.
- int **i**
k < i in longer seq
- int **k**
k < i in longer seq
- int **j**
j < l in shorter seq
- int **l**
j < l in shorter seq
- int **length**
length of longer sequence

17.44.2.9 struct pu_out

Collection of all free_energy of beeing unpaired values for output.

Data Fields

- int **len**
sequence length
- int **u_vals**
number of different -u values
- int **contribs**
[-c "SHIME"]
- char ** **header**
header line
- double ** **u_values**
*(the -u values * [-c "SHIME"]) * seq len*

17.44.2.10 struct constrain

constraints for cofolding

17.44.2.11 struct duplexT

Data structure for RNAduplex.

17.44.2.12 struct node

Data structure for RNAsnoop (fold energy list)

Collaboration diagram for node:

17.44.2.13 struct snoopT

Data structure for RNAsnoop.

17.44.2.14 struct dupVar

Data structure used in RNApkplex.

17.44.3 Typedef Documentation

17.44.3.1 PAIR

```
typedef struct vrna_basepair_s PAIR  
  
#include <ViennaRNA/data_structures.h>
```

Old typename of `vrna_basepair_s`.

Deprecated Use `vrna_basepair_t` instead!

17.44.3.2 plist

```
typedef struct vrna_elem_prob_s plist  
  
#include <ViennaRNA/data_structures.h>
```

Old typename of `vrna_elem_prob_s`.

Deprecated Use `vrna_ep_t` or `vrna_elem_prob_s` instead!

17.44.3.3 cpair

```
typedef struct vrna_cpair_s cpair

#include <ViennaRNA/data_structures.h>
```

Old typename of [vrna_cpair_s](#).

Deprecated Use [vrna_cpair_t](#) instead!

17.44.3.4 sect

```
typedef struct vrna_sect_s sect

#include <ViennaRNA/data_structures.h>
```

Old typename of [vrna_sect_s](#).

Deprecated Use [vrna_sect_t](#) instead!

17.44.3.5 bondT

```
typedef struct vrna_bp_stack_s bondT

#include <ViennaRNA/data_structures.h>
```

Old typename of [vrna_bp_stack_s](#).

Deprecated Use [vrna_bp_stack_t](#) instead!

17.44.4 Function Documentation

17.44.4.1 vrna_C11_features()

```
void vrna_C11_features (
    void )  
  
#include <ViennaRNA/data_structures.h>
```

Dummy symbol to check whether the library was build using C11/C++11 features.

By default, several data structures of our new v3.0 API use C11/C++11 features, such as unnamed unions, unnamed structs. However, these features can be deactivated at compile time to allow building the library and executables with compilers that do not support these features.

Now, the problem arises that once our static library is compiled and a third-party application is supposed to link against it, it needs to know, at compile time, how to correctly address particular data structures. This is usually implicitly taken care of through the API exposed in our header files. Unfortunately, we had some preprocessor directives in our header files that changed the API depending on the capabilities of the compiler the third-party application is build with. This in turn prohibited the use of an RNAlib compiled without C11/C++11 support in a program that compiles/links with enabled C11/C++11 support and vice-versa.

Therefore, we introduce this dummy symbol which can be used to check, whether the static library was build with C11/C++11 features.

Note

If the symbol is present, the library was build with enabled C11/C++11 features support and no action is required. However, if the symbol is missing in RNAlib $\geq 2.2.9$, programs that link to RNAlib must define a pre-processor identifier *VRNA_DISABLE_C11_FEATURES* before including any ViennaRNA Package header file, for instance by adding a *CPPFLAG*

```
CPPFLAGS+=-DVRNA_DISABLE_C11_FEATURES
```

Since

v2.2.9

17.45 Utilities

Collaboration diagram for Utilities:

Modules

- Parsing, converting, and comparing sequences
- Parsing, converting, comparing secondary structures
- Utilities for sequence alignments
- Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments
 - Functions dealing with file formats for RNA sequences, structures, and alignments.*
- Functions for Creating Secondary Structure Plots, Dot-Plots, and More
- Functions to convert between various units

Files

- file `aln_util.h`
Various utility- and helper-functions for sequence alignments and comparative structure prediction.
- file `alphabet.h`
Functions to process, convert, and generally handle different nucleotide and/or base pair alphabets.
- file `combinatorics.h`
Various implementations that deal with combinatorial aspects of RNA/DNA folding.
- file `string_utils.h`
General utility- and helper-functions for RNA sequence and structure strings used throughout the ViennaRNA Package.
- file `structure_utils.h`
Various utility- and helper-functions for secondary structure parsing, converting, etc.
- file `utils.h`
General utility- and helper-functions used throughout the ViennaRNA Package.

Macros

- `#define VRNA_INPUT_ERROR 1U`
Output flag of `get_input_line()`: "An ERROR has occurred, maybe EOF".
- `#define VRNA_INPUT_QUIT 2U`
Output flag of `get_input_line()`: "the user requested quitting the program".
- `#define VRNA_INPUT_MISC 4U`
Output flag of `get_input_line()`: "something was read".
- `#define VRNA_INPUT_FASTA_HEADER 8U`
*Input/Output flag of `get_input_line()`:
if used as input option this tells `get_input_line()` that the data to be read should comply with the FASTA format.*
- `#define VRNA_INPUT_CONSTRAINT 32U`
*Input flag for `get_input_line()`:
Tell `get_input_line()` that we assume to read a structure constraint.*
- `#define VRNA_INPUT_NO_TRUNCATION 256U`
Input switch for `get_input_line()`: "do not truncate the line by eliminating white spaces at end of line".
- `#define VRNA_INPUT_NO_REST 512U`

- `#define VRNA_INPUT_NO_SPAN 1024U`
Input switch for `vrna_file_fasta_read_record()`: "do fill rest array".
- `#define VRNA_INPUT_NOSKIP_BLANK_LINES 2048U`
Input switch for `vrna_file_fasta_read_record()`: "never allow data to span more than one line".
- `#define VRNA_INPUT_BLANK_LINE 4096U`
Input switch for `vrna_file_fasta_read_record()`: "do not skip empty lines".
- `#define VRNA_INPUT_NOSKIP_COMMENTS 128U`
Output flag for `vrna_file_fasta_read_record()`: "read an empty line".
- `#define VRNA_INPUT_COMMENT 8192U`
Input switch for `get_input_line()`: "do not skip comment lines".
- `#define MIN2(A, B) ((A) < (B) ? (A) : (B))`
Get the minimum of two comparable values.
- `#define MAX2(A, B) ((A) > (B) ? (A) : (B))`
Get the maximum of two comparable values.
- `#define MIN3(A, B, C) (MIN2((MIN2((A),(B))) ,(C)))`
Get the minimum of three comparable values.
- `#define MAX3(A, B, C) (MAX2((MAX2((A),(B))) ,(C)))`
Get the maximum of three comparable values.

Functions

- `char * vrna_ptypes (const short *S, vrna_md_t *md)`
Get an array of the numerical encoding for each possible base pair (i,j)
- `short * vrna_seq_encode (const char *sequence, vrna_md_t *md)`
Get a numerical representation of the nucleotide sequence.
- `short * vrna_seq_encode_simple (const char *sequence, vrna_md_t *md)`
Get a numerical representation of the nucleotide sequence (simple version)
- `int vrna_nucleotide_encode (char c, vrna_md_t *md)`
Encode a nucleotide character to numerical value.
- `char vrna_nucleotide_decode (int enc, vrna_md_t *md)`
Decode a numerical representation of a nucleotide back into nucleotide alphabet.
- `unsigned int ** vrna_enumerate_necklaces (const unsigned int *type_counts)`
Enumerate all necklaces with fixed content.
- `void * vrna_alloc (unsigned size)`
Allocate space safely.
- `void * vrna_realloc (void *p, unsigned size)`
Reallocate space safely.
- `void vrna_message_error (const char *format,...)`
Print an error message and die.
- `void vrna_message_verror (const char *format, va_list args)`
Print an error message and die.
- `void vrna_message_warning (const char *format,...)`
Print a warning message.
- `void vrna_message_vwarning (const char *format, va_list args)`
Print a warning message.
- `void vrna_message_info (FILE *fp, const char *format,...)`
Print an info message.
- `void vrna_message_vinfo (FILE *fp, const char *format, va_list args)`
Print an info message.

- void `vrna_init_rand` (void)
Initialize seed for random number generator.
- double `vrna_urn` (void)
get a random number from [0..1]
- int `vrna_int_urn` (int from, int to)
Generates a pseudo random integer in a specified range.
- char * `vrna_time_stamp` (void)
Get a timestamp.
- unsigned int `get_input_line` (char **string, unsigned int options)
Print a line to stdout that asks for an input sequence.
- void `vrna_message_input_seq_simple` (void)
Print a line with a user defined string and a ruler to stdout.
- void `vrna_message_input_seq` (const char *s)
Print a line with a user defined string and a ruler to stdout.
- int * `vrna_idx_row_wise` (unsigned int length)
Get an index mapper array (iindx) for accessing the energy matrices, e.g. in partition function related functions.
- int * `vrna_idx_col_wise` (unsigned int length)
Get an index mapper array (indx) for accessing the energy matrices, e.g. in MFE related functions.

Variables

- unsigned short `xsubi` [3]
Current 48 bit random number.

17.45.1 Detailed Description

17.45.2 Macro Definition Documentation

17.45.2.1 VRNA_INPUT_FASTA_HEADER

```
#define VRNA_INPUT_FASTA_HEADER 8U

#include <ViennaRNA/utils.h>

Input/Output flag of get_input_line():  

if used as input option this tells get_input_line() that the data to be read should comply with the FASTA format.  

the function will return this flag if a fasta header was read
```

17.45.2.2 VRNA_INPUT_CONSTRAINT

```
#define VRNA_INPUT_CONSTRAINT 32U

#include <ViennaRNA/utils.h>

Input flag for get_input_line():  

Tell get_input_line() that we assume to read a structure constraint.
```

17.45.3 Function Documentation

17.45.3.1 vrna_ptypes()

```
char* vrna_ptypes (
    const short * s,
    vrna_md_t * md )

#include <ViennaRNA/alphabet.h>
```

Get an array of the numerical encoding for each possible base pair (i,j)

Note

This array is always indexed in column-wise order, in contrast to previously different indexing between mfe and pf variants!

See also

[vrna_idx_col_wise\(\)](#), [vrna_fold_compound_t](#)

17.45.3.2 vrna_nucleotide_encode()

```
int vrna_nucleotide_encode (
    char c,
    vrna_md_t * md )

#include <ViennaRNA/alphabet.h>
```

Encode a nucleotide character to numerical value.

This function encodes a nucleotide character to its numerical representation as required by many functions in R \leftarrow NAlib.

See also

[vrna_nucleotide_decode\(\)](#), [vrna_seq_encode\(\)](#)

Parameters

<i>c</i>	The nucleotide character to encode
<i>md</i>	The model details that determine the kind of encoding

Returns

The encoded nucleotide

17.45.3.3 vrna_nucleotide_decode()

```
char vrna_nucleotide_decode (
    int enc,
    vrna_md_t * md )
```



```
#include <ViennaRNA/alphabet.h>
```

Decode a numerical representation of a nucleotide back into nucleotide alphabet.

This function decodes a numerical representation of a nucleotide character back into nucleotide alphabet

See also

[vrna_nucleotide_encode\(\)](#), [vrna_seq_encode\(\)](#)

Parameters

<i>enc</i>	The encoded nucleotide
<i>md</i>	The model details that determine the kind of decoding

Returns

The decoded nucleotide character

17.45.3.4 vrna_enumerate_necklaces()

```
unsigned int ** vrna_enumerate_necklaces (
    const unsigned int * type_counts )
```



```
#include <ViennaRNA/combinatorics.h>
```

Enumerate all necklaces with fixed content.

This function implements *A fast algorithm to generate necklaces with fixed content* as published by Joe Sawada in 2003 [16].

The function receives a list of counts (the elements on the necklace) for each type of object within a necklace. The list starts at index 0 and ends with an entry that has a count of 0. The algorithm then enumerates all non-cyclic permutations of the content, returned as a list of necklaces. This list, again, is zero-terminated, i.e. the last entry of the list is a NULL pointer.

Parameters

<i>type_counts</i>	A 0-terminated list of entity counts
--------------------	--------------------------------------

Returns

A list of all non-cyclic permutations of the entities

SWIG Wrapper Notes This function is available as global function **enumerate_necklaces()** which accepts lists input, and produces list of lists output.

17.45.3.5 vrna_alloc()

```
void* vrna_alloc (
    unsigned size )

#include <ViennaRNA/utils.h>
```

Allocate space safely.

Parameters

<i>size</i>	The size of the memory to be allocated in bytes
-------------	---

Returns

A pointer to the allocated memory

17.45.3.6 vrna_realloc()

```
void* vrna_realloc (
    void * p,
    unsigned size )

#include <ViennaRNA/utils.h>
```

Reallocate space safely.

Parameters

<i>p</i>	A pointer to the memory region to be reallocated
<i>size</i>	The size of the memory to be allocated in bytes

Returns

A pointer to the newly allocated memory

17.45.3.7 vrna_message_error()

```
void vrna_message_error (
    const char * format,
    ...
)
```



```
#include <ViennaRNA/utils.h>
```

Print an error message and die.

This function is a wrapper to *fprintf(stderr, ...)* that puts a capital **ERROR:** in front of the message and then exits the calling program.

See also

[vrna_message_verror\(\)](#), [vrna_message_warning\(\)](#), [vrna_message_info\(\)](#)

Parameters

<i>format</i>	The error message to be printed
...	Optional arguments for the formatted message string

17.45.3.8 vrna_message_verror()

```
void vrna_message_verror (
    const char * format,
    va_list args )
```



```
#include <ViennaRNA/utils.h>
```

Print an error message and die.

This function is a wrapper to *vfprintf(stderr, ...)* that puts a capital **ERROR:** in front of the message and then exits the calling program.

See also

[vrna_message_error\(\)](#), [vrna_message_warning\(\)](#), [vrna_message_info\(\)](#)

Parameters

<i>format</i>	The error message to be printed
<i>args</i>	The argument list for the formatted message string

17.45.3.9 vrna_message_warning()

```
void vrna_message_warning (
    const char * format,
    ...
)
```

#include <ViennaRNA/utils.h>

Print a warning message.

This function is a wrapper to `fprintf(stderr, ...)` that puts a capital **WARNING:** in front of the message.

See also

[vrna_message_vwarning\(\)](#), [vrna_message_error\(\)](#), [vrna_message_info\(\)](#)

Parameters

<i>format</i>	The warning message to be printed
...	Optional arguments for the formatted message string

17.45.3.10 vrna_message_vwarning()

```
void vrna_message_vwarning (
    const char * format,
    va_list args )
```

#include <ViennaRNA/utils.h>

Print a warning message.

This function is a wrapper to `fprintf(stderr, ...)` that puts a capital **WARNING:** in front of the message.

See also

[vrna_message_vwarning\(\)](#), [vrna_message_error\(\)](#), [vrna_message_info\(\)](#)

Parameters

<i>format</i>	The warning message to be printed
<i>args</i>	The argument list for the formatted message string

17.45.3.11 vrna_message_info()

```
void vrna_message_info (
    FILE * fp,
    const char * format,
    ...
)
```

#include <ViennaRNA/utils.h>

Print an info message.

This function is a wrapper to *fprintf*(...).

See also

[vrna_message_vinfo\(\)](#), [vrna_message_error\(\)](#), [vrna_message_warning\(\)](#)

Parameters

<i>fp</i>	The file pointer where the message is printed to
<i>format</i>	The warning message to be printed
...	Optional arguments for the formatted message string

17.45.3.12 vrna_message_vinfo()

```
void vrna_message_vinfo (
    FILE * fp,
    const char * format,
    va_list args )
```

#include <ViennaRNA/utils.h>

Print an info message.

This function is a wrapper to *fprintf*(...).

See also

[vrna_message_vinfo\(\)](#), [vrna_message_error\(\)](#), [vrna_message_warning\(\)](#)

Parameters

<i>fp</i>	The file pointer where the message is printed to
<i>format</i>	The info message to be printed
<i>args</i>	The argument list for the formatted message string

17.45.3.13 vrna_urn()

```
double vrna_urn (
    void  )

#include <ViennaRNA/utils.h>

get a random number from [0..1]
```

See also

[vrna_int_urn\(\)](#), [vrna_init_rand\(\)](#)

Note

Usually implemented by calling `erand48()`.

Returns

A random number in range [0..1]

17.45.3.14 vrna_int_urn()

```
int vrna_int_urn (
    int from,
    int to  )

#include <ViennaRNA/utils.h>
```

Generates a pseudo random integer in a specified range.

See also

[vrna_urn\(\)](#), [vrna_init_rand\(\)](#)

Parameters

<i>from</i>	The first number in range
<i>to</i>	The last number in range

Returns

A pseudo random number in range [from, to]

17.45.3.15 vrna_time_stamp()

```
char* vrna_time_stamp (
    void )
```

```
#include <ViennaRNA/utils.h>
```

Get a timestamp.

Returns a string containing the current date in the format

```
Fri Mar 19 21:10:57 1993
```

Returns

A string containing the timestamp

17.45.3.16 get_input_line()

```
unsigned int get_input_line (
    char ** string,
    unsigned int options )
```

```
#include <ViennaRNA/utils.h>
```

Retrieve a line from 'stdin' safely while skipping comment characters and other features. This function returns the type of input it has read if recognized. An option argument allows one to switch between different reading modes. Currently available options are:

`#VRNA_INPUT_NOPRINT_COMMENTS`, `VRNA_INPUT_NOSKIP_COMMENTS`, `#VRNA_INPUT_NOELIM_W←S_SUFFIX`

pass a collection of options as one value like this:

```
get_input_line(string, option_1 | option_2 | option_n)
```

If the function recognizes the type of input, it will report it in the return value. It also reports if a user defined 'quit' command (-sign on 'stdin') was given. Possible return values are:

`VRNA_INPUT_FASTA_HEADER`, `VRNA_INPUT_ERROR`, `VRNA_INPUT_MISC`, `VRNA_INPUT_QUIT`

Parameters

<code>string</code>	A pointer to the character array that contains the line read
<code>options</code>	A collection of options for switching the functions behavior

Returns

A flag with information about what has been read

17.45.3.17 vrna_message_input_seq_simple()

```
void vrna_message_input_seq_simple (
    void )
```

```
#include <ViennaRNA/utils.h>
```

Print a line to *stdout* that asks for an input sequence.

There will also be a ruler (scale line) printed that helps orientation of the sequence positions

17.45.3.18 vrna_message_input_seq()

```
void vrna_message_input_seq (
    const char * s )
```

```
#include <ViennaRNA/utils.h>
```

Print a line with a user defined string and a ruler to *stdout*.

(usually this is used to ask for user input) There will also be a ruler (scale line) printed that helps orientation of the sequence positions

Parameters

<i>s</i>	A user defined string that will be printed to <i>stdout</i>
----------	---

17.45.3.19 vrna_idx_row_wise()

```
int* vrna_idx_row_wise (
    unsigned int length )
```

```
#include <ViennaRNA/utils.h>
```

Get an index mapper array (*iindx*) for accessing the energy matrices, e.g. in partition function related functions.

Access of a position "(i,j)" is then accomplished by using

$$(i, j) \sim iindx[i] - j$$

This function is necessary as most of the two-dimensional energy matrices are actually one-dimensional arrays throughout the ViennaRNA Package

Consult the implemented code to find out about the mapping formula ;)

See also

[vrna_idx_col_wise\(\)](#)

Parameters

<i>length</i>	The length of the RNA sequence
---------------	--------------------------------

Returns

The mapper array

17.45.3.20 vrna_idx_col_wise()

```
int* vrna_idx_col_wise (
    unsigned int length )

#include <ViennaRNA/utils.h>
```

Get an index mapper array (indx) for accessing the energy matrices, e.g. in MFE related functions.

Access of a position "(i,j)" is then accomplished by using

$$(i, j) \sim \text{indx}[j] + i$$

This function is necessary as most of the two-dimensional energy matrices are actually one-dimensional arrays throughout the ViennaRNAPackage

Consult the implemented code to find out about the mapping formula ;)

See also

[vrna_idx_row_wise\(\)](#)

Parameters

<i>length</i>	The length of the RNA sequence
---------------	--------------------------------

Returns

The mapper array

17.45.4 Variable Documentation**17.45.4.1 xsubi**

```
unsigned short xsubi[3]
```

```
#include <ViennaRNA/utils.h>
```

Current 48 bit random number.

This variable is used by [vrna_urn\(\)](#). These should be set to some random number seeds before the first call to [vrna_urn\(\)](#).

See also

[vrna_urn\(\)](#)

17.46 MFE Structures of single Nucleic Acid Sequences

This module contains all functions and variables related to the calculation of global minimum free energy structures for single sequences.

Collaboration diagram for MFE Structures of single Nucleic Acid Sequences:

Functions

- float `vrna_fold` (const char *sequence, char *structure)
Compute Minimum Free Energy (MFE), and a corresponding secondary structure for an RNA sequence.
- float `vrna_circfold` (const char *sequence, char *structure)
Compute Minimum Free Energy (MFE), and a corresponding secondary structure for a circular RNA sequence.
- float `fold_par` (const char *sequence, char *structure, `vrna_param_t` *parameters, int is_constrained, int is←_circular)
Compute minimum free energy and an appropriate secondary structure of an RNA sequence.
- float `fold` (const char *sequence, char *structure)
Compute minimum free energy and an appropriate secondary structure of an RNA sequence.
- float `circfold` (const char *sequence, char *structure)
Compute minimum free energy and an appropriate secondary structure of a circular RNA sequence.
- void `free_arrays` (void)
Free arrays for mfe folding.
- void `update_fold_params` (void)
Recalculate energy parameters.
- void `update_fold_params_par` (`vrna_param_t` *parameters)
Recalculate energy parameters.
- void `export_fold_arrays` (int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **indx_p, char **ptype_p)
- void `export_fold_arrays_par` (int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **indx_p, char **ptype_p, `vrna_param_t` **P_p)
- void `export_circfold_arrays` (int *Fc_p, int *FcH_p, int *FcI_p, int *FcM_p, int **fM2_p, int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **indx_p, char **ptype_p)
- void `export_circfold_arrays_par` (int *Fc_p, int *FcH_p, int *FcI_p, int *FcM_p, int **fM2_p, int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **indx_p, char **ptype_p, `vrna_param_t` **P_p)
- int `LoopEnergy` (int n1, int n2, int type, int type_2, int si1, int sj1, int sp1, int sq1)
- int `HairpinE` (int size, int type, int si1, int sj1, const char *string)
- void `initialize_fold` (int length)

17.46.1 Detailed Description

This module contains all functions and variables related to the calculation of global minimum free energy structures for single sequences.

The library provides a fast dynamic programming minimum free energy folding algorithm as described by "Zuker & Stiegler (1981)" [24].

17.46.2 Function Documentation

17.46.2.1 vrna_fold()

```
float vrna_fold (
    const char * sequence,
    char * structure )
```

```
#include <ViennaRNA/fold.h>
```

Compute Minimum Free Energy (MFE), and a corresponding secondary structure for an RNA sequence.

This simplified interface to [vrna_mfe\(\)](#) computes the MFE and, if required, a secondary structure for an RNA sequence using default options. Memory required for dynamic programming (DP) matrices will be allocated and free'd on-the-fly. Hence, after return of this function, the recursively filled matrices are not available any more for any post-processing, e.g. suboptimal backtracking, etc.

Note

In case you want to use the filled DP matrices for any subsequent post-processing step, or you require other conditions than specified by the default model details, use [vrna_mfe\(\)](#), and the data structure [vrna_fold_compound_t](#) instead.

See also

[vrna_circfold\(\)](#), [vrna_mfe\(\)](#), [vrna_fold_compound\(\)](#), [vrna_fold_compound_t](#)

Parameters

<i>sequence</i>	RNA sequence
<i>structure</i>	A pointer to the character array where the secondary structure in dot-bracket notation will be written to

Returns

the minimum free energy (MFE) in kcal/mol

17.46.2.2 vrna_circfold()

```
float vrna_circfold (
    const char * sequence,
    char * structure )
```

```
#include <ViennaRNA/fold.h>
```

Compute Minimum Free Energy (MFE), and a corresponding secondary structure for a circular RNA sequence.

This simplified interface to [vrna_mfe\(\)](#) computes the MFE and, if required, a secondary structure for a circular RNA sequence using default options. Memory required for dynamic programming (DP) matrices will be allocated and free'd on-the-fly. Hence, after return of this function, the recursively filled matrices are not available any more for any post-processing, e.g. suboptimal backtracking, etc.

Folding of circular RNA sequences is handled as a post-processing step of the forward recursions. See [9] for further details.

Note

In case you want to use the filled DP matrices for any subsequent post-processing step, or you require other conditions than specified by the default model details, use [vrna_mfe\(\)](#), and the data structure [vrna_fold_compound_t](#) instead.

See also

[vrna_fold\(\)](#), [vrna_mfe\(\)](#), [vrna_fold_compound\(\)](#), [vrna_fold_compound_t](#)

Parameters

<code>sequence</code>	RNA sequence
<code>structure</code>	A pointer to the character array where the secondary structure in dot-bracket notation will be written to

Returns

the minimum free energy (MFE) in kcal/mol

17.46.2.3 fold_par()

```
float fold_par (
    const char * sequence,
    char * structure,
    vrna_param_t * parameters,
    int is_constrained,
    int is_circular )
```

```
#include <ViennaRNA/fold.h>
```

Compute minimum free energy and an appropriate secondary structure of an RNA sequence.

The first parameter given, the RNA sequence, must be *uppercase* and should only contain an alphabet Σ that is understood by the RNAlib

(e.g. $\Sigma = \{A, U, C, G\}$)

The second parameter, *structure*, must always point to an allocated block of memory with a size of at least `strlen(sequence) + 1`

If the third parameter is NULL, global model detail settings are assumed for the folding recursions. Otherwise, the provided parameters are used.

The fourth parameter indicates whether a secondary structure constraint in enhanced dot-bracket notation is passed through the structure parameter or not. If so, the characters "`|` `x` `<` `>`" are recognized to mark bases that are paired, unpaired, paired upstream, or downstream, respectively. Matching brackets "`(` `)`" denote base pairs, dots "`.`" are used for unconstrained bases.

To indicate that the RNA sequence is circular and thus has to be post-processed, set the last parameter to non-zero

After a successful call of [fold_par\(\)](#), a backtracked secondary structure (in dot-bracket notation) that exhibits the minimum of free energy will be written to the memory *structure* is pointing to. The function returns the minimum of free energy for any fold of the sequence given.

Note

OpenMP: Passing NULL to the 'parameters' argument involves access to several global model detail variables and thus is not to be considered threadsafe

Deprecated use [vrna_mfe\(\)](#) instead!

See also

[vrna_mfe\(\)](#), [fold\(\)](#), [circfold\(\)](#), [vrna_md_t](#), [set_energy_model\(\)](#), [get_scaled_parameters\(\)](#)

Parameters

<i>sequence</i>	RNA sequence
<i>structure</i>	A pointer to the character array where the secondary structure in dot-bracket notation will be written to
<i>parameters</i>	A data structure containing the pre-scaled energy contributions and the model details. (NULL may be passed, see OpenMP notes above)
<i>is_constrained</i>	Switch to indicate that a structure constraint is passed via the structure argument (0==off)
<i>is_circular</i>	Switch to (de-)activate post-processing steps in case RNA sequence is circular (0==off)

Returns

the minimum free energy (MFE) in kcal/mol

17.46.2.4 fold()

```
float fold (
    const char * sequence,
    char * structure )

#include <ViennaRNA/fold.h>
```

Compute minimum free energy and an appropriate secondary structure of an RNA sequence.

This function essentially does the same thing as [fold_par\(\)](#). However, it takes its model details, i.e. [temperature](#), [dangles](#), [tetra_loop](#), [noGU](#), [no_closingGU](#), [fold_constrained](#), [noLonelyPairs](#) from the current global settings within the library

Deprecated use [vrna_fold\(\)](#), or [vrna_mfe\(\)](#) instead!

See also

[fold_par\(\)](#), [circfold\(\)](#)

Parameters

<i>sequence</i>	RNA sequence
<i>structure</i>	A pointer to the character array where the secondary structure in dot-bracket notation will be written to

Returns

the minimum free energy (MFE) in kcal/mol

17.46.2.5 circfold()

```
float circfold (
    const char * sequence,
    char * structure )

#include <ViennaRNA/fold.h>
```

Compute minimum free energy and an appropriate secondary structure of a circular RNA sequence.

This function essentially does the same thing as [fold_par\(\)](#). However, it takes its model details, i.e. [temperature](#), [dangles](#), [tetra_loop](#), [noGU](#), [no_closingGU](#), [fold_constrained](#), [noLonelyPairs](#) from the current global settings within the library

Deprecated Use [vrna_circfold\(\)](#), or [vrna_mfe\(\)](#) instead!

See also

[fold_par\(\)](#), [circfold\(\)](#)

Parameters

<i>sequence</i>	RNA sequence
<i>structure</i>	A pointer to the character array where the secondary structure in dot-bracket notation will be written to

Returns

the minimum free energy (MFE) in kcal/mol

17.46.2.6 free_arrays()

```
void free_arrays (
    void  )

#include <ViennaRNA/fold.h>
```

Free arrays for mfe folding.

Deprecated See [vrna_fold\(\)](#), [vrna_circfold\(\)](#), or [vrna_mfe\(\)](#) and [vrna_fold_compound_t](#) for the usage of the new API!

17.46.2.7 update_fold_params()

```
void update_fold_params (
    void )
```

```
#include <ViennaRNA/fold.h>
```

Recalculate energy parameters.

Deprecated For non-default model settings use the new API with [vrna_params_subst\(\)](#) and [vrna_mfe\(\)](#) instead!

17.46.2.8 update_fold_params_par()

```
void update_fold_params_par (
    vrna_param_t * parameters )
```

```
#include <ViennaRNA/fold.h>
```

Recalculate energy parameters.

Deprecated For non-default model settings use the new API with [vrna_params_subst\(\)](#) and [vrna_mfe\(\)](#) instead!

17.46.2.9 export_fold_arrays()

```
void export_fold_arrays (
    int ** f5_p,
    int ** c_p,
    int ** fML_p,
    int ** fMl_p,
    int ** indx_p,
    char ** ptype_p )
```

```
#include <ViennaRNA/fold.h>
```

Deprecated See [vrna_mfe\(\)](#) and [vrna_fold_compound_t](#) for the usage of the new API!

17.46.2.10 `export_fold_arrays_par()`

```
void export_fold_arrays_par (
    int ** f5_p,
    int ** c_p,
    int ** fML_p,
    int ** fM1_p,
    int ** indx_p,
    char ** ptype_p,
    vrna_param_t ** P_p )
```

#include <ViennaRNA/fold.h>

Deprecated See [vrna_mfe\(\)](#) and [vrna_fold_compound_t](#) for the usage of the new API!

17.46.2.11 `export_circfold_arrays()`

```
void export_circfold_arrays (
    int * Fc_p,
    int * FcH_p,
    int * FcI_p,
    int * FcM_p,
    int ** fM2_p,
    int ** f5_p,
    int ** c_p,
    int ** fML_p,
    int ** fM1_p,
    int ** indx_p,
    char ** ptype_p )
```

#include <ViennaRNA/fold.h>

Deprecated See [vrna_mfe\(\)](#) and [vrna_fold_compound_t](#) for the usage of the new API!

17.46.2.12 `export_circfold_arrays_par()`

```
void export_circfold_arrays_par (
    int * Fc_p,
    int * FcH_p,
    int * FcI_p,
    int * FcM_p,
    int ** fM2_p,
    int ** f5_p,
    int ** c_p,
    int ** fML_p,
    int ** fM1_p,
    int ** indx_p,
    char ** ptype_p,
    vrna_param_t ** P_p )
```

#include <ViennaRNA/fold.h>

Deprecated See [vrna_mfe\(\)](#) and [vrna_fold_compound_t](#) for the usage of the new API!

17.46.2.13 LoopEnergy()

```
int LoopEnergy (
    int n1,
    int n2,
    int type,
    int type_2,
    int sil,
    int sjl,
    int spl,
    int sq1 )  
  
#include <ViennaRNA/fold.h>
```

Deprecated {This function is deprecated and will be removed soon. Use [E_IntLoop\(\)](#) instead!}

17.46.2.14 HairpinE()

```
int HairpinE (
    int size,
    int type,
    int sil,
    int sjl,
    const char * string )  
  
#include <ViennaRNA/fold.h>
```

Deprecated {This function is deprecated and will be removed soon. Use [E_Hairpin\(\)](#) instead!}

17.46.2.15 initialize_fold()

```
void initialize_fold (
    int length )  
  
#include <ViennaRNA/fold.h>
```

Allocate arrays for folding

Deprecated See [vrna_mfe\(\)](#) and [vrna_fold_compound_t](#) for the usage of the new API!

17.47 MFE Structures of two hybridized Sequences

MFE version of cofolding routines This file includes (almost) all function declarations within the **RNAlib** that are related to MFE Cofolding... This also includes the Zuker suboptimals calculations, since they are implemented using the cofold routines.

Collaboration diagram for MFE Structures of two hybridized Sequences:

Functions

- float `vrna_cofold` (const char *sequence, char *structure)
Compute Minimum Free Energy (MFE), and a corresponding secondary structure for two dimerized RNA sequences.
- float `cofold` (const char *sequence, char *structure)
Compute the minimum free energy of two interacting RNA molecules.
- float `cofold_par` (const char *string, char *structure, `vrna_param_t` *parameters, int is_constrained)
Compute the minimum free energy of two interacting RNA molecules.
- void `free_co_arrays` (void)
Free memory occupied by `cofold()`
- void `update_cofold_params` (void)
Recalculate parameters.
- void `update_cofold_params_par` (`vrna_param_t` *parameters)
Recalculate parameters.
- void `export_cofold_arrays_gq` (int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **fc_p, int **ggg_p, int **indx_p, char **ptype_p)
Export the arrays of partition function cofold (with quadruplex support)
- void `export_cofold_arrays` (int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **fc_p, int **indx_p, char **ptype_p)
Export the arrays of partition function cofold.
- void `get_monomere_mfes` (float *e1, float *e2)
get_monomer_free_energies
- void `initialize_cofold` (int length)
- float `vrna_mfe_dimer` (`vrna_fold_compound_t` *vc, char *structure)
Compute the minimum free energy of two interacting RNA molecules.

17.47.1 Detailed Description

MFE version of cofolding routines This file includes (almost) all function declarations within the **RNAlib** that are related to MFE Cofolding... This also includes the Zuker suboptimals calculations, since they are implemented using the cofold routines.

17.47.2 Function Documentation

17.47.2.1 vrna_cofold()

```
float vrna_cofold (
    const char * sequence,
    char * structure )

#include <ViennaRNA/cofold.h>
```

Compute Minimum Free Energy (MFE), and a corresponding secondary structure for two dimerized RNA sequences.

This simplified interface to [vrna_mfe\(\)](#) computes the MFE and, if required, a secondary structure for two RNA sequences upon dimerization using default options. Memory required for dynamic programming (DP) matrices will be allocated and free'd on-the-fly. Hence, after return of this function, the recursively filled matrices are not available any more for any post-processing, e.g. suboptimal backtracking, etc.

Note

In case you want to use the filled DP matrices for any subsequent post-processing step, or you require other conditions than specified by the default model details, use [vrna_mfe\(\)](#), and the data structure [vrna_fold_compound_t](#) instead.

See also

[vrna_mfe_dimer\(\)](#), [vrna_fold_compound\(\)](#), [vrna_fold_compound_t](#), [vrna_cut_point_insert\(\)](#)

Parameters

<i>sequence</i>	two RNA sequences separated by the '&' character
<i>structure</i>	A pointer to the character array where the secondary structure in dot-bracket notation will be written to

Returns

the minimum free energy (MFE) in kcal/mol

17.47.2.2 cofold()

```
float cofold (
    const char * sequence,
    char * structure )

#include <ViennaRNA/cofold.h>
```

Compute the minimum free energy of two interacting RNA molecules.

The code is analog to the [fold\(\)](#) function. If *cut_point* == -1 results should be the same as with [fold\(\)](#).

Deprecated use [vrna_mfe_dimer\(\)](#) instead

Parameters

<code>sequence</code>	The two sequences concatenated
<code>structure</code>	Will hold the barcket dot structure of the dimer molecule

Returns

minimum free energy of the structure

17.47.2.3 cofold_par()

```
float cofold_par (
    const char * string,
    char * structure,
    vrna_param_t * parameters,
    int is_constrained )

#include <ViennaRNA/cofold.h>
```

Compute the minimum free energy of two interacting RNA molecules.

Deprecated use [vrna_mfe_dimer\(\)](#) instead

17.47.2.4 free_co_arrays()

```
void free_co_arrays (
    void )

#include <ViennaRNA/cofold.h>
```

Free memory occupied by [cofold\(\)](#)

Deprecated This function will only free memory allocated by a prior call of [cofold\(\)](#) or [cofold_par\(\)](#). See [vrna_mfe_dimer\(\)](#) for how to use the new API

Note

folding matrices now reside in the fold compound, and should be free'd there

See also

[vrna_fc_destroy\(\)](#), [vrna_mfe_dimer\(\)](#)

17.47.2.5 update_cofold_params()

```
void update_cofold_params (
    void )

#include <ViennaRNA/cofold.h>
```

Recalculate parameters.

Deprecated See [vrna_params_subst\(\)](#) for an alternative using the new API

17.47.2.6 update_cofold_params_par()

```
void update_cofold_params_par (
    vrna_param_t * parameters )

#include <ViennaRNA/cofold.h>
```

Recalculate parameters.

Deprecated See [vrna_params_subst\(\)](#) for an alternative using the new API

17.47.2.7 export_cofold_arrays_gq()

```
void export_cofold_arrays_gq (
    int ** f5_p,
    int ** c_p,
    int ** fML_p,
    int ** fMI_p,
    int ** fc_p,
    int ** ggg_p,
    int ** indx_p,
    char ** ptype_p )
```

```
#include <ViennaRNA/cofold.h>
```

Export the arrays of partition function cofold (with gquadruplex support)

Export the cofold arrays for use e.g. in the concentration Computations or suboptimal secondary structure back-tracking

Deprecated folding matrices now reside within the fold compound. Thus, this function will only work in conjunction with a prior call to [cofold\(\)](#) or [cofold_par\(\)](#)

See also

[vrna_mfe_dimer\(\)](#) for the new API

Parameters

<i>f5_p</i>	A pointer to the 'f5' array, i.e. array containing best free energy in interval [1,j]
<i>c_p</i>	A pointer to the 'c' array, i.e. array containing best free energy in interval [i,j] given that i pairs with j
<i>fML_p</i>	A pointer to the 'M' array, i.e. array containing best free energy in interval [i,j] for any multiloop segment with at least one stem
<i>fM1_p</i>	A pointer to the 'M1' array, i.e. array containing best free energy in interval [i,j] for multiloop segment with exactly one stem
<i>fc_p</i>	A pointer to the 'fc' array, i.e. array ...
<i>ggg_p</i>	A pointer to the 'ggg' array, i.e. array containing best free energy of a quadruplex delimited by [i,j]
<i>indx_p</i>	A pointer to the indexing array used for accessing the energy matrices
<i>ptype_←_p</i>	A pointer to the ptype array containing the base pair types for each possibility (i,j)

17.47.2.8 `export_cofold_arrays()`

```
void export_cofold_arrays (
    int ** f5_p,
    int ** c_p,
    int ** fML_p,
    int ** fM1_p,
    int ** fc_p,
    int ** indx_p,
    char ** ptype_p )
```

#include <ViennaRNA/cofold.h>

Export the arrays of partition function cofold.

Export the cofold arrays for use e.g. in the concentration Computations or suboptimal secondary structure backtracking

Deprecated folding matrices now reside within the `vrna_fold_compound_t`. Thus, this function will only work in conjunction with a prior call to the deprecated functions `cofold()` or `cofold_par()`

See also

[vrna_mfe_dimer\(\)](#) for the new API

Parameters

<i>f5_p</i>	A pointer to the 'f5' array, i.e. array containing best free energy in interval [1,j]
<i>c_p</i>	A pointer to the 'c' array, i.e. array containing best free energy in interval [i,j] given that i pairs with j
<i>fML_p</i>	A pointer to the 'M' array, i.e. array containing best free energy in interval [i,j] for any multiloop segment with at least one stem
<i>fM1_p</i>	A pointer to the 'M1' array, i.e. array containing best free energy in interval [i,j] for multiloop segment with exactly one stem
<i>fc_p</i>	A pointer to the 'fc' array, i.e. array ...
<i>indx_p</i>	A pointer to the indexing array used for accessing the energy matrices
<i>ptype_←_p</i>	A pointer to the ptype array containing the base pair types for each possibility (i,j)

17.47.2.9 get_monomere_mfes()

```
void get_monomere_mfes (
    float * e1,
    float * e2 )

#include <ViennaRNA/cofold.h>

get_monomer_free_energies
```

Export monomer free energies out of cofold arrays

Deprecated {This function is obsolete and will be removed soon!}

Parameters

e1	A pointer to a variable where the energy of molecule A will be written to
e2	A pointer to a variable where the energy of molecule B will be written to

17.47.2.10 initialize_cofold()

```
void initialize_cofold (
    int length )

#include <ViennaRNA/cofold.h>

allocate arrays for folding
```

Deprecated {This function is obsolete and will be removed soon!}

17.47.2.11 vrna_mfe_dimer()

```
float vrna_mfe_dimer (
    vrna_fold_compound_t * vc,
    char * structure )

#include <ViennaRNA/mfe.h>
```

Compute the minimum free energy of two interacting RNA molecules.

The code is analog to the [vrna_mfe\(\)](#) function.

Parameters

<i>vc</i>	fold compound
<i>structure</i>	Will hold the barcket dot structure of the dimer molecule

Returns

minimum free energy of the structure

SWIG Wrapper Notes This function is attached as method **mfe_dimer()** to objects of type *fold_compound*

17.48 Partition Function for two hybridized Sequences

Partition Function Cofolding.

Collaboration diagram for Partition Function for two hybridized Sequences:

Files

- file [part_func_co.h](#)
Partition function for two RNA sequences.
- file [part_func_up.h](#)
Implementations for accessibility and RNA-RNA interaction as a stepwise process.

Data Structures

- struct [vrna_dimer_pf_s](#)
Data structure returned by [vrna_pf_dimer\(\)](#) More...
- struct [vrna_dimer_conc_s](#)
Data structure for concentration dependency computations. [More...](#)

Typedefs

- typedef struct [vrna_dimer_pf_s](#) [vrna_dimer_pf_t](#)
Typename for the data structure that stores the dimer partition functions, [vrna_dimer_pf_s](#), as returned by [vrna_pf_dimer\(\)](#)
- typedef struct [vrna_dimer_conc_s](#) [vrna_dimer_conc_t](#)
Typename for the data structure that stores the dimer concentrations, [vrna_dimer_conc_s](#), as required by [vrna_pf_dimer_concentration\(\)](#)
- typedef struct [vrna_dimer_pf_s](#) [cofoldF](#)
Backward compatibility typedef for [vrna_dimer_pf_s](#).
- typedef struct [vrna_dimer_conc_s](#) [ConcEnt](#)
Backward compatibility typedef for [vrna_dimer_conc_s](#).

Functions

- [vrna_dimer_pf_t vrna_pf_dimer \(vrna_fold_compound_t *vc, char *structure\)](#)
Calculate partition function and base pair probabilities of nucleic acid/nucleic acid dimers.
- void [vrna_pf_dimer_probs \(double FAB, double FA, double FB, vrna_ep_t *prAB, const vrna_ep_t *prA, const vrna_ep_t *prB, int Alength, const vrna_exp_param_t *exp_params\)](#)
Compute Boltzmann probabilities of dimerization without homodimers.
- [vrna_dimer_conc_t * vrna_pf_dimer_concentrations \(double FcAB, double FcAA, double FcBB, double FEA, double FEB, const double *startconc, const vrna_exp_param_t *exp_params\)](#)
Given two start monomer concentrations a and b, compute the concentrations in thermodynamic equilibrium of all dimers and the monomers.

Variables

- int **mirnatog**
Toggles no intrabp in 2nd mol.
- double **F_monomer** [2]
Free energies of the two monomers.

17.48.1 Detailed Description

Partition Function Cofolding.

To simplify the implementation the partition function computation is done internally in a null model that does not include the duplex initiation energy, i.e. the entropic penalty for producing a dimer from two monomers). The resulting free energies and pair probabilities are initially relative to that null model. In a second step the free energies can be corrected to include the dimerization penalty, and the pair probabilities can be divided into the conditional pair probabilities given that a re dimer is formed or not formed. See [2] for further details.

As for folding one RNA molecule, this computes the partition function of all possible structures and the base pair probabilities. Uses the same global **pf_scale** variable to avoid overflows.

To simplify the implementation the partition function computation is done internally in a null model that does not include the duplex initiation energy, i.e. the entropic penalty for producing a dimer from two monomers). The resulting free energies and pair probabilities are initially relative to that null model. In a second step the free energies can be corrected to include the dimerization penalty, and the pair probabilities can be divided into the conditional pair probabilities given that a re dimer is formed or not formed.

After computing the partition functions of all possible dimers one can compute the probabilities of base pairs, the concentrations out of start concentrations and so far and so away.

Dimer formation is inherently concentration dependent. Given the free energies of the monomers A and B and dimers AB, AA, and BB one can compute the equilibrium concentrations, given input concentrations of A and B, see e.g. Dimitrov & Zuker (2004)

17.48.2 Data Structure Documentation

17.48.2.1 struct vrna_dimer_pf_s

Data structure returned by [vrna_pf_dimer\(\)](#)

Data Fields

- double **F0AB**
Null model without DuplexInit.
- double **FAB**
all states with DuplexInit correction
- double **FcAB**
true hybrid states only
- double **FA**
monomer A
- double **FB**
monomer B

17.48.2.2 struct vrna_dimer_conc_s

Data structure for concentration dependency computations.

Data Fields

- double **Ac_start**
start concentration A
- double **Bc_start**
start concentration B
- double **ABc**
End concentration AB.

17.48.3 Function Documentation

17.48.3.1 vrna_pf_dimer()

```
vrna_dimer_pf_t vrna_pf_dimer (
    vrna_fold_compound_t * vc,
    char * structure )

#include <ViennaRNA/part_func_co.h>
```

Calculate partition function and base pair probabilities of nucleic acid/nucleic acid dimers.

This is the cofold partition function folding.

See also

[vrna_fold_compound\(\)](#) for how to retrieve the necessary data structure

Parameters

vc	the fold compound data structure
structure	Will hold the structure or constraints

Returns

`vrna_dimer_pf_t` structure containing a set of energies needed for concentration computations.

SWIG Wrapper Notes This function is attached as method `pf_dimer()` to objects of type `fold_compound`

17.48.3.2 vrna_pf_dimer_probs()

```
void vrna_pf_dimer_probs (
    double FAB,
    double FA,
    double FB,
    vrna_ep_t * prAB,
    const vrna_ep_t * prA,
    const vrna_ep_t * prB,
    int Alength,
    const vrna_exp_param_t * exp_params )
```

#include <ViennaRNA/part_func_co.h>

Compute Boltzmann probabilities of dimerization without homodimers.

Given the pair probabilities and free energies (in the null model) for a dimer AB and the two constituent monomers A and B, compute the conditional pair probabilities given that a dimer AB actually forms. Null model pair probabilities are given as a list as produced by [vrna plist_from_probs\(\)](#), the dimer probabilities 'prAB' are modified in place.

Parameters

<i>FAB</i>	free energy of dimer AB
<i>FA</i>	free energy of monomer A
<i>FB</i>	free energy of monomer B
<i>prAB</i>	pair probabilities for dimer
<i>prA</i>	pair probabilities monomer
<i>prB</i>	pair probabilities monomer
<i>Alength</i>	Length of molecule A
<i>exp_params</i>	The precomputed Boltzmann factors

17.48.3.3 vrna_pf_dimer_concentrations()

```
vrna_dimer_conc_t* vrna_pf_dimer_concentrations (
    double FcAB,
    double FcAA,
    double FcBB,
    double FEA,
    double FEB,
    const double * startconc,
    const vrna_exp_param_t * exp_params )
```

#include <ViennaRNA/part_func_co.h>

Given two start monomer concentrations a and b, compute the concentrations in thermodynamic equilibrium of all dimers and the monomers.

This function takes an array 'startconc' of input concentrations with alternating entries for the initial concentrations of molecules A and B (terminated by two zeroes), then computes the resulting equilibrium concentrations from the free energies for the dimers. Dimer free energies should be the dimer-only free energies, i.e. the FcAB entries from the [vrna_dimer_pf_t](#) struct.

Parameters

F_{cAB}	Free energy of AB dimer (FcAB entry)
F_{cAA}	Free energy of AA dimer (FcAB entry)
F_{cBB}	Free energy of BB dimer (FcAB entry)
F_{EA}	Free energy of monomer A
F_{EB}	Free energy of monomer B
<i>startconc</i>	List of start concentrations [a0],[b0],[a1],[b1],...,[an][bn],[0],[0]
<i>exp_params</i>	The precomputed Boltzmann factors

Returns

`vrna_dimer_conc_t` array containing the equilibrium energies and start concentrations

17.49 Partition Function for two hybridized Sequences as a stepwise Process

RNA-RNA interaction as a stepwise process.

Collaboration diagram for Partition Function for two hybridized Sequences as a stepwise Process:

Functions

- `pu_contrib * pf_unstru (char *sequence, int max_w)`
Calculate the partition function over all unpaired regions of a maximal length.
- `interact * pf_interact (const char *s1, const char *s2, pu_contrib *p_c, pu_contrib *p_c2, int max_w, char *cstruc, int incr3, int incr5)`
Calculates the probability of a local interaction between two sequences.
- `void free_interact (interact *pin)`
Frees the output of function `pf_interact()`.
- `void free_pu_contrib_struct (pu_contrib *pu)`
Frees the output of function `pf_unstru()`.

17.49.1 Detailed Description

RNA-RNA interaction as a stepwise process.

In this approach to cofolding the interaction between two RNA molecules is seen as a stepwise process. In a first step, the target molecule has to adopt a structure in which a binding site is accessible. In a second step, the ligand molecule will hybridize with a region accessible to an interaction. Consequently the algorithm is designed as a two step process: The first step is the calculation of the probability that a region within the target is unpaired, or equivalently, the calculation of the free energy needed to expose a region. In the second step we compute the free energy of an interaction for every possible binding site.

17.49.2 Function Documentation

17.49.2.1 pf_unstru()

```
pu_contrib* pf_unstru (
    char * sequence,
    int max_w )

#include <ViennaRNA/part_func_up.h>
```

Calculate the partition function over all unpaired regions of a maximal length.

You have to call function `pf_fold()` providing the same sequence before calling `pf_unstru()`. If you want to calculate unpaired regions for a constrained structure, set variable 'structure' in function '`pf_fold()`' to the constrain string. It returns a `pu_contrib` struct containing four arrays of dimension $[i = 1 \text{ to } \text{length}(\text{sequence})][j = 0 \text{ to } u-1]$ containing all possible contributions to the probabilities of unpaired regions of maximum length u . Each array in `pu_contrib` contains one of the contributions to the total probability of being unpaired: The probability of being unpaired within an exterior loop is in array `pu_contrib->E`, the probability of being unpaired within a hairpin loop is in array `pu_contrib->H`, the probability of being unpaired within an interior loop is in array `pu_contrib->I` and probability of being unpaired within a multi-loop is in array `pu_contrib->M`. The total probability of being unpaired is the sum of the four arrays of `pu_contrib`.

This function frees everything allocated automatically. To free the output structure call `free_pu_contrib()`.

Parameters

<i>sequence</i>	
<i>max_w</i>	

Returns**17.49.2.2 pf_interact()**

```
interact* pf_interact (
    const char * s1,
    const char * s2,
    pu_contrib * p_c,
    pu_contrib * p_c2,
    int max_w,
    char * cstruc,
    int incr3,
    int incr5 )
```

```
#include <ViennaRNA/part_func_up.h>
```

Calculates the probability of a local interaction between two sequences.

The function considers the probability that the region of interaction is unpaired within 's1' and 's2'. The longer sequence has to be given as 's1'. The shorter sequence has to be given as 's2'. Function [pf_unstru\(\)](#) has to be called for 's1' and 's2', where the probabilities of being unpaired have to be given in 'p_c' and 'p_c2', respectively. If you do not want to include the probabilities of being unpaired for 's2' set 'p_c2' to NULL. If variable 'cstruc' is not NULL, constrained folding is done: The available constraints for intermolecular interaction are: '.' (no constrain), 'x' (the base has no intermolecular interaction) and 'l' (the corresponding base has to be paired intermolecularly). The parameter 'w' determines the maximal length of the interaction. The parameters 'incr5' and 'incr3' allows inclusion of unpaired residues left ('incr5') and right ('incr3') of the region of interaction in 's1'. If the 'incr' options are used, function [pf_unstru\(\)](#) has to be called with w=w+incr5+incr3 for the longer sequence 's1'.

It returns a structure of type [interact](#) which contains the probability of the best local interaction including residue i in Pi and the minimum free energy in Gi, where i is the position in sequence 's1'. The member Gikjl of structure [interact](#) is the best interaction between region [k,i] k< i in longer sequence 's1' and region [j,l] j< l in 's2'. Gikjl_wo is Gikjl without the probability of being unpaired.

Use [free_interact\(\)](#) to free the returned structure, all other stuff is freed inside [pf_interact\(\)](#).

Parameters

<i>s1</i>	
<i>s2</i>	
<i>p_c</i>	
<i>p_c2</i>	
<i>max_w</i>	
<i>cstruc</i>	
<i>incr3</i>	
<i>incr5</i>	

Returns

17.50 Local MFE Structure Prediction and Z-scores

Collaboration diagram for Local MFE Structure Prediction and Z-scores:

```

graph TD
    A[Local MFE Structure Prediction and Z-scores] --- B["vrna_Lfold()"]
    A --- C["vrna_Lfoldz()"]
    A --- D["Lfold()"]
    A --- E["Lfoldz()"]
    A --- F["vrna_mfe_window()"]
    A --- G["vrna_mfe_window_zscore()"]
    B --- H["vrna_fold_compound_t"]
    C --- I["vrna_fold_compound_t"]
    D --- J["vrna_fold_compound_t"]
    E --- K["vrna_fold_compound_t"]
    F --- L["vrna_fold_compound_t"]
    G --- M["vrna_fold_compound_t"]
    
```

Functions

- float [vrna_Lfold](#) (const char *string, int window_size, FILE *file)
Local MFE prediction using a sliding window approach (simplified interface)
- float [vrna_Lfoldz](#) (const char *string, int window_size, double min_z, FILE *file)
Local MFE prediction using a sliding window approach with z-score cut-off (simplified interface)
- float [Lfold](#) (const char *string, char *structure, int maxdist)
The local analog to [fold\(\)](#).
- float [Lfoldz](#) (const char *string, char *structure, int maxdist, int zsc, double min_z)
Local MFE prediction using a sliding window approach.
- float [vrna_mfe_window](#) ([vrna_fold_compound_t](#) *vc, FILE *file)
Local MFE prediction using a sliding window approach (with z-score cut-off)

17.50.1 Detailed Description

17.50.2 Function Documentation

17.50.2.1 [vrna_Lfold\(\)](#)

```
float vrna_Lfold (
    const char * string,
    int window_size,
    FILE * file )

#include <ViennaRNA/Lfold.h>
```

Local MFE prediction using a sliding window approach (simplified interface)

This simplified interface to [vrna_mfe_window\(\)](#) computes the MFE and locally optimal secondary structure using default options. Structures are predicted using a sliding window approach, where base pairs may not span outside the window. Memory required for dynamic programming (DP) matrices will be allocated and free'd on-the-fly. Hence, after return of this function, the recursively filled matrices are not available any more for any post-processing.

Note

In case you want to use the filled DP matrices for any subsequent post-processing step, or you require other conditions than specified by the default model details, use [vrna_mfe_window\(\)](#), and the data structure [vrna_fold_compound_t](#) instead.

See also

[vrna_mfe_window\(\)](#), [vrna_Lfoldz\(\)](#), [vrna_mfe_window_zscore\(\)](#), [vrna_fold_compound\(\)](#), [vrna_fold_compound_t](#)

Parameters

<i>string</i>	The nucleic acid sequence
<i>window_size</i>	The window size for locally optimal structures
<i>file</i>	The output file handle where predictions are written to (if NULL, output is written to stdout)

17.50.2.2 vrna_Lfoldz()

```
float vrna_Lfoldz (
    const char * string,
    int window_size,
    double min_z,
    FILE * file )
```

#include <ViennaRNA/Lfold.h>

Local MFE prediction using a sliding window approach with z-score cut-off (simplified interface)

This simplified interface to [vrna_mfe_window_zscore\(\)](#) computes the MFE and locally optimal secondary structure using default options. Structures are predicted using a sliding window approach, where base pairs may not span outside the window. Memory required for dynamic programming (DP) matrices will be allocated and free'd on-the-fly. Hence, after return of this function, the recursively filled matrices are not available any more for any post-processing. This function is the z-score version of [vrna_Lfold\(\)](#), i.e. only predictions above a certain z-score cut-off value are printed.

Note

In case you want to use the filled DP matrices for any subsequent post-processing step, or you require other conditions than specified by the default model details, use [vrna_mfe_window\(\)](#), and the data structure [vrna_fold_compound_t](#) instead.

See also

[vrna_mfe_window_zscore\(\)](#), [vrna_Lfold\(\)](#), [vrna_mfe_window\(\)](#), [vrna_fold_compound\(\)](#), [vrna_fold_compound_t](#)

Parameters

<i>string</i>	The nucleic acid sequence
<i>window_size</i>	The window size for locally optimal structures
<i>min_z</i>	The minimal z-score for a predicted structure to appear in the output
<i>file</i>	The output file handle where predictions are written to (if NULL, output is written to stdout)

17.50.2.3 Lfold()

```
float Lfold (
    const char * string,
```

```

    char * structure,
    int maxdist )

#include <ViennaRNA/Lfold.h>

```

The local analog to [fold\(\)](#).

Computes the minimum free energy structure including only base pairs with a span smaller than 'maxdist'

Deprecated Use [vrna_mfe_window\(\)](#) instead!

17.50.2.4 Lfoldz()

```

float Lfoldz (
    const char * string,
    char * structure,
    int maxdist,
    int zsc,
    double min_z )

```

```
#include <ViennaRNA/Lfold.h>
```

Deprecated Use [vrna_mfe_window_zscore\(\)](#) instead!

17.50.2.5 vrna_mfe_window()

```

float vrna_mfe_window (
    vrna_fold_compound_t * vc,
    FILE * file )

```

```
#include <ViennaRNA/mfe.h>
```

Local MFE prediction using a sliding window approach.

Computes minimum free energy structures using a sliding window approach, where base pairs may not span outside the window. In contrast to [vrna_mfe\(\)](#), where a maximum base pair span may be set using the [vrna_md_t.max_bp_span](#) attribute and one globally optimal structure is predicted, this function uses a sliding window to retrieve all locally optimal structures within each window. The size of the sliding window is set in the [vrna_md_t.window_size](#) attribute, prior to the retrieval of the [vrna_fold_compound_t](#) using [vrna_fold_compound\(\)](#) with option [VRNA_OPTION_WINDOW](#)

The predicted structures are written on-the-fly, either to stdout, if a NULL pointer is passed as file parameter, or to the corresponding filehandle.

See also

[vrna_fold_compound\(\)](#), [vrna_mfe_window_zscore\(\)](#), [vrna_mfe\(\)](#), [vrna_Lfold\(\)](#), [vrna_Lfoldz\(\)](#), [VRNA_OPTION_WINDOW](#), [vrna_md_t.max_bp_span](#), [vrna_md_t.window_size](#)

Parameters

<i>vc</i>	The vrna_fold_compound_t with preallocated memory for the DP matrices
<i>file</i>	The output file handle where predictions are written to (maybe NULL)

SWIG Wrapper Notes This function is attached as method [mfe_window\(\)](#) to objects of type *fold_compound*

17.50.2.6 vrna_mfe_window_zscore()

```
float vrna_mfe_window_zscore (
    vrna_fold_compound_t * vc,
    double min_z,
    FILE * file )
```

```
#include <ViennaRNA/mfe.h>
```

Local MFE prediction using a sliding window approach (with z-score cut-off)

Computes minimum free energy structures using a sliding window approach, where base pairs may not span outside the window. This function is the z-score version of [vrna_mfe_window\(\)](#), i.e. only predictions above a certain z-score cut-off value are printed. As for [vrna_mfe_window\(\)](#), the size of the sliding window is set in the [vrna_md_t.window_size](#) attribute, prior to the retrieval of the [vrna_fold_compound_t](#) using [vrna_fold_compound\(\)](#) with option [VRNA_OPTION_WINDOW](#).

The predicted structures are written on-the-fly, either to stdout, if a NULL pointer is passed as file parameter, or to the corresponding filehandle.

See also

[vrna_fold_compound\(\)](#), [vrna_mfe_window_zscore\(\)](#), [vrna_mfe\(\)](#), [vrna_Lfold\(\)](#), [vrna_Lfoldz\(\)](#), [VRNA_OPTION_WINDOW](#), [vrna_md_t.max_bp_span](#), [vrna_md_t.window_size](#)

Parameters

<i>vc</i>	The vrna_fold_compound_t with preallocated memory for the DP matrices
<i>min_z</i>	The minimal z-score for a predicted structure to appear in the output
<i>file</i>	The output file handle where predictions are written to (maybe NULL)

17.51 Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures

Collaboration diagram for Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures:

Macros

- `#define VRNA_PROBS_WINDOW_BPP 4096U`
Option flag to activate callback triggers for pairing probabilities.
- `#define VRNA_PROBS_WINDOW_UP 8192U`
Option flag to activate callback triggers for unpaired probabilities.
- `#define VRNA_PROBS_WINDOW_STACKP 16384U`
Option flag to activate callback triggers for stacking probabilities.
- `#define VRNA_PROBS_WINDOW_UP_SPLIT 32768U`
Option flag to activate callback triggers for unpaired probabilities (split up into different loop types)

Functions

- `vrna_ep_t * vrna_pfl_fold (const char *sequence, int window_size, int max_bp_span, float cutoff)`
Compute base pair probabilities using a sliding-window approach.
- `void vrna_pfl_fold_cb (const char *sequence, int window_size, int max_bp_span, vrna_probs_window_callback *cb, void *data)`
Compute base pair probabilities using a sliding-window approach (callback version)
- `double ** vrna_pfl_fold_up (const char *sequence, int ulength, int window_size, int max_bp_span)`
Compute probability of contiguous unpaired segments.
- `void vrna_pfl_fold_up_cb (const char *sequence, int ulength, int window_size, int max_bp_span, vrna_probs_window_callback *cb, void *data)`
Compute probability of contiguous unpaired segments.
- `void vrna_probs_window (vrna_fold_compound_t *fc, int ulength, unsigned int options, vrna_probs_window_callback *cb, void *data)`
Compute various equilibrium probabilities under a sliding window approach.

17.51.1 Detailed Description

17.51.2 Macro Definition Documentation

17.51.2.1 VRNA_PROBS_WINDOW_BPP

```
#define VRNA_PROBS_WINDOW_BPP 4096U
#include <ViennaRNA/LPfold.h>
```

Option flag to activate callback triggers for pairing probabilities.

See also

[vrna_probs_window\(\)](#)

17.51.2.2 VRNA_PROBS_WINDOW_UP

```
#define VRNA_PROBS_WINDOW_UP 8192U

#include <ViennaRNA/LPfold.h>
```

Option flag to activate callback triggers for unpaired probabilities.

See also

[vrna_probs_window\(\)](#)

17.51.2.3 VRNA_PROBS_WINDOW_STACKP

```
#define VRNA_PROBS_WINDOW_STACKP 16384U

#include <ViennaRNA/LPfold.h>
```

Option flag to activate callback triggers for stacking probabilities.

See also

[vrna_probs_window\(\)](#)

17.51.2.4 VRNA_PROBS_WINDOW_UP_SPLIT

```
#define VRNA_PROBS_WINDOW_UP_SPLIT 32768U

#include <ViennaRNA/LPfold.h>
```

Option flag to activate callback triggers for unpaired probabilities (split up into different loop types)

See also

[vrna_probs_window\(\)](#), #VRNA_EXT_LOOP, #VRNA_HP_LOOP, #VRNA_INT_LOOP, #VRNA_MB_LOOP,
#VRNA_ANY_LOOP

17.51.3 Function Documentation

17.51.3.1 vrna_pfl_fold()

```
vrna_ep_t* vrna_pfl_fold (
    const char * sequence,
    int window_size,
    int max_bp_span,
    float cutoff )
```

#include <ViennaRNA/LPfold.h>

Compute base pair probabilities using a sliding-window approach.

This is a simplified wrapper to [vrna_probs_window\(\)](#) that given a nucleic acid sequence, a window size, a maximum base pair span, and a cutoff value computes the pair probabilities for any base pair in any window. The pair probabilities are returned as a list and the user has to take care to free() the memory occupied by the list.

Note

This function uses default model settings! For custom model settings, we refer to the function [vrna_probs_window\(\)](#).

See also

[vrna_probs_window\(\)](#), [vrna_pfl_fold_cb\(\)](#), [vrna_pfl_fold_up\(\)](#)

Parameters

<i>sequence</i>	The nucleic acid input sequence
<i>window_size</i>	The size of the sliding window
<i>max_bp_span</i>	The maximum distance along the backbone between two nucleotides that form a base pairs
<i>cutoff</i>	A cutoff value that omits all pairs with lower probability

Returns

A list of base pair probabilities, terminated by an entry with #vrna_ep_t.i and #vrna_ep_t.j set to 0

17.51.3.2 vrna_pfl_fold_cb()

```
void vrna_pfl_fold_cb (
    const char * sequence,
    int window_size,
    int max_bp_span,
    vrna_probs_window_callback * cb,
    void * data )
```

#include <ViennaRNA/LPfold.h>

Compute base pair probabilities using a sliding-window approach (callback version)

This is a simplified wrapper to [vrna_probs_window\(\)](#) that given a nucleic acid sequence, a window size, a maximum base pair span, and a cutoff value computes the pair probabilities for any base pair in any window. It is similar to [vrna_pfl_fold\(\)](#) but uses a callback mechanism to return the pair probabilities.

Read the details for [vrna_probs_window\(\)](#) for details on the callback implementation!

Note

This function uses default model settings! For custom model settings, we refer to the function [vrna_probs_window\(\)](#).

See also

[vrna_probs_window\(\)](#), [vrna_pfl_fold\(\)](#), [vrna_pfl_fold_up_cb\(\)](#)

Parameters

<i>sequence</i>	The nucleic acid input sequence
<i>window_size</i>	The size of the sliding window
<i>max_bp_span</i>	The maximum distance along the backbone between two nucleotides that form a base pairs
<i>cb</i>	The callback function which collects the pair probability data for further processing
<i>data</i>	Some arbitrary data structure that is passed to the callback <i>cb</i>

17.51.3.3 vrna_pfl_fold_up()

```
double** vrna_pfl_fold_up (
    const char * sequence,
    int ulength,
    int window_size,
    int max_bp_span )

#include <ViennaRNA/LPfold.h>
```

Compute probability of contiguous unpaired segments.

This is a simplified wrapper to [vrna_probs_window\(\)](#) that given a nucleic acid sequence, a maximum length of unpaired segments (*ulength*), a window size, and a maximum base pair span computes the equilibrium probability of any segment not exceeding *ulength*. The probabilities to be unpaired are returned as a 1-based, 2-dimensional matrix with dimensions $N \times M$, where N is the length of the sequence and M is the maximum segment length. As an example, the probability of a segment of size 5 starting at position 100 is stored in the matrix entry $X[100][5]$.

It is the users responsibility to free the memory occupied by this matrix.

Note

This function uses default model settings! For custom model settings, we refer to the function [vrna_probs_window\(\)](#).

Parameters

<i>sequence</i>	The nucleic acid input sequence
<i>ulength</i>	The maximal length of an unpaired segment
<i>window_size</i>	The size of the sliding window
<i>max_bp_span</i>	The maximum distance along the backbone between two nucleotides that form a base pairs

Returns

The probabilities to be unpaired for any segment not exceeding `ulength`

17.51.3.4 vrna_pfl_fold_up_cb()

```
void vrna_pfl_fold_up_cb (
    const char * sequence,
    int ulength,
    int window_size,
    int max_bp_span,
    vrna_probs_window_callback * cb,
    void * data )
```

```
#include <ViennaRNA/LPfold.h>
```

Compute probability of contiguous unpaired segments.

This is a simplified wrapper to [vrna_probs_window\(\)](#) that given a nucleic acid sequence, a maximum length of unpaired segments (`ulength`), a window size, and a maximum base pair span computes the equilibrium probability of any segment not exceeding `ulength`. It is similar to [vrna_pfl_fold_up\(\)](#) but uses a callback mechanism to return the unpaired probabilities.

Read the details for [vrna_probs_window\(\)](#) for details on the callback implementation!

Note

This function uses default model settings! For custom model settings, we refer to the function [vrna_probs_window\(\)](#).

Parameters

<code>sequence</code>	The nucleic acid input sequence
<code>ulength</code>	The maximal length of an unpaired segment
<code>window_size</code>	The size of the sliding window
<code>max_bp_span</code>	The maximum distance along the backbone between two nucleotides that form a base pairs
<code>cb</code>	The callback function which collects the pair probability data for further processing
<code>data</code>	Some arbitrary data structure that is passed to the callback <code>cb</code>

Returns

The probabilities to be unpaired for any segment not exceeding `ulength`

17.51.3.5 vrna_probs_window()

```
void vrna_probs_window (
    vrna_fold_compound_t * fc,
```

```
int ulength,  
unsigned int options,  
vrna_probs_window_callback * cb,  
void * data )  
  
#include <ViennaRNA/LPfold.h>
```

Compute various equilibrium probabilities under a sliding window approach.

See also

[vrna_pfl_fold_cb\(\)](#), [vrna_pfl_fold_up_cb\(\)](#), [VRNA_PROBS_WINDOW_BPP](#), [VRNA_PROBS_WINDOW_UP](#), [VRNA_PROBS_WINDOW_UP_SPLIT](#)

Parameters

<i>fc</i>	The fold compound with sequence data, model settings and precomputed energy parameters
<i>ulength</i>	The maximal length of an unpaired segment (only for unpaired probability computations)
<i>cb</i>	The callback function which collects the pair probability data for further processing
<i>data</i>	Some arbitrary data structure that is passed to the callback <i>cb</i>
<i>options</i>	Option flags to control the behavior of this function

17.52 Local MFE Consensus Structure Prediction for Sequence Alignments

Collaboration diagram for Local MFE Consensus Structure Prediction for Sequence Alignments:

Functions

- float `aliLfold` (const char **AS, char *structure, int maxdist)

17.52.1 Detailed Description

17.52.2 Function Documentation

17.52.2.1 `aliLfold()`

```
float aliLfold (
    const char ** AS,
    char * structure,
    int maxdist )

#include <ViennaRNA/Lfold.h>
```

Parameters

<i>strings</i>	
<i>structure</i>	
<i>maxdist</i>	

Returns

17.53 Reading/Writing Energy Parameter Sets from/to File

Read and Write energy parameter sets from and to text files.

Collaboration diagram for Reading/Writing Energy Parameter Sets from/to File:

Modules

- [Converting Energy Parameter Files](#)

Convert energy parameter files into the latest format.

Functions

- `const char * last_parameter_file (void)`
Get the file name of the parameter file that was most recently loaded.
- `void read_parameter_file (const char fname[])`
Read energy parameters from a file.
- `void write_parameter_file (const char fname[])`
Write energy parameters to a file.

17.53.1 Detailed Description

Read and Write energy parameter sets from and to text files.

A default set of parameters, identical to the one described in [14] and [19], is compiled into the library.

17.53.2 Function Documentation

17.53.2.1 `last_parameter_file()`

```
const char* last_parameter_file (
    void )

#include <ViennaRNA/read_epars.h>
```

Get the file name of the parameter file that was most recently loaded.

Returns

The file name of the last parameter file, or NULL if parameters are still at defaults

17.53.2.2 `read_parameter_file()`

```
void read_parameter_file (
    const char fname[] )

#include <ViennaRNA/read_epars.h>
```

Read energy parameters from a file.

Parameters

<i>fname</i>	The path to the file containing the energy parameters
--------------	---

17.53.2.3 write_parameter_file()

```
void write_parameter_file (
    const char fname[] )

#include <ViennaRNA/read_epars.h>
```

Write energy parameters to a file.

Parameters

<i>fname</i>	A filename (path) for the file where the current energy parameters will be written to
--------------	---

17.54 Converting Energy Parameter Files

Convert energy parameter files into the latest format.

Collaboration diagram for Converting Energy Parameter Files:

Files

- file [1.8.4_epars.h](#)
Free energy parameters for parameter file conversion.
- file [1.8.4_intloops.h](#)
Free energy parameters for interior loop contributions needed by the parameter file conversion functions.

Macros

- `#define VRNA_CONVERT_OUTPUT_ALL 1U`
- `#define VRNA_CONVERT_OUTPUT_HP 2U`
- `#define VRNA_CONVERT_OUTPUT_STACK 4U`
- `#define VRNA_CONVERT_OUTPUT_MM_HP 8U`
- `#define VRNA_CONVERT_OUTPUT_MM_INT 16U`
- `#define VRNA_CONVERT_OUTPUT_MM_INT_1N 32U`
- `#define VRNA_CONVERT_OUTPUT_MM_INT_23 64U`
- `#define VRNA_CONVERT_OUTPUT_MM_MULTI 128U`
- `#define VRNA_CONVERT_OUTPUT_MM_EXT 256U`
- `#define VRNA_CONVERT_OUTPUT_DANGLE5 512U`
- `#define VRNA_CONVERT_OUTPUT_DANGLE3 1024U`
- `#define VRNA_CONVERT_OUTPUT_INT_11 2048U`
- `#define VRNA_CONVERT_OUTPUT_INT_21 4096U`
- `#define VRNA_CONVERT_OUTPUT_INT_22 8192U`
- `#define VRNA_CONVERT_OUTPUT_BULGE 16384U`
- `#define VRNA_CONVERT_OUTPUT_INT 32768U`
- `#define VRNA_CONVERT_OUTPUT_ML 65536U`
- `#define VRNA_CONVERT_OUTPUT_MISC 131072U`
- `#define VRNA_CONVERT_OUTPUT_SPECIAL_HP 262144U`
- `#define VRNA_CONVERT_OUTPUT_VANILLA 524288U`
- `#define VRNA_CONVERT_OUTPUT_NINIO 1048576U`
- `#define VRNA_CONVERT_OUTPUT_DUMP 2097152U`

Functions

- void `convert_parameter_file` (const char *iname, const char *oname, unsigned int options)

17.54.1 Detailed Description

Convert energy parameter files into the latest format.

To preserve some backward compatibility the RNAlib also provides functions to convert energy parameter files from the format used in version 1.4-1.8 into the new format used since version 2.0

17.54.2 Macro Definition Documentation

17.54.2.1 VRNA_CONVERT_OUTPUT_ALL

```
#define VRNA_CONVERT_OUTPUT_ALL 1U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of a complete parameter set

17.54.2.2 VRNA_CONVERT_OUTPUT_HP

```
#define VRNA_CONVERT_OUTPUT_HP 2U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of hairpin contributions

17.54.2.3 VRNA_CONVERT_OUTPUT_STACK

```
#define VRNA_CONVERT_OUTPUT_STACK 4U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of base pair stack contributions

17.54.2.4 VRNA_CONVERT_OUTPUT_MM_HP

```
#define VRNA_CONVERT_OUTPUT_MM_HP 8U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of hairpin mismatch contribution

17.54.2.5 VRNA_CONVERT_OUTPUT_MM_INT

```
#define VRNA_CONVERT_OUTPUT_MM_INT 16U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of interior loop mismatch contribution

17.54.2.6 VRNA_CONVERT_OUTPUT_MM_INT_1N

```
#define VRNA_CONVERT_OUTPUT_MM_INT_1N 32U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of 1:n interior loop mismatch contribution

17.54.2.7 VRNA_CONVERT_OUTPUT_MM_INT_23

```
#define VRNA_CONVERT_OUTPUT_MM_INT_23 64U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of 2:3 interior loop mismatch contribution

17.54.2.8 VRNA_CONVERT_OUTPUT_MM_MULTI

```
#define VRNA_CONVERT_OUTPUT_MM_MULTI 128U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of multi loop mismatch contribution

17.54.2.9 VRNA_CONVERT_OUTPUT_MM_EXT

```
#define VRNA_CONVERT_OUTPUT_MM_EXT 256U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of exterior loop mismatch contribution

17.54.2.10 VRNA_CONVERT_OUTPUT_DANGLE5

```
#define VRNA_CONVERT_OUTPUT_DANGLE5 512U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of 5' dangle contribution

17.54.2.11 VRNA_CONVERT_OUTPUT_DANGLE3

```
#define VRNA_CONVERT_OUTPUT_DANGLE3 1024U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of 3' dangle contribution

17.54.2.12 VRNA_CONVERT_OUTPUT_INT_11

```
#define VRNA_CONVERT_OUTPUT_INT_11 2048U  
  
#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of 1:1 interior loop contribution

17.54.2.13 VRNA_CONVERT_OUTPUT_INT_21

```
#define VRNA_CONVERT_OUTPUT_INT_21 4096U  
  
#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of 2:1 interior loop contribution

17.54.2.14 VRNA_CONVERT_OUTPUT_INT_22

```
#define VRNA_CONVERT_OUTPUT_INT_22 8192U  
  
#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of 2:2 interior loop contribution

17.54.2.15 VRNA_CONVERT_OUTPUT_BULGE

```
#define VRNA_CONVERT_OUTPUT_BULGE 16384U  
  
#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of bulge loop contribution

17.54.2.16 VRNA_CONVERT_OUTPUT_INT

```
#define VRNA_CONVERT_OUTPUT_INT 32768U  
  
#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of interior loop contribution

17.54.2.17 VRNA_CONVERT_OUTPUT_ML

```
#define VRNA_CONVERT_OUTPUT_ML 65536U  
  
#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of multi loop contribution

17.54.2.18 VRNA_CONVERT_OUTPUT_MISC

```
#define VRNA_CONVERT_OUTPUT_MISC 131072U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of misc contributions (such as terminalAU)

17.54.2.19 VRNA_CONVERT_OUTPUT_SPECIAL_HP

```
#define VRNA_CONVERT_OUTPUT_SPECIAL_HP 262144U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of special hairpin contributions (tri-, tetra-, hexa-loops)

17.54.2.20 VRNA_CONVERT_OUTPUT_VANILLA

```
#define VRNA_CONVERT_OUTPUT_VANILLA 524288U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of given parameters only

Note

This option overrides all other output options, except [VRNA_CONVERT_OUTPUT_DUMP](#) !

17.54.2.21 VRNA_CONVERT_OUTPUT_NINIO

```
#define VRNA_CONVERT_OUTPUT_NINIO 1048576U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate printing of interior loop asymmetry contribution

17.54.2.22 VRNA_CONVERT_OUTPUT_DUMP

```
#define VRNA_CONVERT_OUTPUT_DUMP 2097152U

#include <ViennaRNA/convert_epars.h>
```

Flag to indicate dumping the energy contributions from the library instead of an input file

17.54.3 Function Documentation

17.54.3.1 convert_parameter_file()

```
void convert_parameter_file (
    const char * iname,
    const char * oname,
    unsigned int options )

#include <ViennaRNA/convert_epars.h>
```

Convert/dump a Vienna 1.8.4 formatted energy parameter file

The options argument allows one to control the different output modes.

Currently available options are:

```
VRNA_CONVERT_OUTPUT_ALL, VRNA_CONVERT_OUTPUT_HP, VRNA_CONVERT_OUTPUT_STACK
VRNA_CONVERT_OUTPUT_MM_HP, VRNA_CONVERT_OUTPUT_MM_INT, VRNA_CONVERT_OUTPUT_MM_INT_1N
VRNA_CONVERT_OUTPUT_MM_INT_23, VRNA_CONVERT_OUTPUT_MM_MULTI, VRNA_CONVERT_OUTPUT_MM_EXT
VRNA_CONVERT_OUTPUT_DANGLE5, VRNA_CONVERT_OUTPUT_DANGLE3, VRNA_CONVERT_OUTPUT_INT_11
VRNA_CONVERT_OUTPUT_INT_21, VRNA_CONVERT_OUTPUT_INT_22, VRNA_CONVERT_OUTPUT_BULGE
VRNA_CONVERT_OUTPUT_INT, VRNA_CONVERT_OUTPUT_ML, VRNA_CONVERT_OUTPUT_MISC
VRNA_CONVERT_OUTPUT_SPECIAL_HP, VRNA_CONVERT_OUTPUT_VANILLA, VRNA_CONVERT_OUTPUT_NINIO
VRNA_CONVERT_OUTPUT_DUMP
```

The defined options are fine for bitwise compare- and assignment-operations, e. g.: pass a collection of options as a single value like this:

```
convert_parameter_file(ifile, ofile, option_1 | option_2 | option_n)
```

Parameters

<i>iname</i>	The input file name (If NULL input is read from stdin)
<i>oname</i>	The output file name (If NULL output is written to stdout)
<i>options</i>	The options (as described above)

17.55 The Fold Compound

This module provides interfaces that deal with the most basic data structure used in structure predicting and energy evaluating function of the RNAlib.

Collaboration diagram for The Fold Compound:

Files

- file [fold_compound.h](#)
The Basic Fold Compound API.

Data Structures

- struct [vrna_fc_s](#)
The most basic data structure required by many functions throughout the RNAlib. [More...](#)

Macros

- `#define VRNA_STATUS_MFE_PRE` (unsigned char)1
Status message indicating that MFE computations are about to begin.
- `#define VRNA_STATUS_MFE_POST` (unsigned char)2
Status message indicating that MFE computations are finished.
- `#define VRNA_STATUS_PF_PRE` (unsigned char)3
Status message indicating that Partition function computations are about to begin.
- `#define VRNA_STATUS_PF_POST` (unsigned char)4
Status message indicating that Partition function computations are finished.
- `#define VRNA_OPTION_DEFAULT` 0U
Option flag to specify default settings/requirements.
- `#define VRNA_OPTION_MFE` 1U
Option flag to specify requirement of Minimum Free Energy (MFE) DP matrices and corresponding set of energy parameters.
- `#define VRNA_OPTION_PF` 2U
Option flag to specify requirement of Partition Function (PF) DP matrices and corresponding set of Boltzmann factors.
- `#define VRNA_OPTION_HYBRID` 4U
Option flag to specify requirement of dimer DP matrices.
- `#define VRNA_OPTION_EVAL_ONLY` 8U
Option flag to specify that neither MFE, nor PF DP matrices are required.
- `#define VRNA_OPTION_WINDOW` 16U
Option flag to specify requirement of DP matrices for local folding approaches.

Typedefs

- `typedef struct vrna_fc_s vrna_fold_compound_t`
Typename for the fold_compound data structure [vrna_fc_s](#).
- `typedef void() vrna_callback_free_auxdata(void *data)`
Callback to free memory allocated for auxiliary user-provided data.
- `typedef void() vrna_callback_recursion_status(unsigned char status, void *data)`
Callback to perform specific user-defined actions before, or after recursive computations.

Enumerations

- enum `vrna_fc_type_e` { `VRNA_FC_TYPE_SINGLE`, `VRNA_FC_TYPE_COMPARATIVE` }
- An enumerator that is used to specify the type of a `vrna_fold_compound_t`.*

Functions

- `vrna_fold_compound_t * vrna_fold_compound` (const char *sequence, `vrna_md_t` *md_p, unsigned int options)

Retrieve a `vrna_fold_compound_t` data structure for single sequences and hybridizing sequences.

- `vrna_fold_compound_t * vrna_fold_compound_comparative` (const char **sequences, `vrna_md_t` *md_p, unsigned int options)

Retrieve a `vrna_fold_compound_t` data structure for sequence alignments.

- void `vrna_fold_compound_free` (`vrna_fold_compound_t` *vc)

Free memory occupied by a `vrna_fold_compound_t`.

- void `vrna_fold_compound_add_auxdata` (`vrna_fold_compound_t` *vc, void *data, `vrna_callback_free_auxdata` *f)

Add auxiliary data to the `vrna_fold_compound_t`.

- void `vrna_fold_compound_add_callback` (`vrna_fold_compound_t` *vc, `vrna_callback_recursion_status` *f)

Add a recursion status callback to the `vrna_fold_compound_t`.

17.55.1 Detailed Description

This module provides interfaces that deal with the most basic data structure used in structure predicting and energy evaluating function of the RNAlib.

Throughout the entire RNAlib, the `vrna_fold_compound_t`, is used to group information and data that is required for structure prediction and energy evaluation. Here, you'll find interface functions to create, modify, and delete `vrna_fold_compound_t` data structures.

17.55.2 Data Structure Documentation

17.55.2.1 struct `vrna_fc_s`

The most basic data structure required by many functions throughout the RNAlib.

Note

Please read the documentation of this data structure carefully! Some attributes are only available for specific types this data structure can adopt.

Warning

Reading/Writing from/to attributes that are not within the scope of the current type usually result in undefined behavior!

See also

[vrna_fold_compound_t.type](#), [vrna_fold_compound\(\)](#), [vrna_fold_compound_comparative\(\)](#), [vrna_fold_compound_free\(\)](#),
[VRNA_FC_TYPE_SINGLE](#), [VRNA_FC_TYPE_COMPARATIVE](#)

SWIG Wrapper Notes This data structure is wrapped as an object **fold_compound** with several related functions attached as methods.

A new **fold_compound** can be obtained by calling one of its constructors:

- *fold_compound(seq)* – Initialize with a single sequence, or two concatenated sequences separated by an ampersand character '&' (for cofolding)
- *fold_compound(aln)* – Initialize with a sequence alignment *aln* stored as a list of sequences (with gap characters)

The resulting object has a list of attached methods which in most cases directly correspond to functions that mainly operate on the corresponding C data structure:

- *type()* – Get the type of the *fold_compound* (See [vrna_fc_type_e](#))
- *length()* – Get the length of the sequence(s) or alignment stored within the *fold_compound*

Collaboration diagram for vrna_fc_s:

Data Fields

Common data fields

- [vrna_fc_type_e type](#)
The type of the vrna_fold_compound_t.
- unsigned int [length](#)
The length of the sequence (or sequence alignment)
- int [cutpoint](#)
The position of the (cofold) cutpoint within the provided sequence. If there is no cutpoint, this field will be set to -1.
- unsigned int * [strand_number](#)
The strand number a particular nucleotide is associated with.
- [vrna_hc_t * hc](#)
The hard constraints data structure used for structure prediction.
- [vrna_mx_mfe_t * matrices](#)
The MFE DP matrices.
- [vrna_mx_pf_t * exp_matrices](#)
The PF DP matrices.
- [vrna_param_t * params](#)
The precomputed free energy contributions for each type of loop.
- [vrna_exp_param_t * exp_params](#)
The precomputed free energy contributions as Boltzmann factors.
- int * [iindx](#)
DP matrix accessor.
- int * [jindx](#)
DP matrix accessor.

User-defined data fields

- **`vrna_callback_recursion_status * stat_cb`**
Recursion status callback (usually called just before, and after recursive computations in the library).
- **`void * auxdata`**
A pointer to auxiliary, user-defined data.
- **`vrna_callback_free_auxdata * free_auxdata`**
A callback to free auxiliary user data whenever the fold_compound itself is free'd.

Secondary Structure Decomposition (grammar) related data fields

- **`vrna_sd_t * domains_struc`**
Additional structured domains.
- **`vrna_ud_t * domains_up`**
Additional unstructured domains.
- **`vrna_gr_aux_t * aux_grammar`**

Data fields available for single/hybrid structure prediction

Data fields for consensus structure prediction

Additional data fields for Distance Class Partitioning

These data fields are typically populated with meaningful data only if used in the context of Distance Class Partitioning

- **`unsigned int maxD1`**
Maximum allowed base pair distance to first reference.
- **`unsigned int maxD2`**
Maximum allowed base pair distance to second reference.
- **`short * reference_pt1`**
A pairtable of the first reference structure.
- **`short * reference_pt2`**
A pairtable of the second reference structure.
- **`unsigned int * referenceBPs1`**
Matrix containing number of basepairs of reference structure1 in interval [i,j].
- **`unsigned int * referenceBPs2`**
Matrix containing number of basepairs of reference structure2 in interval [i,j].
- **`unsigned int * bpdist`**
Matrix containing base pair distance of reference structure 1 and 2 on interval [i,j].
- **`unsigned int * mm1`**
Maximum matching matrix, reference struct 1 disallowed.
- **`unsigned int * mm2`**
Maximum matching matrix, reference struct 2 disallowed.

Additional data fields for local folding

These data fields are typically populated with meaningful data only if used in the context of local folding

- **`int window_size`**
window size for local folding sliding window approach
- **`char ** ptype_local`**
Pair type array (for local folding)

17.55.2.1.1 Field Documentation

17.55.2.1.1.1 type

`vrna_fc_type_e vrna_fc_s::type`

The type of the `vrna_fold_compound_t`.

Currently possible values are `VRNA_FC_TYPE_SINGLE`, and `VRNA_FC_TYPE_COMPARATIVE`

Warning

Do not edit this attribute, it will be automatically set by the corresponding `get()` methods for the `vrna_fold_compound_t`. The value specified in this attribute dictates the set of other attributes to use within this data structure.

17.55.2.1.1.2 stat_cb

`vrna_callback_recursion_status* vrna_fc_s::stat_cb`

Recursion status callback (usually called just before, and after recursive computations in the library).

See also

`vrna_callback_recursion_status()`, `vrna_fold_compound_add_callback()`

17.55.2.1.1.3 auxdata

`void* vrna_fc_s::auxdata`

A pointer to auxiliary, user-defined data.

See also

`vrna_fold_compound_add_auxdata()`, `vrna_fold_compound_t.free_auxdata`

17.55.2.1.1.4 free_auxdata

`vrna_callback_free_auxdata* vrna_fc_s::free_auxdata`

A callback to free auxiliary user data whenever the `fold_compound` itself is free'd.

See also

`vrna_fold_compound_t.auxdata`, `vrna_callback_free_auxdata()`

17.55.2.1.1.5 sequence

```
char* vrna_fc_s::sequence
```

The input sequence string.

Warning

Only available if

```
type==VRNA_FC_TYPE_SINGLE
```

17.55.2.1.1.6 sequence_encoding

```
short* vrna_fc_s::sequence_encoding
```

Numerical encoding of the input sequence.

See also

[vrna_sequence_encode\(\)](#)

Warning

Only available if

```
type==VRNA_FC_TYPE_SINGLE
```

17.55.2.1.1.7 ptype

```
char* vrna_fc_s::ptype
```

Pair type array.

Contains the numerical encoding of the pair type for each pair (i,j) used in MFE, Partition function and Evaluation computations.

Note

This array is always indexed via jindx, in contrast to previously different indexing between mfe and pf variants!

Warning

Only available if

```
type==VRNA_FC_TYPE_SINGLE
```

See also

[vrna_idx_col_wise\(\)](#), [vrna_ptypes\(\)](#)

17.55.2.1.1.8 ptype_pf_compat

```
char* vrna_fc_s::ptype_pf_compat
```

ptype array indexed via iindx

Deprecated This attribute will vanish in the future! It's meant for backward compatibility only!

Warning

Only available if

```
type==VRNA_FC_TYPE_SINGLE
```

17.55.2.1.1.9 sc

```
vrna_sc_t* vrna_fc_s::sc
```

The soft constraints for usage in structure prediction and evaluation.

Warning

Only available if

```
type==VRNA_FC_TYPE_SINGLE
```

17.55.2.1.1.10 sequences

```
char** vrna_fc_s::sequences
```

The aligned sequences.

Note

The end of the alignment is indicated by a NULL pointer in the second dimension

Warning

Only available if

```
type==VRNA_FC_TYPE_COMPARATIVE
```

17.55.2.1.1.11 n_seq

```
unsigned int vrna_fc_s::n_seq
```

The number of sequences in the alignment.

Warning

Only available if

```
type==VRNA_FC_TYPE_COMPARATIVE
```

17.55.2.1.1.12 cons_seq

```
char* vrna_fc_s::cons_seq
```

The consensus sequence of the aligned sequences.

Warning

Only available if

```
type==VRNA_FC_TYPE_COMPARATIVE
```

17.55.2.1.1.13 S_cons

```
short* vrna_fc_s::S_cons
```

Numerical encoding of the consensus sequence.

Warning

Only available if

```
type==VRNA_FC_TYPE_COMPARATIVE
```

17.55.2.1.1.14 S

```
short** vrna_fc_s::S
```

Numerical encoding of the sequences in the alignment.

Warning

Only available if

```
type==VRNA_FC_TYPE_COMPARATIVE
```

17.55.2.1.1.15 S5

```
short** vrna_fc_s::S5
```

S5[s][i] holds next base 5' of i in sequence s.

Warning

Only available if

```
type==VRNA_FC_TYPE_COMPARATIVE
```

17.55.2.1.1.16 S3

```
short** vrna_fc_s::S3
```

S3[s][i] holds next base 3' of i in sequence s.

Warning

Only available if

```
type==VRNA_FC_TYPE_COMPARATIVE
```

17.55.2.1.1.17 pscore

```
int* vrna_fc_s::pscore
```

Precomputed array of pair types expressed as pairing scores.

Warning

Only available if

```
type==VRNA_FC_TYPE_COMPARATIVE
```

17.55.2.1.1.18 pscore_local

```
int** vrna_fc_s::pscore_local
```

Precomputed array of pair types expressed as pairing scores.

Warning

Only available if

```
type==VRNA_FC_TYPE_COMPARATIVE
```

17.55.2.1.1.19 pscore_pf_compat

```
short* vrna_fc_s::pscore_pf_compat
```

Precomputed array of pair types expressed as pairing scores indexed via iindx.

Deprecated This attribute will vanish in the future!

Warning

Only available if

```
type==VRNA_FC_TYPE_COMPARATIVE
```

17.55.2.1.1.20 scs

```
vrna_sc_t** vrna_fc_s::scs
```

A set of soft constraints (for each sequence in the alignment)

Warning

Only available if

```
type==VRNA_FC_TYPE_COMPARATIVE
```

17.55.3 Macro Definition Documentation

17.55.3.1 VRNA_STATUS_MFE_PRE

```
#define VRNA_STATUS_MFE_PRE (unsigned char)1
```

```
#include <ViennaRNA/fold_compound.h>
```

Status message indicating that MFE computations are about to begin.

See also

[vrna_fold_compound_t.stat_cb](#), [vrna_callback_recursion_status\(\)](#), [vrna_mfe\(\)](#), [vrna_fold\(\)](#), [vrna_circfold\(\)](#), [vrna_alifold\(\)](#), [vrna_circalifold\(\)](#), [vrna_cofold\(\)](#)

17.55.3.2 VRNA_STATUS_MFE_POST

```
#define VRNA_STATUS_MFE_POST (unsigned char)2  
  
#include <ViennaRNA/fold_compound.h>
```

Status message indicating that MFE computations are finished.

See also

[vrna_fold_compound_t.stat_cb](#), [vrna_callback_recursion_status\(\)](#), [vrna_mfe\(\)](#), [vrna_fold\(\)](#), [vrna_circfold\(\)](#), [vrna_alifold\(\)](#), [vrna_circalifold\(\)](#), [vrna_cofold\(\)](#)

17.55.3.3 VRNA_STATUS_PF_PRE

```
#define VRNA_STATUS_PF_PRE (unsigned char)3  
  
#include <ViennaRNA/fold_compound.h>
```

Status message indicating that Partition function computations are about to begin.

See also

[vrna_fold_compound_t.stat_cb](#), [vrna_callback_recursion_status\(\)](#), [vrna_pf\(\)](#)

17.55.3.4 VRNA_STATUS_PF_POST

```
#define VRNA_STATUS_PF_POST (unsigned char)4  
  
#include <ViennaRNA/fold_compound.h>
```

Status message indicating that Partition function computations are finished.

See also

[vrna_fold_compound_t.stat_cb](#), [vrna_callback_recursion_status\(\)](#), [vrna_pf\(\)](#)

17.55.3.5 VRNA_OPTION_MFE

```
#define VRNA_OPTION_MFE 1U  
  
#include <ViennaRNA/fold_compound.h>
```

Option flag to specify requirement of Minimum Free Energy (MFE) DP matrices and corresponding set of energy parameters.

See also

[vrna_fold_compound\(\)](#), [vrna_fold_compound_comparative\(\)](#), [VRNA_OPTION_EVAL_ONLY](#)

17.55.3.6 VRNA_OPTION_PF

```
#define VRNA_OPTION_PF 2U
#include <ViennaRNA/fold_compound.h>
```

Option flag to specify requirement of Partition Function (PF) DP matrices and corresponding set of Boltzmann factors.

See also

[vrna_fold_compound\(\)](#), [vrna_fold_compound_comparative\(\)](#), [VRNA_OPTION_EVAL_ONLY](#)

17.55.3.7 VRNA_OPTION_EVAL_ONLY

```
#define VRNA_OPTION_EVAL_ONLY 8U
#include <ViennaRNA/fold_compound.h>
```

Option flag to specify that neither MFE, nor PF DP matrices are required.

Use this flag in conjunction with [VRNA_OPTION_MFE](#), and [VRNA_OPTION_PF](#) to save memory for a [vrna_fold_compound_t](#) obtained from [vrna_fold_compound\(\)](#), or [vrna_fold_compound_comparative\(\)](#) in cases where only energy evaluation but no structure prediction is required.

See also

[vrna_fold_compound\(\)](#), [vrna_fold_compound_comparative\(\)](#), [vrna_eval_structure\(\)](#)

17.55.4 Typedef Documentation

17.55.4.1 vrna_callback_free_auxdata

```
typedef void() vrna_callback_free_auxdata(void *data)
#include <ViennaRNA/fold_compound.h>
```

Callback to free memory allocated for auxiliary user-provided data.

This type of user-implemented function usually deletes auxiliary data structures. The user must take care to free all the memory occupied by the data structure passed.

Notes on Callback Functions This callback is supposed to free memory occupied by an auxiliary data structure. It will be called when the [vrna_fold_compound_t](#) is erased from memory through a call to [vrna_fold_compound_free\(\)](#) and will be passed the address of memory previously bound to the [vrna_fold_compound_t](#) via [vrna_fold_compound_add_auxdata\(\)](#).

See also

[vrna_fold_compound_add_auxdata\(\)](#), [vrna_fold_compound_free\(\)](#), [vrna_fold_compound_add_callback\(\)](#)

Parameters

<i>data</i>	The data that needs to be free'd
-------------	----------------------------------

17.55.4.2 vrna_callback_recursion_status

```
typedef void() vrna_callback_recursion_status(unsigned char status, void *data)
```

```
#include <ViennaRNA/fold_compound.h>
```

Callback to perform specific user-defined actions before, or after recursive computations.

Notes on Callback Functions This function will be called to notify a third-party implementation about the status of a currently ongoing recursion. The purpose of this callback mechanism is to provide users with a simple way to ensure pre- and post conditions for auxiliary mechanisms attached to our implementations.

See also

[vrna_fold_compound_add_auxdata\(\)](#), [vrna_fold_compound_add_callback\(\)](#), [vrna_mfe\(\)](#), [vrna_pf\(\)](#), [VRNA_STATUS_MFE_PRE](#), [VRNA_STATUS_MFE_POST](#), [VRNA_STATUS_PF_PRE](#), [VRNA_STATUS_PF_POST](#)

Parameters

<i>status</i>	The status indicator
<i>data</i>	The data structure that was assigned with vrna_fold_compound_add_auxdata()
<i>status</i>	The status indicator

17.55.5 Enumeration Type Documentation

17.55.5.1 vrna_fc_type_e

```
enum vrna_fc_type_e
#include <ViennaRNA/fold_compound.h>
```

An enumerator that is used to specify the type of a [vrna_fold_compound_t](#).

Enumerator

VRNA_FC_TYPE_SINGLE	Type is suitable for single, and hybridizing sequences
VRNA_FC_TYPE_COMPARATIVE	Type is suitable for sequence alignments (consensus structure prediction)

17.55.6 Function Documentation

17.55.6.1 vrna_fold_compound()

```
vrna_fold_compound_t* vrna_fold_compound (
    const char * sequence,
    vrna_md_t * md_p,
    unsigned int options )
```

```
#include <ViennaRNA/fold_compound.h>
```

Retrieve a `vrna_fold_compound_t` data structure for single sequences and hybridizing sequences.

This function provides an easy interface to obtain a prefilled `vrna_fold_compound_t` by passing a single sequence, or two concatenated sequences as input. For the latter, sequences need to be separated by an '`&`' character like this:

```
char *sequence = "GGGG&CCCC";
```

The optional parameter `md_p` can be used to specify the model details for successive computations based on the content of the generated `vrna_fold_compound_t`. Passing `NULL` will instruct the function to use default model details. The third parameter `options` may be used to specify dynamic programming (DP) matrix requirements. Use the macros:

- `VRNA_OPTION_MFE`
- `VRNA_OPTION_PF`
- `VRNA_OPTION_WINDOW`
- `VRNA_OPTION_EVAL_ONLY`
- `VRNA_OPTION_DEFAULT`

to specify the required type of computations that will be performed with the `vrna_fold_compound_t`.

If you just need the folding compound serving as a container for your data, you can simply pass `VRNA_OPTION_DEFAULT` to the `option` parameter. This creates a `vrna_fold_compound_t` without DP matrices, thus saving memory. Subsequent calls of any structure prediction function will then take care of allocating the memory required for the DP matrices. If you only intend to evaluate structures instead of actually predicting them, you may use the `VRNA_OPTION_EVAL_ONLY` macro. This will seriously speedup the creation of the `vrna_fold_compound_t`.

Note

The sequence string must be uppercase, and should contain only RNA (resp. DNA) alphabet depending on what energy parameter set is used

See also

`vrna_fold_compound_free()`, `vrna_fold_compound_comparative()`, `vrna_md_t`, `VRNA_OPTION_MFE`, `VRNA_OPTION_PF`, `VRNA_OPTION_EVAL_ONLY`, `VRNA_OPTION_WINDOW`

Parameters

<i>sequence</i>	A single sequence, or two concatenated sequences separated by an '&' character
<i>md_p</i>	An optional set of model details
<i>options</i>	The options for DP matrices memory allocation

Returns

A prefilled `vrna_fold_compound_t` that can be readily used for computations

17.55.6.2 `vrna_fold_compound_comparative()`

```
vrna_fold_compound_t* vrna_fold_compound_comparative (
    const char ** sequences,
    vrna_md_t * md_p,
    unsigned int options )
```

```
#include <ViennaRNA/fold_compound.h>
```

Retrieve a `vrna_fold_compound_t` data structure for sequence alignments.

This function provides an easy interface to obtain a prefilled `vrna_fold_compound_t` by passing an alignment of sequences.

The optional parameter `md_p` can be used to specify the model details for successive computations based on the content of the generated `vrna_fold_compound_t`. Passing NULL will instruct the function to use default model details. The third parameter `options` may be used to specify dynamic programming (DP) matrix requirements. Use the macros:

- `VRNA_OPTION_MFE`
- `VRNA_OPTION_PF`
- `VRNA_OPTION_EVAL_ONLY`
- `VRNA_OPTION_DEFAULT`

to specify the required type of computations that will be performed with the `vrna_fold_compound_t`.

If you just need the folding compound serving as a container for your data, you can simply pass `VRNA_OPTION_DEFAULT` to the `option` parameter. This creates a `vrna_fold_compound_t` without DP matrices, thus saving memory. Subsequent calls of any structure prediction function will then take care of allocating the memory required for the DP matrices. If you only intend to evaluate structures instead of actually predicting them, you may use the `VRNA_OPTION_EVAL_ONLY` macro. This will seriously speedup the creation of the `vrna_fold_compound_t`.

Note

The sequence strings must be uppercase, and should contain only RNA (resp. DNA) alphabet including gap characters depending on what energy parameter set is used.

See also

`vrna_fold_compound_free()`, `vrna_fold_compound()`, `vrna_md_t`, `VRNA_OPTION_MFE`, `VRNA_OPTION_PF`, `VRNA_OPTION_EVAL_ONLY`, `read_clustal()`

Parameters

<i>sequences</i>	A sequence alignment including 'gap' characters
<i>md_p</i>	An optional set of model details
<i>options</i>	The options for DP matrices memory allocation

Returns

A prefilled `vrna_fold_compound_t` that can be readily used for computations

17.55.6.3 vrna_fold_compound_free()

```
void vrna_fold_compound_free (
    vrna_fold_compound_t * vc )

#include <ViennaRNA/fold_compound.h>
```

Free memory occupied by a `vrna_fold_compound_t`.

See also

`vrna_fold_compound()`, `vrna_fold_compound_comparative()`, `vrna_mx_mfe_free()`, `vrna_mx_pf_free()`

Parameters

<i>vc</i>	The <code>vrna_fold_compound_t</code> that is to be erased from memory
-----------	--

17.55.6.4 vrna_fold_compound_add_auxdata()

```
void vrna_fold_compound_add_auxdata (
    vrna_fold_compound_t * vc,
    void * data,
    vrna_callback_free_auxdata * f )

#include <ViennaRNA/fold_compound.h>
```

Add auxiliary data to the `vrna_fold_compound_t`.

This function allows one to bind arbitrary data to a `vrna_fold_compound_t` which may later on be used by one of the callback functions, e.g. `vrna_callback_recursion_status()`. To allow for proper cleanup of the memory occupied by this auxiliary data, the user may also provide a pointer to a cleanup function that free's the corresponding memory. This function will be called automatically when the `vrna_fold_compound_t` is free'd with `vrna_fold_compound_free()`.

Note

Before attaching the arbitrary data pointer, this function will call the [vrna_callback_free_auxdata\(\)](#) on any pre-existing data that is already attached.

See also

[vrna_callback_free_auxdata\(\)](#)

Parameters

<i>vc</i>	The fold_compound the arbitrary data pointer should be associated with
<i>data</i>	A pointer to an arbitrary data structure
<i>f</i>	A pointer to function that free's memory occupied by the arbitrary data (May be NULL)

17.55.6.5 vrna_fold_compound_add_callback()

```
void vrna_fold_compound_add_callback (
    vrna_fold_compound_t * vc,
    vrna_callback_recursion_status * f )

#include <ViennaRNA/fold_compound.h>
```

Add a recursion status callback to the [vrna_fold_compound_t](#).

Binding a recursion status callback function to a [vrna_fold_compound_t](#) allows one to perform arbitrary operations just before, or after an actual recursive computations, e.g. MFE prediction, is performed by the RNAlib. The callback function will be provided with a pointer to its [vrna_fold_compound_t](#), and a status message. Hence, it has complete access to all variables that influence the recursive computations.

See also

[vrna_callback_recursion_status\(\)](#), [vrna_fold_compound_t](#), [VRNA_STATUS_MFE_PRE](#), [VRNA_STATUS_MFE_POST](#), [VRNA_STATUS_PF_PRE](#), [VRNA_STATUS_PF_POST](#)

Parameters

<i>vc</i>	The fold_compound the callback function should be attached to
<i>f</i>	The pointer to the recursion status callback function

17.56 The Dynamic Programming Matrices

This module provides interfaces that deal with creation and destruction of dynamic programming matrices used within the RNAlib.

Collaboration diagram for The Dynamic Programming Matrices:

Data Structures

- struct [vrna_mx_mfe_s](#)
Minimum Free Energy (MFE) Dynamic Programming (DP) matrices data structure required within the [vrna_fold_compound_t](#). More...
- struct [vrna_mx_pf_s](#)
Partition function (PF) Dynamic Programming (DP) matrices data structure required within the [vrna_fold_compound_t](#). More...

Typedefs

- typedef struct [vrna_mx_mfe_s](#) [vrna_mx_mfe_t](#)
Typename for the Minimum Free Energy (MFE) DP matrices data structure [vrna_mx_mfe_s](#).
- typedef struct [vrna_mx_pf_s](#) [vrna_mx_pf_t](#)
Typename for the Partition Function (PF) DP matrices data structure [vrna_mx_pf_s](#).

Enumerations

- enum [vrna_mx_type_e](#) { [VRNA_MX_DEFAULT](#), [VRNA_MX_WINDOW](#), [VRNA_MX_2DFOLD](#) }
An enumerator that is used to specify the type of a polymorphic Dynamic Programming (DP) matrix data structure.

Functions

- int [vrna_mx_add](#) ([vrna_fold_compound_t](#) *vc, [vrna_mx_type_e](#) type, unsigned int options)
Add Dynamic Programming (DP) matrices (allocate memory)
- void [vrna_mx_mfe_free](#) ([vrna_fold_compound_t](#) *vc)
Free memory occupied by the Minimum Free Energy (MFE) Dynamic Programming (DP) matrices.
- void [vrna_mx_pf_free](#) ([vrna_fold_compound_t](#) *vc)
Free memory occupied by the Partition Function (PF) Dynamic Programming (DP) matrices.

17.56.1 Detailed Description

This module provides interfaces that deal with creation and destruction of dynamic programming matrices used within the RNAlib.

17.56.2 Data Structure Documentation

17.56.2.1 struct vrna_mx_mfe_s

Minimum Free Energy (MFE) Dynamic Programming (DP) matrices data structure required within the [vrna_fold_compound_t](#).

Data Fields

Common fields for MFE matrices

- [vrna_mx_type_e type](#)
- unsigned int [length](#)

Length of the sequence, therefore an indicator of the size of the DP matrices.

Default DP matrices

Note

These data fields are available if

```
vrna_mx_mfe_t.type == VRNA_MX_DEFAULT
```

Local Folding DP matrices using window approach

Note

These data fields are available if

```
vrna_mx_mfe_t.type == VRNA_MX_WINDOW
```

Distance Class DP matrices

Note

These data fields are available if

```
vrna_mx_mfe_t.type == VRNA_MX_2DFOLD
```

17.56.2.2 struct vrna_mx_pf_s

Partition function (PF) Dynamic Programming (DP) matrices data structure required within the [vrna_fold_compound_t](#).

Data Fields

Common fields for DP matrices

- `vrna_mx_type_e type`
- `unsigned int length`
- `FLT_OR_DBL * scale`
- `FLT_OR_DBL * expMLbase`

Default PF matrices

Note

These data fields are available if

```
vrna_mx_pf_t.type == VRNA_MX_DEFAULT
```

Local Folding DP matrices using window approach

Note

These data fields are available if

```
vrna_mx_mfe_t.type == VRNA_MX_WINDOW
```

Distance Class DP matrices

Note

These data fields are available if

```
vrna_mx_pf_t.type == VRNA_MX_2DFOLD
```

17.56.3 Enumeration Type Documentation

17.56.3.1 vrna_mx_type_e

```
enum vrna_mx_type_e
{
    #include <ViennaRNA/dp_matrices.h>
```

An enumerator that is used to specify the type of a polymorphic Dynamic Programming (DP) matrix data structure.

See also

[vrna_mx_mfe_t](#), [vrna_mx_pf_t](#)

Enumerator

VRNA_MX_DEFAULT	Default DP matrices.
VRNA_MX_WINDOW	<p>DP matrices suitable for local structure prediction using window approach.</p> <p>See also</p> <p>vrna_mfe_window(), vrna_mfe_window_zscore(), pfl_fold()</p>
VRNA_MX_2DFOLD	<p>DP matrices suitable for distance class partitioned structure prediction.</p> <p>See also</p> <p>vrna_mfe_TwoD(), vrna_pf_TwoD()</p>

17.56.4 Function Documentation

17.56.4.1 vrna_mx_add()

```
int vrna_mx_add (
    vrna_fold_compound_t * vc,
    vrna_mx_type_e type,
    unsigned int options )
```

#include <ViennaRNA/dp_matrices.h>

Add Dynamic Programming (DP) matrices (allocate memory)

This function adds DP matrices of a specific type to the provided `vrna_fold_compound_t`, such that successive DP recursion can be applied. The function caller has to specify which type of DP matrix is requested, see `vrna_mx_type_e`, and what kind of recursive algorithm will be applied later on, using the parameters `type`, and `options`, respectively. For the latter, Minimum free energy (MFE), and Partition function (PF) computations are distinguished. A third option that may be passed is `VRNA_OPTION_HYBRID`, indicating that auxiliary DP arrays are required for RNA-RNA interaction prediction.

Note

Usually, there is no need to call this function, since the constructors of `vrna_fold_compound_t` are handling all the DP matrix memory allocation.

See also

`vrna_mx_mfe_add()`, `vrna_mx_pf_add()`, `vrna_fold_compound()`, `vrna_fold_compound_comparative()`,
`vrna_fold_compound_free()`, `vrna_mx_pf_free()`, `vrna_mx_mfe_free()`, `vrna_mx_type_e`, `VRNA_OPTION_MFE`,
`VRNA_OPTION_PF`, `VRNA_OPTION_HYBRID`, `VRNA_OPTION_EVAL_ONLY`

Parameters

<code>vc</code>	The <code>vrna_fold_compound_t</code> that holds pointers to the DP matrices
<code>type</code>	The type of DP matrices requested
<code>options</code>	Option flags that specify the kind of DP matrices, such as MFE or PF arrays, and auxiliary requirements

Returns

1 if DP matrices were properly allocated and attached, 0 otherwise

17.56.4.2 vrna_mx_mfe_free()

```
void vrna_mx_mfe_free (
    vrna_fold_compound_t * vc )
```

#include <ViennaRNA/dp_matrices.h>

Free memory occupied by the Minimum Free Energy (MFE) Dynamic Programming (DP) matrices.

See also

[vrna_fold_compound\(\)](#), [vrna_fold_compound_comparative\(\)](#), [vrna_fold_compound_free\(\)](#), [vrna_mx_pf_free\(\)](#)

Parameters

<code>vc</code>	The vrna_fold_compound_t storing the MFE DP matrices that are to be erased from memory
-----------------	--

17.56.4.3 vrna_mx_pf_free()

```
void vrna_mx_pf_free (
    vrna_fold_compound_t * vc )  
  
#include <ViennaRNA/dp_matrices.h>
```

Free memory occupied by the Partition Function (PF) Dynamic Programming (DP) matrices.

See also

[vrna_fold_compound\(\)](#), [vrna_fold_compound_comparative\(\)](#), [vrna_fold_compound_free\(\)](#), [vrna_mx_mfe_free\(\)](#)

Parameters

<code>vc</code>	The vrna_fold_compound_t storing the PF DP matrices that are to be erased from memory
-----------------	---

17.57 Direct refolding paths between two secondary structures

Heuristics to explore direct, optimal (re-)folding paths between two secondary structures.

Collaboration diagram for Direct refolding paths between two secondary structures:

Data Structures

- struct [vrna_path_s](#)
An element of a refolding path list. [More...](#)

Typedefs

- typedef struct [vrna_path_s](#) [vrna_path_t](#)
Typename for the refolding path data structure [vrna_path_s](#).
- typedef struct [vrna_path_s](#) [path_t](#)
Old typename of [vrna_path_s](#).

Functions

- int [vrna_path_findpath_saddle](#) ([vrna_fold_compound_t](#) *vc, const char *struc1, const char *struc2, int max)
Find energy of a saddle point between 2 structures (search only direct path)
- [vrna_path_t](#) * [vrna_path_findpath](#) ([vrna_fold_compound_t](#) *vc, const char *s1, const char *s2, int maxkeep)
Find refolding path between 2 structures (search only direct path)
- int [find_saddle](#) (const char *seq, const char *struc1, const char *struc2, int max)
Find energy of a saddle point between 2 structures (search only direct path)
- void [free_path](#) ([vrna_path_t](#) *path)
Free memory allocated by [get_path\(\)](#) function.
- [vrna_path_t](#) * [get_path](#) (const char *seq, const char *s1, const char *s2, int maxkeep)
Find refolding path between 2 structures (search only direct path)

17.57.1 Detailed Description

Heuristics to explore direct, optimal (re-)folding paths between two secondary structures.

17.57.2 Data Structure Documentation

17.57.2.1 struct [vrna_path_s](#)

An element of a refolding path list.

See also

[vrna_path_findpath\(\)](#)

Data Fields

- double **en**
Free energy of current structure.
- char * **s**
Secondary structure in dot-bracket notation.

17.57.3 Typedef Documentation

17.57.3.1 path_t

```
typedef struct vrna_path_s path_t

#include <ViennaRNA/findpath.h>
```

Old typename of [vrna_path_s](#).

Deprecated Use [vrna_path_t](#) instead!

17.57.4 Function Documentation

17.57.4.1 vrna_path_findpath_saddle()

```
int vrna_path_findpath_saddle (
    vrna_fold_compound_t * vc,
    const char * struc1,
    const char * struc2,
    int max )
```

```
#include <ViennaRNA/findpath.h>
```

Find energy of a saddle point between 2 structures (search only direct path)

This function uses an implementation of the *findpath* algorithm [5] for near-optimal direct refolding path prediction.

Model details, and energy parameters are used as provided via the parameter 'vc'. The [vrna_fold_compound_t](#) does not require memory for any DP matrices, but requires all most basic init values as one would get from a call like this:

```
vc = vrna_fold_compound(sequence, NULL, VRNA_OPTION_EVAL_ONLY);
```

See also

[vrna_fold_compound\(\)](#), [vrna_fold_compound_t](#), [vrna_path_findpath\(\)](#)

Parameters

<i>vc</i>	The vrna_fold_compound_t with precomputed sequence encoding and model details
<i>struc1</i>	The start structure in dot-bracket notation
<i>struc2</i>	The target structure in dot-bracket notation
<i>max</i>	A number specifying how many strutures are being kept at each step during the search

Returns

The saddle energy in 10cal/mol

17.57.4.2 vrna_path_findpath()

```
vrna_path_t* vrna_path_findpath (
    vrna_fold_compound_t * vc,
    const char * s1,
    const char * s2,
    int maxkeep )
```

```
#include <ViennaRNA/findpath.h>
```

Find refolding path between 2 structures (search only direct path)

This function uses an implementation of the *findpath* algorithm [5] for near-optimal direct refolding path prediction.

Model details, and energy parameters are used as provided via the parameter 'vc'. The [vrna_fold_compound_t](#) does not require memory for any DP matrices, but requires all most basic init values as one would get from a call like this:

```
vc = vrna_fold_compound(sequence, NULL, VRNA_OPTION_EVAL_ONLY);
```

See also

[vrna_fold_compound\(\)](#), [vrna_fold_compound_t](#), [vrna_path_findpath_saddle\(\)](#)

Parameters

<i>vc</i>	The vrna_fold_compound_t with precomputed sequence encoding and model details
<i>s1</i>	The start structure in dot-bracket notation
<i>s2</i>	The target structure in dot-bracket notation
<i>maxkeep</i>	A number specifying how many strutures are being kept at each step during the search

Returns

The saddle energy in 10cal/mol

17.57.4.3 find_saddle()

```
int find_saddle (
    const char * seq,
    const char * struc1,
    const char * struc2,
    int max )

#include <ViennaRNA/findpath.h>
```

Find energy of a saddle point between 2 structures (search only direct path)

Parameters

<i>seq</i>	RNA sequence
<i>struc1</i>	A pointer to the character array where the first secondary structure in dot-bracket notation will be written to
<i>struc2</i>	A pointer to the character array where the second secondary structure in dot-bracket notation will be written to
<i>max</i>	integer how many structures are being kept during the search

Returns

the saddle energy in 10cal/mol

17.57.4.4 free_path()

```
void free_path (
    vrna_path_t * path )

#include <ViennaRNA/findpath.h>
```

Free memory allocated by [get_path\(\)](#) function.

Parameters

<i>path</i>	pointer to memory to be freed
-------------	-------------------------------

17.57.4.5 get_path()

```
vrna_path_t* get_path (
    const char * seq,
    const char * s1,
    const char * s2,
    int maxkeep )
```

```
#include <ViennaRNA/findpath.h>
```

Find refolding path between 2 structures (search only direct path)

Parameters

<i>seq</i>	RNA sequence
<i>s1</i>	A pointer to the character array where the first secondary structure in dot-bracket notation will be written to
<i>s2</i>	A pointer to the character array where the second secondary structure in dot-bracket notation will be written to
<i>maxkeep</i>	integer how many structures are being kept during the search

Returns

direct refolding path between two structures

17.58 Parsing, converting, and comparing sequences

Collaboration diagram for Parsing, converting, and comparing sequences:

Macros

- `#define XSTR(s) STR(s)`
Stringify a macro after expansion.
- `#define STR(s) #s`
Stringify a macro argument.
- `#define FILENAME_MAX_LENGTH 80`
Maximum length of filenames that are generated by our programs.
- `#define FILENAME_ID_LENGTH 42`
Maximum length of id taken from fasta header for filename generation.

Functions

- `char * vrna_strdup_printf (const char *format,...)`
Safely create a formatted string.
- `char * vrna_strdup_vprintf (const char *format, va_list argp)`
Safely create a formatted string.
- `int vrna_strcat_printf (char **dest, const char *format,...)`
Safely append a formatted string to another string.
- `int vrna_strcat_vprintf (char **dest, const char *format, va_list args)`
Safely append a formatted string to another string.
- `char ** vrna_strsplit (const char *string, const char *delimiter)`
Split a string into tokens using a delimiting character.
- `char * vrna_random_string (int l, const char symbols[])`
Create a random string using characters from a specified symbol set.
- `int vrna_hamming_distance (const char *s1, const char *s2)`
Calculate hamming distance between two sequences.
- `int vrna_hamming_distance_bound (const char *s1, const char *s2, int n)`
Calculate hamming distance between two sequences up to a specified length.
- `void vrna_seq_toRNA (char *sequence)`
Convert an input sequence (possibly containing DNA alphabet characters) to RNA alphabet.
- `void vrna_seq_toupper (char *sequence)`
Convert an input sequence to uppercase.
- `char * vrna_cut_point_insert (const char *string, int cp)`
Add a separating '&' character into a string according to cut-point position.
- `char * vrna_cut_point_remove (const char *string, int *cp)`
Remove a separating '&' character from a string.

17.58.1 Detailed Description

17.58.2 Macro Definition Documentation

17.58.2.1 FILENAME_MAX_LENGTH

```
#define FILENAME_MAX_LENGTH 80

#include <ViennaRNA/string_utils.h>
```

Maximum length of filenames that are generated by our programs.

This definition should be used throughout the complete ViennaRNA package wherever a static array holding filenames of output files is declared.

17.58.2.2 FILENAME_ID_LENGTH

```
#define FILENAME_ID_LENGTH 42

#include <ViennaRNA/string_utils.h>
```

Maximum length of id taken from fasta header for filename generation.

this has to be smaller than FILENAME_MAX_LENGTH since in most cases, some suffix will be appended to the ID

17.58.3 Function Documentation

17.58.3.1 vrna_strdup_printf()

```
char* vrna_strdup_printf (
    const char * format,
    ...
)
```

```
#include <ViennaRNA/string_utils.h>
```

Safely create a formatted string.

This function is a safe implementation for creating a formatted character array, similar to *sprintf*. Internally, it uses the *asprintf* function if available to dynamically allocate a large enough character array to store the supplied content. If *asprintf* is not available, mimic its behavior using *vsnprintf*.

Note

The returned pointer of this function should always be passed to *free()* to release the allocated memory

See also

[vrna_strdup_vprintf\(\)](#), [vrna_strcat_printf\(\)](#)

Parameters

<i>format</i>	The format string (See also <code>asprintf</code>)
...	The list of variables used to fill the format string

Returns

The formatted, null-terminated string, or NULL if something has gone wrong

17.58.3.2 `vrna_strdup_vprintf()`

```
char* vrna_strdup_vprintf (
    const char * format,
    va_list argp )

#include <ViennaRNA/string_utils.h>
```

Safely create a formatted string.

This function is the `va_list` version of [vrna_strdup_printf\(\)](#)

Note

The returned pointer of this function should always be passed to `free()` to release the allocated memory

See also

[vrna_strdup_printf\(\)](#), [vrna_strcat_printf\(\)](#), [vrna_strcat_vprintf\(\)](#)

Parameters

<i>format</i>	The format string (See also <code>asprintf</code>)
...	The list of variables used to fill the format string

Returns

The formatted, null-terminated string, or NULL if something has gone wrong

17.58.3.3 `vrna_strcat_printf()`

```
int vrna_strcat_printf (
    char ** dest,
    const char * format,
    ...
)
```

```
#include <ViennaRNA/string_utils.h>
```

Safely append a formatted string to another string.

This function is a safe implementation for appending a formatted character array, similar to a combination of *strcat* and *sprintf*. The function automatically allocates enough memory to store both, the previous content stored at *dest* and the appended format string. If the *dest* pointer is NULL, the function allocate memory only for the format string. The function returns the number of characters in the resulting string or -1 in case of an error.

See also

[vrna_strcat_vprintf\(\)](#), [vrna_strdup_printf\(\)](#), [vrna_strdup_vprintf\(\)](#)

Parameters

<i>dest</i>	The address of a char *pointer where the formatted string is to be appended
<i>format</i>	The format string (See also <i>sprintf</i>)
...	The list of variables used to fill the format string

Returns

The number of characters in the final string, or -1 on error

17.58.3.4 vrna_strcat_vprintf()

```
int vrna_strcat_vprintf (
    char ** dest,
    const char * format,
    va_list args )
```

```
#include <ViennaRNA/string_utils.h>
```

Safely append a formatted string to another string.

This function is the *va_list* version of [vrna_strcat_printf\(\)](#)

See also

[vrna_strcat_printf\(\)](#), [vrna_strdup_printf\(\)](#), [vrna_strdup_vprintf\(\)](#)

Parameters

<i>dest</i>	The address of a char *pointer where the formatted string is to be appended
<i>format</i>	The format string (See also <i>sprintf</i>)
...	The list of variables used to fill the format string

Returns

The number of characters in the final string, or -1 on error

17.58.3.5 vrna_strsplit()

```
char** vrna_strsplit (
    const char * string,
    const char * delimiter )

#include <ViennaRNA/string_utils.h>
```

Split a string into tokens using a delimiting character.

This function splits a string into an array of strings using a single character that delimits the elements within the string. The default delimiter is the ampersand '&' and will be used when `NULL` is passed as a second argument. The returned list is `NULL` terminated, i.e. the last element is `NULL`. If the delimiter is not found, the returned list contains exactly one element: the input string.

For instance, the following code:

```
char **tok = vrna_strsplit("GGGG&CCCC&AAAAA", NULL);

for (char **ptr = tok; *ptr; ptr++) {
    printf("%s\n", *ptr);
    free(*ptr);
}
free(tok);
```

produces this output:

```
GGGG
CCCC
AAAAA
```

and properly free's the memory occupied by the returned element array.

Note

This function internally uses `strtok_r()` and is therefore considered to be thread-safe. Also note, that it is the users responsibility to free the memory of the array and that of the individual element strings!

Parameters

<code>string</code>	The input string that should be split into elements
<code>delimiter</code>	The delimiting character. If <code>NULL</code> , the delimiter is "&"

Returns

A `NULL` terminated list of the elements in the string

17.58.3.6 vrna_random_string()

```
char* vrna_random_string (
    int l,
    const char symbols[] )

#include <ViennaRNA/string_utils.h>
```

Create a random string using characters from a specified symbol set.

Parameters

<i>l</i>	The length of the sequence
<i>symbols</i>	The symbol set

Returns

A random string of length '*l*' containing characters from the symbolset

17.58.3.7 vrna_hamming_distance()

```
int vrna_hamming_distance (
    const char * s1,
    const char * s2 )

#include <ViennaRNA/string_utils.h>
```

Calculate hamming distance between two sequences.

Parameters

<i>s1</i>	The first sequence
<i>s2</i>	The second sequence

Returns

The hamming distance between *s1* and *s2*

17.58.3.8 vrna_hamming_distance_bound()

```
int vrna_hamming_distance_bound (
    const char * s1,
    const char * s2,
    int n )
```

```
#include <ViennaRNA/string_utils.h>
```

Calculate hamming distance between two sequences up to a specified length.

This function is similar to [vrna_hamming_distance\(\)](#) but instead of comparing both sequences up to their actual length only the first '*n*' characters are taken into account

Parameters

<i>s1</i>	The first sequence
<i>s2</i>	The second sequence
<i>n</i>	The length of the subsequences to consider (starting from the 5' end)

Returns

The hamming distance between *s1* and *s2*

17.58.3.9 vrna_seq_toRNA()

```
void vrna_seq_toRNA (
    char * sequence )
```

```
#include <ViennaRNA/string_utils.h>
```

Convert an input sequence (possibly containing DNA alphabet characters) to RNA alphabet.

This function substitutes *T* and *t* with *U* and *u*, respectively

Parameters

<i>sequence</i>	The sequence to be converted
-----------------	------------------------------

17.58.3.10 vrna_seq_toupper()

```
void vrna_seq_toupper (
    char * sequence )
```

```
#include <ViennaRNA/string_utils.h>
```

Convert an input sequence to uppercase.

Parameters

<i>sequence</i>	The sequence to be converted
-----------------	------------------------------

17.58.3.11 vrna_cut_point_insert()

```
char* vrna_cut_point_insert (
    const char * string,
    int cp )

#include <ViennaRNA/string_utils.h>
```

Add a separating '&' character into a string according to cut-point position.

If the cut-point position is less or equal to zero, this function just returns a copy of the provided string. Otherwise, the cut-point character is set at the corresponding position

Parameters

<i>string</i>	The original string
<i>cp</i>	The cut-point position

Returns

A copy of the provided string including the cut-point character

17.58.3.12 vrna_cut_point_remove()

```
char* vrna_cut_point_remove (
    const char * string,
    int * cp )

#include <ViennaRNA/string_utils.h>
```

Remove a separating '&' character from a string.

This function removes the cut-point indicating '&' character from a string and memorizes its position in a provided integer variable. If not '&' is found in the input, the integer variable is set to -1. The function returns a copy of the input string with the '&' being sliced out.

Parameters

<i>string</i>	The original string
<i>cp</i>	The cut-point position

Returns

A copy of the input string with the '&' being sliced out

17.59 Parsing, converting, comparing secondary structures

Collaboration diagram for Parsing, converting, comparing secondary structures:

Files

- file [RNAsruct.h](#)

Parsing and Coarse Graining of Structures.

Data Structures

- struct [vrna_hx_s](#)

Data structure representing an entry of a helix list. [More...](#)

- struct [vrna_elem_prob_s](#)

Data structure representing a single entry of an element probability list (e.g. list of pair probabilities) [More...](#)

Macros

- #define [VRNA_BRACKETS_ALPHA](#) 4U

Bitflag to indicate secondary structure notations using uppercase/lowercase letters from the latin alphabet.

- #define [VRNA_BRACKETS_RND](#) 8U

Bitflag to indicate secondary structure notations using round brackets (parenthesis), ()

- #define [VRNA_BRACKETS_CLY](#) 16U

Bitflag to indicate secondary structure notations using curly brackets, {}

- #define [VRNA_BRACKETS_ANG](#) 32U

Bitflag to indicate secondary structure notations using angular brackets, <>

- #define [VRNA_BRACKETS_SQR](#) 64U

Bitflag to indicate secondary structure notations using square brackets, []

- #define [VRNA_BRACKETS_DEFAULT](#)

Default bitmask to indicate secondary structure notation using any pair of brackets.

Typedefs

- typedef struct [vrna_hx_s](#) [vrna_hx_t](#)

Convenience typedef for data structure [vrna_hx_s](#).

- typedef struct [vrna_elem_prob_s](#) [vrna_ep_t](#)

Convenience typedef for data structure [#vrna_pp_s](#).

Functions

- `char * b2HIT (const char *structure)`
Converts the full structure from bracket notation to the HIT notation including root.
- `char * b2C (const char *structure)`
Converts the full structure from bracket notation to the a coarse grained notation using the 'H' 'B' 'I' 'M' and 'R' identifiers.
- `char * b2Shapiro (const char *structure)`
Converts the full structure from bracket notation to the weighted coarse grained notation using the 'H' 'B' 'I' 'M' 'S' 'E' and 'R' identifiers.
- `char * add_root (const char *structure)`
Adds a root to an un-rooted tree in any except bracket notation.
- `char * expand_Shapiro (const char *coarse)`
Inserts missing 'S' identifiers in unweighted coarse grained structures as obtained from `b2C()`.
- `char * expand_Full (const char *structure)`
Convert the full structure from bracket notation to the expanded notation including root.
- `char * unexpand_Full (const char *ffull)`
Restores the bracket notation from an expanded full or HIT tree, that is any tree using only identifiers 'U' 'P' and 'R'.
- `char * unweight (const char *wcoarse)`
Strip weights from any weighted tree.
- `void unexpand_aligned_F (char *align[2])`
Converts two aligned structures in expanded notation.
- `void parse_structure (const char *structure)`
Collects a statistic of structure elements of the full structure in bracket notation.
- `char * vrna_db_pack (const char *struc)`
Pack secondary secondary structure, 5:1 compression using base 3 encoding.
- `char * vrna_db_unpack (const char *packed)`
Unpack secondary structure previously packed with `vrna_db_pack()`
- `short * vrna_ptable (const char *structure)`
Create a pair table of a secondary structure.
- `short * vrna_ptable_from_string (const char *string, unsigned int options)`
Create a pair table for a secondary structure string.
- `short * vrna_pt_pk_get (const char *structure)`
Create a pair table of a secondary structure (pseudo-knot version)
- `short * vrna_ptable_copy (const short *pt)`
Get an exact copy of a pair table.
- `short * vrna_pt.ali_get (const char *structure)`
Create a pair table of a secondary structure (snoop align version)
- `short * vrna_pt_snoop_get (const char *structure)`
Create a pair table of a secondary structure (snoop version)
- `int * vrna_loopidx_from_ptable (const short *pt)`
Get a loop index representation of a structure.
- `void vrna_db_flatten (char *structure, unsigned int options)`
Substitute pairs of brackets in a string with parenthesis.
- `void vrna_db_flatten_to (char *string, const char target[3], unsigned int options)`
Substitute pairs of brackets in a string with another type of pair characters.
- `char * vrna_db_from_ptable (short *pt)`
Convert a pair table into dot-parenthesis notation.
- `char * vrna_db_from_WUSS (const char *wuss)`
Convert a WUSS annotation string to dot-bracket format.
- `int vrna_bp_distance (const char *str1, const char *str2)`

- Compute the "base pair" distance between two secondary structures s1 and s2.*
- `unsigned int * vrna_refBPcnt_matrix` (const short *reference_pt, unsigned int turn)
Make a reference base pair count matrix.
 - `unsigned int * vrna_refBPDist_matrix` (const short *pt1, const short *pt2, unsigned int turn)
Make a reference base pair distance matrix.
 - `char * vrna_db_from_probs` (const `FLT_OR_DBL` *pr, unsigned int length)
Create a dot-bracket like structure string from base pair probability matrix.
 - `char vrna_bpp_symbol` (const float *x)
Get a pseudo dot bracket notation for a given probability information.
 - `char * vrna_db_from_bp_stack` (`vrna_bp_stack_t` *bp, unsigned int length)
Create a dot-bracket/parenthesis structure from backtracking stack.
 - `vrna_ep_t * vrna_plist` (const char *struc, float pr)
Create a `vrna_ep_t` from a dot-bracket string.
 - `char * vrna_db_from plist` (`vrna_ep_t` *pairs, unsigned int n)
Convert a list of base pairs into dot-bracket notation.
 - `void assign plist_from_db` (`vrna_ep_t` **pl, const char *struc, float pr)
Create a `vrna_ep_t` from a dot-bracket string.
 - `char * pack_structure` (const char *struc)
Pack secondary secondary structure, 5:1 compression using base 3 encoding.
 - `char * unpack_structure` (const char *packed)
Unpack secondary structure previously packed with `pack_structure()`.
 - `short * make_pair_table` (const char *structure)
Create a pair table of a secondary structure.
 - `short * copy_pair_table` (const short *pt)
Get an exact copy of a pair table.
 - `short * alimake_pair_table` (const char *structure)
 - `short * make_pair_table_snoop` (const char *structure)
 - `int bp_distance` (const char *str1, const char *str2)
Compute the "base pair" distance between two secondary structures s1 and s2.
 - `unsigned int * make_referenceBP_array` (short *reference_pt, unsigned int turn)
Make a reference base pair count matrix.
 - `unsigned int * compute_BPdifferences` (short *pt1, short *pt2, unsigned int turn)
Make a reference base pair distance matrix.
 - `void parenthesis_structure` (char *structure, `vrna_bp_stack_t` *bp, int length)
Create a dot-bracket/parenthesis structure from backtracking stack.
 - `void parenthesis_zuker` (char *structure, `vrna_bp_stack_t` *bp, int length)
Create a dot-bracket/parenthesis structure from backtracking stack obtained by zuker suboptimal calculation in cofold.c.
 - `void bppm_to_structure` (char *structure, `FLT_OR_DBL` *pr, unsigned int length)
Create a dot-bracket like structure string from base pair probability matrix.
 - `char bppm_symbol` (const float *x)
Get a pseudo dot bracket notation for a given probability information.

Variables

- `int loop_size` [STRUCT]
contains a list of all loop sizes. `loop_size[0]` contains the number of external bases.
- `int helix_size` [STRUCT]
contains a list of all stack sizes.
- `int loop_degree` [STRUCT]

- int **loops**
contains the corresponding list of loop degrees.
- int **unpaired**
contains the number of loops (and therefore of stacks).
- int **pairs**
contains the number of unpaired bases.
- int **pairs**
contains the number of base pairs in the last parsed structure.

17.59.1 Detailed Description

17.59.2 Data Structure Documentation

17.59.2.1 struct vrna_hx_s

Data structure representing an entry of a helix list.

17.59.2.2 struct vrna_elem_prob_s

Data structure representing a single entry of an element probability list (e.g. list of pair probabilities)

See also

[vrna plist\(\)](#), [vrna plist_from_probs\(\)](#), [vrna_db_from_plist\(\)](#), #VRNA_PLIST_TYPE_BASEPAIR, #VRNA_PLIST_TYPE_GQUAD, #VRNA_PLIST_TYPE_H_MOTIF, #VRNA_PLIST_TYPE_I_MOTIF, #VRNA_PLIST_TYPE_UD_MOTIF, #VRNA_PLIST_TYPE_STACK

17.59.3 Macro Definition Documentation

17.59.3.1 VRNA_BRACKETS_ALPHA

```
#define VRNA_BRACKETS_ALPHA 4U

#include <ViennaRNA/structure_utils.h>
```

Bitflag to indicate secondary structure notations using uppercase/lowercase letters from the latin alphabet.

See also

[vrna_ptable_from_string\(\)](#)

17.59.3.2 VRNA_BRACKETS_RND

```
#define VRNA_BRACKETS_RND 8U  
  
#include <ViennaRNA/structure_utils.h>  
  
Bitflag to indicate secondary structure notations using round brackets (parenthesis), ()
```

See also

[vrna_ptable_from_string\(\)](#), [vrna_db_flatten\(\)](#), [vrna_db_flatten_to\(\)](#)

17.59.3.3 VRNA_BRACKETS_CLY

```
#define VRNA_BRACKETS_CLY 16U  
  
#include <ViennaRNA/structure_utils.h>  
  
Bitflag to indicate secondary structure notations using curly brackets, {}
```

See also

[vrna_ptable_from_string\(\)](#), [vrna_db_flatten\(\)](#), [vrna_db_flatten_to\(\)](#)

17.59.3.4 VRNA_BRACKETS_ANG

```
#define VRNA_BRACKETS_ANG 32U  
  
#include <ViennaRNA/structure_utils.h>  
  
Bitflag to indicate secondary structure notations using angular brackets, <>
```

See also

[vrna_ptable_from_string\(\)](#), [vrna_db_flatten\(\)](#), [vrna_db_flatten_to\(\)](#)

17.59.3.5 VRNA_BRACKETS_SQR

```
#define VRNA_BRACKETS_SQR 64U  
  
#include <ViennaRNA/structure_utils.h>  
  
Bitflag to indicate secondary structure notations using square brackets, []
```

See also

[vrna_ptable_from_string\(\)](#), [vrna_db_flatten\(\)](#), [vrna_db_flatten_to\(\)](#)

17.59.3.6 VRNA_BRACKETS_DEFAULT

```
#define VRNA_BRACKETS_DEFAULT

#include <ViennaRNA/structure_utils.h>
```

Value:

```
(VRNA_BRACKETS_RND | \
VRNA_BRACKETS_CLY | \
VRNA_BRACKETS_ANG | \
VRNA_BRACKETS_SQR)
```

Default bitmask to indicate secondary structure notation using any pair of brackets.

See also

[vrna_ptable_from_string\(\)](#), [vrna_db_flatten\(\)](#), [vrna_db_flatten_to\(\)](#)

17.59.4 Function Documentation

17.59.4.1 b2HIT()

```
char* b2HIT (
    const char * structure )
```

#include <ViennaRNA/RNAstruct.h>

Converts the full structure from bracket notation to the HIT notation including root.

Parameters

<i>structure</i>	<input type="text"/>
------------------	----------------------

Returns

17.59.4.2 b2C()

```
char* b2C (
    const char * structure )
```

#include <ViennaRNA/RNAstruct.h>

Converts the full structure from bracket notation to the a coarse grained notation using the 'H' 'B' 'I' 'M' and 'R' identifiers.

Parameters

<i>structure</i>	<input type="text"/>
------------------	----------------------

Returns**17.59.4.3 b2Shapiro()**

```
char* b2Shapiro (
    const char * structure )

#include <ViennaRNA/RNAstruct.h>
```

Converts the full structure from bracket notation to the *weighted* coarse grained notation using the 'H' 'B' 'I' 'M' 'S' 'E' and 'R' identifiers.

Parameters

<i>structure</i>	<input type="text"/>
------------------	----------------------

Returns**17.59.4.4 add_root()**

```
char* add_root (
    const char * structure )

#include <ViennaRNA/RNAstruct.h>
```

Adds a root to an un-rooted tree in any except bracket notation.

Parameters

<i>structure</i>	<input type="text"/>
------------------	----------------------

Returns

17.59.4.5 expand_Shapiro()

```
char* expand_Shapiro (
    const char * coarse )

#include <ViennaRNA/RNAstruct.h>
```

Inserts missing 'S' identifiers in unweighted coarse grained structures as obtained from [b2C\(\)](#).

Parameters

<i>coarse</i>	<input type="text"/>
---------------	----------------------

Returns

17.59.4.6 expand_Full()

```
char* expand_Full (
    const char * structure )

#include <ViennaRNA/RNAstruct.h>
```

Convert the full structure from bracket notation to the expanded notation including root.

Parameters

<i>structure</i>	<input type="text"/>
------------------	----------------------

Returns

17.59.4.7 unexpand_Full()

```
char* unexpand_Full (
    const char * ffull )

#include <ViennaRNA/RNAstruct.h>
```

Restores the bracket notation from an expanded full or HIT tree, that is any tree using only identifiers 'U' 'P' and 'R'.

Parameters

<i>ffull</i>	<input type="text"/>
--------------	----------------------

Returns

17.59.4.8 unweight()

```
char* unweight (
    const char * wcoarse )  
  
#include <ViennaRNA/RNAstruct.h>
```

Strip weights from any weighted tree.

Parameters

<i>wcoarse</i>	<input type="button" value=""/>
----------------	---------------------------------

Returns

17.59.4.9 unexpand_aligned_F()

```
void unexpand_aligned_F (
    char * align[2] )  
  
#include <ViennaRNA/RNAstruct.h>
```

Converts two aligned structures in expanded notation.

Takes two aligned structures as produced by `tree_edit_distance()` function back to bracket notation with '_' as the gap character. The result overwrites the input.

Parameters

<i>align</i>	<input type="button" value=""/>
--------------	---------------------------------

17.59.4.10 parse_structure()

```
void parse_structure (
    const char * structure )  
  
#include <ViennaRNA/RNAstruct.h>
```

Collects a statistic of structure elements of the full structure in bracket notation.

The function writes to the following global variables: [loop_size](#), [loop_degree](#), [helix_size](#), [loops](#), [pairs](#), [unpaired](#)

Parameters

<i>structure</i>	<input type="text"/>
------------------	----------------------

Returns**17.59.4.11 vrna_db_pack()**

```
char* vrna_db_pack (
    const char * struc )  
  
#include <ViennaRNA/structure_utils.h>
```

Pack secondary secondary structure, 5:1 compression using base 3 encoding.

Returns a binary string encoding of the secondary structure using a 5:1 compression scheme. The string is NULL terminated and can therefore be used with standard string functions such as strcmp(). Useful for programs that need to keep many structures in memory.

See also

[vrna_db_unpack\(\)](#)

Parameters

<i>struc</i>	The secondary structure in dot-bracket notation
--------------	---

Returns

The binary encoded structure

17.59.4.12 vrna_db_unpack()

```
char* vrna_db_unpack (
    const char * packed )  
  
#include <ViennaRNA/structure_utils.h>
```

Unpack secondary structure previously packed with [vrna_db_pack\(\)](#)

Translate a compressed binary string produced by [vrna_db_pack\(\)](#) back into the familiar dot-bracket notation.

See also

[vrna_db_pack\(\)](#)

Parameters

<i>packed</i>	The binary encoded packed secondary structure
---------------	---

Returns

The unpacked secondary structure in dot-bracket notation

17.59.4.13 vrna_ptable()

```
short* vrna_ptable (
    const char * structure )

#include <ViennaRNA/structure_utils.h>
```

Create a pair table of a secondary structure.

Returns a newly allocated table, such that table[i]=j if (i,j) pair or 0 if i is unpaired, table[0] contains the length of the structure.

See also

[vrna_ptable_from_string\(\)](#), [vrna_db_from_ptable\(\)](#)

Parameters

<i>structure</i>	The secondary structure in dot-bracket notation
------------------	---

Returns

A pointer to the created pair_table

17.59.4.14 vrna_ptable_from_string()

```
short* vrna_ptable_from_string (
    const char * string,
    unsigned int options )

#include <ViennaRNA/structure_utils.h>
```

Create a pair table for a secondary structure string.

This function takes an input string of a secondary structure annotation in [Dot-Bracket Notation](#) (a.k.a. [Dot-Parenthesis Notation](#)) or [Extended Dot-Bracket Notation](#), and converts it into a pair table representation.

See also

[vrna_ptable\(\)](#), [vrna_db_from_ptable\(\)](#), [vrna_db_flatten_to\(\)](#), [VRNA_BRACKETS_RND](#), [VRNA_BRACKETS_ANG](#), [VRNA_BRACKETS_CLY](#), [VRNA_BRACKETS_SQR](#), [VRNA_BRACKETS_DEFAULT](#)

Parameters

<i>string</i>	Secondary structure in Extended Dot-Bracket Notation
<i>options</i>	A bitmask to specify which brackets are recognized during conversion to pair table

Returns

A pointer to a new pair table of the provided secondary structure

17.59.4.15 vrna_pt_pk_get()

```
short* vrna_pt_pk_get (
    const char * structure )

#include <ViennaRNA/structure_utils.h>
```

Create a pair table of a secondary structure (pseudo-knot version)

Returns a newly allocated table, such that table[i]=j if (i,j) pair or 0 if i is unpaired, table[0] contains the length of the structure.

In contrast to [vrna_ptable\(\)](#) this function also recognizes the base pairs denoted by '[' and ']' brackets.

Parameters

<i>structure</i>	The secondary structure in (extended) dot-bracket notation
------------------	--

Returns

A pointer to the created pair_table

17.59.4.16 vrna_ptable_copy()

```
short* vrna_ptable_copy (
    const short * pt )

#include <ViennaRNA/structure_utils.h>
```

Get an exact copy of a pair table.

Parameters

<i>pt</i>	The pair table to be copied
-----------	-----------------------------

Returns

A pointer to the copy of 'pt'

17.59.4.17 vrna_pt_snoop_get()

```
short* vrna_pt_snoop_get (
    const char * structure )

#include <ViennaRNA/structure_utils.h>
```

Create a pair table of a secondary structure (snoop version)

returns a newly allocated table, such that: table[i]=j if (i,j) pair or 0 if i is unpaired, table[0] contains the length of the structure. The special pseudoknotted H/ACA-mRNA structure is taken into account.

17.59.4.18 vrna_db_flatten()

```
vrna_db_flatten (
    char * string,
    unsigned int options )

#include <ViennaRNA/structure_utils.h>
```

Substitute pairs of brackets in a string with parenthesis.

This function can be used to replace brackets of unusual types, such as angular brackets <>, to dot-bracket format. The `options` parameter is used to specify which types of brackets will be replaced by round parenthesis () .

See also

[vrna_db_flatten_to\(\)](#), [VRNA_BRACKETS_RND](#), [VRNA_BRACKETS_ANG](#), [VRNA_BRACKETS_CLY](#),
[VRNA_BRACKETS_SQR](#), [VRNA_BRACKETS_DEFAULT](#)

Parameters

<code>structure</code>	The structure string where brackets are flattened in-place
<code>options</code>	A bitmask to specify which types of brackets should be flattened out

SWIG Wrapper Notes This function flattens an input structure string in-place! The second parameter is optional and defaults to [VRNA_BRACKETS_DEFAULT](#).

An overloaded version of this function exists, where an additional second parameter can be passed to specify the target brackets, i.e. the type of matching pair characters all brackets will be flattened to. Therefore, in the scripting language interface this function is a replacement for [vrna_db_flatten_to\(\)](#).

17.59.4.19 vrna_db_flatten_to()

```
void vrna_db_flatten_to (
    char * string,
    const char target[3],
    unsigned int options )

#include <ViennaRNA/structure_utils.h>
```

Substitute pairs of brackets in a string with another type of pair characters.

This function can be used to replace brackets in a structure annotation string, such as square brackets [] , to another type of pair characters, e.g. angular brackets <> .

The `target` array must contain a character for the 'pair open' annotation at position 0, and one for 'pair close' at position 1. `Options` parameter is used to specify which types of brackets will be replaced by the new pairs.

See also

[vrna_db_flatten\(\)](#), [VRNA_BRACKETS_RND](#), [VRNA_BRACKETS_ANG](#), [VRNA_BRACKETS_CLY](#), [VRNA_BRACKETS_SQR](#), [VRNA_BRACKETS_DEFAULT](#)

Parameters

<code>structure</code>	The structure string where brackets are flattened in-place
<code>target</code>	The new pair characters the string will be flattened to
<code>options</code>	A bitmask to specify which types of brackets should be flattened out

SWIG Wrapper Notes This function is available as an overloaded version of `vrna_db_flatten()`

17.59.4.20 vrna_db_from_ptable()

```
char* vrna_db_from_ptable (
    short * pt )

#include <ViennaRNA/structure_utils.h>
```

Convert a pair table into dot-parenthesis notation.

Parameters

<code>pt</code>	The pair table to be copied
-----------------	-----------------------------

Returns

A char pointer to the dot-bracket string

17.59.4.21 vrna_db_from_WUSS()

```
char* vrna_db_from_WUSS (
    const char * wuss )

#include <ViennaRNA/structure_utils.h>
```

Convert a WUSS annotation string to dot-bracket format.

Note

This function flattens all brackets, and treats pseudo-knots annotated by matching pairs of upper/lowercase letters as unpaired nucleotides

See also

[Washington University Secondary Structure \(WUSS\) notation](#)

Parameters

wuss	The input string in WUSS notation
------	-----------------------------------

Returns

A dot-bracket notation of the input secondary structure

17.59.4.22 vrna_bp_distance()

```
int vrna_bp_distance (
    const char * str1,
    const char * str2 )

#include <ViennaRNA/structure_utils.h>
```

Compute the "base pair" distance between two secondary structures s1 and s2.

The sequences should have the same length. dist = number of base pairs in one structure but not in the other same as edit distance with open-pair close-pair as move-set

Parameters

str1	First structure in dot-bracket notation
str2	Second structure in dot-bracket notation

Returns

The base pair distance between str1 and str2

17.59.4.23 vrna_refBPcnt_matrix()

```
unsigned int* vrna_refBPcnt_matrix (
    const short * reference_pt,
    unsigned int turn )

#include <ViennaRNA/structure_utils.h>
```

Make a reference base pair count matrix.

Get an upper triangular matrix containing the number of basepairs of a reference structure for each interval [i,j] with i<j. Access it via iindx!!!

17.59.4.24 vrna_refBPDist_matrix()

```
unsigned int* vrna_refBPDist_matrix (
    const short * pt1,
    const short * pt2,
    unsigned int turn )

#include <ViennaRNA/structure_utils.h>
```

Make a reference base pair distance matrix.

Get an upper triangular matrix containing the base pair distance of two reference structures for each interval [i,j] with i<j. Access it via iindx!!!

17.59.4.25 vrna_db_from_bp_stack()

```
char* vrna_db_from_bp_stack (
    vrna_bp_stack_t * bp,
    unsigned int length )

#include <ViennaRNA/structure_utils.h>
```

Create a dot-bracket/parenthesis structure from backtracking stack.

This function is capable to create dot-bracket structures from suboptimal structure prediction sensu M. Zuker

Parameters

<i>bp</i>	Base pair stack containing the traced base pairs
<i>length</i>	The length of the structure

Returns

The secondary structure in dot-bracket notation as provided in the input

17.59.4.26 vrna_plist()

```
vrna_ep_t* vrna_plist (
    const char * struc,
    float pr )
```

```
#include <ViennaRNA/structure_utils.h>
```

Create a [vrna_ep_t](#) from a dot-bracket string.

The dot-bracket string is parsed and for each base pair an entry in the plist is created. The probability of each pair in the list is set by a function parameter.

The end of the plist is marked by sequence positions i as well as j equal to 0. This condition should be used to stop looping over its entries

Parameters

<i>struc</i>	The secondary structure in dot-bracket notation
<i>pr</i>	The probability for each base pair used in the plist

Returns

The plist array

17.59.4.27 vrna_db_from_plist()

```
char* vrna_db_from_plist (
    vrna_ep_t * pairs,
    unsigned int n )
```

```
#include <ViennaRNA/structure_utils.h>
```

Convert a list of base pairs into dot-bracket notation.

See also

[vrna_plist\(\)](#)

Parameters

<i>pairs</i>	A vrna_ep_t containing the pairs to be included in the dot-bracket string
<i>n</i>	The length of the structure (number of nucleotides)

Returns

The dot-bracket string containing the provided base pairs

17.59.4.28 assign plist_from_db()

```
void assign plist_from_db (
    vrna_ep_t ** pl,
    const char * struc,
    float pr )

#include <ViennaRNA/structure_utils.h>
```

Create a [vrna_ep_t](#) from a dot-bracket string.

The dot-bracket string is parsed and for each base pair an entry in the plist is created. The probability of each pair in the list is set by a function parameter.

The end of the plist is marked by sequence positions i as well as j equal to 0. This condition should be used to stop looping over its entries

Deprecated Use [vrna plist\(\)](#) instead

Parameters

<i>pl</i>	A pointer to the vrna_ep_t that is to be created
<i>struc</i>	The secondary structure in dot-bracket notation
<i>pr</i>	The probability for each base pair

17.59.4.29 pack_structure()

```
char* pack_structure (
    const char * struc )

#include <ViennaRNA/structure_utils.h>
```

Pack secondary secondary structure, 5:1 compression using base 3 encoding.

Returns a binary string encoding of the secondary structure using a 5:1 compression scheme. The string is NULL terminated and can therefore be used with standard string functions such as strcmp(). Useful for programs that need to keep many structures in memory.

Deprecated Use [vrna_db_pack\(\)](#) as a replacement

Parameters

<i>struc</i>	The secondary structure in dot-bracket notation
--------------	---

Returns

The binary encoded structure

17.59.4.30 `unpack_structure()`

```
char* unpack_structure (
    const char * packed )

#include <ViennaRNA/structure_utils.h>
```

Unpack secondary structure previously packed with [pack_structure\(\)](#)

Translate a compressed binary string produced by [pack_structure\(\)](#) back into the familiar dot-bracket notation.

Deprecated Use [vrna_db_unpack\(\)](#) as a replacement

Parameters

<code>packed</code>	The binary encoded packed secondary structure
---------------------	---

Returns

The unpacked secondary structure in dot-bracket notation

17.59.4.31 `make_pair_table()`

```
short* make_pair_table (
    const char * structure )

#include <ViennaRNA/structure_utils.h>
```

Create a pair table of a secondary structure.

Returns a newly allocated table, such that `table[i]=j` if (i,j) pair or 0 if i is unpaired, `table[0]` contains the length of the structure.

Deprecated Use [vrna_ptable\(\)](#) instead

Parameters

<code>structure</code>	The secondary structure in dot-bracket notation
------------------------	---

Returns

A pointer to the created `pair_table`

17.59.4.32 copy_pair_table()

```
short* copy_pair_table (
    const short * pt )  
  
#include <ViennaRNA/structure_utils.h>
```

Get an exact copy of a pair table.

Deprecated Use [vrna_ptable_copy\(\)](#) instead

Parameters

<i>pt</i>	The pair table to be copied
-----------	-----------------------------

Returns

A pointer to the copy of 'pt'

17.59.4.33 alimake_pair_table()

```
short* alimake_pair_table (
    const char * structure )  
  
#include <ViennaRNA/structure_utils.h>
```

Pair table for snoop align

Deprecated Use [vrna_pt_ali_get\(\)](#) instead!

17.59.4.34 make_pair_table_snoop()

```
short* make_pair_table_snoop (
    const char * structure )  
  
#include <ViennaRNA/structure_utils.h>
```

returns a newly allocated table, such that: table[i]=j if (i,j) pair or 0 if i is unpaired, table[0] contains the length of the structure. The special pseudoknotted H/ACA-mRNA structure is taken into account.

Deprecated Use [vrna_pt_snoop_get\(\)](#) instead!

17.59.4.35 bp_distance()

```
int bp_distance (
    const char * str1,
    const char * str2 )

#include <ViennaRNA/structure_utils.h>
```

Compute the "base pair" distance between two secondary structures s1 and s2.

The sequences should have the same length. dist = number of base pairs in one structure but not in the other same as edit distance with open-pair close-pair as move-set

Deprecated Use vrna_bp_distance instead

Parameters

<i>str1</i>	First structure in dot-bracket notation
<i>str2</i>	Second structure in dot-bracket notation

Returns

The base pair distance between str1 and str2

17.59.4.36 make_referenceBP_array()

```
unsigned int* make_referenceBP_array (
    short * reference_pt,
    unsigned int turn )

#include <ViennaRNA/structure_utils.h>
```

Make a reference base pair count matrix.

Get an upper triangular matrix containing the number of basepairs of a reference structure for each interval [i,j] with i<j. Access it via iindx!!!

Deprecated Use vrna_refBPCnt_matrix() instead

17.59.4.37 compute_BPdifferences()

```
unsigned int* compute_BPdifferences (
    short * pt1,
    short * pt2,
    unsigned int turn )

#include <ViennaRNA/structure_utils.h>
```

Make a reference base pair distance matrix.

Get an upper triangular matrix containing the base pair distance of two reference structures for each interval [i,j] with i<j. Access it via iindx!!!

Deprecated Use [vrna_refBPdist_matrix\(\)](#) instead

17.59.4.38 parenthesis_structure()

```
void parenthesis_structure (
    char * structure,
    vrna_bp_stack_t * bp,
    int length )

#include <ViennaRNA/structure_utils.h>
```

Create a dot-bracket/parenthesis structure from backtracking stack.

Deprecated use [vrna_parenthesis_structure\(\)](#) instead

Note

This function is threadsafe

17.59.4.39 parenthesis_zuker()

```
void parenthesis_zuker (
    char * structure,
    vrna_bp_stack_t * bp,
    int length )

#include <ViennaRNA/structure_utils.h>
```

Create a dot-bracket/parenthesis structure from backtracking stack obtained by zuker suboptimal calculation in cofold.c.

Deprecated use [vrna_parenthesis_zuker](#) instead

Note

This function is threadsafe

17.59.4.40 bppm_to_structure()

```
void bppm_to_structure (
    char * structure,
    FILT_OR_DBL * pr,
    unsigned int length )

#include <ViennaRNA/structure_utils.h>
```

Create a dot-bracket like structure string from base pair probability matrix.

Deprecated Use [vrna_db_from_probs\(\)](#) instead!

17.59.4.41 bppm_symbol()

```
char bppm_symbol (
    const float * x )

#include <ViennaRNA/structure_utils.h>
```

Get a pseudo dot bracket notation for a given probability information.

Deprecated Use [vrna_bpp_symbol\(\)](#) instead!

17.60 Utilities for sequence alignments

Collaboration diagram for Utilities for sequence alignments:

Data Structures

- struct `vrna_pinfo_s`
A base pair info structure. [More...](#)

Macros

- `#define VRNA_MEASURE_SHANNON_ENTROPY 1U`
Flag indicating Shannon Entropy measure.

Typedefs

- `typedef struct vrna_pinfo_s vrna_pinfo_t`
Typename for the base pair info repesenting data structure `vrna_pinfo_s`.
- `typedef struct vrna_pinfo_s pair_info`
Old typename of `vrna_pinfo_s`.

Functions

- `int vrna_aln_mpi (const char **alignment)`
Get the mean pairwise identity in steps from ?to?(ident)
- `vrna_pinfo_t * vrna_aln_pinfo (vrna_fold_compound_t *vc, const char *structure, double threshold)`
Retrieve an array of `vrna_pinfo_t` structures from precomputed pair probabilities.
- `char ** vrna_aln_slice (const char **alignment, unsigned int i, unsigned int j)`
Slice out a subalignment from a larger alignment.
- `void vrna_aln_free (char **alignment)`
Free memory occupied by a set of aligned sequences.
- `char ** vrna_aln_uppercase (const char **alignment)`
Create a copy of an alignment with only uppercase letters in the sequences.
- `char ** vrna_aln_toRNA (const char **alignment)`
Create a copy of an alignment where DNA alphabet is replaced by RNA alphabet.
- `char ** vrna_aln_copy (const char **alignment, unsigned int options)`
Make a copy of a multiple sequence alignment.
- `float * vrna_aln_conservation_struct (const char **alignment, const char *structure, const vrna_md_t *md)`
Compute base pair conservation of a consensus structure.
- `float * vrna_aln_conservation_col (const char **alignment, const vrna_md_t *md_p, unsigned int options)`
Compute nucleotide conservation in an alignment.
- `int get_mpi (char *Alseq[], int n_seq, int length, int *mini)`
Get the mean pairwise identity in steps from ?to?(ident)
- `void encode_ali_sequence (const char *sequence, short *S, short *s5, short *s3, char *ss, unsigned short *as, int circ)`
Get arrays with encoded sequence of the alignment.
- `void alloc_sequence_arrays (const char **sequences, short ***S, short ***S5, short ***S3, unsigned short ***a2s, char ***ss, int circ)`
Allocate memory for sequence array used to deal with aligned sequences.
- `void free_sequence_arrays (unsigned int n_seq, short ***S, short ***S5, short ***S3, unsigned short ***a2s, char ***ss)`
Free the memory of the sequence arrays used to deal with aligned sequences.

17.60.1 Detailed Description

17.60.2 Data Structure Documentation

17.60.2.1 struct vrna_pinfo_s

A base pair info structure.

For each base pair (i,j) with i,j in [0, n-1] the structure lists:

- its probability 'p'
- an entropy-like measure for its well-definedness 'ent'
- the frequency of each type of pair in 'bp[]'
 - 'bp[0]' contains the number of non-compatible sequences
 - 'bp[1]' the number of CG pairs, etc.

Data Fields

- unsigned **i**
nucleotide position i
- unsigned **j**
nucleotide position j
- float **p**
Probability.
- float **ent**
*Pseudo entropy for p(i, j) = S_i + S_j - p_ij * ln(p_ij).*
- short **bp** [8]
Frequencies of pair_types.
- char **comp**
1 iff pair is in mfe structure

17.60.3 Macro Definition Documentation

17.60.3.1 VRNA_MEASURE_SHANNON_ENTROPY

```
#define VRNA_MEASURE_SHANNON_ENTROPY 1U

#include <ViennaRNA/aln_util.h>
```

Flag indicating Shannon Entropy measure.

Shannon Entropy is defined as $H = - \sum_c p_c \cdot \log_2 p_c$

17.60.4 Typedef Documentation

17.60.4.1 pair_info

```
typedef struct vrna_pinfo_s pair_info

#include <ViennaRNA/aln_util.h>
```

Old typename of [vrna_pinfo_s](#).

Deprecated Use [vrna_pinfo_t](#) instead!

17.60.5 Function Documentation

17.60.5.1 vrna_aln_mpi()

```
int vrna_aln_mpi (
    const char ** alignment )
```

```
#include <ViennaRNA/aln_util.h>
```

Get the mean pairwise identity in steps from ?to?(ident)

Parameters

<i>alignment</i>	Aligned sequences
------------------	-------------------

Returns

The mean pairwise identity

17.60.5.2 vrna_aln_pinfo()

```
vrna_pinfo_t* vrna_aln_pinfo (
    vrna_fold_compound_t * vc,
    const char * structure,
    double threshold )
```

```
#include <ViennaRNA/aln_util.h>
```

Retrieve an array of [vrna_pinfo_t](#) structures from precomputed pair probabilities.

This array of structures contains information about positionwise pair probabilities, base pair entropy and more

See also

[vrna_pinfo_t](#), and [vrna_pf\(\)](#)

Parameters

<i>vc</i>	The vrna_fold_compound_t of type VRNA_FC_TYPE_COMPARATIVE with precomputed partition function matrices
<i>structure</i>	An optional structure in dot-bracket notation (Maybe NULL)
<i>threshold</i>	Do not include results with pair probabilities below threshold

Returns

The [vrna_pinfo_t](#) array

17.60.5.3 [vrna_aln_slice\(\)](#)

```
char** vrna_aln_slice (
    const char ** alignment,
    unsigned int i,
    unsigned int j )

#include <ViennaRNA/aln\_util.h>
```

Slice out a subalignment from a larger alignment.

Note

The user is responsible to free the memory occupied by the returned subalignment

See also

[vrna_aln_free\(\)](#)

Parameters

<i>alignment</i>	The input alignment
<i>i</i>	The first column of the subalignment (1-based)
<i>j</i>	The last column of the subalignment (1-based)

Returns

The subalignment between column *i* and *j*

17.60.5.4 vrna_aln_free()

```
void vrna_aln_free (
    char ** alignment )
```



```
#include <ViennaRNA/aln_util.h>
```

Free memory occupied by a set of aligned sequences.

Parameters

<i>alignment</i>	The input alignment
------------------	---------------------

17.60.5.5 vrna_aln_uppercase()

```
char** vrna_aln_uppercase (
    const char ** alignment )
```



```
#include <ViennaRNA/aln_util.h>
```

Create a copy of an alignment with only uppercase letters in the sequences.

See also

[vrna_aln_copy](#)

Parameters

<i>alignment</i>	The input sequence alignment (last entry must be <i>NULL</i> terminated)
------------------	--

Returns

A copy of the input alignment where lowercase sequence letters are replaced by uppercase letters

17.60.5.6 vrna_aln_toRNA()

```
char** vrna_aln_toRNA (
    const char ** alignment )
```



```
#include <ViennaRNA/aln_util.h>
```

Create a copy of an alignment where DNA alphabet is replaced by RNA alphabet.

See also

[vrna_aln_copy](#)

Parameters

<i>alignment</i>	The input sequence alignment (last entry must be <i>NULL</i> terminated)
------------------	--

Returns

A copy of the input alignment where DNA alphabet is replaced by RNA alphabet (T -> U)

17.60.5.7 vrna_aln_copy()

```
char** vrna_aln_copy (
    const char ** alignment,
    unsigned int options )
```

```
#include <ViennaRNA/aln_util.h>
```

Make a copy of a multiple sequence alignment.

This function allows one to create a copy of a multiple sequence alignment. The *options* parameter additionally allows for sequence manipulation, such as converting DNA to RNA alphabet, and conversion to uppercase letters.

See also

[vrna_aln_copy\(\)](#), #VRNA_ALN_RNA, #VRNA_ALN_UPPERCASE, #VRNA_ALN_DEFAULT

Parameters

<i>alignment</i>	The input sequence alignment (last entry must be <i>NULL</i> terminated)
<i>options</i>	Option flags indicating whether the aligned sequences should be converted

Returns

A (manipulated) copy of the input alignment

17.60.5.8 vrna_aln_conservation_struct()

```
float * vrna_aln_conservation_struct (
    const char ** alignment,
    const char * structure,
    const vrna_md_t * md )
```

```
#include <ViennaRNA/aln_util.h>
```

Compute base pair conservation of a consensus structure.

This function computes the base pair conservation (fraction of canonical base pairs) of a consensus structure given a multiple sequence alignment. The base pair types that are considered canonical may be specified using the #vrna_md_t.pairs array. Passing *NULL* as parameter *md* results in default pairing rules, i.e. canonical Watson-Crick and GU Wobble pairs.

Parameters

<i>alignment</i>	The input sequence alignment (last entry must be <i>NULL</i> terminated)
<i>structure</i>	The consensus structure in dot-bracket notation
<i>md</i>	Model details that specify compatible base pairs (Maybe <i>NULL</i>)

Returns

A 1-based vector of base pair conservations

SWIG Wrapper Notes This function is available in an overloaded form where the last parameter may be omitted, indicating *md* = *NULL*

17.60.5.9 vrna_aln_conservation_col()

```
float * vrna_aln_conservation_col (
    const char ** alignment,
    const vrna_md_t * md,
    unsigned int options )
```

```
#include <ViennaRNA/aln_util.h>
```

Compute nucleotide conservation in an alignment.

This function computes the conservation of nucleotides in alignment columns. The simplest measure is Shannon Entropy and can be selected by passing the [VRNA_MEASURE_SHANNON_ENTROPY](#) flag in the *options* parameter.

Note

Currently, only [VRNA_MEASURE_SHANNON_ENTROPY](#) is supported as conservation measure.

See also

[VRNA_MEASURE_SHANNON_ENTROPY](#)

Parameters

<i>alignment</i>	The input sequence alignment (last entry must be <i>NULL</i> terminated)
<i>md</i>	Model details that specify known nucleotides (Maybe <i>NULL</i>)
<i>options</i>	A flag indicating which measure of conservation should be applied

Returns

A 1-based vector of column conservations

SWIG Wrapper Notes This function is available in an overloaded form where the last two parameters may be omitted, indicating *md* = *NULL*, and *options* = [VRNA_MEASURE_SHANNON_ENTROPY](#),

respectively.

17.60.5.10 get_mpi()

```
int get_mpi (
    char * Alseq[],
    int n_seq,
    int length,
    int * mini )

#include <ViennaRNA/aln_util.h>
```

Get the mean pairwise identity in steps from ?to?(ident)

Deprecated Use [vrna_aln_mpi\(\)](#) as a replacement

Parameters

<i>Alseq</i>	
<i>n_seq</i>	The number of sequences in the alignment
<i>length</i>	The length of the alignment
<i>mini</i>	

Returns

The mean pairwise identity

17.60.5.11 encode_ali_sequence()

```
void encode_ali_sequence (
    const char * sequence,
    short * S,
    short * s5,
    short * s3,
    char * ss,
    unsigned short * as,
    int circ )

#include <ViennaRNA/aln_util.h>
```

Get arrays with encoded sequence of the alignment.

this function assumes that in S, S5, s3, ss and as enough space is already allocated (size must be at least sequence length+2)

Parameters

<i>sequence</i>	The gapped sequence from the alignment
<i>S</i>	pointer to an array that holds encoded sequence
<i>s5</i>	pointer to an array that holds the next base 5' of alignment position i
<i>s3</i>	pointer to an array that holds the next base 3' of alignment position i
<i>ss</i>	
<i>as</i>	
<i>circ</i>	assume the molecules to be circular instead of linear (circ=0)

17.60.5.12 alloc_sequence_arrays()

```
void alloc_sequence_arrays (
    const char ** sequences,
    short *** S,
    short *** S5,
    short *** S3,
    unsigned short *** a2s,
    char *** Ss,
    int circ )
```

#include <ViennaRNA/aln_util.h>

Allocate memory for sequence array used to deal with aligned sequences.

Note that these arrays will also be initialized according to the sequence alignment given

See also

[free_sequence_arrays\(\)](#)

Parameters

<i>sequences</i>	The aligned sequences
<i>S</i>	A pointer to the array of encoded sequences
<i>S5</i>	A pointer to the array that contains the next 5' nucleotide of a sequence position
<i>S3</i>	A pointer to the array that contains the next 3' nucleotide of a sequence position
<i>a2s</i>	A pointer to the array that contains the alignment to sequence position mapping
<i>Ss</i>	A pointer to the array that contains the ungapped sequence
<i>circ</i>	assume the molecules to be circular instead of linear (circ=0)

17.60.5.13 free_sequence_arrays()

```
void free_sequence_arrays (
    unsigned int n_seq,
```

```
short *** S,
short *** S5,
short *** S3,
unsigned short *** a2s,
char *** Ss )  
  
#include <ViennaRNA/aln_util.h>
```

Free the memory of the sequence arrays used to deal with aligned sequences.

This function frees the memory previously allocated with [alloc_sequence_arrays\(\)](#)

See also

[alloc_sequence_arrays\(\)](#)

Parameters

<i>n_seq</i>	The number of aligned sequences
<i>S</i>	A pointer to the array of encoded sequences
<i>S5</i>	A pointer to the array that contains the next 5' nucleotide of a sequence position
<i>S3</i>	A pointer to the array that contains the next 3' nucleotide of a sequence position
<i>a2s</i>	A pointer to the array that contains the alignment to sequence position mapping
<i>Ss</i>	A pointer to the array that contains the ungapped sequence

17.61 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments

Functions dealing with file formats for RNA sequences, structures, and alignments.

Collaboration diagram for Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments:

```

graph TD
    RNA[RNA Functions] --- commands[commands.h]
    RNA --- file_formats[file_formats.h]
    RNA --- file_formats_msa[file_formats_msa.h]
    RNA --- utils[file_utils.h]
    RNA --- ribo[ribo.h]
    commands --- parse_commands[Parse and apply different commands that alter the behavior of secondary structure prediction and evaluation.]
    file_formats --- read_write_file[Read and write different file formats for RNA sequences, structures.]
    file_formats_msa --- msa[Functions dealing with file formats for Multiple Sequence Alignments (MSA)]
    utils --- file_utils[Several utilities for file handling.]
    ribo --- ribo_sum[Parse RiboSum Scoring Matrices for Covariance Scoring of Alignments.]
  
```

Files

- file [commands.h](#)
Parse and apply different commands that alter the behavior of secondary structure prediction and evaluation.
- file [file_formats.h](#)
Read and write different file formats for RNA sequences, structures.
- file [file_formats_msa.h](#)
Functions dealing with file formats for Multiple Sequence Alignments (MSA)
- file [file_utils.h](#)
Several utilities for file handling.
- file [ribo.h](#)
Parse RiboSum Scoring Matrices for Covariance Scoring of Alignments.

Data Structures

- struct [vrna_command_s](#)
List element for commands ready for application to a [vrna_fold_compound_t](#). More...

Macros

- #define [VRNA_CMD_PARSE_HC](#) 1U
Command parse/apply flag indicating hard constraints.
- #define [VRNA_CMD_PARSE_SC](#) 2U
Command parse/apply flag indicating soft constraints.
- #define [VRNA_CMD_PARSE_UD](#) 4U
Command parse/apply flag indicating unstructured domains.
- #define [VRNA_CMD_PARSE_SD](#) 8U
Command parse/apply flag indicating structured domains.
- #define [VRNA_CMD_PARSE_DEFAULTS](#)
Command parse/apply flag indicating default set of commands.
- #define [VRNA_OPTION_MULTILINE](#) 32U
Tell a function that an input is assumed to span several lines.
- #define [VRNA_CONSTRAINT_MULTILINE](#) 32U
parse multiline constraint
- #define [VRNA_FILE_FORMAT_MSA_CLUSTAL](#) 1U
Option flag indicating ClustalW formatted files.
- #define [VRNA_FILE_FORMAT_MSA_STOCKHOLM](#) 2U
Option flag indicating Stockholm 1.0 formatted files.

- `#define VRNA_FILE_FORMAT_MSA_FASTA 4U`
Option flag indicating FASTA (Pearson) formatted files.
- `#define VRNA_FILE_FORMAT_MSA_MAF 8U`
Option flag indicating MAF formatted files.
- `#define VRNA_FILE_FORMAT_MSA_MIS 16U`
Option flag indicating most informative sequence (MIS) output.
- `#define VRNA_FILE_FORMAT_MSA_DEFAULT`
Option flag indicating the set of default file formats.
- `#define VRNA_FILE_FORMAT_MSA_NOCHECK 4096U`
Option flag to disable validation of the alignment.
- `#define VRNA_FILE_FORMAT_MSA_UNKNOWN 8192U`
Return flag of `vrna_file_msa_detect_format()` to indicate unknown or malformatted alignment.
- `#define VRNA_FILE_FORMAT_MSA_APPEND 16384U`
Option flag indicating to append data to a multiple sequence alignment file rather than overwriting it.
- `#define VRNA_FILE_FORMAT_MSA QUIET 32768U`
Option flag to suppress unnecessary spam messages on `stderr`.
- `#define VRNA_FILE_FORMAT_MSA_SILENT 65536U`
Option flag to completely silence any warnings on `stderr`.

Typedefs

- `typedef struct vrna_command_s vrna_cmd_t`
Typename for the command repesenting data structure `vrna_command_s`.

Enumerations

- `enum vrna_command_e`
Types of commands within a list of `vrna_command_s` structures.

Functions

- `vrna_cmd_t * vrna_file_commands_read (const char *filename, unsigned int options)`
Extract a list of commands from a command file.
- `int vrna_file_commands_apply (vrna_fold_compound_t *vc, const char *filename, unsigned int options)`
Apply a list of commands from a command file.
- `int vrna_commands_apply (vrna_fold_compound_t *vc, vrna_cmd_t *commands, unsigned int options)`
Apply a list of commands to a `vrna_fold_compound_t`.
- `void vrna_commands_free (vrna_cmd_t *commands)`
Free memory occupied by a list of commands.
- `void vrna_file_helixlist (const char *seq, const char *db, float energy, FILE *file)`
Print a secondary structure as helix list.
- `void vrna_file_connect (const char *seq, const char *db, float energy, const char *identifier, FILE *file)`
Print a secondary structure as connect table.
- `void vrna_file_bpseq (const char *seq, const char *db, FILE *file)`
Print a secondary structure in bpseq format.
- `void vrna_file_json (const char *seq, const char *db, double energy, const char *identifier, FILE *file)`
Print a secondary structure in jsonformat.
- `unsigned int vrna_file_fasta_read_record (char **header, char **sequence, char ***rest, FILE *file, unsigned int options)`

- `char * vrna_extract_record_rest_structure (const char **lines, unsigned int length, unsigned int option)`

Get a (fasta) data set from a file or stdin.
- `int vrna_file_SHAPE_read (const char *file_name, int length, double default_value, char *sequence, double *values)`

Extract a dot-bracket structure string from (multiline)character array.
- `void vrna_extract_record_rest_constraint (char **cstruc, const char **lines, unsigned int option)`

Extract a hard constraint encoded as pseudo dot-bracket string.
- `unsigned int read_record (char **header, char **sequence, char ***rest, unsigned int options)`

Get a data record from stdin.
- `int vrna_file_msa_read (const char *filename, char ***names, char ***aln, char **id, char **structure, unsigned int options)`

Read a multiple sequence alignment from file.
- `int vrna_file_msa_read_record (FILE *fp, char ***names, char ***aln, char **id, char **structure, unsigned int options)`

Read a multiple sequence alignment from file handle.
- `unsigned int vrna_file_msa_detect_format (const char *filename, unsigned int options)`

Detect the format of a multiple sequence alignment file.
- `int vrna_file_msa_write (const char *filename, const char **names, const char **aln, const char *id, const char *structure, const char *source, unsigned int options)`

Write multiple sequence alignment file.
- `void vrna_file_copy (FILE *from, FILE *to)`

Inefficient 'cp'.
- `char * vrna_read_line (FILE *fp)`

Read a line of arbitrary length from a stream.
- `int vrna_mkdir_p (const char *path)`

Recursively create a directory tree.
- `char * vrna_basename (const char *path)`

Extract the filename from a file path.
- `char * vrna_dirname (const char *path)`

Extract the directory part of a file path.
- `char * vrna_filename_sanitize (const char *name, const char *replacement)`

Sanitize a file name.
- `float ** readribosum (char *name)`

Read a RiboSum or other user-defined Scoring Matrix and Store into global Memory.

17.61.1 Detailed Description

Functions dealing with file formats for RNA sequences, structures, and alignments.

17.61.2 Data Structure Documentation

17.61.2.1 struct vrna_command_s

List element for commands ready for application to a `vrna_fold_compound_t`.

See also

`vrna_file_commands_read()`, `vrna_commands_apply()`, `vrna_commands_free()`

17.61.3 Macro Definition Documentation

17.61.3.1 VRNA_CMD_PARSE_HC

```
#define VRNA_CMD_PARSE_HC 1U

#include <ViennaRNA/commands.h>
```

Command parse/apply flag indicating hard constraints.

See also

[vrna_command_s](#), [vrna_file_commands_read\(\)](#), [vrna_file_commands_apply\(\)](#), [vrna_commands_apply\(\)](#)

17.61.3.2 VRNA_CMD_PARSE_SC

```
#define VRNA_CMD_PARSE_SC 2U

#include <ViennaRNA/commands.h>
```

Command parse/apply flag indicating soft constraints.

See also

[vrna_command_s](#), [vrna_file_commands_read\(\)](#), [vrna_file_commands_apply\(\)](#), [vrna_commands_apply\(\)](#)

17.61.3.3 VRNA_CMD_PARSE_UD

```
#define VRNA_CMD_PARSE_UD 4U

#include <ViennaRNA/commands.h>
```

Command parse/apply flag indicating unstructured domains.

See also

[vrna_command_s](#), [vrna_file_commands_read\(\)](#), [vrna_file_commands_apply\(\)](#), [vrna_commands_apply\(\)](#)

17.61.3.4 VRNA_CMD_PARSE_SD

```
#define VRNA_CMD_PARSE_SD 8U

#include <ViennaRNA/commands.h>
```

Command parse/apply flag indicating structured domains.

See also

[vrna_command_s](#), [vrna_file_commands_read\(\)](#), [vrna_file_commands_apply\(\)](#), [vrna_commands_apply\(\)](#)

17.61.3.5 VRNA_CMD_PARSE_DEFAULTS

```
#define VRNA_CMD_PARSE_DEFAULTS

#include <ViennaRNA/commands.h>
```

Value:

```
(VRNA_CMD_PARSE_HC \
| VRNA_CMD_PARSE_SC \
| VRNA_CMD_PARSE_UD \
| VRNA_CMD_PARSE_SD \
)
```

Command parse/apply flag indicating default set of commands.

See also

[vrna_command_s](#), [vrna_file_commands_read\(\)](#), [vrna_file_commands_apply\(\)](#), [vrna_commands_apply\(\)](#)

17.61.3.6 VRNA_OPTION_MULTILINE

```
#define VRNA_OPTION_MULTILINE 32U

#include <ViennaRNA/file_formats.h>
```

Tell a function that an input is assumed to span several lines.

If used as input-option a function might also be returning this state telling that it has read data from multiple lines.

See also

[vrna_extract_record_rest_structure\(\)](#), [vrna_file_fasta_read_record\(\)](#)

17.61.3.7 VRNA_CONSTRAINT_MULTILINE

```
#define VRNA_CONSTRAINT_MULTILINE 32U  
  
#include <ViennaRNA/file_formats.h>  
  
parse multiline constraint
```

Deprecated see [vrna_extract_record_rest_structure\(\)](#)

17.61.3.8 VRNA_FILE_FORMAT_MSA_CLUSTAL

```
#define VRNA_FILE_FORMAT_MSA_CLUSTAL 1U  
  
#include <ViennaRNA/file_formats_msa.h>  
  
Option flag indicating ClustalW formatted files.
```

See also

[vrna_file_msa_read\(\)](#), [vrna_file_msa_read_record\(\)](#), [vrna_file_msa_detect_format\(\)](#)

17.61.3.9 VRNA_FILE_FORMAT_MSA_STOCKHOLM

```
#define VRNA_FILE_FORMAT_MSA_STOCKHOLM 2U  
  
#include <ViennaRNA/file_formats_msa.h>  
  
Option flag indicating Stockholm 1.0 formatted files.
```

See also

[vrna_file_msa_read\(\)](#), [vrna_file_msa_read_record\(\)](#), [vrna_file_msa_detect_format\(\)](#)

17.61.3.10 VRNA_FILE_FORMAT_MSA_FASTA

```
#define VRNA_FILE_FORMAT_MSA_FASTA 4U  
  
#include <ViennaRNA/file_formats_msa.h>  
  
Option flag indicating FASTA (Pearson) formatted files.
```

See also

[vrna_file_msa_read\(\)](#), [vrna_file_msa_read_record\(\)](#), [vrna_file_msa_detect_format\(\)](#)

17.61.3.11 VRNA_FILE_FORMAT_MSA_MAF

```
#define VRNA_FILE_FORMAT_MSA_MAF 8U

#include <ViennaRNA/file_formats_msa.h>
```

Option flag indicating MAF formatted files.

See also

[vrna_file_msa_read\(\)](#), [vrna_file_msa_read_record\(\)](#), [vrna_file_msa_detect_format\(\)](#)

17.61.3.12 VRNA_FILE_FORMAT_MSA_MIS

```
#define VRNA_FILE_FORMAT_MSA_MIS 16U

#include <ViennaRNA/file_formats_msa.h>
```

Option flag indicating most informative sequence (MIS) output.

The default reference sequence output for an alignment is simply a consensus sequence. This flag allows to write the most informative sequence (MIS) instead.

See also

[vrna_file_msa_write\(\)](#)

17.61.3.13 VRNA_FILE_FORMAT_MSA_DEFAULT

```
#define VRNA_FILE_FORMAT_MSA_DEFAULT

#include <ViennaRNA/file_formats_msa.h>
```

Value:

```
( \
    VRNA_FILE_FORMAT_MSA_CLUSTAL \
| VRNA_FILE_FORMAT_MSA_STOCKHOLM \
| VRNA_FILE_FORMAT_MSA_FASTA \
| VRNA_FILE_FORMAT_MSA_MAF \
)
```

Option flag indicating the set of default file formats.

See also

[vrna_file_msa_read\(\)](#), [vrna_file_msa_read_record\(\)](#), [vrna_file_msa_detect_format\(\)](#)

17.61.3.14 VRNA_FILE_FORMAT_MSA_NOCHECK

```
#define VRNA_FILE_FORMAT_MSA_NOCHECK 4096U  
  
#include <ViennaRNA/file_formats_msa.h>
```

Option flag to disable validation of the alignment.

See also

[vrna_file_msa_read\(\)](#), [vrna_file_msa_read_record\(\)](#)

17.61.3.15 VRNA_FILE_FORMAT_MSA_UNKNOWN

```
#define VRNA_FILE_FORMAT_MSA_UNKNOWN 8192U  
  
#include <ViennaRNA/file_formats_msa.h>
```

Return flag of [vrna_file_msa_detect_format\(\)](#) to indicate unknown or malformatted alignment.

See also

[vrna_file_msa_detect_format\(\)](#)

17.61.3.16 VRNA_FILE_FORMAT_MSA_APPEND

```
#define VRNA_FILE_FORMAT_MSA_APPEND 16384U  
  
#include <ViennaRNA/file_formats_msa.h>
```

Option flag indicating to append data to a multiple sequence alignment file rather than overwriting it.

See also

[vrna_file_msa_write\(\)](#)

17.61.3.17 VRNA_FILE_FORMAT_MSA QUIET

```
#define VRNA_FILE_FORMAT_MSA QUIET 32768U  
  
#include <ViennaRNA/file_formats_msa.h>
```

Option flag to suppress unnecessary spam messages on `stderr`

See also

[vrna_file_msa_read\(\)](#), [vrna_file_msa_read_record\(\)](#)

17.61.3.18 VRNA_FILE_FORMAT_MSA_SILENT

```
#define VRNA_FILE_FORMAT_MSA_SILENT 65536U

#include <ViennaRNA/file_formats_msa.h>
```

Option flag to completely silence any warnings on stderr

See also

[vrna_file_msa_read\(\)](#), [vrna_file_msa_read_record\(\)](#)

17.61.4 Function Documentation

17.61.4.1 vrna_file_commands_read()

```
vrna_cmd_t* vrna_file_commands_read (
    const char * filename,
    unsigned int options )
```

```
#include <ViennaRNA/commands.h>
```

Extract a list of commands from a command file.

Read a list of commands specified in the input file and return them as list of abstract commands

See also

[vrna_commands_apply\(\)](#), [vrna_file_commands_apply\(\)](#), [vrna_commands_free\(\)](#)

Parameters

<i>filename</i>	The filename
<i>options</i>	Options to limit the type of commands read from the file

Returns

A list of abstract commands

17.61.4.2 vrna_file_commands_apply()

```
int vrna_file_commands_apply (
    vrna_fold_compound_t * vc,
```

```

    const char * filename,
    unsigned int options )

#include <ViennaRNA/commands.h>

```

Apply a list of commands from a command file.

This function is a shortcut to directly parse a commands file and apply all successfully parsed commands to a `vrna_fold_compound_t` data structure. It is the same as:

```

int          r;
vrna_cmd_t *cmds;

cmds = vrna_file_commands_read(filename, options);
r   = vrna_commands_apply(vc, cmds, options);

vrna_commands_free(cmds);

return r;

```

Parameters

<code>vc</code>	The <code>vrna_fold_compound_t</code> the command list will be applied to
<code>filename</code>	The filename
<code>options</code>	Options to limit the type of commands read from the file

Returns

The number of commands successfully applied

SWIG Wrapper Notes This function is attached as method `file_commands_apply()` to objects of type `fold_<compound`

17.61.4.3 vrna_commands_apply()

```

int vrna_commands_apply (
    vrna_fold_compound_t * vc,
    vrna_cmd_t * commands,
    unsigned int options )

#include <ViennaRNA/commands.h>

```

Apply a list of commands to a `vrna_fold_compound_t`.

Parameters

<code>vc</code>	The <code>vrna_fold_compound_t</code> the command list will be applied to
<code>commands</code>	The list of commands to apply
<code>options</code>	Options to limit the type of commands read from the file

Returns

The number of commands successfully applied

SWIG Wrapper Notes This function is attached as method **commands_apply()** to objects of type *fold_compound*

17.61.4.4 vrna_commands_free()

```
void vrna_commands_free (
    vrna_cmd_t * commands )
```

#include <ViennaRNA/commands.h>

Free memory occupied by a list of commands.

Release memory occupied by a list of commands

Parameters

<i>commands</i>	A pointer to a list of commands
-----------------	---------------------------------

17.61.4.5 vrna_file_helixlist()

```
void vrna_file_helixlist (
    const char * seq,
    const char * db,
    float energy,
    FILE * file )
```

#include <ViennaRNA/file_formats.h>

Print a secondary structure as helix list.

Parameters

<i>seq</i>	The RNA sequence
<i>db</i>	The structure in dot-bracket format
<i>energy</i>	Free energy of the structure in kcal/mol
<i>file</i>	The file handle used to print to (print defaults to 'stdout' if(file == NULL))

17.61.4.6 vrna_file_connect()

```
void vrna_file_connect (
    const char * seq,
```

```

    const char * db,
    float energy,
    const char * identifier,
    FILE * file )
}

#include <ViennaRNA/file_formats.h>

```

Print a secondary structure as connect table.

Connect table file format looks like this:

```

300 ENERGY = 7.0 example
1 G      0   2   22   1
2 G      1   3   21   2

```

where the headerline is followed by 6 columns with:

1. Base number: index n
2. Base (A, C, G, T, U, X)
3. Index n-1 (0 if first nucleotide)
4. Index n+1 (0 if last nucleotide)
5. Number of the base to which n is paired. No pairing is indicated by 0 (zero).
6. Natural numbering.

Parameters

<i>seq</i>	The RNA sequence
<i>db</i>	The structure in dot-bracket format
<i>energy</i>	The free energy of the structure
<i>identifier</i>	An optional identifier for the sequence
<i>file</i>	The file handle used to print to (print defaults to 'stdout' if(file == NULL))

17.61.4.7 vrna_file_bpseq()

```

void vrna_file_bpseq (
    const char * seq,
    const char * db,
    FILE * file )

#include <ViennaRNA/file_formats.h>

```

Print a secondary structure in bpseq format.

Parameters

<i>seq</i>	The RNA sequence
<i>db</i>	The structure in dot-bracket format
<i>file</i>	The file handle used to print to (print defaults to 'stdout' if(file == NULL))

17.61.4.8 vrna_file_json()

```
void vrna_file_json (
    const char * seq,
    const char * db,
    double energy,
    const char * identifier,
    FILE * file )
```

#include <ViennaRNA/file_formats.h>

Print a secondary structure in jsonformat.

Parameters

<i>seq</i>	The RNA sequence
<i>db</i>	The structure in dot-bracket format
<i>energy</i>	The free energy
<i>identifier</i>	An identifier for the sequence
<i>file</i>	The file handle used to print to (print defaults to 'stdout' if(file == NULL))

17.61.4.9 vrna_file_fasta_read_record()

```
unsigned int vrna_file_fasta_read_record (
    char ** header,
    char ** sequence,
    char *** rest,
    FILE * file,
    unsigned int options )
```

#include <ViennaRNA/file_formats.h>

Get a (fasta) data set from a file or stdin.

This function may be used to obtain complete datasets from a filehandle or stdin. A dataset is always defined to contain at least a sequence. If data starts with a fasta header, i.e. a line like

>some header info

then `vrna_file_fasta_read_record()` will assume that the sequence that follows the header may span over several lines. To disable this behavior and to assign a single line to the argument 'sequence' one can pass `VRNA_INPUT_NO_SPAN` in the 'options' argument. If no fasta header is read in the beginning of a data block, a sequence must not span over multiple lines!

Unless the options `VRNA_INPUT_NOSKIP_COMMENTS` or `VRNA_INPUT_NOSKIP_BLANK_LINES` are passed, a sequence may be interrupted by lines starting with a comment character or empty lines.

A sequence is regarded as completely read if it was either assumed to not span over multiple lines, a secondary structure or structure constraint follows the sequence on the next line, or a new header marks the beginning of a new sequence...

All lines following the sequence (this includes comments) that do not initiate a new dataset according to the above definition are available through the line-array 'rest'. Here one can usually find the structure constraint or other information belonging to the current dataset. Filling of 'rest' may be prevented by passing `VRNA_INPUT_NO_REST` to the options argument.

Note

This function will exit any program with an error message if no sequence could be read!
 This function is NOT threadsafe! It uses a global variable to store information about the next data block.

The main purpose of this function is to be able to easily parse blocks of data in the header of a loop where all calculations for the appropriate data is done inside the loop. The loop may be then left on certain return values, e.g.:

```
char *id, *seq, **rest;
int i;
id = seq = NULL;
rest = NULL;
while(!(vrna\_file\_fasta\_read\_record(&id, &seq, &rest, NULL, 0) & (
    VRNA_INPUT_ERROR | VRNA_INPUT_QUIT))){
    if(id) printf("%s\n", id);
    printf("%s\n", seq);
    if(rest)
        for(i=0;rest[i];i++){
            printf("%s\n", rest[i]);
            free(rest[i]);
        }
    free(rest);
    free(seq);
    free(id);
}
```

In the example above, the while loop will be terminated when [vrna_file_fasta_read_record\(\)](#) returns either an error, EOF, or a user initiated quit request.

As long as data is read from stdin (we are passing NULL as the file pointer), the id is printed if it is available for the current block of data. The sequence will be printed in any case and if some more lines belong to the current block of data each line will be printed as well.

Note

Do not forget to free the memory occupied by header, sequence and rest!

Parameters

<i>header</i>	A pointer which will be set such that it points to the header of the record
<i>sequence</i>	A pointer which will be set such that it points to the sequence of the record
<i>rest</i>	A pointer which will be set such that it points to an array of lines which also belong to the record
<i>file</i>	A file handle to read from (if NULL, this function reads from stdin)
<i>options</i>	Some options which may be passed to alter the behavior of the function, use 0 for no options

Returns

A flag with information about what the function actually did read

17.61.4.10 vrna_extract_record_rest_structure()

```
char* vrna_extract_record_rest_structure (
    const char ** lines,
    unsigned int length,
    unsigned int option )
```

```
#include <ViennaRNA/file_formats.h>
```

Extract a dot-bracket structure string from (multiline)character array.

This function extracts a dot-bracket structure string from the 'rest' array as returned by [vrna_file_fasta_read_record\(\)](#) and returns it. All occurrences of comments within the 'lines' array will be skipped as long as they do not break the structure string. If no structure could be read, this function returns NULL.

Precondition

The argument 'lines' has to be a 2-dimensional character array as obtained by [vrna_file_fasta_read_record\(\)](#)

See also

[vrna_file_fasta_read_record\(\)](#)

Parameters

<i>lines</i>	The (multiline) character array to be parsed
<i>length</i>	The assumed length of the dot-bracket string (passing a value < 1 results in no length limit)
<i>option</i>	Some options which may be passed to alter the behavior of the function, use 0 for no options

Returns

The dot-bracket string read from lines or NULL

17.61.4.11 vrna_file_SHAPE_read()

```
int vrna_file_SHAPE_read (
    const char * file_name,
    int length,
    double default_value,
    char * sequence,
    double * values )
```

```
#include <ViennaRNA/file_formats.h>
```

Read data from a given SHAPE reactivity input file.

This function parses the informations from a given file and stores the result in the preallocated string sequence and the double array values.

Parameters

<i>file_name</i>	Path to the constraints file
<i>length</i>	Length of the sequence (file entries exceeding this limit will cause an error)
<i>default_value</i>	Value for missing indices
<i>sequence</i>	Pointer to an array used for storing the sequence obtained from the SHAPE reactivity file
<i>values</i>	Pointer to an array used for storing the values obtained from the SHAPE reactivity file

17.61.4.12 vrna_extract_record_rest_constraint()

```
void vrna_extract_record_rest_constraint (
    char ** cstruc,
    const char ** lines,
    unsigned int option )

#include <ViennaRNA/file_formats.h>
```

Extract a hard constraint encoded as pseudo dot-bracket string.

Deprecated Use [vrna_extract_record_rest_structure\(\)](#) instead!

Precondition

The argument 'lines' has to be a 2-dimensional character array as obtained by [vrna_file_fasta_read_record\(\)](#)

See also

[vrna_file_fasta_read_record\(\)](#), VRNA_CONSTRAINT_DB_PIPE, VRNA_CONSTRAINT_DB_DOT, VRNA_CONSTRAINT_DB_ANG_BRACK, VRNA_CONSTRAINT_DB_RND_BRACK

Parameters

<i>cstruc</i>	A pointer to a character array that is used as pseudo dot-bracket output
<i>lines</i>	A 2-dimensional character array with the extension lines from the FASTA input
<i>option</i>	The option flags that define the behavior and recognition pattern of this function

17.61.4.13 read_record()

```
unsigned int read_record (
    char ** header,
    char ** sequence,
    char *** rest,
    unsigned int options )

#include <ViennaRNA/file_formats.h>
```

Get a data record from stdin.

Deprecated This function is deprecated! Use [vrna_file_fasta_read_record\(\)](#) as a replacement.

17.61.4.14 vrna_file_msa_read()

```
vrna_file_msa_read (
    const char * filename,
    char *** names,
    char *** aln,
    char ** id,
    char ** structure,
    unsigned int options )
```

```
#include <ViennaRNA/file_formats_msa.h>
```

Read a multiple sequence alignment from file.

This function reads the (first) multiple sequence alignment from an input file. The read alignment is split into the sequence id/name part and the actual sequence information and stored in memory as arrays of ids/names and sequences. If the alignment file format allows for additional information, such as an ID of the entire alignment or consensus structure information, this data is retrieved as well and made available. The `options` parameter allows to specify the set of alignment file formats that should be used to retrieve the data. If 0 is passed as option, the list of alignment file formats defaults to [VRNA_FILE_FORMAT_MSA_DEFAULT](#).

Currently, the list of parsable multiple sequence alignment file formats consists of:

- [ClustalW format](#)
- [Stockholm 1.0 format](#)
- [FASTA \(Pearson\) format](#)
- [MAF format](#)

Note

After successfully reading an alignment, this function performs a validation of the data that includes uniqueness of the sequence identifiers, and equal sequence lengths. This check can be deactivated by passing [VRNA_FILE_FORMAT_MSA_NOCHECK](#) in the `options` parameter.

It is the users responsibility to free any memory occupied by the output arguments `names`, `aln`, `id`, and `structure` after calling this function. The function automatically sets the latter two arguments to `NULL` in case no corresponding data could be retrieved from the input alignment.

See also

[vrna_file_msa_read_record\(\)](#), [VRNA_FILE_FORMAT_MSA_CLUSTAL](#), [VRNA_FILE_FORMAT_MSA_STOCKHOLM](#), [VRNA_FILE_FORMAT_MSA_FASTA](#), [VRNA_FILE_FORMAT_MSA_MAF](#), [VRNA_FILE_FORMAT_MSA_DEFAULT](#), [VRNA_FILE_FORMAT_MSA_NOCHECK](#)

Parameters

<code>filename</code>	The name of input file that contains the alignment
<code>names</code>	An address to the pointer where sequence identifiers should be written to
<code>aln</code>	An address to the pointer where aligned sequences should be written to
<code>id</code>	An address to the pointer where the alignment ID should be written to (Maybe <code>NULL</code>)
<code>structure</code>	An address to the pointer where consensus structure information should be written to (Maybe <code>NULL</code>)
<code>options</code>	Options to manipulate the behavior of this function

Returns

The number of sequences in the alignment, or -1 if no alignment record could be found

SWIG Wrapper Notes In the target scripting language, only the first and last argument, `filename` and `options`, are passed to the corresponding function. The other arguments, which serve as output in the C-library, are available as additional return values. Hence, a function call in python may look like this:

```
num_seq, names, aln, id, structure = RNA.file_msa_read("msa.stk", RNA.FILE_FORMAT_MSA_STOCKHOLM)
```

After successfully reading the first record, the variable `num_seq` contains the number of sequences in the alignment (the actual return value of the C-function), while the variables `names`, `aln`, `id`, and `structure` are lists of the sequence names and aligned sequences, as well as strings holding the alignment ID and the structure as stated in the `SS_cons` line, respectively. Note, the last two return values may be empty strings in case the alignment does not provide the required data.

This function exists as an overloaded version where the `options` parameter may be omitted! In that case, the `options` parameter defaults to `VRNA_FILE_FORMAT_MSA_STOCKHOLM`.

17.61.4.15 vrna_file_msa_read_record()

```
vrna_file_msa_read_record (
    FILE * fp,
    char *** names,
    char *** aln,
    char ** id,
    char ** structure,
    unsigned int options )
```

```
#include <ViennaRNA/file_formats_msa.h>
```

Read a multiple sequence alignment from file handle.

Similar to [vrna_file_msa_read\(\)](#), this function reads a multiple sequence alignment from an input file handle. Since using a file handle, this function is not limited to the first alignment record, but allows for looping over all alignments within the input.

The read alignment is split into the sequence id/name part and the actual sequence information and stored in memory as arrays of ids/names and sequences. If the alignment file format allows for additional information, such as an ID of the entire alignment or consensus structure information, this data is retrieved as well and made available. The `options` parameter allows to specify the alignment file format used to retrieve the data. A single format must be specified here, see [vrna_file_msa_detect_format\(\)](#) for helping to determine the correct MSA file format.

Currently, the list of parsable multiple sequence alignment file formats consists of:

- [ClustalW format](#)
- [Stockholm 1.0 format](#)
- [FASTA \(Pearson\) format](#)
- [MAF format](#)

Note

After successfully reading an alignment, this function performs a validation of the data that includes uniqueness of the sequence identifiers, and equal sequence lengths. This check can be deactivated by passing [VRNA_FILE_FORMAT_MSA_NOCHECK](#) in the `options` parameter.

It is the users responsibility to free any memory occupied by the output arguments `names`, `aln`, `id`, and `structure` after calling this function. The function automatically sets the latter two arguments to `NULL` in case no corresponding data could be retrieved from the input alignment.

See also

[vrna_file_msa_read\(\)](#), [vrna_file_msa_detect_format\(\)](#), [VRNA_FILE_FORMAT_MSA_CLUSTAL](#), [VRNA_FILE_FORMAT_MSA_FASTA](#), [VRNA_FILE_FORMAT_MSA_MAF](#), [VRNA_FILE_FORMAT_MSA_DEFAULT](#), [VRNA_FILE_FORMAT_MSA_NOCHECK](#)

Parameters

<code>fp</code>	The file pointer the data will be retrieved from
<code>names</code>	An address to the pointer where sequence identifiers should be written to
<code>aln</code>	An address to the pointer where aligned sequences should be written to
<code>id</code>	An address to the pointer where the alignment ID should be written to (Maybe <code>NULL</code>)
<code>structure</code>	An address to the pointer where consensus structure information should be written to (Maybe <code>NULL</code>)
<code>options</code>	Options to manipulate the behavior of this function

Returns

The number of sequences in the alignment, or -1 if no alignment record could be found

SWIG Wrapper Notes In the target scripting language, only the first and last argument, `fp` and `options`, are passed to the corresponding function. The other arguments, which serve as output in the C-library, are available as additional return values. Hence, a function call in python may look like this:

```
f = open('msa.stk', 'r')
num_seq, names, aln, id, structure = RNA.file_msa_read_record(f, RNA.FILE_FORMAT_MSA_STOCKHOLM)
f.close()
```

After successfully reading the first record, the variable `num_seq` contains the number of sequences in the alignment (the actual return value of the C-function), while the variables `names`, `aln`, `id`, and `structure` are lists of the sequence names and aligned sequences, as well as strings holding the alignment ID and the structure as stated in the `SS_cons` line, respectively. Note, the last two return values may be empty strings in case the alignment does not provide the required data.

This function exists as an overloaded version where the `options` parameter may be omitted! In that case, the `options` parameter defaults to [VRNA_FILE_FORMAT_MSA_STOCKHOLM](#).

17.61.4.16 vrna_file_msa_detect_format()

```
vrna_file_msa_detect_format (
    const char * fn,
    unsigned int options )
```

```
#include <ViennaRNA/file_formats_msa.h>
```

Detect the format of a multiple sequence alignment file.

This function attempts to determine the format of a file that supposedly contains a multiple sequence alignment (M←SA). This is useful in cases where a MSA file contains more than a single record and therefore [vrna_file_msa_read\(\)](#) can not be applied, since it only retrieves the first. Here, one can try to guess the correct file format using this function and then loop over the file, record by record using one of the low-level record retrieval functions for the corresponding MSA file format.

Note

This function parses the entire first record within the specified file. As a result, it returns [VRNA_FILE_FORMAT_MSA_UNKNOWN](#) not only if it can't detect the file's format, but also in cases where the file doesn't contain sequences!

See also

[vrna_file_msa_read\(\)](#), [vrna_file_stockholm_read_record\(\)](#), [vrna_file_clustal_read_record\(\)](#), [vrna_file_fasta_read_record\(\)](#)

Parameters

<i>filename</i>	The name of input file that contains the alignment
<i>options</i>	Options to manipulate the behavior of this function

Returns

The MSA file format, or [VRNA_FILE_FORMAT_MSA_UNKNOWN](#)

SWIG Wrapper Notes This function exists as an overloaded version where the *options* parameter may be omitted! In that case, the *options* parameter defaults to [VRNA_FILE_FORMAT_MSA_DEFAULT](#).

17.61.4.17 vrna_file_msa_write()

```
vrna_file_msa_write (
    const char * filename,
    const char ** names,
    const char ** aln,
    const char * id,
    const char * structure,
    const char * source,
    unsigned int options )
```

```
#include <ViennaRNA/file_formats_msa.h>
```

Write multiple sequence alignment file.

Note

Currently, we only support [Stockholm 1.0 format](#) output

See also

[VRNA_FILE_FORMAT_MSA_STOCKHOLM](#), [VRNA_FILE_FORMAT_MSA_APPEND](#), [VRNA_FILE_FORMAT_MSA_MIS](#)

Parameters

<i>filename</i>	The output filename
<i>names</i>	The array of sequence names / identifies
<i>aln</i>	The array of aligned sequences
<i>id</i>	An optional ID for the alignment
<i>structure</i>	An optional consensus structure
<i>source</i>	A string describing the source of the alignment
<i>options</i>	Options to manipulate the behavior of this function

Returns

Non-null upon successfully writing the alignment to file

SWIG Wrapper Notes In the target scripting language, this function exists as a set of overloaded versions, where the last four parameters may be omitted. If the *options* parameter is missing the options default to ([VRNA_FILE_FORMAT_MSA_STOCKHOLM](#) | [VRNA_FILE_FORMAT_MSA_APPEND](#)).

17.61.4.18 vrna_read_line()

```
char* vrna_read_line (
    FILE * fp )
```

```
#include <ViennaRNA/file_utils.h>
```

Read a line of arbitrary length from a stream.

Returns a pointer to the resulting string. The necessary memory is allocated and should be released using *free()* when the string is no longer needed.

Parameters

<i>fp</i>	A file pointer to the stream where the function should read from
-----------	--

Returns

A pointer to the resulting string

17.61.4.19 vrna_filename_sanitize()

```
char* vrna_filename_sanitize (
    const char * name,
    const char * replacement )
```

```
#include <ViennaRNA/file_utils.h>
```

Sanitize a file name.

Returns a new file name where all invalid characters are substituted by a replacement character. If no replacement character is supplied, invalid characters are simply removed from the filename. File names may also never exceed a length of 255 characters. Longer file names will undergo a 'smart' truncation process, where the filenames' suffix, i.e. everything after the last dot '.', is attempted to be kept intact. Hence, only the filename part before the suffix is reduced in such a way that the total filename complies to the length restriction of 255 characters. If no suffix is present or the suffix itself already exceeds the maximum length, the filename is simply truncated from the back of the string.

For now we consider the following characters invalid:

- backslash '\'
- slash '/'
- question mark '?'
- percent sign "%"
- asterisk '*'
- colon ':'
- pipe symbol '|'
- double quote """
- triangular brackets '<' and '>'

Furthermore, the (resulting) file name must not be a reserved file name, such as:

- '..'
- '...'

Note

This function allocates a new block of memory for the sanitized string. It also may return (a) NULL if the input is pointing to NULL, or (b) an empty string if the input only consists of invalid characters which are simply removed!

Parameters

<i>name</i>	The input file name
<i>replacement</i>	The replacement character, or NULL

Returns

The sanitized file name, or NULL

17.62 Functions for Creating Secondary Structure Plots, Dot-Plots, and More

Collaboration diagram for Functions for Creating Secondary Structure Plots, Dot-Plots, and More:

Modules

- Functions to generate annotations for Secondary Structure Plots, Dot-Plots, and Others

Files

- file `naview.h`
 - Various functions for plotting Sequence / Structure Alignments.
- file `plot_aln.h`
 - Secondary structure plot layout algorithms.
- file `plot_structures.h`
 - Various functions for plotting RNA secondary structures.
- file `plot_utils.h`
 - Various utilities to assist in plotting secondary structures and consensus structures.
- file `PS_dot.h`
 - Various functions for plotting RNA secondary structures, dot-plots and other visualizations.

Data Structures

- struct `COORDINATE`
 - this is a workaround for the SWIG Perl Wrapper RNA plot function that returns an array of type `COORDINATE` More...
- struct `vrna_dotplot_auxdata_t`

Macros

- `#define VRNA_PLOT_TYPE_SIMPLE 0`
 - Definition of Plot type simple
- `#define VRNA_PLOT_TYPE_NAVIEW 1`
 - Definition of Plot type Naview
- `#define VRNA_PLOT_TYPE_CIRCULAR 2`
 - Definition of Plot type Circular

Functions

- int `PS_color_aln` (const char *structure, const char *filename, const char *seqs[], const char *names[])
 - Produce PostScript sequence alignment color-annotated by consensus structure.
- int `aliPS_color_aln` (const char *structure, const char *filename, const char *seqs[], const char *names[])
- int `simple_xy_coordinates` (short *pair_table, float *X, float *Y)
 - Calculate nucleotide coordinates for secondary structure plot the Simple way
- int `simple_circplot_coordinates` (short *pair_table, float *x, float *y)
 - Calculate nucleotide coordinates for Circular Plot
- int `PS_dot_plot_list` (char *seq, char *filename, `plist` *pl, `plist` *mf, char *comment)
 - Produce a postscript dot-plot from two pair lists.
- int `PS_dot_plot` (char *string, char *file)
 - Produce postscript dot-plot.

Variables

- int `rna_plot_type`

Switch for changing the secondary structure layout algorithm.

17.62.1 Detailed Description

17.62.2 Data Structure Documentation

17.62.2.1 struct COORDINATE

this is a workarround for the SWIG Perl Wrapper RNA plot function that returns an array of type `COORDINATE`

17.62.2.2 struct vrna_dotplot_auxdata_t

Collaboration diagram for `vrna_dotplot_auxdata_t`:

17.62.3 Macro Definition Documentation

17.62.3.1 VRNA_PLOT_TYPE_SIMPLE

```
#define VRNA_PLOT_TYPE_SIMPLE 0

#include <ViennaRNA/plot_layouts.h>
```

Definition of Plot type *simple*

This is the plot type definition for several RNA structure plotting functions telling them to use **Simple** plotting algorithm

See also

`rna_plot_type`, `vrna_file_PS_rnапlot_a()`, `vrna_file_PS_rnапlot()`, `svg_rna_plot()`, `gmlRNA()`, `ssv_rna_plot()`, `xrna_plot()`

17.62.3.2 VRNA_PLOT_TYPE_NAVIEW

```
#define VRNA_PLOT_TYPE_NAVIEW 1
#include <ViennaRNA/plot_layouts.h>
```

Definition of Plot type *Naview*

This is the plot type definition for several RNA structure plotting functions telling them to use **Naview** plotting algorithm

See also

[rna_plot_type](#), [vrna_file_PS_rnplot_a\(\)](#), [vrna_file_PS_rnplot\(\)](#), [svg_rna_plot\(\)](#), [gmlRNA\(\)](#), [ssv_rna_plot\(\)](#), [xrna_plot\(\)](#)

17.62.3.3 VRNA_PLOT_TYPE_CIRCULAR

```
#define VRNA_PLOT_TYPE_CIRCULAR 2
#include <ViennaRNA/plot_layouts.h>
```

Definition of Plot type *Circular*

This is the plot type definition for several RNA structure plotting functions telling them to produce a **Circular plot**

See also

[rna_plot_type](#), [vrna_file_PS_rnplot_a\(\)](#), [vrna_file_PS_rnplot\(\)](#), [svg_rna_plot\(\)](#), [gmlRNA\(\)](#), [ssv_rna_plot\(\)](#), [xrna_plot\(\)](#)

17.62.4 Function Documentation

17.62.4.1 aliPS_color_aln()

```
int aliPS_color_aln (
    const char * structure,
    const char * filename,
    const char * seqs[],
    const char * names[] )
```

#include <ViennaRNA/plot_aln.h>

PS_color_aln for duplexes

17.62.4.2 simple_xy_coordinates()

```
int simple_xy_coordinates (
    short * pair_table,
    float * X,
    float * Y )
```

#include <ViennaRNA/plot_layouts.h>

Calculate nucleotide coordinates for secondary structure plot the *Simple way*

See also

[make_pair_table\(\)](#), [rna_plot_type](#), [simple_circplot_coordinates\(\)](#), [naview_xy_coordinates\(\)](#), [vrna_file_PS_rnplot_a\(\)](#), [vrna_file_PS_rnplot](#), [svg_rna_plot\(\)](#)

Parameters

<i>pair_table</i>	The pair table of the secondary structure
<i>X</i>	a pointer to an array with enough allocated space to hold the x coordinates
<i>Y</i>	a pointer to an array with enough allocated space to hold the y coordinates

Returns

length of sequence on success, 0 otherwise

17.62.4.3 simple_circplot_coordinates()

```
int simple_circplot_coordinates (
    short * pair_table,
    float * x,
    float * y )

#include <ViennaRNA/plot_layouts.h>
```

Calculate nucleotide coordinates for *Circular Plot*

This function calculates the coordinates of nucleotides mapped in equal distancies onto a unit circle.

Note

In order to draw nice arcs using quadratic bezier curves that connect base pairs one may calculate a second tangential point P^t in addition to the actual R^2 coordinates. the simplest way to do so may be to compute a radius scaling factor rs in the interval $[0, 1]$ that weights the proportion of base pair span to the actual length of the sequence. This scaling factor can then be used to calculate the coordinates for P^t , i.e. $P_x^t[i] = X[i] * rs$ and $P_y^t[i] = Y[i] * rs$.

See also

[make_pair_table\(\)](#), [rna_plot_type](#), [simple_xy_coordinates\(\)](#), [naview_xy_coordinates\(\)](#), [vrna_file_PS_rnапlot_a\(\)](#), [vrna_file_PS_rnапlot](#), [svg_rna_plot\(\)](#)

Parameters

<i>pair_table</i>	The pair table of the secondary structure
<i>x</i>	a pointer to an array with enough allocated space to hold the x coordinates
<i>y</i>	a pointer to an array with enough allocated space to hold the y coordinates

Returns

length of sequence on success, 0 otherwise

17.62.4.4 PS_dot_plot_list()

```
int PS_dot_plot_list (
    char * seq,
    char * filename,
    plist * pl,
    plist * mf,
    char * comment )
```

```
#include <ViennaRNA/PS_dot.h>
```

Produce a postscript dot-plot from two pair lists.

This function reads two plist structures (e.g. base pair probabilities and a secondary structure) as produced by [assign_plist_from_pr\(\)](#) and [assign_plist_from_db\(\)](#) and produces a postscript "dot plot" that is written to 'filename'. Using base pair probabilities in the first and mfe structure in the second plist, the resulting "dot plot" represents each base pairing probability by a square of corresponding area in a upper triangle matrix. The lower part of the matrix contains the minimum free energy structure.

See also

[assign_plist_from_pr\(\)](#), [assign_plist_from_db\(\)](#)

Parameters

<i>seq</i>	The RNA sequence
<i>filename</i>	A filename for the postscript output
<i>pl</i>	The base pair probability pairlist
<i>mf</i>	The mfe secondary structure pairlist
<i>comment</i>	A comment

Returns

1 if postscript was successfully written, 0 otherwise

17.62.4.5 PS_dot_plot()

```
int PS_dot_plot (
    char * string,
    char * file )
```

```
#include <ViennaRNA/PS_dot.h>
```

Produce postscript dot-plot.

Wrapper to PS_dot_list

Reads base pair probabilities produced by [pf_fold\(\)](#) from the global array *pr* and the pair list *base_pair* produced by [fold\(\)](#) and produces a postscript "dot plot" that is written to 'filename'. The "dot plot" represents each base pairing probability by a square of corresponding area in a upper triangle matrix. The lower part of the matrix contains the minimum free energy

Note

DO NOT USE THIS FUNCTION ANYMORE SINCE IT IS NOT THREADSAFE

Deprecated This function is deprecated and will be removed soon! Use [PS_dot_plot_list\(\)](#) instead!

17.62.5 Variable Documentation

17.62.5.1 rna_plot_type

```
int rna_plot_type

#include <ViennaRNA/plot_layouts.h>
```

Switch for changing the secondary structure layout algorithm.

Current possibility are 0 for a simple radial drawing or 1 for the modified radial drawing taken from the *naview* program of [3].

Note

To provide thread safety please do not rely on this global variable in future implementations but pass a plot type flag directly to the function that decides which layout algorithm it may use!

See also

[VRNA_PLOT_TYPE_SIMPLE](#), [VRNA_PLOT_TYPE_NAVIEW](#), [VRNA_PLOT_TYPE_CIRCULAR](#)

17.63 Functions to generate annotations for Secondary Structure Plots, Dot-Plots, and Others

Collaboration diagram for Functions to generate annotations for Secondary Structure Plots, Dot-Plots, and Others:

Functions

- `char ** vrna_annotate_covar_struct (const char **alignment, const char *structure, vrna_md_t *md)`
Produce covariance annotation for an alignment given a secondary structure.
- `vrna_cpair_t * vrna_annotate_covar_pairs (const char **alignment, vrna_ep_t *pl, vrna_ep_t *mfel, double threshold, vrna_md_t *md)`
Produce covariance annotation for an alignment given a set of base pairs.

17.63.1 Detailed Description

17.64 Functions to convert between various units

Collaboration diagram for Functions to convert between various units:

Files

- file `units.h`

Physical Units and Functions to convert them into each other.

Enumerations

- enum `vrna_unit_energy_e` {
 `VRNA_UNIT_J, VRNA_UNIT_KJ, VRNA_UNIT_CAL_IT, VRNA_UNIT_DACAL_IT,`
`VRNA_UNIT_KCAL_IT, VRNA_UNIT_CAL, VRNA_UNIT_DACAL, VRNA_UNIT_KCAL,`
`VRNA_UNIT_G_TNT, VRNA_UNIT_KG_TNT, VRNA_UNIT_T_TNT, VRNA_UNIT_EV,`
`VRNA_UNIT_WH, VRNA_UNIT_KWH }`

Energy / Work Units.
- enum `vrna_unit_temperature_e` {
 `VRNA_UNIT_K, VRNA_UNIT_DEG_C, VRNA_UNIT_DEG_F, VRNA_UNIT_DEG_R,`
`VRNA_UNIT_DEG_N, VRNA_UNIT_DEG_DE, VRNA_UNIT_DEG_RE, VRNA_UNIT_DEG_RO }`

Temperature Units.

Functions

- double `vrna_convert_energy` (double energy, `vrna_unit_energy_e` from, `vrna_unit_energy_e` to)

Convert between energy / work units.
- double `vrna_convert_temperature` (double temp, `vrna_unit_temperature_e` from, `vrna_unit_temperature_e` to)

Convert between temperature units.

17.64.1 Detailed Description

17.64.2 Enumeration Type Documentation

17.64.2.1 `vrna_unit_energy_e`

```
enum vrna_unit_energy_e
#include <ViennaRNA/units.h>
```

Energy / Work Units.

See also

[vrna_convert_energy\(\)](#)

Enumerator

VRNA_UNIT_J	Joule ($1 J = 1 \text{ kg} \cdot \text{m}^2 \text{s}^{-2}$)
VRNA_UNIT_KJ	Kilojoule ($1 \text{ kJ} = 1,000 \text{ J}$)
VRNA_UNIT_CAL_IT	Calorie (International (Steam) Table, $1 \text{ cal}_{IT} = 4.1868 \text{ J}$)
VRNA_UNIT_DACAL_IT	Decacalorie (International (Steam) Table, $1 \text{ dacal}_{IT} = 10 \text{ cal}_{IT} = 41.868 \text{ J}$)
VRNA_UNIT_KCAL_IT	Kilocalorie (International (Steam) Table, $1 \text{ kcal}_{IT} = 4.1868 \text{ kJ}$)
VRNA_UNIT_CAL	Calorie (Thermochemical, $1 \text{ cal}_{th} = 4.184 \text{ J}$)
VRNA_UNIT_DACAL	Decacalorie (Thermochemical, $1 \text{ dacal}_{th} = 10 \text{ cal}_{th} = 41.84 \text{ J}$)
VRNA_UNIT_KCAL	Kilocalorie (Thermochemical, $1 \text{ kcal}_{th} = 4.184 \text{ kJ}$)
VRNA_UNIT_G_TNT	g TNT ($1 \text{ g TNT} = 1,000 \text{ cal}_{th} = 4,184 \text{ J}$)
VRNA_UNIT_KG_TNT	kg TNT ($1 \text{ kg TNT} = 1,000 \text{ kcal}_{th} = 4,184 \text{ kJ}$)
VRNA_UNIT_T_TNT	ton TNT ($1 \text{ t TNT} = 1,000,000 \text{ kcal}_{th} = 4,184 \text{ MJ}$)
VRNA_UNIT_EV	Electronvolt ($1 \text{ eV} = 1.602176565 \times 10^{-19} \text{ J}$)
VRNA_UNIT_WH	Watt hour ($1 \text{ W} \cdot \text{h} = 1 \text{ W} \cdot 3,600 \text{ s} = 3,600 \text{ J} = 3.6 \text{ kJ}$)
VRNA_UNIT_KWH	Kilowatt hour ($1 \text{ kW} \cdot \text{h} = 1 \text{ kW} \cdot 3,600 \text{ s} = 3,600 \text{ kJ} = 3.6 \text{ MJ}$)

17.64.2.2 vrna_unit_temperature_e

```
enum vrna_unit_temperature_e
#include <ViennaRNA/units.h>
```

Temperature Units.

See also

[vrna_convert_temperature\(\)](#)

Enumerator

VRNA_UNIT_K	Kelvin (K)
VRNA_UNIT_DEG_C	Degree Celcius ($^{\circ}\text{C}$) ($[^{\circ}\text{C}] = [K] - 273.15$)
VRNA_UNIT_DEG_F	Degree Fahrenheit ($^{\circ}\text{F}$) ($[^{\circ}\text{F}] = [K] \times \frac{9}{5} - 459.67$)
VRNA_UNIT_DEG_R	Degree Rankine ($^{\circ}\text{R}$) ($[^{\circ}\text{R}] = [K] \times \frac{9}{5}$)
VRNA_UNIT_DEG_N	Degree Newton ($^{\circ}\text{N}$) ($[^{\circ}\text{N}] = ([K] - 273.15) \times \frac{33}{100}$)
VRNA_UNIT_DEG_DE	Degree Delisle ($^{\circ}\text{De}$) ($[^{\circ}\text{De}] = (373.15 - [K]) \frac{3}{2}$)
VRNA_UNIT_DEG_RE	Degree Réaumur ($^{\circ}\text{Ré}$) ($[^{\circ}\text{Ré}] = ([K] - 273.15) \times \frac{4}{5}$)
VRNA_UNIT_DEG_RO	Degree Rømer ($^{\circ}\text{Rø}$) ($[^{\circ}\text{R}] = ([K] - 273.15) \times \frac{21}{40} + 7.5$)

17.64.3 Function Documentation

17.64.3.1 vrna_convert_energy()

```
double vrna_convert_energy (
    double energy,
    vrna_unit_energy_e from,
    vrna_unit_energy_e to )
```

#include <ViennaRNA/units.h>

Convert between energy / work units.

See also

[vrna_unit_energy_e](#)

Parameters

<i>energy</i>	Input energy value
<i>from</i>	Input unit
<i>to</i>	Output unit

Returns

Energy value in Output unit

17.64.3.2 vrna_convert_temperature()

```
double vrna_convert_temperature (
    double temp,
    vrna_unit_temperature_e from,
    vrna_unit_temperature_e to )
```

#include <ViennaRNA/units.h>

Convert between temperature units.

See also

[vrna_unit_temperature_e](#)

Parameters

<i>temp</i>	Input temperature value
<i>from</i>	Input unit
<i>to</i>	Output unit

Returns

Temperature value in Output unit

Chapter 18

Data Structure Documentation

18.1 _struct_en Struct Reference

Data structure for [energy_of_move\(\)](#)

18.1.1 Detailed Description

Data structure for [energy_of_move\(\)](#)

The documentation for this struct was generated from the following file:

- ViennaRNA/move_set.h

18.2 Postorder_list Struct Reference

Postorder data structure.

18.2.1 Detailed Description

Postorder data structure.

The documentation for this struct was generated from the following file:

- ViennaRNA/dist_vars.h

18.3 swString Struct Reference

Some other data structure.

18.3.1 Detailed Description

Some other data structure.

The documentation for this struct was generated from the following file:

- ViennaRNA/[dist_vars.h](#)

18.4 Tree Struct Reference

[Tree](#) data structure.

Collaboration diagram for Tree:

18.4.1 Detailed Description

[Tree](#) data structure.

The documentation for this struct was generated from the following file:

- ViennaRNA/[dist_vars.h](#)

18.5 TwoDpfold_vars Struct Reference

Variables compound for 2Dfold partition function folding.

Collaboration diagram for TwoDpfold_vars:

Data Fields

- `char * ptype`
Precomputed array of pair types.
- `char * sequence`
The input sequence.
- `short * S1`
The input sequences in numeric form.
- `unsigned int maxD1`
Maximum allowed base pair distance to first reference.
- `unsigned int maxD2`
Maximum allowed base pair distance to second reference.
- `int * my_iindx`
Index for moving in quadratic distancy dimensions.

- int * [jindx](#)
Index for moving in the triangular matrix qm1.
- unsigned int * [referenceBPs1](#)
Matrix containing number of basepairs of reference structure1 in interval [i,j].
- unsigned int * [referenceBPs2](#)
Matrix containing number of basepairs of reference structure2 in interval [i,j].
- unsigned int * [bpdist](#)
Matrix containing base pair distance of reference structure 1 and 2 on interval [i,j].
- unsigned int * [mm1](#)
Maximum matching matrix, reference struct 1 disallowed.
- unsigned int * [mm2](#)
Maximum matching matrix, reference struct 2 disallowed.

18.5.1 Detailed Description

Variables compound for 2Dfold partition function folding.

Deprecated This data structure will be removed from the library soon! Use [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_pf_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

The documentation for this struct was generated from the following file:

- ViennaRNA/[2Dpfold.h](#)

18.6 vrna_gr_aux_s Struct Reference

The documentation for this struct was generated from the following file:

- ViennaRNA/[grammar.h](#)

18.7 vrna_hc_bp_storage_t Struct Reference

A base pair hard constraint.

18.7.1 Detailed Description

A base pair hard constraint.

The documentation for this struct was generated from the following file:

- ViennaRNA/[constraints_hard.h](#)

18.8 vrna_sc_bp_storage_t Struct Reference

A base pair constraint.

18.8.1 Detailed Description

A base pair constraint.

The documentation for this struct was generated from the following file:

- ViennaRNA/[constraints_soft.h](#)

18.9 vrna_sc_motif_s Struct Reference

The documentation for this struct was generated from the following file:

- ViennaRNA/[constraints_ligand.h](#)

18.10 vrna_structured_domains_s Struct Reference

The documentation for this struct was generated from the following file:

- ViennaRNA/[structured_domains.h](#)

18.11 vrna_subopt_sol_s Struct Reference

Solution element from subopt.c.

Data Fields

- float **energy**
Free Energy of structure in kcal/mol.
- char * **structure**
Structure in dot-bracket notation.

18.11.1 Detailed Description

Solution element from subopt.c.

The documentation for this struct was generated from the following file:

- ViennaRNA/[subopt.h](#)

18.12 vrna_unstructured_domain_motif_s Struct Reference

The documentation for this struct was generated from the following file:

- ViennaRNA/[unstructured_domains.h](#)

Chapter 19

File Documentation

19.1 ViennaRNA/1.8.4_epars.h File Reference

Free energy parameters for parameter file conversion.

19.1.1 Detailed Description

Free energy parameters for parameter file conversion.

This file contains the free energy parameters used in ViennaRNAPackage 1.8.4. They are summarized in:

D.H.Mathews, J. Sabina, M. Zuker, D.H. Turner "Expanded sequence dependence of thermodynamic parameters improves prediction of RNA secondary structure" JMB, 288, pp 911-940, 1999

Enthalpies taken from:

A. Walter, D Turner, J Kim, M Lyttle, P M"uller, D Mathews, M Zuker "Coaxial stcking of helices enhances binding of oligoribonucleotides.." PNAS, 91, pp 9218-9222, 1994

D.H. Turner, N. Sugimoto, and S.M. Freier. "RNA Structure Prediction", Ann. Rev. Biophys. Biophys. Chem. 17, 167-192, 1988.

John A.Jaeger, Douglas H.Turner, and Michael Zuker. "Improved predictions of secondary structures for RNA", PNAS, 86, 7706-7710, October 1989.

L. He, R. Kierzek, J. SantaLucia, A.E. Walter, D.H. Turner "Nearest-Neughbor Parameters for GU Mismatches...." Biochemistry 1991, 30 11124-11132

A.E. Peritz, R. Kierzek, N, Sugimoto, D.H. Turner "Thermodynamic Study of Internal Loops in Oligoribonucleotides..." Biochemistry 1991, 30, 6428-6435

19.2 ViennaRNA/1.8.4_intloops.h File Reference

Free energy parameters for interior loop contributions needed by the parameter file conversion functions.

19.2.1 Detailed Description

Free energy parameters for interior loop contributions needed by the parameter file conversion functions.

19.3 ViennaRNA/2Dfold.h File Reference

MFE structures for base pair distance classes.

Include dependency graph for 2Dfold.h:

Data Structures

- struct [vrna_sol_TwoD_t](#)
Solution element returned from [vrna_mfe_TwoD\(\)](#) More...
- struct [TwoDfold_vars](#)
Variables compound for 2Dfold MFE folding. [More...](#)

Typedefs

- typedef struct [vrna_sol_TwoD_t](#) [vrna_sol_TwoD_t](#)
Solution element returned from [vrna_mfe_TwoD\(\)](#)
- typedef struct [TwoDfold_vars](#) [TwoDfold_vars](#)
Variables compound for 2Dfold MFE folding.

Functions

- [vrna_sol_TwoD_t * vrna_mfe_TwoD \(vrna_fold_compound_t *vc, int distance1, int distance2\)](#)
Compute MFE's and representative for distance partitioning.
- [char * vrna_backtrack5_TwoD \(vrna_fold_compound_t *vc, int k, int l, unsigned int j\)](#)
Backtrack a minimum free energy structure from a 5' section of specified length.
- [TwoDfold_vars * get_TwoDfold_variables \(const char *seq, const char *structure1, const char *structure2, int circ\)](#)
Get a structure of type [TwoDfold_vars](#) prefilled with current global settings.
- [void destroy_TwoDfold_variables \(TwoDfold_vars *our_variables\)](#)
Destroy a [TwoDfold_vars](#) datastructure without memory loss.
- [vrna_sol_TwoD_t * TwoDfoldList \(TwoDfold_vars *vars, int distance1, int distance2\)](#)
Compute MFE's and representative for distance partitioning.
- [char * TwoDfold_backtrack_f5 \(unsigned int j, int k, int l, TwoDfold_vars *vars\)](#)
Backtrack a minimum free energy structure from a 5' section of specified length.

19.3.1 Detailed Description

MFE structures for base pair distance classes.

19.4 ViennaRNA/2Dpfold.h File Reference

Partition function implementations for base pair distance classes.

Include dependency graph for 2Dpfold.h:

Data Structures

- struct [vrna_sol_TwoD_pf_t](#)
Solution element returned from [vrna_pf_TwoD\(\)](#) More...
- struct [TwoDpfold_vars](#)
Variables compound for 2Dfold partition function folding.

Typedefs

- typedef struct [vrna_sol_TwoD_pf_t](#) [vrna_sol_TwoD_pf_t](#)
Solution element returned from [vrna_pf_TwoD\(\)](#)

Functions

- [vrna_sol_TwoD_pf_t * vrna_pf_TwoD \(vrna_fold_compound_t *vc, int maxDistance1, int maxDistance2\)](#)
Compute the partition function for all distance classes.
- [char * vrna_pbacktrack_TwoD \(vrna_fold_compound_t *vc, int d1, int d2\)](#)
Sample secondary structure representatives from a set of distance classes according to their Boltzmann probability.
- [char * vrna_pbacktrack5_TwoD \(vrna_fold_compound_t *vc, int d1, int d2, unsigned int length\)](#)
Sample secondary structure representatives with a specified length from a set of distance classes according to their Boltzmann probability.
- [TwoDpfold_vars * get_TwoDpfold_variables \(const char *seq, const char *structure1, char *structure2, int circ\)](#)
Get a datastructure containing all necessary attributes and global folding switches.
- [void destroy_TwoDpfold_variables \(TwoDpfold_vars *vars\)](#)
Free all memory occupied by a [TwoDpfold_vars](#) datastructure.
- [vrna_sol_TwoD_pf_t * TwoDpfoldList \(TwoDpfold_vars *vars, int maxDistance1, int maxDistance2\)](#)
Compute the partition function for all distance classes.
- [char * TwoDpfold_pbacktrack \(TwoDpfold_vars *vars, int d1, int d2\)](#)
Sample secondary structure representatives from a set of distance classes according to their Boltzmann probability.
- [char * TwoDpfold_pbacktrack5 \(TwoDpfold_vars *vars, int d1, int d2, unsigned int length\)](#)
Sample secondary structure representatives with a specified length from a set of distance classes according to their Boltzmann probability.

19.4.1 Detailed Description

Partition function implementations for base pair distance classes.

19.4.2 Function Documentation

19.4.2.1 get_TwoDpfold_variables()

```
TwoDpfold_vars* get_TwoDpfold_variables (
    const char * seq,
    const char * structure1,
    char * structure2,
    int circ )
```

Get a datastructure containing all necessary attributes and global folding switches.

This function prepares all necessary attributes and matrices etc which are needed for a call of TwoDpfold() . A snapshot of all current global model switches (dangles, temperature and so on) is done and stored in the returned datastructure. Additionally, all matrices that will hold the partition function values are prepared.

Deprecated Use the new API that relies on [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_pf_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

Parameters

<i>seq</i>	the RNA sequence in uppercase format with letters from the alphabet {AUCG}
<i>structure1</i>	the first reference structure in dot-bracket notation
<i>structure2</i>	the second reference structure in dot-bracket notation
<i>circ</i>	a switch indicating if the sequence is linear (0) or circular (1)

Returns

the datastructure containing all necessary partition function attributes

19.4.2.2 destroy_TwoDpfold_variables()

```
void destroy_TwoDpfold_variables (
    TwoDpfold_vars * vars )
```

Free all memory occupied by a [TwoDpfold_vars](#) datastructure.

This function free's all memory occupied by a datastructure obtained from from [get_TwoDpfold_variables\(\)](#) or [get_TwoDpfold_variables_from_MFE\(\)](#)

Deprecated Use the new API that relies on [vrna_fold_compound_t](#) and the corresponding functions [vrna_fold_compound_TwoD\(\)](#), [vrna_pf_TwoD\(\)](#), and [vrna_fold_compound_free\(\)](#) instead!

See also

[get_TwoDpfold_variables\(\)](#), [get_TwoDpfold_variables_from_MFE\(\)](#)

Parameters

<code>vars</code>	the datastructure to be free'd
-------------------	--------------------------------

19.4.2.3 TwoDpfoldList()

```
vrna_sol_TwoD_pf_t* TwoDpfoldList (
    TwoDpfold_vars * vars,
    int maxDistance1,
    int maxDistance2 )
```

Compute the partition function for all distance classes.

This function computes the partition functions for all distance classes according the two reference structures specified in the datastructure 'vars'. Similar to TwoDfold() the arguments maxDistance1 and maxDistance2 specify the maximum distance to both reference structures. A value of '-1' in either of them makes the appropriate distance restrictionless, i.e. all basepair distances to the reference are taken into account during computation. In case there is a restriction, the returned solution contains an entry where the attribute `k=l=-1` contains the partition function for all structures exceeding the restriction. A values of `INF` in the attribute 'k' of the returned list denotes the end of the list

Deprecated Use the new API that relies on `vrna_fold_compound_t` and the corresponding functions `vrna_fold_<-compound_TwoD()`, `vrna_pf_TwoD()`, and `vrna_fold_compound_free()` instead!

See also

[get_TwoDpfold_variables\(\)](#), [destroy_TwoDpfold_variables\(\)](#), [vrna_sol_TwoD_pf_t](#)

Parameters

<code>vars</code>	the datastructure containing all necessary folding attributes and matrices
<code>maxDistance1</code>	the maximum basepair distance to reference1 (may be -1)
<code>maxDistance2</code>	the maximum basepair distance to reference2 (may be -1)

Returns

a list of partition funtions for the appropriate distance classes

19.4.2.4 TwoDpfold_pbacktrack()

```
char* TwoDpfold_pbacktrack (
    TwoDpfold_vars * vars,
    int d1,
    int d2 )
```

Sample secondary structure representatives from a set of distance classes according to their Boltzmann probability.

If the argument 'd1' is set to '-1', the structure will be backtracked in the distance class where all structures exceeding the maximum basepair distance to either of the references reside.

Precondition

The argument 'vars' must contain precalculated partition function matrices, i.e. a call to `TwoDpfold()` preceding this function is mandatory!

Deprecated Use the new API that relies on `vrna_fold_compound_t` and the corresponding functions `vrna_fold←_compound_TwoD()`, `vrna_pf_TwoD()`, `vrna_pbacktrack_TwoD()`, and `vrna_fold_compound_free()` instead!

See also

`TwoDpfold()`

Parameters

in	<code>vars</code>	the datastructure containing all necessary folding attributes and matrices
in	<code>d1</code>	the distance to reference1 (may be -1)
in	<code>d2</code>	the distance to reference2

Returns

A sampled secondary structure in dot-bracket notation

19.4.2.5 `TwoDpfold_pbacktrack5()`

```
char* TwoDpfold_pbacktrack5 (
    TwoDpfold_vars * vars,
    int d1,
    int d2,
    unsigned int length )
```

Sample secondary structure representatives with a specified length from a set of distance classes according to their Boltzmann probability.

This function does essentially the same as `TwoDpfold_pbacktrack()` with the only difference that partial structures, i.e. structures beginning from the 5' end with a specified length of the sequence, are backtracked

Note

This function does not work (since it makes no sense) for circular RNA sequences!

Precondition

The argument 'vars' must contain precalculated partition function matrices, i.e. a call to TwoDpfold() preceding this function is mandatory!

Deprecated Use the new API that relies on `vrna_fold_compound_t` and the corresponding functions `vrna_fold_←compound_TwoD()`, `vrna_pf_TwoD()`, `vrna_pbacktrack5_TwoD()`, and `vrna_fold_compound_free()` instead!

See also

`TwoDpfold_pbacktrack()`, `TwoDpfold()`

Parameters

in	<i>vars</i>	the datastructure containing all necessary folding attributes and matrices
in	<i>d1</i>	the distance to reference1 (may be -1)
in	<i>d2</i>	the distance to reference2
in	<i>length</i>	the length of the structure beginning from the 5' end

Returns

A sampled secondary structure in dot-bracket notation

19.5 ViennaRNA/alifold.h File Reference

Functions for comparative structure prediction using RNA sequence alignments.

Include dependency graph for alifold.h:

Functions

- float `vrna_alifold` (const char **sequences, char *structure)
Compute Minimum Free Energy (MFE), and a corresponding consensus secondary structure for an RNA sequence alignment using a comparative method.
- float `vrna_circalifold` (const char **sequences, char *structure)
Compute Minimum Free Energy (MFE), and a corresponding consensus secondary structure for a sequence alignment of circular RNAs using a comparative method.
- float `vrna_pf_alifold` (const char **sequences, char *structure, `vrna_ep_t` **pl)
Compute Partition function Q (and base pair probabilities) for an RNA sequence alignment using a comparative method.
- float `vrna_pf_circalifold` (const char **sequences, char *structure, `vrna_ep_t` **pl)
Compute Partition function Q (and base pair probabilities) for an alignment of circular RNA sequences using a comparative method.
- float `alifold` (const char **strings, char *structure)
Compute MFE and according consensus structure of an alignment of sequences.
- float `circalifold` (const char **strings, char *structure)

- Compute MFE and according structure of an alignment of sequences assuming the sequences are circular instead of linear.*
- void `free_alifold_arrays` (void)

Free the memory occupied by MFE alifold functions.
 - float `energy_of_allstruct` (const char **sequences, const char *structure, int n_seq, float *energy)

Calculate the free energy of a consensus structure given a set of aligned sequences.
 - float `alipf_fold_par` (const char **sequences, char *structure, `vrna_ep_t` **pl, `vrna_exp_param_t` *parameters, int calculate_bppm, int is_constrained, int is_circular)

The partition function version of `alifold()` works in analogy to `pf_fold()`. Pair probabilities and information about sequence covariations are returned via the 'pi' variable as a list of `vrna_pinfo_t` structs. The list is terminated by the first entry with $pi.i = 0$.
 - float `alipf_circ_fold` (const char **sequences, char *structure, `vrna_ep_t` **pl)

Get a pointer to the base pair probability array.
 - `FLT_OR_DBL * export_ali_bppm` (void)

Get a pointer to the base pair probability array.
 - void `free_alipf_arrays` (void)

Free the memory occupied by folding matrices allocated by `alipf_fold`, `alipf_circ_fold`, etc.
 - char * `alipbacktrack` (double *prob)

Sample a consensus secondary structure from the Boltzmann ensemble according its probability.
 - int `get_alipf_arrays` (short ***S_p, short ***S5_p, short ***S3_p, unsigned short ***a2s_p, char ***Ss←_p, `FLT_OR_DBL` **qb_p, `FLT_OR_DBL` **qm_p, `FLT_OR_DBL` **q1k_p, `FLT_OR_DBL` **qln_p, short **pscore)

Get pointers to (almost) all relevant arrays used in alifold's partition function computation.
 - void `update_alifold_params` (void)

Update the energy parameters for alifold function.

Variables

- double `cv_fact`

This variable controls the weight of the covariance term in the energy function of alignment folding algorithms.
- double `nc_fact`

This variable controls the magnitude of the penalty for non-compatible sequences in the covariance term of alignment folding algorithms.

19.5.1 Detailed Description

Functions for comparative structure prediction using RNA sequence alignments.

19.6 ViennaRNA/aln_util.h File Reference

Various utility- and helper-functions for sequence alignments and comparative structure prediction.

Include dependency graph for `aln_util.h`:

This graph shows which files directly or indirectly include this file:

Data Structures

- struct [vrna_pinfo_s](#)
A base pair info structure. [More...](#)

Macros

- `#define VRNA_MEASURE_SHANNON_ENTROPY 1U`
Flag indicating Shannon Entropy measure.

Typedefs

- `typedef struct vrna_pinfo_s vrna_pinfo_t`
Typename for the base pair info representing data structure [vrna_pinfo_s](#).
- `typedef struct vrna_pinfo_s pair_info`
Old typename of [vrna_pinfo_s](#).

Functions

- `int vrna_aln_mpi (const char **alignment)`
Get the mean pairwise identity in steps from ?to?(ident)
- `vrna_pinfo_t * vrna_aln_pinfo (vrna_fold_compound_t *vc, const char *structure, double threshold)`
Retrieve an array of [vrna_pinfo_t](#) structures from precomputed pair probabilities.
- `char ** vrna_aln_slice (const char **alignment, unsigned int i, unsigned int j)`
Slice out a subalignment from a larger alignment.
- `void vrna_aln_free (char **alignment)`
Free memory occupied by a set of aligned sequences.
- `char ** vrna_aln_uppercase (const char **alignment)`
Create a copy of an alignment with only uppercase letters in the sequences.
- `char ** vrna_aln_toRNA (const char **alignment)`
Create a copy of an alignment where DNA alphabet is replaced by RNA alphabet.
- `char ** vrna_aln_copy (const char **alignment, unsigned int options)`
Make a copy of a multiple sequence alignment.
- `float * vrna_aln_conservation_struct (const char **alignment, const char *structure, const vrna_md_t *md)`
Compute base pair conservation of a consensus structure.
- `float * vrna_aln_conservation_col (const char **alignment, const vrna_md_t *md_p, unsigned int options)`
Compute nucleotide conservation in an alignment.
- `int get_mpi (char *Alseq[], int n_seq, int length, int *mini)`
Get the mean pairwise identity in steps from ?to?(ident)
- `void encode_ali_sequence (const char *sequence, short *S, short ***S5, short ***S3, char *ss, unsigned short *as, int circ)`
Get arrays with encoded sequence of the alignment.
- `void alloc_sequence_arrays (const char **sequences, short ***S, short ***S5, short ***S3, unsigned short ***a2s, char ***Ss, int circ)`
Allocate memory for sequence array used to deal with aligned sequences.
- `void free_sequence_arrays (unsigned int n_seq, short ***S, short ***S5, short ***S3, unsigned short ***a2s, char ***Ss)`
Free the memory of the sequence arrays used to deal with aligned sequences.

19.6.1 Detailed Description

Various utility- and helper-functions for sequence alignments and comparative structure prediction.

19.7 ViennaRNA/alphabet.h File Reference

Functions to process, convert, and generally handle different nucleotide and/or base pair alphabets.

Include dependency graph for alphabet.h:

This graph shows which files directly or indirectly include this file:

Functions

- `char * vrna_ptypes (const short *S, vrna_md_t *md)`
Get an array of the numerical encoding for each possible base pair (i,j)
- `short * vrna_seq_encode (const char *sequence, vrna_md_t *md)`
Get a numerical representation of the nucleotide sequence.
- `short * vrna_seq_encode_simple (const char *sequence, vrna_md_t *md)`
Get a numerical representation of the nucleotide sequence (simple version)
- `int vrna_nucleotide_encode (char c, vrna_md_t *md)`
Encode a nucleotide character to numerical value.
- `char vrna_nucleotide_decode (int enc, vrna_md_t *md)`
Decode a numerical representation of a nucleotide back into nucleotide alphabet.

19.7.1 Detailed Description

Functions to process, convert, and generally handle different nucleotide and/or base pair alphabets.

19.8 ViennaRNA/boltzmann_sampling.h File Reference

Boltzmann Sampling of secondary structures from the ensemble.

Include dependency graph for boltzmann_sampling.h:

This graph shows which files directly or indirectly include this file:

Functions

- `char * vrna_pbacktrack5 (vrna_fold_compound_t *vc, int length)`
Sample a secondary structure of a subsequence from the Boltzmann ensemble according its probability.
- `char * vrna_pbacktrack (vrna_fold_compound_t *vc)`
Sample a secondary structure (consensus structure) from the Boltzmann ensemble according its probability.

19.8.1 Detailed Description


Boltzmann Sampling of secondary structures from the ensemble.

A.k.a. Stochastic backtracking

19.9 ViennaRNA/centroid.h File Reference

Centroid structure computation.

Include dependency graph for centroid.h:



This graph shows which files directly or indirectly include this file:

Functions

- `char * vrna_centroid (vrna_fold_compound_t *vc, double *dist)`
Get the centroid structure of the ensemble.
- `char * vrna_centroid_from plist (int length, double *dist, vrna_ep_t *pl)`
Get the centroid structure of the ensemble.
- `char * vrna_centroid_from_probs (int length, double *dist, FLT_OR_DBL *probs)`
Get the centroid structure of the ensemble.
- `char * get_centroid_struct_pl (int length, double *dist, vrna_ep_t *pl)`
Get the centroid structure of the ensemble.
- `char * get_centroid_struct_pr (int length, double *dist, FLT_OR_DBL *pr)`
Get the centroid structure of the ensemble.

19.9.1 Detailed Description

Centroid structure computation.

19.9.2 Function Documentation

19.9.2.1 `get_centroid_struct_pl()`

```
char* get_centroid_struct_pl (
    int length,
    double * dist,
    vrna_ep_t * pl )
```

Get the centroid structure of the ensemble.

Deprecated This function was renamed to [vrna_centroid_from plist\(\)](#)

19.9.2.2 `get_centroid_struct_pr()`

```
char* get_centroid_struct_pr (
    int length,
    double * dist,
    FLT_OR_DBL * pr )
```

Get the centroid structure of the ensemble.

Deprecated This function was renamed to [vrna_centroid_from_probs\(\)](#)

19.10 ViennaRNA/cofold.h File Reference

MFE implementations for RNA-RNA interaction.

Include dependency graph for cofold.h:

Functions

- float `vrna_cofold` (const char *sequence, char *structure)
Compute Minimum Free Energy (MFE), and a corresponding secondary structure for two dimerized RNA sequences.
- float `cofold` (const char *sequence, char *structure)
Compute the minimum free energy of two interacting RNA molecules.
- float `cofold_par` (const char *string, char *structure, `vrna_param_t` *parameters, int is_constrained)
Compute the minimum free energy of two interacting RNA molecules.
- void `free_co_arrays` (void)
Free memory occupied by `cofold()`
- void `update_cofold_params` (void)
Recalculate parameters.
- void `update_cofold_params_par` (`vrna_param_t` *parameters)
Recalculate parameters.
- void `export_cofold_arrays_gq` (int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **fc_p, int **ggg_p, int **indx_p, char **ptype_p)
Export the arrays of partition function cofold (with gquadruplex support)
- void `export_cofold_arrays` (int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **fc_p, int **indx_p, char **ptype_p)
Export the arrays of partition function cofold.
- void `get_monomere_mfes` (float *e1, float *e2)
get_monomer_free_energies
- void `initialize_cofold` (int length)

19.10.1 Detailed Description

MFE implementations for RNA-RNA interaction.

19.11 ViennaRNA/combinatorics.h File Reference

Various implementations that deal with combinatorial aspects of RNA/DNA folding.

Functions

- `unsigned int ** vrna_enumerate_necklaces (const unsigned int *type_counts)`
Enumerate all necklaces with fixed content.

19.11.1 Detailed Description

Various implementations that deal with combinatorial aspects of RNA/DNA folding.

19.12 ViennaRNA/commands.h File Reference

Parse and apply different commands that alter the behavior of secondary structure prediction and evaluation.

Include dependency graph for commands.h:

Data Structures

- struct `vrna_command_s`
List element for commands ready for application to a `vrna_fold_compound_t`. More...

Macros

- `#define VRNA_CMD_PARSE_HC 1U`
Command parse/apply flag indicating hard constraints.
- `#define VRNA_CMD_PARSE_SC 2U`
Command parse/apply flag indicating soft constraints.
- `#define VRNA_CMD_PARSE_UD 4U`
Command parse/apply flag indicating unstructured domains.
- `#define VRNA_CMD_PARSE_SD 8U`
Command parse/apply flag indicating structured domains.
- `#define VRNA_CMD_PARSE_DEFAULTS`
Command parse/apply flag indicating default set of commands.

Typedefs

- `typedef struct vrna_command_s vrna_cmd_t`

Typename for the command representing data structure `vrna_command_s`.

Enumerations

- `enum vrna_command_e`

Types of commands within a list of `vrna_command_s` structures.

Functions

- `vrna_cmd_t * vrna_file_commands_read (const char *filename, unsigned int options)`

Extract a list of commands from a command file.

- `int vrna_file_commands_apply (vrna_fold_compound_t *vc, const char *filename, unsigned int options)`

Apply a list of commands from a command file.

- `int vrna_commands_apply (vrna_fold_compound_t *vc, vrna_cmd_t *commands, unsigned int options)`

Apply a list of commands to a `vrna_fold_compound_t`.

- `void vrna_commands_free (vrna_cmd_t *commands)`

Free memory occupied by a list of commands.

19.12.1 Detailed Description

Parse and apply different commands that alter the behavior of secondary structure prediction and evaluation.

19.13 ViennaRNA/constraints.h File Reference

Functions and data structures for constraining secondary structure predictions and evaluation.

Include dependency graph for constraints.h:

This graph shows which files directly or indirectly include this file:

Macros

- `#define VRNA_CONSTRAINT_FILE 0`
Flag for `vrna_constraints_add()` to indicate that constraints are present in a text file.
- `#define VRNA_CONSTRAINT_SOFT_MFE 0`
Indicate generation of constraints for MFE folding.
- `#define VRNA_CONSTRAINT_SOFT_PF VRNA_OPTION_PF`
Indicate generation of constraints for partition function computation.
- `#define VRNA_DECOMP_PAIR_HP (unsigned char)1`
Flag passed to generic softt constraints callback to indicate hairpin loop decomposition step.
- `#define VRNA_DECOMP_PAIR_IL (unsigned char)2`
Indicator for interior loop decomposition step.
- `#define VRNA_DECOMP_PAIR_DL (unsigned char)3`
Indicator for multibranch loop decomposition step.
- `#define VRNA_DECOMP_DL_DL_DL (unsigned char)5`
Indicator for decomposition of multibranch loop part.
- `#define VRNA_DECOMP_DL_STEM (unsigned char)6`
Indicator for decomposition of multibranch loop part.
- `#define VRNA_DECOMP_DL_DL (unsigned char)7`
Indicator for decomposition of multibranch loop part.
- `#define VRNA_DECOMP_DL_UP (unsigned char)8`
Indicator for decomposition of multibranch loop part.
- `#define VRNA_DECOMP_DL_DL_STEM (unsigned char)9`
Indicator for decomposition of multibranch loop part.
- `#define VRNA_DECOMP_DL_COAXIAL (unsigned char)10`
Indicator for decomposition of multibranch loop part.
- `#define VRNA_DECOMP_DL_COAXIAL_ENC (unsigned char)11`
Indicator for decomposition of multibranch loop part.
- `#define VRNA_DECOMP_EXT_EXT (unsigned char)12`
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_UP (unsigned char)13`
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_STEM (unsigned char)14`
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_EXT_EXT (unsigned char)15`
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_STEM_EXT (unsigned char)16`
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_STEM_OUTSIDE (unsigned char)17`
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_EXT_STEM (unsigned char)18`
Indicator for decomposition of exterior loop part.
- `#define VRNA_DECOMP_EXT_EXT_STEM1 (unsigned char)19`
Indicator for decomposition of exterior loop part.

Functions

- `void vrna_constraints_add (vrna_fold_compound_t *vc, const char *constraint, unsigned int options)`
Add constraints to a `vrna_fold_compound_t` data structure.

19.13.1 Detailed Description

Functions and data structures for constraining secondary structure predictions and evaluation.

19.14 ViennaRNA/constraints_hard.h File Reference

Functions and data structures for handling of secondary structure hard constraints.

Include dependency graph for constraints_hard.h:

This graph shows which files directly or indirectly include this file:

Data Structures

- struct [vrna_hc_bp_storage_t](#)
A base pair hard constraint.
- struct [vrna_hc_s](#)
The hard constraints data structure. [More...](#)
- struct [vrna_hc_up_s](#)
A single hard constraint for a single nucleotide. [More...](#)

Macros

- #define [VRNA_CONSTRAINT_NO_HEADER](#) 0
do not print the header information line
- #define [VRNA_CONSTRAINT_DB](#) 16384U
Flag for [vrna_constraints_add\(\)](#) to indicate that constraint is passed in pseudo dot-bracket notation.
- #define [VRNA_CONSTRAINT_DB_ENFORCE_BP](#) 32768U
Switch for dot-bracket structure constraint to enforce base pairs.
- #define [VRNA_CONSTRAINT_DB_PIPE](#) 65536U
Flag that is used to indicate the pipe '|' sign in pseudo dot-bracket notation of hard constraints.
- #define [VRNA_CONSTRAINT_DB_DOT](#) 131072U
dot '.' switch for structure constraints (no constraint at all)
- #define [VRNA_CONSTRAINT_DB_X](#) 262144U
'x' switch for structure constraint (base must not pair)
- #define [VRNA_CONSTRAINT_DB_ANG_BRACK](#) 524288U
angle brackets '<','>' switch for structure constraint (paired downstream/upstream)
- #define [VRNA_CONSTRAINT_DB_RND_BRACK](#) 1048576U
round brackets '(',')' switch for structure constraint (base i pairs base j)
- #define [VRNA_CONSTRAINT_DB_INTRAMOL](#) 2097152U
Flag that is used to indicate the character 'l' in pseudo dot-bracket notation of hard constraints.
- #define [VRNA_CONSTRAINT_DB_INTERMOL](#) 4194304U
Flag that is used to indicate the character 'e' in pseudo dot-bracket notation of hard constraints.

- #define VRNA_CONSTRAINT_DB_GQUAD 8388608U
'+' switch for structure constraint (base is involved in a gquad)
- #define VRNA_CONSTRAINT_DB_WUSS 33554432U
Flag to indicate Washington University Secondary Structure (WUSS) notation of the hard constraint string.
- #define VRNA_CONSTRAINT_DB_DEFAULT
Switch for dot-bracket structure constraint with default symbols.
- #define VRNA_CONSTRAINT_CONTEXT_EXT_LOOP (unsigned char)0x01
Hard constraints flag, base pair in the exterior loop.
- #define VRNA_CONSTRAINT_CONTEXT_HP_LOOP (unsigned char)0x02
Hard constraints flag, base pair encloses hairpin loop.
- #define VRNA_CONSTRAINT_CONTEXT_INT_LOOP (unsigned char)0x04
Hard constraints flag, base pair encloses an interior loop.
- #define VRNA_CONSTRAINT_CONTEXT_INT_LOOP_ENC (unsigned char)0x08
Hard constraints flag, base pair encloses a multi branch loop.
- #define VRNA_CONSTRAINT_CONTEXT_MB_LOOP (unsigned char)0x10
Hard constraints flag, base pair is enclosed in an interior loop.
- #define VRNA_CONSTRAINT_CONTEXT_MB_LOOP_ENC (unsigned char)0x20
Hard constraints flag, base pair is enclosed in a multi branch loop.
- #define VRNA_CONSTRAINT_CONTEXT_ENFORCE (unsigned char)0x40
Hard constraint flag to indicate enforcement of constraints.
- #define VRNA_CONSTRAINT_CONTEXT_NO_REMOVE (unsigned char)0x80
Hard constraint flag to indicate not to remove base pairs that conflict with a given constraint.
- #define VRNA_CONSTRAINT_CONTEXT_NONE (unsigned char)0
Constraint context flag that forbids any loop.
- #define VRNA_CONSTRAINT_CONTEXT_CLOSING_LOOPS
Constraint context flag indicating base pairs that close any loop.
- #define VRNA_CONSTRAINT_CONTEXT_ENCLOSED_LOOPS
Constraint context flag indicating base pairs enclosed by any loop.
- #define VRNA_CONSTRAINT_CONTEXT_ALL_LOOPS
Constraint context flag indicating any loop context.

Typedefs

- typedef struct vrna_hc_s vrna_hc_t
Typename for the hard constraints data structure vrna_hc_s.
- typedef struct vrna_hc_up_s vrna_hc_up_t
Typename for the single nucleotide hard constraint data structure vrna_hc_up_s.
- typedef unsigned char() vrna_callback_hc_evaluate(int i, int j, int k, int l, unsigned char d, void *data)
Callback to evaluate whether or not a particular decomposition step is contributing to the solution space.

Enumerations

- enum vrna_hc_type_e { VRNA_HC_DEFAULT, VRNA_HC_WINDOW }
The hard constraints type.

Functions

- void `vrna_message_constraint_options` (unsigned int option)

Print a help message for pseudo dot-bracket structure constraint characters to stdout. (constraint support is specified by option parameter)
- void `vrna_message_constraint_options_all` (void)

Print structure constraint characters to stdout (full constraint support)
- void `vrna_hc_init` (`vrna_fold_compound_t` *vc)

Initialize/Reset hard constraints to default values.
- void `vrna_hc_add_up` (`vrna_fold_compound_t` *vc, int i, unsigned char option)

Make a certain nucleotide unpaired.
- int `vrna_hc_add_up_batch` (`vrna_fold_compound_t` *vc, `vrna_hc_up_t` *constraints)

Apply a list of hard constraints for single nucleotides.
- void `vrna_hc_add_bp` (`vrna_fold_compound_t` *vc, int i, int j, unsigned char option)

Favorize/Enforce a certain base pair (i,j)
- void `vrna_hc_add_bp_nonspecific` (`vrna_fold_compound_t` *vc, int i, int d, unsigned char option)

Enforce a nucleotide to be paired (upstream/downstream)
- void `vrna_hc_free` (`vrna_hc_t` *hc)

Free the memory allocated by a `vrna_hc_t` data structure.
- void `vrna_hc_add_f` (`vrna_fold_compound_t` *vc, `vrna_callback_hc_evaluate` *f)

Add a function pointer pointer for the generic hard constraint feature.
- void `vrna_hc_add_data` (`vrna_fold_compound_t` *vc, void *data, `vrna_callback_free_auxdata` *f)

Add an auxiliary data structure for the generic hard constraints callback function.
- int `vrna_hc_add_from_db` (`vrna_fold_compound_t` *vc, const char *constraint, unsigned int options)

Add hard constraints from pseudo dot-bracket notation.
- void `print_tty_constraint` (unsigned int option)

Print structure constraint characters to stdout. (constraint support is specified by option parameter)
- void `print_tty_constraint_full` (void)

Print structure constraint characters to stdout (full constraint support)
- void `constrain_ptypes` (const char *constraint, unsigned int length, char *ptype, int *BP, int min_loop_size, unsigned int idx_type)

Insert constraining pair types according to constraint structure string.

19.14.1 Detailed Description

Functions and data structures for handling of secondary structure hard constraints.

19.14.2 Macro Definition Documentation

19.14.2.1 VRNA_CONSTRAINT_NO_HEADER

```
#define VRNA_CONSTRAINT_NO_HEADER 0
```

do not print the header information line

Deprecated This mode is not supported anymore!

19.14.2.2 VRNA_CONSTRAINT_DB_ANG_BRACK

```
#define VRNA_CONSTRAINT_DB_ANG_BRACK 524288U
```

angle brackets '<', '>' switch for structure constraint (paired downstream/upstream)

See also

[vrna_hc_add_from_db\(\)](#), [vrna_constraints_add\(\)](#), [vrna_message_constraint_options\(\)](#), [vrna_message_constraint_options_all\(\)](#)

19.14.3 Enumeration Type Documentation

19.14.3.1 vrna_hc_type_e

```
enum vrna_hc_type_e
```

The hard constraints type.

Global and local structure prediction methods use a slightly different way to handle hard constraints internally. This enum is used to distinguish both types.

Enumerator

VRNA_HC_DEFAULT	Default Hard Constraints.
VRNA_HC_WINDOW	<p>Hard Constraints suitable for local structure prediction using window approach.</p> <p>See also</p> <p>vrna_mfe_window(), vrna_mfe_window_zscore(), pfl_fold()</p>

19.14.4 Function Documentation

19.14.4.1 vrna_hc_add_data()

```
void vrna_hc_add_data (
    vrna_fold_compound_t * vc,
    void * data,
    vrna_callback_free_auxdata * f )
```

Add an auxiliary data structure for the generic hard constraints callback function.

See also

[vrna_hc_add_f\(\)](#)

Parameters

<i>vc</i>	The fold compound the generic hard constraint function should be bound to
<i>data</i>	A pointer to the data structure that holds required data for function 'f'
<i>free_data</i>	A pointer to a function that free's the memory occupied by (Maybe NULL)

19.14.4.2 print_tty_constraint()

```
void print_tty_constraint (
    unsigned int option )
```

Print structure constraint characters to stdout. (constraint support is specified by option parameter)

Deprecated Use [vrna_message_constraints\(\)](#) instead!

Parameters

<i>option</i>	Option switch that tells which constraint help will be printed
---------------	--

19.14.4.3 print_tty_constraint_full()

```
void print_tty_constraint_full (
    void )
```

Print structure constraint characters to stdout (full constraint support)

Deprecated Use [vrna_message_constraint_options_all\(\)](#) instead!

19.14.4.4 constrain_ptypes()

```
void constrain_ptypes (
    const char * constraint,
    unsigned int length,
    char * ptype,
    int * BP,
    int min_loop_size,
    unsigned int idx_type )
```

Insert constraining pair types according to constraint structure string.

Deprecated Do not use this function anymore! Structure constraints are now handled through [vrna_hc_t](#) and related functions.

Parameters

<i>constraint</i>	The structure constraint string
<i>length</i>	The actual length of the sequence (constraint may be shorter)
<i>ptype</i>	A pointer to the basepair type array
<i>BP</i>	(not used anymore)
<i>min_loop_size</i>	The minimal loop size (usually TURN)
<i>idx_type</i>	Define the access type for base pair type array (0 = indx, 1 = iindx)

19.15 ViennaRNA/constraints_ligand.h File Reference

Functions for incorporation of ligands binding to hairpin and interior loop motifs using the soft constraints framework.

Include dependency graph for constraints_ligand.h:

This graph shows which files directly or indirectly include this file:

Data Structures

- struct [vrna_sc_motif_s](#)

Functions

- int [vrna_sc_add_hi_motif](#) (*vrna_fold_compound_t* *vc, const char *seq, const char *structure, [FLT_OR_DBL](#) energy, unsigned int options)
Add soft constraints for hairpin or interior loop binding motif.

19.15.1 Detailed Description

Functions for incorporation of ligands binding to hairpin and interior loop motifs using the soft constraints framework.

19.16 ViennaRNA/constraints_SHAPE.h File Reference

This module provides function to incorporate SHAPE reactivity data into the folding recursions by means of soft constraints.

Include dependency graph for constraints_SHAPE.h:

This graph shows which files directly or indirectly include this file:

Functions

- int `vrna_sc_add_SHAPE_deigan` (`vrna_fold_compound_t` *vc, const double *reactivities, double m, double b, unsigned int options)

Add SHAPE reactivity data as soft constraints (Deigan et al. method)
- int `vrna_sc_add_SHAPE_deigan_ali` (`vrna_fold_compound_t` *vc, const char **shape_files, const int *shape_file_association, double m, double b, unsigned int options)

Add SHAPE reactivity data from files as soft constraints for consensus structure prediction (Deigan et al. method)
- int `vrna_sc_add_SHAPE_zarringhalam` (`vrna_fold_compound_t` *vc, const double *reactivities, double b, double default_value, const char *shape_conversion, unsigned int options)

Add SHAPE reactivity data as soft constraints (Zarringhalam et al. method)
- int `vrna_sc_SHAPE_parse_method` (const char *method_string, char *method, float *param_1, float *param_2)

Parse a character string and extract the encoded SHAPE reactivity conversion method and possibly the parameters for conversion into pseudo free energies.
- int `vrna_sc_SHAPE_to_pr` (const char *shape_conversion, double *values, int length, double default_value)

Convert SHAPE reactivity values to probabilities for being unpaired.

19.16.1 Detailed Description

This module provides function to incorporate SHAPE reactivity data into the folding recursions by means of soft constraints.

19.16.2 Function Documentation

19.16.2.1 `vrna_sc_SHAPE_parse_method()`

```
int vrna_sc_SHAPE_parse_method (
    const char * method_string,
    char * method,
    float * param_1,
    float * param_2 )
```

Parse a character string and extract the encoded SHAPE reactivity conversion method and possibly the parameters for conversion into pseudo free energies.

Parameters

<code>method_string</code>	The string that contains the encoded SHAPE reactivity conversion method
<code>method</code>	A pointer to the memory location where the method character will be stored
<code>param_1</code>	A pointer to the memory location where the first parameter of the corresponding method will be stored
<code>param_2</code>	A pointer to the memory location where the second parameter of the corresponding method will be stored

Returns

1 on successful extraction of the method, 0 on errors

19.17 ViennaRNA/constraints_soft.h File Reference

Functions and data structures for secondary structure soft constraints.

Include dependency graph for constraints_soft.h:

This graph shows which files directly or indirectly include this file:

Data Structures

- struct [vrna_sc_bp_storage_t](#)
A base pair constraint.
- struct [vrna_sc_s](#)
The soft constraints data structure. [More...](#)

Typedefs

- typedef struct [vrna_sc_s](#) [vrna_sc_t](#)
Typename for the soft constraints data structure [vrna_sc_s](#).
- typedef int() [vrna_callback_sc_energy](#)(int i, int j, int k, int l, unsigned char d, void *data)
Callback to retrieve pseudo energy contribution for soft constraint feature.
- typedef [FLT_OR_DBL\(\)](#) [vrna_callback_sc_exp_energy](#)(int i, int j, int k, int l, unsigned char d, void *data)
Callback to retrieve pseudo energy contribution as Boltzmann Factors for soft constraint feature.
- typedef [vrna_basepair_t](#) *() [vrna_callback_sc_backtrack](#)(int i, int j, int k, int l, unsigned char d, void *data)
Callback to retrieve auxiliary base pairs for soft constraint feature.

Enumerations

- enum [vrna_sc_type_e](#) { [VRNA_SC_DEFAULT](#), [VRNA_SC_WINDOW](#) }

Functions

- void [vrna_sc_init](#) ([vrna_fold_compound_t](#) *vc)

Initialize an empty soft constraints data structure within a [vrna_fold_compound_t](#).
- void [vrna_sc_set_bp](#) ([vrna_fold_compound_t](#) *vc, const [FLT_OR_DBL](#) **constraints, unsigned int options)

Set soft constraints for paired nucleotides.
- void [vrna_sc_add_bp](#) ([vrna_fold_compound_t](#) *vc, int i, int j, [FLT_OR_DBL](#) energy, unsigned int options)

Add soft constraints for paired nucleotides.
- void [vrna_sc_set_up](#) ([vrna_fold_compound_t](#) *vc, const [FLT_OR_DBL](#) *constraints, unsigned int options)

Set soft constraints for unpaired nucleotides.
- void [vrna_sc_add_up](#) ([vrna_fold_compound_t](#) *vc, int i, [FLT_OR_DBL](#) energy, unsigned int options)

Add soft constraints for unpaired nucleotides.
- void [vrna_sc_remove](#) ([vrna_fold_compound_t](#) *vc)

Remove soft constraints from [vrna_fold_compound_t](#).
- void [vrna_sc_free](#) ([vrna_sc_t](#) *sc)

Free memory occupied by a [vrna_sc_t](#) data structure.
- void [vrna_sc_add_data](#) ([vrna_fold_compound_t](#) *vc, void *data, [vrna_callback_free_auxdata](#) *free_data)

Add an auxiliary data structure for the generic soft constraints callback function.
- void [vrna_sc_add_f](#) ([vrna_fold_compound_t](#) *vc, [vrna_callback_sc_energy](#) *f)

Bind a function pointer for generic soft constraint feature (MFE version)
- void [vrna_sc_add_bt](#) ([vrna_fold_compound_t](#) *vc, [vrna_callback_sc_backtrack](#) *f)

Bind a backtracking function pointer for generic soft constraint feature.
- void [vrna_sc_add_exp_f](#) ([vrna_fold_compound_t](#) *vc, [vrna_callback_sc_exp_energy](#) *exp_f)

Bind a function pointer for generic soft constraint feature (PF version)

19.17.1 Detailed Description

Functions and data structures for secondary structure soft constraints.

19.17.2 Enumeration Type Documentation

19.17.2.1 [vrna_sc_type_e](#)

enum [vrna_sc_type_e](#)

Enumerator

VRNA_SC_DEFAULT	Default Soft Constraints.
VRNA_SC_WINDOW	<p>Soft Constraints suitable for local structure prediction using window approach.</p> <p>See also</p> <p>vrna_mfe_window(), vrna_mfe_window_zscore(), pfl_fold()</p>

19.18 ViennaRNA/convert_epars.h File Reference

Functions and definitions for energy parameter file format conversion.

Macros

- #define VRNA_CONVERT_OUTPUT_ALL 1U
- #define VRNA_CONVERT_OUTPUT_HP 2U
- #define VRNA_CONVERT_OUTPUT_STACK 4U
- #define VRNA_CONVERT_OUTPUT_MM_HP 8U
- #define VRNA_CONVERT_OUTPUT_MM_INT 16U
- #define VRNA_CONVERT_OUTPUT_MM_INT_1N 32U
- #define VRNA_CONVERT_OUTPUT_MM_INT_23 64U
- #define VRNA_CONVERT_OUTPUT_MM_MULTI 128U
- #define VRNA_CONVERT_OUTPUT_MM_EXT 256U
- #define VRNA_CONVERT_OUTPUT_DANGLE5 512U
- #define VRNA_CONVERT_OUTPUT_DANGLE3 1024U
- #define VRNA_CONVERT_OUTPUT_INT_11 2048U
- #define VRNA_CONVERT_OUTPUT_INT_21 4096U
- #define VRNA_CONVERT_OUTPUT_INT_22 8192U
- #define VRNA_CONVERT_OUTPUT_BULGE 16384U
- #define VRNA_CONVERT_OUTPUT_INT 32768U
- #define VRNA_CONVERT_OUTPUT_ML 65536U
- #define VRNA_CONVERT_OUTPUT_MISC 131072U
- #define VRNA_CONVERT_OUTPUT_SPECIAL_HP 262144U
- #define VRNA_CONVERT_OUTPUT_VANILLA 524288U
- #define VRNA_CONVERT_OUTPUT_NINIO 1048576U
- #define VRNA_CONVERT_OUTPUT_DUMP 2097152U

Functions

- void `convert_parameter_file` (const char *iname, const char *oname, unsigned int options)

19.18.1 Detailed Description

Functions and definitions for energy parameter file format conversion.

19.19 ViennaRNA/data_structures.h File Reference

Various data structures and pre-processor macros.

Include dependency graph for data_structures.h:

This graph shows which files directly or indirectly include this file:

Data Structures

- struct [vrna_basepair_s](#)
Base pair data structure used in subopt.c. [More...](#)
- struct [vrna_cpair_s](#)
this datastructure is used as input parameter in functions of PS_dot.c [More...](#)
- struct [vrna_color_s](#)
- struct [vrna_data_linear_s](#)
- struct [vrna_sect_s](#)
Stack of partial structures for backtracking. [More...](#)
- struct [vrna_bp_stack_s](#)
Base pair stack element. [More...](#)
- struct [pu_contrib](#)
contributions to p_u [More...](#)
- struct [interact](#)
interaction data structure for RNAup [More...](#)
- struct [pu_out](#)
Collection of all free_energy of beeing unpaired values for output. [More...](#)
- struct [constrain](#)
constraints for cofolding [More...](#)
- struct [duplexT](#)
Data structure for RNAduplex. [More...](#)
- struct [node](#)
Data structure for RNAsnoop (fold energy list) [More...](#)
- struct [snoopT](#)
Data structure for RNAsnoop. [More...](#)
- struct [dupVar](#)
Data structure used in RNApkplex. [More...](#)

Typedefs

- typedef struct [vrna_basepair_s](#) [vrna_basepair_t](#)
Typename for the base pair repesenting data structure vrna_basepair_s.
- typedef struct [vrna_elem_prob_s](#) [vrna_plist_t](#)
Typename for the base pair list repesenting data structure vrna_elem_prob_s.
- typedef struct [vrna_bp_stack_s](#) [vrna_bp_stack_t](#)
Typename for the base pair stack repesenting data structure vrna_bp_stack_s.
- typedef struct [vrna_cpair_s](#) [vrna_cpair_t](#)
Typename for data structure vrna_cpair_s.
- typedef struct [vrna_sect_s](#) [vrna_sect_t](#)
Typename for stack of partial structures vrna_sect_s.
- typedef double [FLT_OR_DBL](#)
Typename for floating point number in partition function computations.
- typedef struct [vrna_basepair_s](#) [PAIR](#)
Old typename of vrna_basepair_s.
- typedef struct [vrna_elem_prob_s](#) [plist](#)
Old typename of vrna_elem_prob_s.
- typedef struct [vrna_cpair_s](#) [cpair](#)
Old typename of vrna_cpair_s.
- typedef struct [vrna_sect_s](#) [sect](#)

- *Old typename of vrna_sect_s.*
- **typedef struct vrna_bp_stack_s bondT**
Old typename of vrna_bp_stack_s.
- **typedef struct pu_contrib pu_contrib**
contributions to p_u
- **typedef struct interact interact**
interaction data structure for RNAup
- **typedef struct pu_out pu_out**
Collection of all free_energy of being unpaired values for output.
- **typedef struct constrain constrain**
constraints for cofolding
- **typedef struct node folden**
Data structure for RNAsnoop (fold energy list)
- **typedef struct dupVar dupVar**
Data structure used in RNApkplex.

Functions

- **void vrna_C11_features (void)**
Dummy symbol to check whether the library was build using C11/C++11 features.

19.19.1 Detailed Description

Various data structures and pre-processor macros.

19.20 ViennaRNA/dist_vars.h File Reference

Global variables for Distance-Package.

This graph shows which files directly or indirectly include this file:

Data Structures

- **struct Postorder_list**
Postorder data structure.
- **struct Tree**
Tree data structure.
- **struct swString**
Some other data structure.

Variables

- int `edit_backtrack`
Produce an alignment of the two structures being compared by tracing the editing path giving the minimum distance.
- char * `aligned_line` [4]
Contains the two aligned structures after a call to one of the distance functions with `edit_backtrack` set to 1.
- int `cost_matrix`
Specify the cost matrix to be used for distance calculations.

19.20.1 Detailed Description

Global variables for Distance-Package.

19.20.2 Variable Documentation

19.20.2.1 `edit_backtrack`

```
int edit_backtrack
```

Produce an alignment of the two structures being compared by tracing the editing path giving the minimum distance.

set to 1 if you want backtracking

19.20.2.2 `cost_matrix`

```
int cost_matrix
```

Specify the cost matrix to be used for distance calculations.

if 0, use the default cost matrix (upper matrix in example), otherwise use Shapiro's costs (lower matrix).

19.21 ViennaRNA/dp_matrices.h File Reference

Functions to deal with standard dynamic programming (DP) matrices.

Include dependency graph for dp_matrices.h:

This graph shows which files directly or indirectly include this file:

Data Structures

- struct `vrna_mx_mfe_s`
Minimum Free Energy (MFE) Dynamic Programming (DP) matrices data structure required within the `vrna_fold_compound_t`. More...
- struct `vrna_mx_pf_s`
Partition function (PF) Dynamic Programming (DP) matrices data structure required within the `vrna_fold_compound_t`. More...

Typedefs

- typedef struct `vrna_mx_mfe_s` `vrna_mx_mfe_t`
Typename for the Minimum Free Energy (MFE) DP matrices data structure `vrna_mx_mfe_s`.
- typedef struct `vrna_mx_pf_s` `vrna_mx_pf_t`
Typename for the Partition Function (PF) DP matrices data structure `vrna_mx_pf_s`.

Enumerations

- enum `vrna_mx_type_e` { `VRNA_MX_DEFAULT`, `VRNA_MX_WINDOW`, `VRNA_MX_2DFOLD` }
An enumerator that is used to specify the type of a polymorphic Dynamic Programming (DP) matrix data structure.

Functions

- int `vrna_mx_add` (`vrna_fold_compound_t` *vc, `vrna_mx_type_e` type, unsigned int options)
Add Dynamic Programming (DP) matrices (allocate memory)
- void `vrna_mx_mfe_free` (`vrna_fold_compound_t` *vc)
Free memory occupied by the Minimum Free Energy (MFE) Dynamic Programming (DP) matrices.
- void `vrna_mx_pf_free` (`vrna_fold_compound_t` *vc)
Free memory occupied by the Partition Function (PF) Dynamic Programming (DP) matrices.

19.21.1 Detailed Description

Functions to deal with standard dynamic programming (DP) matrices.

19.22 ViennaRNA/duplex.h File Reference

Functions for simple RNA-RNA duplex interactions.

Include dependency graph for duplex.h:

19.22.1 Detailed Description

Functions for simple RNA-RNA duplex interactions.

19.23 ViennaRNA/edit_cost.h File Reference

global variables for Edit Costs included by treelist.c and stringdist.c

19.23.1 Detailed Description

global variables for Edit Costs included by treelist.c and stringdist.c

19.24 ViennaRNA/energy_const.h File Reference

Energy parameter constants.

Include dependency graph for energy_const.h:

This graph shows which files directly or indirectly include this file:

Macros

- #define GASCONST 1.98717 /* in [cal/K] */
- #define K0 273.15
- #define INF 10000000 /* (INT_MAX/10) */
- #define FORBIDDEN 9999
- #define BONUS 10000
- #define NBPAIRS 7
- #define TURN 3
- #define MAXLOOP 30

19.24.1 Detailed Description

Energy parameter constants.

19.24.2 Macro Definition Documentation

19.24.2.1 GASCONST

```
#define GASCONST 1.98717 /* in [cal/K] */
```

The gas constant

19.24.2.2 K0

```
#define K0 273.15
```

0 deg Celsius in Kelvin

19.24.2.3 INF

```
#define INF 10000000 /* (INT_MAX/10) */
```

Infinity as used in minimization routines

19.24.2.4 FORBIDDEN

```
#define FORBIDDEN 9999
```

forbidden

19.24.2.5 BONUS

```
#define BONUS 10000
```

bonus contribution

19.24.2.6 NBPAIRS

```
#define NBPAIRS 7
```

The number of distinguishable base pairs

19.24.2.7 TURN

```
#define TURN 3
```

The minimum loop length

19.24.2.8 MAXLOOP

```
#define MAXLOOP 30
```

The maximum loop length

19.25 ViennaRNA/equilibrium_probs.h File Reference

Equilibrium Probability implementations.

Include dependency graph for equilibrium_probs.h:

This graph shows which files directly or indirectly include this file:

Functions

- `double vrna_mean_bp_distance_pr (int length, FLT_OR_DBL *pr)`
Get the mean base pair distance in the thermodynamic ensemble from a probability matrix.
- `double vrna_mean_bp_distance (vrna_fold_compound_t *vc)`
Get the mean base pair distance in the thermodynamic ensemble.
- `vrna_ep_t * vrna_stack_prob (vrna_fold_compound_t *vc, double cutoff)`
Compute stacking probabilities.

19.25.1 Detailed Description

Equilibrium Probability implementations.

This file includes various implementations for equilibrium probability computations based on the partition function of an RNA sequence, two concatenated sequences, or a sequence alignment.

19.26 ViennaRNA/eval.h File Reference

Functions and variables related to energy evaluation of sequence/structure pairs.

Include dependency graph for eval.h:

This graph shows which files directly or indirectly include this file:

Functions

- float `vrna_eval_structure` (`vrna_fold_compound_t` *vc, const char *structure)

Calculate the free energy of an already folded RNA.
- float `vrna_eval_covar_structure` (`vrna_fold_compound_t` *vc, const char *structure)

Calculate the pseudo energy derived by the covariance scores of a set of aligned sequences.
- float `vrna_eval_structure_simple` (const char *string, const char *structure)

Calculate the free energy of an already folded RNA.
- float `vrna_eval_structure_verbose` (`vrna_fold_compound_t` *vc, const char *structure, FILE *file)

Calculate the free energy of an already folded RNA and print contributions on a per-loop base.
- float `vrna_eval_structure_v` (`vrna_fold_compound_t` *vc, const char *structure, int verbosity_level, FILE *file)

Calculate the free energy of an already folded RNA and print contributions on a per-loop base.
- float `vrna_eval_structure_simple_verbose` (const char *string, const char *structure, FILE *file)

Calculate the free energy of an already folded RNA and print contributions per loop.
- float `vrna_eval_structure_simple_v` (const char *string, const char *structure, int verbosity_level, FILE *file)

Calculate the free energy of an already folded RNA and print contributions per loop.
- int `vrna_eval_structure_pt` (`vrna_fold_compound_t` *vc, const short *pt)

Calculate the free energy of an already folded RNA.
- int `vrna_eval_structure_pt_simple` (const char *string, const short *pt)

Calculate the free energy of an already folded RNA.
- int `vrna_eval_structure_pt_verbose` (`vrna_fold_compound_t` *vc, const short *pt, FILE *file)

Calculate the free energy of an already folded RNA.
- int `vrna_eval_structure_pt_v` (`vrna_fold_compound_t` *vc, const short *pt, int verbosity_level, FILE *file)

Calculate the free energy of an already folded RNA.
- int `vrna_eval_structure_pt_simple_verbose` (const char *string, const short *pt, FILE *file)

Calculate the free energy of an already folded RNA.
- int `vrna_eval_structure_pt_simple_v` (const char *string, const short *pt, int verbosity_level, FILE *file)

Calculate the free energy of an already folded RNA.
- int `vrna_eval_loop_pt` (`vrna_fold_compound_t` *vc, int i, const short *pt)

Calculate energy of a loop.
- float `vrna_eval_move` (`vrna_fold_compound_t` *vc, const char *structure, int m1, int m2)

Calculate energy of a move (closing or opening of a base pair)
- int `vrna_eval_move_pt` (`vrna_fold_compound_t` *vc, short *pt, int m1, int m2)

Calculate energy of a move (closing or opening of a base pair)
- float `energy_of_structure` (const char *string, const char *structure, int verbosity_level)

Calculate the free energy of an already folded RNA using global model detail settings.
- float `energy_of_struct_par` (const char *string, const char *structure, `vrna_param_t` *parameters, int verbosity_level)

Calculate the free energy of an already folded RNA.
- float `energy_of_circ_structure` (const char *string, const char *structure, int verbosity_level)

Calculate the free energy of an already folded circular RNA.
- float `energy_of_circ_struct_par` (const char *string, const char *structure, `vrna_param_t` *parameters, int verbosity_level)

Calculate the free energy of an already folded circular RNA.
- int `energy_of_structure_pt` (const char *string, short *ptable, short *s, short *s1, int verbosity_level)

Calculate the free energy of an already folded RNA.
- int `energy_of_struct_pt_par` (const char *string, short *ptable, short *s, short *s1, `vrna_param_t` *parameters, int verbosity_level)

Calculate the free energy of an already folded RNA.
- float `energy_of_move` (const char *string, const char *structure, int m1, int m2)

Calculate energy of a move (closing or opening of a base pair)

- int [energy_of_move_pt](#) (short *pt, short *s, short *s1, int m1, int m2)
Calculate energy of a move (closing or opening of a base pair)
- int [loop_energy](#) (short *ptable, short *s, short *s1, int i)
Calculate energy of a loop.
- float [energy_of_struct](#) (const char *string, const char *structure)
- int [energy_of_struct_pt](#) (const char *string, short *ptable, short *s, short *s1)
- float [energy_of_circ_struct](#) (const char *string, const char *structure)

Variables

- int [cut_point](#)
set to first pos of second seq for cofolding
- int [eos_debug](#)
verbose info from energy_of_struct

19.26.1 Detailed Description

Functions and variables related to energy evaluation of sequence/structure pairs.

19.27 ViennaRNA/exterior_loops.h File Reference

Energy evaluation of exterior loops for MFE and partition function calculations.

Include dependency graph for exterior_loops.h:

This graph shows which files directly or indirectly include this file:

Data Structures

- struct [vrna_mx_pf_aux_el_t](#)
Auxiliary helper arrays for fast exterior loop computations. [More...](#)

Functions

- int [E_ExtLoop](#) (int type, int si1, int sj1, [vrna_param_t](#) *P)
- [FLT_OR_DBL exp_E_ExtLoop](#) (int type, int si1, int sj1, [vrna_exp_param_t](#) *P)
- int [E_Stem](#) (int type, int si1, int sj1, int extLoop, [vrna_param_t](#) *P)
- [FLT_OR_DBL exp_E_Stem](#) (int type, int si1, int sj1, int extLoop, [vrna_exp_param_t](#) *P)

19.27.1 Detailed Description

Energy evaluation of exterior loops for MFE and partition function calculations.

19.28 ViennaRNA/file_formats.h File Reference

Read and write different file formats for RNA sequences, structures.

Include dependency graph for file_formats.h:

Macros

- `#define VRNA_OPTION_MULTILINE 32U`
Tell a function that an input is assumed to span several lines.
- `#define VRNA_CONSTRAINT_MULTILINE 32U`
parse multiline constraint

Functions

- `void vrna_file_helixlist (const char *seq, const char *db, float energy, FILE *file)`
Print a secondary structure as helix list.
- `void vrna_file_connect (const char *seq, const char *db, float energy, const char *identifier, FILE *file)`
Print a secondary structure as connect table.
- `void vrna_file_bpseq (const char *seq, const char *db, FILE *file)`
Print a secondary structure in bpseq format.
- `void vrna_file_json (const char *seq, const char *db, double energy, const char *identifier, FILE *file)`
Print a secondary structure in jsonformat.
- `unsigned int vrna_file_fasta_read_record (char **header, char **sequence, char ***rest, FILE *file, unsigned int options)`
Get a (fasta) data set from a file or stdin.
- `char * vrna_extract_record_rest_structure (const char **lines, unsigned int length, unsigned int option)`
Extract a dot-bracket structure string from (multiline)character array.
- `int vrna_file_SHAPE_read (const char *file_name, int length, double default_value, char *sequence, double *values)`
Read data from a given SHAPE reactivity input file.
- `void vrna_extract_record_rest_constraint (char **cstruc, const char **lines, unsigned int option)`
Extract a hard constraint encoded as pseudo dot-bracket string.
- `unsigned int read_record (char **header, char **sequence, char ***rest, unsigned int options)`
Get a data record from stdin.

19.28.1 Detailed Description

Read and write different file formats for RNA sequences, structures.

19.29 ViennaRNA/file_formats_msa.h File Reference

Functions dealing with file formats for Multiple Sequence Alignments (MSA)

Include dependency graph for file_formats_msa.h:

This graph shows which files directly or indirectly include this file:

Macros

- `#define VRNA_FILE_FORMAT_MSA_CLUSTAL 1U`
Option flag indicating ClustalW formatted files.
- `#define VRNA_FILE_FORMAT_MSA_STOCKHOLM 2U`
Option flag indicating Stockholm 1.0 formatted files.
- `#define VRNA_FILE_FORMAT_MSA_FASTA 4U`
Option flag indicating FASTA (Pearson) formatted files.
- `#define VRNA_FILE_FORMAT_MSA_MAF 8U`
Option flag indicating MAF formatted files.
- `#define VRNA_FILE_FORMAT_MSA_MIS 16U`
Option flag indicating most informative sequence (MIS) output.
- `#define VRNA_FILE_FORMAT_MSA_DEFAULT`
Option flag indicating the set of default file formats.
- `#define VRNA_FILE_FORMAT_MSA_NOCHECK 4096U`
Option flag to disable validation of the alignment.
- `#define VRNA_FILE_FORMAT_MSA_UNKNOWN 8192U`
Return flag of `vrna_file_msa_detect_format()` to indicate unknown or malformed alignment.
- `#define VRNA_FILE_FORMAT_MSA_APPEND 16384U`
Option flag indicating to append data to a multiple sequence alignment file rather than overwriting it.
- `#define VRNA_FILE_FORMAT_MSA QUIET 32768U`
Option flag to suppress unnecessary spam messages on `stderr`
- `#define VRNA_FILE_FORMAT_MSA_SILENT 65536U`
Option flag to completely silence any warnings on `stderr`

Functions

- `int vrna_file_msa_read (const char *filename, char ***names, char ***aln, char **id, char **structure, unsigned int options)`
Read a multiple sequence alignment from file.
- `int vrna_file_msa_read_record (FILE *fp, char ***names, char ***aln, char **id, char **structure, unsigned int options)`
Read a multiple sequence alignment from file handle.
- `unsigned int vrna_file_msa_detect_format (const char *filename, unsigned int options)`
Detect the format of a multiple sequence alignment file.
- `int vrna_file_msa_write (const char *filename, const char **names, const char **aln, const char *id, const char *structure, const char *source, unsigned int options)`
Write multiple sequence alignment file.

19.29.1 Detailed Description

Functions dealing with file formats for Multiple Sequence Alignments (MSA)

19.30 ViennaRNA/file_utils.h File Reference

Several utilities for file handling.

This graph shows which files directly or indirectly include this file:

Functions

- void [vrna_file_copy](#) (FILE *from, FILE *to)
Inefficient 'cp'.
- char * [vrna_read_line](#) (FILE *fp)
Read a line of arbitrary length from a stream.
- int [vrna_mkdir_p](#) (const char *path)
Recursively create a directory tree.
- char * [vrna_basename](#) (const char *path)
Extract the filename from a file path.
- char * [vrna_dirname](#) (const char *path)
Extract the directory part of a file path.
- char * [vrna_filename_sanitize](#) (const char *name, const char *replacement)
Sanitize a file name.

19.30.1 Detailed Description

Several utilities for file handling.

19.31 ViennaRNA/findpath.h File Reference

A breadth-first search heuristic for optimal direct folding paths.

Include dependency graph for findpath.h:

Data Structures

- struct [vrna_path_s](#)
An element of a refolding path list. [More...](#)

Typedefs

- **typedef struct vrna_path_s vrna_path_t**
Typename for the refolding path data structure vrna_path_s.
- **typedef struct vrna_path_s path_t**
Old typename of vrna_path_s.

Functions

- **int vrna_path_findpath_saddle (vrna_fold_compound_t *vc, const char *struc1, const char *struc2, int max)**
Find energy of a saddle point between 2 structures (search only direct path)
- **vrna_path_t * vrna_path_findpath (vrna_fold_compound_t *vc, const char *s1, const char *s2, int maxkeep)**
Find refolding path between 2 structures (search only direct path)
- **int find_saddle (const char *seq, const char *struc1, const char *struc2, int max)**
Find energy of a saddle point between 2 structures (search only direct path)
- **void free_path (vrna_path_t *path)**
Free memory allocated by get_path() function.
- **vrna_path_t * get_path (const char *seq, const char *s1, const char *s2, int maxkeep)**
Find refolding path between 2 structures (search only direct path)

19.31.1 Detailed Description

A breadth-first search heuristic for optimal direct folding paths.

19.32 ViennaRNA/fold.h File Reference

MFE calculations for single RNA sequences.

Include dependency graph for fold.h:

Functions

- **float vrna_fold (const char *sequence, char *structure)**
Compute Minimum Free Energy (MFE), and a corresponding secondary structure for an RNA sequence.
- **float vrna_circfold (const char *sequence, char *structure)**
Compute Minimum Free Energy (MFE), and a corresponding secondary structure for a circular RNA sequence.
- **float fold_par (const char *sequence, char *structure, vrna_param_t *parameters, int is_constrained, int is←_circular)**
Compute minimum free energy and an appropriate secondary structure of an RNA sequence.
- **float fold (const char *sequence, char *structure)**
Compute minimum free energy and an appropriate secondary structure of an RNA sequence.
- **float circfold (const char *sequence, char *structure)**
Compute minimum free energy and an appropriate secondary structure of a circular RNA sequence.
- **void free_arrays (void)**
Free arrays for mfe folding.

- void [update_fold_params](#) (void)
Recalculate energy parameters.
- void [update_fold_params_par](#) ([vrna_param_t](#) *parameters)
Recalculate energy parameters.
- void [export_fold_arrays](#) (int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **indx_p, char **ptype_p)
- void [export_fold_arrays_par](#) (int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **indx_p, char **ptype_p, [vrna_param_t](#) **P_p)
- void [export_circfold_arrays](#) (int *Fc_p, int *FcH_p, int *FcI_p, int *FcM_p, int **fM2_p, int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **indx_p, char **ptype_p)
- void [export_circfold_arrays_par](#) (int *Fc_p, int *FcH_p, int *FcI_p, int *FcM_p, int **fM2_p, int **f5_p, int **c_p, int **fML_p, int **fM1_p, int **indx_p, char **ptype_p, [vrna_param_t](#) **P_p)
- int [LoopEnergy](#) (int n1, int n2, int type, int type_2, int si1, int sj1, int sp1, int sq1)
- int [HairpinE](#) (int size, int type, int si1, int sj1, const char *string)
- void [initialize_fold](#) (int length)

19.32.1 Detailed Description

MFE calculations for single RNA sequences.

19.33 ViennaRNA/fold_compound.h File Reference

The Basic Fold Compound API.

Include dependency graph for fold_compound.h:



This graph shows which files directly or indirectly include this file:



Data Structures

- struct [vrna_fc_s](#)
The most basic data structure required by many functions throughout the RNAlib. [More...](#)

Macros

- #define [VRNA_STATUS_MFE_PRE](#) (unsigned char)1
Status message indicating that MFE computations are about to begin.
- #define [VRNA_STATUS_MFE_POST](#) (unsigned char)2
Status message indicating that MFE computations are finished.
- #define [VRNA_STATUS_PF_PRE](#) (unsigned char)3
Status message indicating that Partition function computations are about to begin.
- #define [VRNA_STATUS_PF_POST](#) (unsigned char)4
Status message indicating that Partition function computations are finished.
- #define [VRNA_OPTION_DEFAULT](#) 0U

- `#define VRNA_OPTION_MFE 1U`

Option flag to specify requirement of Minimum Free Energy (MFE) DP matrices and corresponding set of energy parameters.
- `#define VRNA_OPTION_PF 2U`

Option flag to specify requirement of Partition Function (PF) DP matrices and corresponding set of Boltzmann factors.
- `#define VRNA_OPTION_HYBRID 4U`

Option flag to specify requirement of dimer DP matrices.
- `#define VRNA_OPTION_EVAL_ONLY 8U`

Option flag to specify that neither MFE, nor PF DP matrices are required.
- `#define VRNA_OPTION_WINDOW 16U`

Option flag to specify requirement of DP matrices for local folding approaches.

Typedefs

- `typedef struct vrna_fc_s vrna_fold_compound_t`

Typename for the fold_compound data structure `vrna_fc_s`.
- `typedef void() vrna_callback_free_auxdata(void *data)`

Callback to free memory allocated for auxiliary user-provided data.
- `typedef void() vrna_callback_recursion_status(unsigned char status, void *data)`

Callback to perform specific user-defined actions before, or after recursive computations.

Enumerations

- `enum vrna_fc_type_e { VRNA_FC_TYPE_SINGLE, VRNA_FC_TYPE_COMPARATIVE }`

An enumerator that is used to specify the type of a `vrna_fold_compound_t`.

Functions

- `vrna_fold_compound_t * vrna_fold_compound (const char *sequence, vrna_md_t *md_p, unsigned int options)`

Retrieve a `vrna_fold_compound_t` data structure for single sequences and hybridizing sequences.
- `vrna_fold_compound_t * vrna_fold_compound_comparative (const char **sequences, vrna_md_t *md_p, unsigned int options)`

Retrieve a `vrna_fold_compound_t` data structure for sequence alignments.
- `void vrna_fold_compound_free (vrna_fold_compound_t *vc)`

Free memory occupied by a `vrna_fold_compound_t`.
- `void vrna_fold_compound_add_auxdata (vrna_fold_compound_t *vc, void *data, vrna_callback_free_auxdata *f)`

Add auxiliary data to the `vrna_fold_compound_t`.
- `void vrna_fold_compound_add_callback (vrna_fold_compound_t *vc, vrna_callback_recursion_status *f)`

Add a recursion status callback to the `vrna_fold_compound_t`.

19.33.1 Detailed Description

The Basic Fold Compound API.

19.34 ViennaRNA/fold_vars.h File Reference

Here all all declarations of the global variables used throughout RNAlib.

Include dependency graph for fold_vars.h:

This graph shows which files directly or indirectly include this file:

Variables

- int `fold_constrained`
Global switch to activate/deactivate folding with structure constraints.
- int `csv`
generate comma seperated output
- char * `RibosumFile`
- int `james_rule`
- int `logML`
- int `cut_point`
Marks the position (starting from 1) of the first nucleotide of the second molecule within the concatenated sequence.
- `bondT * base_pair`
Contains a list of base pairs after a call to `fold()`.
- `FLT_OR_DBL * pr`
A pointer to the base pair probability matrix.
- int * `iindx`
index array to move through pr.

19.34.1 Detailed Description

Here all all declarations of the global variables used throughout RNAlib.

19.34.2 Variable Documentation

19.34.2.1 RibosumFile

```
char* RibosumFile
```

warning this variable will vanish in the future ribosums will be compiled in instead

19.34.2.2 james_rule

int james_rule

interior loops of size 2 get energy 0.8Kcal and no mismatches, default 1

19.34.2.3 logML

int logML

use logarithmic multiloop energy function

19.34.2.4 cut_point

int cut_point

Marks the position (starting from 1) of the first nucleotide of the second molecule within the concatenated sequence.

To evaluate the energy of a duplex structure (a structure formed by two strands), concatenate the two sequences and set it to the first base of the second strand in the concatenated sequence. The default value of -1 stands for single molecule folding. The cut_point variable is also used by [vrna_file_PS_rnplot\(\)](#) and [PS_dot_plot\(\)](#) to mark the chain break in postscript plots.

19.34.2.5 base_pair

bondT* base_pair

Contains a list of base pairs after a call to [fold\(\)](#).

base_pair[0].i contains the total number of pairs.

Deprecated Do not use this variable anymore!

19.34.2.6 pr

FLOAT_OR_DBL* pr

A pointer to the base pair probability matrix.

Deprecated Do not use this variable anymore!

19.34.2.7 iindx

```
int* iindx
```

index array to move through pr.

The probability for base i and j to form a pair is in pr[iindx[i]-j].

Deprecated Do not use this variable anymore!

19.35 ViennaRNA/gquad.h File Reference

G-quadruplexes.

Include dependency graph for gquad.h:

Functions

- int * [get_gquad_matrix](#) (short *S, [vrna_param_t](#) *P)
Get a triangular matrix prefilled with minimum free energy contributions of G-quadruplexes.
- int [parse_gquad](#) (const char *struc, int *L, int l[3])
- PRIVATE int [backtrack_GQuad_IntLoop](#) (int c, int i, int j, int type, short *S, int *ggg, int *index, int *p, int *q, [vrna_param_t](#) *P)
- PRIVATE int [backtrack_GQuad_IntLoop_L](#) (int c, int i, int j, int type, short *S, int **ggg, int maxdist, int *p, int *q, [vrna_param_t](#) *P)

19.35.1 Detailed Description

G-quadruplexes.

19.36 ViennaRNA/grammar.h File Reference

Implementations for the RNA folding grammar.

Include dependency graph for grammar.h:

This graph shows which files directly or indirectly include this file:

Data Structures

- struct [vrna_gr_aux_s](#)

19.36.1 Detailed Description

Implementations for the RNA folding grammar.

19.37 ViennaRNA/hairpin_loops.h File Reference

Energy evaluation of hairpin loops for MFE and partition function calculations.

Include dependency graph for hairpin_loops.h:

This graph shows which files directly or indirectly include this file:

Functions

- PRIVATE int [E_Hairpin](#) (int size, int type, int si1, int sj1, const char *string, [vrna_param_t](#) *P)
Compute the Energy of a hairpin-loop.
- PRIVATE [FLT_OR_DBL exp_E_Hairpin](#) (int u, int type, short si1, short sj1, const char *string, [vrna_exp_param_t](#) *P)
Compute Boltzmann weight $e^{-\Delta G/kT}$ of a hairpin loop.
- int [vrna_E_hp_loop](#) ([vrna_fold_compound_t](#) *vc, int i, int j)
Evaluate the free energy of a hairpin loop and consider hard constraints if they apply.
- int [vrna_E_ext_hp_loop](#) ([vrna_fold_compound_t](#) *vc, int i, int j)
Evaluate the free energy of an exterior hairpin loop and consider possible hard constraints.
- int [vrna_eval_ext_hp_loop](#) ([vrna_fold_compound_t](#) *vc, int i, int j)
Evaluate free energy of an exterior hairpin loop.
- int [vrna_eval_hp_loop](#) ([vrna_fold_compound_t](#) *vc, int i, int j)
Evaluate free energy of a hairpin loop.
- [FLT_OR_DBL vrna_exp_E_hp_loop](#) ([vrna_fold_compound_t](#) *vc, int i, int j)
High-Level function for hairpin loop energy evaluation (partition function variant)
- int [vrna_BT_hp_loop](#) ([vrna_fold_compound_t](#) *vc, int i, int j, int en, [vrna_bp_stack_t](#) *bp_stack, int *stack←_count)
Backtrack a hairpin loop closed by (i, j).

19.37.1 Detailed Description

Energy evaluation of hairpin loops for MFE and partition function calculations.

19.38 ViennaRNA/interior_loops.h File Reference

Energy evaluation of interior loops for MFE and partition function calculations.

Include dependency graph for interior_loops.h:

This graph shows which files directly or indirectly include this file:

Functions

- PRIVATE int `E_IntLoop` (int n1, int n2, int type, int type_2, int si1, int sj1, int sp1, int sq1, `vrna_param_t` *P)
 - PRIVATE `FLT_OR_DBL exp_E_IntLoop` (int u1, int u2, int type, int type2, short si1, short sj1, short sp1, short sq1, `vrna_exp_param_t` *P)
 - int `vrna_eval_int_loop` (`vrna_fold_compound_t` *vc, int i, int j, int k, int l)
 - Evaluate the free energy contribution of an interior loop with delimiting base pairs (i, j) and (k, l).*
 - int `vrna_BT_stack` (`vrna_fold_compound_t` *vc, int *i, int *j, int *en, `vrna_bp_stack_t` *bp_stack, int *stack_count)
 - Backtrack a stacked pair closed by (i, j).*
 - int `vrna_BT_int_loop` (`vrna_fold_compound_t` *vc, int *i, int *j, int en, `vrna_bp_stack_t` *bp_stack, int *stack_count)
 - Backtrack an interior loop closed by (i, j).*

19.38.1 Detailed Description

Energy evaluation of interior loops for MFE and partition function calculations.

19.39 ViennaRNA/inverse.h File Reference

Inverse folding routines.

Functions

- float `inverse_fold` (char *start, const char *target)
 - Find sequences with predefined structure.*
- float `inverse_pf_fold` (char *start, const char *target)
 - Find sequence that maximizes probability of a predefined structure.*

Variables

- char * `symbolset`
 - This global variable points to the allowed bases, initially "AUGC". It can be used to design sequences from reduced alphabets.*
- float `final_cost`
- int `give_up`
- int `inv_verbose`

19.39.1 Detailed Description

Inverse folding routines.

19.40 ViennaRNA/Lfold.h File Reference

Functions for locally optimal MFE structure prediction.

Include dependency graph for Lfold.h:

Functions

- float [vrna_Lfold](#) (const char *string, int window_size, FILE *file)
Local MFE prediction using a sliding window approach (simplified interface)
- float [vrna_Lfoldz](#) (const char *string, int window_size, double min_z, FILE *file)
Local MFE prediction using a sliding window approach with z-score cut-off (simplified interface)
- float [Lfold](#) (const char *string, char *structure, int maxdist)
The local analog to [fold\(\)](#).
- float [Lfoldz](#) (const char *string, char *structure, int maxdist, int zsc, double min_z)
- float [aliLfold](#) (const char **AS, char *structure, int maxdist)

19.40.1 Detailed Description

Functions for locally optimal MFE structure prediction.

19.41 ViennaRNA/loop_energies.h File Reference

Energy evaluation for MFE and partition function calculations.

Include dependency graph for loop_energies.h:

19.41.1 Detailed Description

Energy evaluation for MFE and partition function calculations.

This file contains functions for the calculation of the free energy ΔG of a hairpin- [[E_Hairpin\(\)](#)] or interior-loop [[E_IntLoop\(\)](#)].

The unit of the free energy returned is $10^{-2} \text{ * kcal/mol}$

In case of computing the partition function, this file also supplies functions which return the Boltzmann weights $e^{-\Delta G/kT}$ for a hairpin- [[exp_E_Hairpin\(\)](#)] or interior-loop [[exp_E_IntLoop\(\)](#)].

19.42 ViennaRNA/LPfold.h File Reference

Partition function implementation for the Lfold algorithm.

Include dependency graph for LPfold.h:

Macros

- `#define VRNA_PROBS_WINDOW_BPP 4096U`
Option flag to activate callback triggers for pairing probabilities.
- `#define VRNA_PROBS_WINDOW_UP 8192U`
Option flag to activate callback triggers for unpaired probabilities.
- `#define VRNA_PROBS_WINDOW_STACKP 16384U`
Option flag to activate callback triggers for stacking probabilities.
- `#define VRNA_PROBS_WINDOW_UP_SPLIT 32768U`
Option flag to activate callback triggers for unpaired probabilities (split up into different loop types)

Typedefs

- `typedef void() vrna_probs_window_callback(FLT_OR_DBL *pr, int pr_size, int i, int max, unsigned int type, void *data)`
Sliding window probability computation callback.

Functions

- `vrna_ep_t * vrna_pfl_fold (const char *sequence, int window_size, int max_bp_span, float cutoff)`
Compute base pair probabilities using a sliding-window approach.
- `void vrna_pfl_fold_cb (const char *sequence, int window_size, int max_bp_span, vrna_probs_window_callback *cb, void *data)`
Compute base pair probabilities using a sliding-window approach (callback version)
- `double ** vrna_pfl_fold_up (const char *sequence, int ulength, int window_size, int max_bp_span)`
Compute probability of contiguous unpaired segments.
- `void vrna_pfl_fold_up_cb (const char *sequence, int ulength, int window_size, int max_bp_span, vrna_probs_window_callback *cb, void *data)`
Compute probability of contiguous unpaired segments.
- `void vrna_probs_window (vrna_fold_compound_t *fc, int ulength, unsigned int options, vrna_probs_window_callback *cb, void *data)`
Compute various equilibrium probabilities under a sliding window approach.

19.42.1 Detailed Description

Partition function implementation for the Lfold algorithm.

19.42.2 Typedef Documentation

19.42.2.1 vrna_probs_window_callback

```
typedef void() vrna_probs_window_callback(FLT_OR_DBL *pr, int pr_size, int i, int max, unsigned int type, void *data)
```

Sliding window probability computation callback.

Notes on Callback Functions This function will be called for each probability data set in the sliding window probability computation implementation of [vrna_probs_window\(\)](#). The argument *type* specifies the type of probability that is passed to this function.

See also

[vrna_probs_window\(\)](#), [vrna_pfl_fold_up_cb\(\)](#) [VRNA_PROBS_WINDOW_BPP](#), [VRNA_PROBS_WINDOW_UP](#), [VRNA_PROBS_WINDOW_STACKP](#), #[VRNA_EXT_LOOP](#), #[VRNA_HP_LOOP](#), #[VRNA_INT_LOOP](#), #[VRNA_MB_LOOP](#), #[VRNA_ANY_LOOP](#)

Parameters

<i>pr</i>	An array of probabilities
<i>pr_size</i>	The length of the probability array
<i>i</i>	The i-position (5') of the probabilities
<i>max</i>	The (theoretical) maximum length of the probability array
<i>data</i>	Auxiliary data

19.43 ViennaRNA/MEA.h File Reference

Computes a MEA (maximum expected accuracy) structure.

Include dependency graph for MEA.h:

Functions

- float [MEA](#) (plist *p, char *structure, double gamma)
Computes a MEA (maximum expected accuracy) structure.

19.43.1 Detailed Description

Computes a MEA (maximum expected accuracy) structure.

19.44 ViennaRNA/mfe.h File Reference

MFE calculations for single RNA sequences.

Include dependency graph for mfe.h:

This graph shows which files directly or indirectly include this file:

Typedefs

- `typedef void() vrna_mfe_window_callback(int start, int end, const char *structure, float en, void *data)`
The default callback for sliding window MFE structure predictions.

Functions

- `float vrna_mfe (vrna_fold_compound_t *vc, char *structure)`
Compute minimum free energy and an appropriate secondary structure of an RNA sequence, or RNA sequence alignment.
- `float vrna_mfe_dimer (vrna_fold_compound_t *vc, char *structure)`
Compute the minimum free energy of two interacting RNA molecules.
- `float vrna_mfe_window (vrna_fold_compound_t *vc, FILE *file)`
Local MFE prediction using a sliding window approach.
- `float vrna_mfe_window_zscore (vrna_fold_compound_t *vc, double min_z, FILE *file)`
Local MFE prediction using a sliding window approach (with z-score cut-off)

19.44.1 Detailed Description

MFE calculations for single RNA sequences.

This file includes (almost) all function declarations within the RNAlib that are related to MFE folding...

19.45 ViennaRNA/mm.h File Reference

Several Maximum Matching implementations.

19.45.1 Detailed Description

Several Maximum Matching implementations.

This file contains the declarations for several maximum matching implementations

19.46 ViennaRNA/model.h File Reference

The model details data structure and its corresponding modifiers.

This graph shows which files directly or indirectly include this file:

Data Structures

- struct `vrna_md_s`

The data structure that contains the complete model details used throughout the calculations. [More...](#)

Macros

- `#define VRNA_MODEL_DEFAULT_TEMPERATURE 37.0`
Default temperature for structure prediction and free energy evaluation in °C
- `#define VRNA_MODEL_DEFAULT_PF_SCALE -1`
Default scaling factor for partition function computations.
- `#define VRNA_MODEL_DEFAULT_BETA_SCALE 1.`
Default scaling factor for absolute thermodynamic temperature in Boltzmann factors.
- `#define VRNA_MODEL_DEFAULT_DANGLES 2`
Default dangling end model.
- `#define VRNA_MODEL_DEFAULT_SPECIAL_HP 1`
Default model behavior for lookup of special tri-, tetra-, and hexa-loops.
- `#define VRNA_MODEL_DEFAULT_NO_LP 0`
Default model behavior for so-called 'lonely pairs'.
- `#define VRNA_MODEL_DEFAULT_NO_GU 0`
Default model behavior for G-U base pairs.
- `#define VRNA_MODEL_DEFAULT_NO_GU_CLOSURE 0`
Default model behavior for G-U base pairs closing a loop.
- `#define VRNA_MODEL_DEFAULT_CIRC 0`
Default model behavior to treat a molecule as a circular RNA (DNA)
- `#define VRNA_MODEL_DEFAULT_GQUAD 0`
Default model behavior regarding the treatment of G-Quadruplexes.
- `#define VRNA_MODEL_DEFAULT_UNIQ_ML 0`
Default behavior of the model regarding unique multi-branch loop decomposition.
- `#define VRNA_MODEL_DEFAULT_ENERGY_SET 0`
Default model behavior on which energy set to use.
- `#define VRNA_MODEL_DEFAULT_BACKTRACK 1`
Default model behavior with regards to backtracking of structures.
- `#define VRNA_MODEL_DEFAULT_BACKTRACK_TYPE 'F'`
Default model behavior on what type of backtracking to perform.
- `#define VRNA_MODEL_DEFAULT_COMPUTE_BPP 1`
Default model behavior with regards to computing base pair probabilities.
- `#define VRNA_MODEL_DEFAULT_MAX_BP_SPAN -1`
Default model behavior for the allowed maximum base pair span.
- `#define VRNA_MODEL_DEFAULT_WINDOW_SIZE -1`
Default model behavior for the sliding window approach.

- `#define VRNA_MODEL_DEFAULT_LOG_ML 0`
Default model behavior on how to evaluate the energy contribution of multi-branch loops.
- `#define VRNA_MODEL_DEFAULT_ALI_OLD_EN 0`
Default model behavior for consensus structure energy evaluation.
- `#define VRNA_MODEL_DEFAULT_ALI_RIBO 0`
Default model behavior for consensus structure co-variance contribution assessment.
- `#define VRNA_MODEL_DEFAULT_ALI_CV_FACT 1.`
Default model behavior for weighting the co-variance score in consensus structure prediction.
- `#define VRNA_MODEL_DEFAULT_ALI_NC_FACT 1.`
Default model behavior for weighting the nucleotide conservation? in consensus structure prediction.
- `#define MAXALPHA 20`
Maximal length of alphabet.

Typedefs

- `typedef struct vrna_md_s vrna_md_t`
Typename for the model details data structure `vrna_md_s`.

Functions

- `void vrna_md_set_default (vrna_md_t *md)`
Apply default model details to a provided `vrna_md_t` data structure.
- `void vrna_md_update (vrna_md_t *md)`
Update the model details data structure.
- `vrna_md_t * vrna_md_copy (vrna_md_t *md_to, const vrna_md_t *md_from)`
Copy/Clone a `vrna_md_t` model.
- `char * vrna_md_option_string (vrna_md_t *md)`
Get a corresponding commandline parameter string of the options in a `vrna_md_t`.
- `void vrna_md_defaults_reset (vrna_md_t *md_p)`
Reset the global default model details to a specific set of parameters, or their initial values.
- `void vrna_md_defaults_temperature (double T)`
Set default temperature for energy evaluation of loops.
- `double vrna_md_defaults_temperature_get (void)`
Get default temperature for energy evaluation of loops.
- `void vrna_md_defaults_betaScale (double b)`
Set default scaling factor of thermodynamic temperature in Boltzmann factors.
- `double vrna_md_defaults_betaScale_get (void)`
Get default scaling factor of thermodynamic temperature in Boltzmann factors.
- `void vrna_md_defaults_dangles (int d)`
Set default dangle model for structure prediction.
- `int vrna_md_defaults_dangles_get (void)`
Get default dangle model for structure prediction.
- `void vrna_md_defaults_special_hp (int flag)`
Set default behavior for lookup of tabulated free energies for special hairpin loops, such as Tri-, Tetra-, or Hexa-loops.
- `int vrna_md_defaults_special_hp_get (void)`
Get default behavior for lookup of tabulated free energies for special hairpin loops, such as Tri-, Tetra-, or Hexa-loops.
- `void vrna_md_defaults_noLP (int flag)`
Set default behavior for prediction of canonical secondary structures.
- `int vrna_md_defaults_noLP_get (void)`

- `void vrna_md_defaults_noGU (int flag)`

Set default behavior for prediction of canonical secondary structures.
- `int vrna_md_defaults_noGU_get (void)`

Set default behavior for treatment of G-U wobble pairs.
- `void vrna_md_defaults_noGUclosure (int flag)`

Set default behavior for treatment of G-U wobble pairs as closing pair for loops.
- `int vrna_md_defaults_noGUclosure_get (void)`

Get default behavior for G-U pairs as closing pair for loops.
- `void vrna_md_defaults_logML (int flag)`

Set default behavior recomputing free energies of multi-branch loops using a logarithmic model.
- `int vrna_md_defaults_logML_get (void)`

Get default behavior recomputing free energies of multi-branch loops using a logarithmic model.
- `void vrna_md_defaults_circ (int flag)`

Set default behavior whether input sequences are circularized.
- `int vrna_md_defaults_circ_get (void)`

Get default behavior whether input sequences are circularized.
- `void vrna_md_defaults_gquad (int flag)`

Set default behavior for treatment of G-Quadruplexes.
- `int vrna_md_defaults_gquad_get (void)`

Get default behavior for treatment of G-Quadruplexes.
- `void vrna_md_defaults_uniq_ML (int flag)`

Set default behavior for creating additional matrix for unique multi-branch loop prediction.
- `int vrna_md_defaults_uniq_ML_get (void)`

Get default behavior for creating additional matrix for unique multi-branch loop prediction.
- `void vrna_md_defaults_energy_set (int e)`

Set default energy set.
- `int vrna_md_defaults_energy_set_get (void)`

Get default energy set.
- `void vrna_md_defaults_backtrack (int flag)`

Set default behavior for whether to backtrack secondary structures.
- `int vrna_md_defaults_backtrack_get (void)`

Get default behavior for whether to backtrack secondary structures.
- `void vrna_md_defaults_backtrack_type (char t)`

Set default backtrack type, i.e. which DP matrix is used.
- `char vrna_md_defaults_backtrack_type_get (void)`

Get default backtrack type, i.e. which DP matrix is used.
- `void vrna_md_defaults_compute_bpp (int flag)`

Set the default behavior for whether to compute base pair probabilities after partition function computation.
- `int vrna_md_defaults_compute_bpp_get (void)`

Get the default behavior for whether to compute base pair probabilities after partition function computation.
- `void vrna_md_defaults_max_bp_span (int span)`

Set default maximal base pair span.
- `int vrna_md_defaults_max_bp_span_get (void)`

Get default maximal base pair span.
- `void vrna_md_defaults_min_loop_size (int size)`

Set default minimal loop size.
- `int vrna_md_defaults_min_loop_size_get (void)`

Get default minimal loop size.
- `void vrna_md_defaults_window_size (int size)`

Set default window size for sliding window structure prediction approaches.

- int `vrna_md_defaults_window_size_get` (void)
Get default window size for sliding window structure prediction approaches.
- void `vrna_md_defaults_oldAliEn` (int flag)
Set default behavior for whether to use old energy model for comparative structure prediction.
- int `vrna_md_defaults_oldAliEn_get` (void)
Get default behavior for whether to use old energy model for comparative structure prediction.
- void `vrna_md_defaults_ribo` (int flag)
Set default behavior for whether to use Ribosum Scoring in comparative structure prediction.
- int `vrna_md_defaults_ribo_get` (void)
Get default behavior for whether to use Ribosum Scoring in comparative structure prediction.
- void `vrna_md_defaults_cv_fact` (double factor)
Set the default co-variance scaling factor used in comparative structure prediction.
- double `vrna_md_defaults_cv_fact_get` (void)
Get the default co-variance scaling factor used in comparative structure prediction.
- void `vrna_md_defaults_nc_fact` (double factor)
Set the default scaling factor used to avoid under-/overflows in partition function computation.
- double `vrna_md_defaults_nc_fact_get` (void)
Get the default scaling factor used to avoid under-/overflows in partition function computation.
- void `vrna_md_defaults_sfact` (double factor)
Set the default scaling factor used to avoid under-/overflows in partition function computation.
- double `vrna_md_defaults_sfact_get` (void)
Get the default scaling factor used to avoid under-/overflows in partition function computation.
- void `set_model_details` (`vrna_md_t` *md)
Set default model details.

Variables

- double `temperature`
Rescale energy parameters to a temperature in degC.
- double `pf_scale`
A scaling factor used by `pf_fold()` to avoid overflows.
- int `dangles`
Switch the energy model for dangling end contributions (0, 1, 2, 3)
- int `tetra_loop`
Include special stabilizing energies for some tri-, tetra- and hexa-loops;.
- int `noLonelyPairs`
Global switch to avoid/allow helices of length 1.
- int `noGU`
Global switch to forbid/allow GU base pairs at all.
- int `no_closingGU`
GU allowed only inside stacks if set to 1.
- int `circ`
backward compatibility variable.. this does not effect anything
- int `gquad`
Allow G-quadruplex formation.
- int `uniq_ML`
do ML decomposition uniquely (for subopt)
- int `energy_set`
0 = BP; 1=any with GC; 2=any with AU-parameter
- int `do_backtrack`
do backtracking, i.e. compute secondary structures or base pair probabilities
- char `backtrack_type`

- `A backtrack array marker for inverse_fold\(\)`
- `char * nonstandards`
contains allowed non standard base pairs
- `int max_bp_span`
Maximum allowed base pair span.
- `int oldAliEn`
use old alifold energies (with gaps)
- `int ribo`
use ribosum matrices
- `int logML`
if nonzero use logarithmic ML energy in `energy_of_struct`

19.46.1 Detailed Description

The model details data structure and its corresponding modifiers.

19.47 ViennaRNA/multibranch_loops.h File Reference

Energy evaluation of multibranch loops for MFE and partition function calculations.

Include dependency graph for `multibranch_loops.h`:

This graph shows which files directly or indirectly include this file:

Data Structures

- `struct vrna_mx_pf_aux_ml_t`
Auxiliary helper arrays for fast exterior loop computations. [More...](#)

Functions

- `int vrna_E_mb_loop_stack (vrna_fold_compound_t *vc, int i, int j)`
Evaluate energy of a multi branch helices stacking onto closing pair (i,j)
- `int vrna_BT_mb_loop (vrna_fold_compound_t *vc, int *i, int *j, int *k, int en, int *component1, int *component2)`
Backtrack the decomposition of a multi branch loop closed by (i, j).

19.47.1 Detailed Description

Energy evaluation of multibranch loops for MFE and partition function calculations.

19.48 ViennaRNA/naview.h File Reference

This graph shows which files directly or indirectly include this file:

19.49 ViennaRNA/neighbor.h File Reference

Methods to compute the neighbors of an RNA secondary structure.

Include dependency graph for neighbor.h:

This graph shows which files directly or indirectly include this file:

Data Structures

- struct `vrna_move_s`

An atomic representation of the transition / move from one structure to its neighbor. [More...](#)

Macros

- `#define VRNA_MOVESET_INSERTION 4`
Option flag indicating insertion move.
- `#define VRNA_MOVESET_DELETION 8`
Option flag indicating deletion move.
- `#define VRNA_MOVESET_SHIFT 16`
Option flag indicating shift move.
- `#define VRNA_MOVESET_NO_LP 32`
Option flag indicating moves without lonely base pairs.
- `#define VRNA_MOVESET_DEFAULT (VRNA_MOVESET_INSERTION | VRNA_MOVESET_DELETION)`
Option flag indicating default move set, i.e. insertions/deletion of a base pair.

Functions

- `void vrna_move_list_free (vrna_move_t *moves)`
- `void vrna_move_apply (short *pt, const vrna_move_t *m)`
Apply a particular move / transition to a secondary structure, i.e. transform a structure.
- `void vrna_loopidx_update (int *loopidx, const short *pt, int length, const vrna_move_t *m)`
Alters the loopIndices array that was constructed with `vrna_loopidx_from_ptable()`.
- `vrna_move_t * vrna_neighbors (vrna_fold_compound_t *vc, const short *pt, unsigned int options)`
Generate neighbors of a secondary structure.
- `vrna_move_t * vrna_neighbors_successive (const vrna_fold_compound_t *vc, const vrna_move_t *curr←_move, const short *prev_pt, const vrna_move_t *prev_neighbors, int size_prev_neighbors, int *size←_neighbors, unsigned int options)`
Generate neighbors of a secondary structure (the fast way)

19.49.1 Detailed Description

Methods to compute the neighbors of an RNA secondary structure.

19.50 ViennaRNA/params.h File Reference

Functions to deal with sets of energy parameters.

Include dependency graph for params.h:

This graph shows which files directly or indirectly include this file:

Data Structures

- struct [vrna_param_s](#)
The datastructure that contains temperature scaled energy parameters. [More...](#)
- struct [vrna_exp_param_s](#)
The data structure that contains temperature scaled Boltzmann weights of the energy parameters. [More...](#)

Typedefs

- [typedef struct vrna_param_s vrna_param_t](#)
Typename for the free energy parameter data structure [vrna_params](#).
- [typedef struct vrna_exp_param_s vrna_exp_param_t](#)
Typename for the Boltzmann factor data structure [vrna_exp_params](#).
- [typedef struct vrna_param_s paramT](#)
Old typename of [vrna_param_s](#).
- [typedef struct vrna_exp_param_s pf_paramT](#)
Old typename of [vrna_exp_param_s](#).

Functions

- [vrna_param_t * vrna_params \(vrna_md_t *md\)](#)
Get a data structure containing prescaled free energy parameters.
- [vrna_param_t * vrna_params_copy \(vrna_param_t *par\)](#)
Get a copy of the provided free energy parameters.
- [vrna_exp_param_t * vrna_exp_params \(vrna_md_t *md\)](#)
Get a data structure containing prescaled free energy parameters already transformed to Boltzmann factors.
- [vrna_exp_param_t * vrna_exp_params_comparative \(unsigned int n_seq, vrna_md_t *md\)](#)
Get a data structure containing prescaled free energy parameters already transformed to Boltzmann factors (alifold version)
- [vrna_exp_param_t * vrna_exp_params_copy \(vrna_exp_param_t *par\)](#)
Get a copy of the provided free energy parameters (provided as Boltzmann factors)

- `void vrna_params_subst (vrna_fold_compound_t *vc, vrna_param_t *par)`
Update/Reset energy parameters data structure within a `vrna_fold_compound_t`.
- `void vrna_exp_params_subst (vrna_fold_compound_t *vc, vrna_exp_param_t *params)`
Update the energy parameters for subsequent partition function computations.
- `void vrna_exp_params_rescale (vrna_fold_compound_t *vc, double *mfe)`
Rescale Boltzmann factors for partition function computations.
- `void vrna_params_reset (vrna_fold_compound_t *vc, vrna_md_t *md_p)`
Reset free energy parameters within a `vrna_fold_compound_t` according to provided, or default model details.
- `void vrna_exp_params_reset (vrna_fold_compound_t *vc, vrna_md_t *md_p)`
Reset Boltzmann factors for partition function computations within a `vrna_fold_compound_t` according to provided, or default model details.
- `vrna_exp_param_t * get_scaled_pf_parameters (void)`
- `vrna_exp_param_t * get_boltzmann_factors (double temperature, double betaScale, vrna_md_t md, double pf_scale)`
Get precomputed Boltzmann factors of the loop type dependent energy contributions with independent thermodynamic temperature.
- `vrna_exp_param_t * get_boltzmann_factor_copy (vrna_exp_param_t *parameters)`
Get a copy of already precomputed Boltzmann factors.
- `vrna_exp_param_t * get_scaled_alipf_parameters (unsigned int n_seq)`
Get precomputed Boltzmann factors of the loop type dependent energy contributions (alifold variant)
- `vrna_exp_param_t * get_boltzmann_factors_ali (unsigned int n_seq, double temperature, double betaScale, vrna_md_t md, double pf_scale)`
Get precomputed Boltzmann factors of the loop type dependent energy contributions (alifold variant) with independent thermodynamic temperature.
- `vrna_param_t * scale_parameters (void)`
Get precomputed energy contributions for all the known loop types.
- `vrna_param_t * get_scaled_parameters (double temperature, vrna_md_t md)`
Get precomputed energy contributions for all the known loop types.

19.50.1 Detailed Description

Functions to deal with sets of energy parameters.

19.51 ViennaRNA/part_func.h File Reference

Partition function implementations.

Include dependency graph for part_func.h:

This graph shows which files directly or indirectly include this file:

Functions

- float `vrna_pf` (`vrna_fold_compound_t` *vc, char *structure)

Compute the partition function Q for a given RNA sequence, or sequence alignment.
- float `vrna_pf_fold` (const char *sequence, char *structure, `vrna_ep_t` **pl)

Compute Partition function Q (and base pair probabilities) for an RNA sequence using a comparative method.
- float `vrna_pf_circfold` (const char *sequence, char *structure, `vrna_ep_t` **pl)

Compute Partition function Q (and base pair probabilities) for a circular RNA sequences using a comparative method.
- int `vrna_pf_float_precision` (void)

Find out whether partition function computations are using single precision floating points.
- float `pf_fold_par` (const char *sequence, char *structure, `vrna_exp_param_t` *parameters, int calculate←
bppm, int is_constrained, int is_circular)

Compute the partition function Q for a given RNA sequence.
- float `pf_fold` (const char *sequence, char *structure)

Compute the partition function Q of an RNA sequence.
- float `pf_circ_fold` (const char *sequence, char *structure)

Compute the partition function of a circular RNA sequence.
- char * `pbacktrack` (char *sequence)

Sample a secondary structure from the Boltzmann ensemble according its probability.
- char * `pbacktrack_circ` (char *sequence)

Sample a secondary structure of a circular RNA from the Boltzmann ensemble according its probability.
- void `free_pf_arrays` (void)

Free arrays for the partition function recursions.
- void `update_pf_params` (int length)

Recalculate energy parameters.
- void `update_pf_params_par` (int length, `vrna_exp_param_t` *parameters)

Recalculate energy parameters.
- `FLT_OR_DBL` * `export_bppm` (void)

*Get a pointer to the base pair probability array
Accessing the base pair probabilities for a pair (i,j) is achieved by.*
- int `get_pf_arrays` (short **S_p, short **S1_p, char **ptype_p, `FLT_OR_DBL` **qb_p, `FLT_OR_DBL` **qm←
_p, `FLT_OR_DBL` **q1k_p, `FLT_OR_DBL` **qln_p)

Get the pointers to (almost) all relevant computation arrays used in partition function computation.
- double `get_subseq_F` (int i, int j)

Get the free energy of a subsequence from the q[] array.
- double `mean_bp_distance` (int length)

Get the mean base pair distance of the last partition function computation.
- double `mean_bp_distance_pr` (int length, `FLT_OR_DBL` *pr)

Get the mean base pair distance in the thermodynamic ensemble.
- `vrna_ep_t` * `stackProb` (double cutoff)

Get the probability of stacks.
- void `init_pf_fold` (int length)

Allocate space for `pf_fold()`
- char * `centroid` (int length, double *dist)
- char * `get_centroid_struct_gquad_pr` (int length, double *dist)
- double `mean_bp_dist` (int length)
- double `expLoopEnergy` (int u1, int u2, int type, int type2, short si1, short sj1, short sp1, short sq1)
- double `expHairpinEnergy` (int u, int type, short si1, short sj1, const char *string)

Variables

- int `st_back`

Flag indicating that auxiliary arrays are needed throughout the computations. This is essential for stochastic backtracking.

19.51.1 Detailed Description

Partition function implementations.

This file includes (almost) all function declarations within the **RNAlib** that are related to Partition function folding...

19.51.2 Function Documentation

19.51.2.1 vrna_pf_float_precision()

```
int vrna_pf_float_precision (
    void )
```

Find out whether partition function computations are using single precision floating points.

See also

[FLT_OR_DBL](#)

Returns

1 if single precision is used, 0 otherwise

19.51.2.2 stackProb()

```
vrna_ep_t* stackProb (
    double cutoff )
```

Get the probability of stacks.

Deprecated Use [vrna_stack_prob\(\)](#) instead!

19.51.2.3 init_pf_fold()

```
void init_pf_fold (
    int length )
```

Allocate space for [pf_fold\(\)](#)

Deprecated This function is obsolete and will be removed soon!

19.51.2.4 centroid()

```
char* centroid (
    int length,
    double * dist )
```

Deprecated This function is deprecated and should not be used anymore as it is not threadsafe!

See also

[get_centroid_struct_pl\(\)](#), [get_centroid_struct_pr\(\)](#)

19.51.2.5 get_centroid_struct_gquad_pr()

```
char* get_centroid_struct_gquad_pr (
    int length,
    double * dist )
```

Deprecated This function is deprecated and should not be used anymore as it is not threadsafe!

See also

[vrna_centroid\(\)](#), [vrna_centroid_from_probs\(\)](#), [vrna_centroid_from plist\(\)](#)

19.51.2.6 mean_bp_dist()

```
double mean_bp_dist (
    int length )
```

get the mean pair distance of ensemble

Deprecated This function is not threadsafe and should not be used anymore. Use [mean_bp_distance\(\)](#) instead!

19.51.2.7 expLoopEnergy()

```
double expLoopEnergy (
    int u1,
    int u2,
    int type,
    int type2,
    short sil,
    short sj1,
    short sp1,
    short sq1 )
```

Deprecated Use [exp_E_IntLoop\(\)](#) from [loop_energies.h](#) instead

19.51.2.8 expHairpinEnergy()

```
double expHairpinEnergy (
    int u,
    int type,
    short sil,
    short sj1,
    const char * string )
```

Deprecated Use [exp_E_Hairpin\(\)](#) from [loop_energies.h](#) instead

19.52 ViennaRNA/part_func_co.h File Reference

Partition function for two RNA sequences.

Include dependency graph for part_func_co.h:

Data Structures

- struct [vrna_dimer_pf_s](#)
Data structure returned by [vrna_pf_dimer\(\)](#) More...
- struct [vrna_dimer_conc_s](#)
Data structure for concentration dependency computations. [More...](#)

Typedefs

- **typedef struct vrna_dimer_pf_s vrna_dimer_pf_t**
Typename for the data structure that stores the dimer partition functions, `vrna_dimer_pf_s`, as returned by `vrna_pf_dimer()`
- **typedef struct vrna_dimer_conc_s vrna_dimer_conc_t**
Typename for the data structure that stores the dimer concentrations, `vrna_dimer_conc_s`, as required by `vrna_pf_dimer_concentration()`
- **typedef struct vrna_dimer_pf_s cofoldF**
Backward compatibility typedef for `vrna_dimer_pf_s`.
- **typedef struct vrna_dimer_conc_s ConcEnt**
Backward compatibility typedef for `vrna_dimer_conc_s`.

Functions

- **vrna_dimer_pf_t vrna_pf_dimer (vrna_fold_compound_t *vc, char *structure)**
Calculate partition function and base pair probabilities of nucleic acid/nucleic acid dimers.
- **void vrna_pf_dimer_probs (double FAB, double FA, double FB, vrna_ep_t *prAB, const vrna_ep_t *prA, const vrna_ep_t *prB, int Alength, const vrna_exp_param_t *exp_params)**
Compute Boltzmann probabilities of dimerization without homodimers.
- **vrna_dimer_conc_t * vrna_pf_dimer_concentrations (double FcAB, double FcAA, double FcBB, double FEA, double FEB, const double *startconc, const vrna_exp_param_t *exp_params)**
Given two start monomer concentrations a and b, compute the concentrations in thermodynamic equilibrium of all dimers and the monomers.
- **vrna_dimer_pf_t co_pf_fold (char *sequence, char *structure)**
Calculate partition function and base pair probabilities.
- **vrna_dimer_pf_t co_pf_fold_par (char *sequence, char *structure, vrna_exp_param_t *parameters, int calculate_bppm, int is_constrained)**
Calculate partition function and base pair probabilities.
- **vrna_ep_t * get plist (vrna_ep_t *pl, int length, double cut_off)**
- **void compute_probabilities (double FAB, double FEA, double FEB, vrna_ep_t *prAB, vrna_ep_t *prA, vrna_ep_t *prB, int Alength)**
Compute Boltzmann probabilities of dimerization without homodimers.
- **vrna_dimer_conc_t * get_concentrations (double FEAB, double FEAA, double FEBB, double FEA, double FEB, double *startconc)**
Given two start monomer concentrations a and b, compute the concentrations in thermodynamic equilibrium of all dimers and the monomers.
- **void init_co_pf_fold (int length)**
- **FLOAT_OR_DOUBLE * export_co_bppm (void)**
Get a pointer to the base pair probability array.
- **void free_co_pf_arrays (void)**
Free the memory occupied by `co_pf_fold()`
- **void update_co_pf_params (int length)**
Recalculate energy parameters.
- **void update_co_pf_params_par (int length, vrna_exp_param_t *parameters)**
Recalculate energy parameters.

Variables

- **int mirnatog**
Toggles no intrabp in 2nd mol.
- **double F_monomer [2]**
Free energies of the two monomers.

19.52.1 Detailed Description

Partition function for two RNA sequences.

19.52.2 Function Documentation

19.52.2.1 co_pf_fold()

```
vrna_dimer_pf_t co_pf_fold (
    char * sequence,
    char * structure )
```

Calculate partition function and base pair probabilities.

This is the cofold partition function folding. The second molecule starts at the [cut_point](#) nucleotide.

Note

OpenMP: Since this function relies on the global parameters [do_backtrack](#), [dangles](#), [temperature](#) and [pf_scale](#) it is not threadsafe according to concurrent changes in these variables! Use [co_pf_fold_par\(\)](#) instead to circumvent this issue.

Deprecated {Use [vrna_pf_dimer\(\)](#) instead!}

Parameters

<code>sequence</code>	Concatenated RNA sequences
<code>structure</code>	Will hold the structure or constraints

Returns

`vrna_dimer_pf_t` structure containing a set of energies needed for concentration computations.

19.52.2.2 co_pf_fold_par()

```
vrna_dimer_pf_t co_pf_fold_par (
    char * sequence,
    char * structure,
    vrna_exp_param_t * parameters,
    int calculate_bppm,
    int is_constrained )
```

Calculate partition function and base pair probabilities.

This is the cofold partition function folding. The second molecule starts at the [cut_point](#) nucleotide.

Deprecated Use [vrna_pf_dimer\(\)](#) instead!

See also

[get_boltzmann_factors\(\)](#), [co_pf_fold\(\)](#)

Parameters

<i>sequence</i>	Concatenated RNA sequences
<i>structure</i>	Pointer to the structure constraint
<i>parameters</i>	Data structure containing the precalculated Boltzmann factors
<i>calculate_bppm</i>	Switch to turn Base pair probability calculations on/off (0==off)
<i>is_constrained</i>	Switch to indicate that a structure constraint is passed via the structure argument (0==off)

Returns

`vrna_dimer_pf_t` structure containing a set of energies needed for concentration computations.

19.52.2.3 `get plist()`

```
vrna_ep_t* get plist (
    vrna_ep_t * pl,
    int length,
    double cut_off )
```

DO NOT USE THIS FUNCTION ANYMORE

Deprecated { This function is deprecated and will be removed soon!} use [assign plist from pr\(\)](#) instead!

19.52.2.4 `compute_probabilities()`

```
void compute_probabilities (
    double FAB,
    double FEA,
    double FEB,
    vrna_ep_t * prAB,
    vrna_ep_t * prA,
    vrna_ep_t * prB,
    int Alength )
```

Compute Boltzmann probabilities of dimerization without homodimers.

Given the pair probabilities and free energies (in the null model) for a dimer AB and the two constituent monomers A and B, compute the conditional pair probabilities given that a dimer AB actually forms. Null model pair probabilities are given as a list as produced by [assign plist from pr\(\)](#), the dimer probabilities 'prAB' are modified in place.

Deprecated { Use [vrna_pf_dimer_probs\(\)](#) instead!}

Parameters

<i>FAB</i>	free energy of dimer AB
<i>FEA</i>	free energy of monomer A
<i>FEB</i>	free energy of monomer B
<i>prAB</i>	pair probabilities for dimer
<i>prA</i>	pair probabilities monomer
<i>prB</i>	pair probabilities monomer
<i>Alength</i>	Length of molecule A

19.52.2.5 get_concentrations()

```
vrna_dimer_conc_t* get_concentrations (
    double FEAB,
    double FEAA,
    double FEBB,
    double FEA,
    double FEB,
    double * startconc )
```

Given two start monomer concentrations a and b, compute the concentrations in thermodynamic equilibrium of all dimers and the monomers.

This function takes an array 'startconc' of input concentrations with alternating entries for the initial concentrations of molecules A and B (terminated by two zeroes), then computes the resulting equilibrium concentrations from the free energies for the dimers. Dimer free energies should be the dimer-only free energies, i.e. the FcAB entries from the [vrna_dimer_pf_t](#) struct.

Deprecated { Use [vrna_pf_dimer_concentrations\(\)](#) instead!}

Parameters

<i>FEAB</i>	Free energy of AB dimer (FcAB entry)
<i>FEAA</i>	Free energy of AA dimer (FcAB entry)
<i>FEBB</i>	Free energy of BB dimer (FcAB entry)
<i>FEA</i>	Free energy of monomer A
<i>FEB</i>	Free energy of monomer B
<i>startconc</i>	List of start concentrations [a0],[b0],[a1],[b1],...,[an],[bn],[0],[0]

Returns

`vrna_dimer_conc_t` array containing the equilibrium energies and start concentrations

19.52.2.6 init_co_pf_fold()

```
void init_co_pf_fold (
    int length )
```

DO NOT USE THIS FUNCTION ANYMORE

Deprecated { This function is deprecated and will be removed soon!}

19.52.2.7 export_co_bppm()

```
FLOAT_OR_DBL* export_co_bppm (
    void )
```

Get a pointer to the base pair probability array.

Accessing the base pair probabilities for a pair (i,j) is achieved by

```
FLOAT_OR_DBL *pr = export_bppm(); pr_ij = pr[iindx[i]-j];
```

Deprecated This function is deprecated and will be removed soon! The base pair probability array is available through the [vrna_fold_compound_t](#) data structure, and its associated [vrna_mx_pf_t](#) member.

See also

[vrna_idx_row_wise\(\)](#)

Returns

A pointer to the base pair probability array

19.52.2.8 free_co_pf_arrays()

```
void free_co_pf_arrays (
    void )
```

Free the memory occupied by [co_pf_fold\(\)](#)

Deprecated This function will be removed for the new API soon! See [vrna_pf_dimer\(\)](#), [vrna_fold_compound\(\)](#), and [vrna_fold_compound_free\(\)](#) for an alternative

19.52.2.9 update_co_pf_params()

```
void update_co_pf_params (
    int length )
```

Recalculate energy parameters.

This function recalculates all energy parameters given the current model settings.

Deprecated Use [vrna_exp_params_subst\(\)](#) instead!

Parameters

<i>length</i>	Length of the current RNA sequence
---------------	------------------------------------

19.52.2.10 update_co_pf_params_par()

```
void update_co_pf_params_par (
    int length,
    vrna_exp_param_t * parameters )
```

Recalculate energy parameters.

This function recalculates all energy parameters given the current model settings. Its second argument can either be NULL or a data structure containing the precomputed Boltzmann factors. In the first scenario, the necessary data structure will be created automatically according to the current global model settings, i.e. this mode might not be threadsafe. However, if the provided data structure is not NULL, threadsafety for the model parameters [dangles](#), [pf_scale](#) and [temperature](#) is regained, since their values are taken from this data structure during subsequent calculations.

Deprecated Use [vrna_exp_params_subst\(\)](#) instead!

Parameters

<i>length</i>	Length of the current RNA sequence
<i>parameters</i>	data structure containing the precomputed Boltzmann factors

19.53 ViennaRNA/part_func_up.h File Reference

Implementations for accessibility and RNA-RNA interaction as a stepwise process.

Include dependency graph for part_func_up.h:

Functions

- [pu_contrib * pf_unstru](#) (char *sequence, int max_w)

Calculate the partition function over all unpaired regions of a maximal length.
- [interact * pf_interact](#) (const char *s1, const char *s2, [pu_contrib](#) *p_c, [pu_contrib](#) *p_c2, int max_w, char *cstruc, int incr3, int incr5)

Calculates the probability of a local interaction between two sequences.
- [void free_interact](#) ([interact](#) *pin)

Frees the output of function [pf_interact\(\)](#).
- [void free_pu_contrib_struct](#) ([pu_contrib](#) *pu)

Frees the output of function [pf_unstru\(\)](#).

19.53.1 Detailed Description

Implementations for accessibility and RNA-RNA interaction as a stepwise process.

19.54 ViennaRNA/perturbation_fold.h File Reference

Find a vector of perturbation energies that minimizes the discrepancies between predicted and observed pairing probabilities and the amount of neccessary adjustments.

Include dependency graph for perturbation_fold.h:

This graph shows which files directly or indirectly include this file:

Macros

- `#define VRNA_OBJECTIVE_FUNCTION_QUADRATIC 0`
Use the sum of squared aberrations as objective function.
- `#define VRNA_OBJECTIVE_FUNCTION_ABSOLUTE 1`
Use the sum of absolute aberrations as objective function.
- `#define VRNA_MINIMIZER_DEFAULT 0`
Use a custom implementation of the gradient descent algorithm to minimize the objective function.
- `#define VRNA_MINIMIZER_CONJUGATE_FR 1`
Use the GNU Scientific Library implementation of the Fletcher-Reeves conjugate gradient algorithm to minimize the objective function.
- `#define VRNA_MINIMIZER_CONJUGATE_PR 2`
Use the GNU Scientific Library implementation of the Polak-Ribiere conjugate gradient algorithm to minimize the objective function.
- `#define VRNA_MINIMIZER_VECTOR_BFGS 3`
Use the GNU Scientific Library implementation of the vector Broyden-Fletcher-Goldfarb-Shanno algorithm to minimize the objective function.
- `#define VRNA_MINIMIZER_VECTOR_BFGS2 4`
Use the GNU Scientific Library implementation of the vector Broyden-Fletcher-Goldfarb-Shanno algorithm to minimize the objective function.
- `#define VRNA_MINIMIZER_STEEPEST_DESCENT 5`
Use the GNU Scientific Library implementation of the steepest descent algorithm to minimize the objective function.

Typedefs

- `typedef void(* progress_callback) (int iteration, double score, double *epsilon)`
Callback for following the progress of the minimization process.

Functions

- void [vrna_sc_minimize_perturbation](#) ([vrna_fold_compound_t](#) *vc, const double *q_prob_unpaired, int objective_function, double sigma_squared, double tau_squared, int algorithm, int sample_size, double *epsilon, double initialStepSize, double minStepSize, double minImprovement, double minimizerTolerance, [progress_callback](#) callback)

Find a vector of perturbation energies that minimizes the discrepancies between predicted and observed pairing probabilities and the amount of necessary adjustments.

19.54.1 Detailed Description

Find a vector of perturbation energies that minimizes the discrepancies between predicted and observed pairing probabilities and the amount of necessary adjustments.

19.55 ViennaRNA/plot_aln.h File Reference

Various functions for plotting Sequence / Structure Alignments.

This graph shows which files directly or indirectly include this file:

Functions

- int [PS_color_aln](#) (const char *structure, const char *filename, const char *seqs[], const char *names[])
Produce PostScript sequence alignment color-annotated by consensus structure.
- int [aliPS_color_aln](#) (const char *structure, const char *filename, const char *seqs[], const char *names[])

19.55.1 Detailed Description

Various functions for plotting Sequence / Structure Alignments.

19.56 ViennaRNA/plot_layouts.h File Reference

Secondary structure plot layout algorithms.

Include dependency graph for plot_layouts.h:

This graph shows which files directly or indirectly include this file:

Data Structures

- struct [COORDINATE](#)

this is a workaround for the SWIG Perl Wrapper RNA plot function that returns an array of type [COORDINATE](#) More...

Macros

- `#define VRNA_PLOT_TYPE_SIMPLE 0`
Definition of Plot type simple
- `#define VRNA_PLOT_TYPE_NAVIEW 1`
Definition of Plot type Naview
- `#define VRNA_PLOT_TYPE_CIRCULAR 2`
Definition of Plot type Circular

Functions

- int [simple_xy_coordinates](#) (short *pair_table, float *X, float *Y)
Calculate nucleotide coordinates for secondary structure plot the Simple way
- int [simple_circplot_coordinates](#) (short *pair_table, float *x, float *y)
Calculate nucleotide coordinates for Circular Plot

Variables

- int [rna_plot_type](#)
Switch for changing the secondary structure layout algorithm.

19.56.1 Detailed Description

Secondary structure plot layout algorithms.

19.57 ViennaRNA/plot_structure.h File Reference

Various functions for plotting RNA secondary structures.

Include dependency graph for plot_structure.h:

This graph shows which files directly or indirectly include this file:

Functions

- int [PS_rna_plot_snoop_a](#) (const char *string, const char *structure, const char *ssfile, int *relative_access, const char *seqs[])
 - int [vrna_file_PS_rnапlot](#) (const char *seq, const char *structure, const char *file, [vrna_md_t](#) *md_p)

Produce a secondary structure graph in PostScript and write it to 'filename'.
 - int [vrna_file_PS_rnапlot_a](#) (const char *seq, const char *structure, const char *file, const char *pre, const char *post, [vrna_md_t](#) *md_p)

Produce a secondary structure graph in PostScript including additional annotation macros and write it to 'filename'.
 - int [gmlRNA](#) (char *string, char *structure, char *ssfile, char option)

Produce a secondary structure graph in Graph Meta Language (gml) and write it to a file.
 - int [ssv_rna_plot](#) (char *string, char *structure, char *ssfile)

Produce a secondary structure graph in SStructView format.
 - int [svg_rna_plot](#) (char *string, char *structure, char *ssfile)

Produce a secondary structure plot in SVG format and write it to a file.
 - int [xrna_plot](#) (char *string, char *structure, char *ssfile)

Produce a secondary structure plot for further editing in XRNA.
 - int [PS_rna_plot](#) (char *string, char *structure, char *file)

Produce a secondary structure graph in PostScript and write it to 'filename'.
 - int [PS_rna_plot_a](#) (char *string, char *structure, char *file, char *pre, char *post)

Produce a secondary structure graph in PostScript including additional annotation macros and write it to 'filename'.
 - int [PS_rna_plot_a_gquad](#) (char *string, char *structure, char *ssfile, char *pre, char *post)

Produce a secondary structure graph in PostScript including additional annotation macros and write it to 'filename' (detect and draw g-quadruplexes)

19.57.1 Detailed Description

Various functions for plotting RNA secondary structures.

19.57.2 Function Documentation

19.57.2.1 PS_rna_plot_snoop_a()

```
int PS_rna_plot_snoop_a (
    const char * string,
    const char * structure,
    const char * ssfile,
    int * relative_access,
    const char * seqs[] )
```

plotting_utils

19.57.2.2 vrna_file_PS_rnplot()

```
int vrna_file_PS_rnplot (
    const char * seq,
    const char * structure,
    const char * file,
    vrna_md_t * md_p )
```

Produce a secondary structure graph in PostScript and write it to 'filename'.

Note that this function has changed from previous versions and now expects the structure to be plotted in dot-bracket notation as an argument. It does not make use of the global `base_pair` array anymore.

Parameters

<code>seq</code>	The RNA sequence
<code>structure</code>	The secondary structure in dot-bracket notation
<code>file</code>	The filename of the postscript output
<code>md_p</code>	Model parameters used to generate a commandline option string in the output (Maybe NULL)

Returns

1 on success, 0 otherwise

19.57.2.3 vrna_file_PS_rnplot_a()

```
int vrna_file_PS_rnplot_a (
    const char * seq,
    const char * structure,
    const char * file,
    const char * pre,
    const char * post,
    vrna_md_t * md_p )
```

Produce a secondary structure graph in PostScript including additional annotation macros and write it to 'filename'.

Same as `vrna_file_PS_rnplot()` but adds extra PostScript macros for various annotations (see generated PS code). The 'pre' and 'post' variables contain PostScript code that is verbatim copied in the resulting PS file just before and after the structure plot. If both arguments ('pre' and 'post') are NULL, no additional macros will be printed into the PostScript.

Parameters

<code>seq</code>	The RNA sequence
<code>structure</code>	The secondary structure in dot-bracket notation
<code>file</code>	The filename of the postscript output
<code>pre</code>	PostScript code to appear before the secondary structure plot
<code>post</code>	PostScript code to appear after the secondary structure plot
<code>md_p</code>	Model parameters used to generate a commandline option string in the output (Maybe NULL)

Returns

1 on success, 0 otherwise

19.57.2.4 gmlRNA()

```
int gmlRNA (
    char * string,
    char * structure,
    char * ssfile,
    char option )
```

Produce a secondary structure graph in Graph Meta Language (gml) and write it to a file.

If 'option' is an uppercase letter the RNA sequence is used to label nodes, if 'option' equals 'X' or 'x' the resulting file will contain coordinates for an initial layout of the graph.

Parameters

<i>string</i>	The RNA sequence
<i>structure</i>	The secondary structure in dot-bracket notation
<i>ssfile</i>	The filename of the gml output
<i>option</i>	The option flag

Returns

1 on success, 0 otherwise

19.57.2.5 ssv_rna_plot()

```
int ssv_rna_plot (
    char * string,
    char * structure,
    char * ssfile )
```

Produce a secondary structure graph in SStructView format.

Write coord file for SStructView

Parameters

<i>string</i>	The RNA sequence
<i>structure</i>	The secondary structure in dot-bracket notation
<i>ssfile</i>	The filename of the ssv output

Returns

1 on success, 0 otherwise

19.57.2.6 svg_rna_plot()

```
int svg_rna_plot (
    char * string,
    char * structure,
    char * ssfile )
```

Produce a secondary structure plot in SVG format and write it to a file.

Parameters

<i>string</i>	The RNA sequence
<i>structure</i>	The secondary structure in dot-bracket notation
<i>ssfile</i>	The filename of the svg output

Returns

1 on success, 0 otherwise

19.57.2.7 xrna_plot()

```
int xrna_plot (
    char * string,
    char * structure,
    char * ssfile )
```

Produce a secondary structure plot for further editing in XRNA.

Parameters

<i>string</i>	The RNA sequence
<i>structure</i>	The secondary structure in dot-bracket notation
<i>ssfile</i>	The filename of the xrna output

Returns

1 on success, 0 otherwise

19.57.2.8 PS_rna_plot()

```
int PS_rna_plot (
    char * string,
    char * structure,
    char * file )
```

Produce a secondary structure graph in PostScript and write it to 'filename'.

Deprecated Use [vrna_file_PSNaplot\(\)](#) instead!

19.57.2.9 PS_rna_plot_a()

```
int PS_rna_plot_a (
    char * string,
    char * structure,
    char * file,
    char * pre,
    char * post )
```

Produce a secondary structure graph in PostScript including additional annotation macros and write it to 'filename'.

Deprecated Use [vrna_file_PSNaplot_a\(\)](#) instead!

19.57.2.10 PS_rna_plot_a_gquad()

```
int PS_rna_plot_a_gquad (
    char * string,
    char * structure,
    char * ssfile,
    char * pre,
    char * post )
```

Produce a secondary structure graph in PostScript including additional annotation macros and write it to 'filename' (detect and draw g-quadruplexes)

Deprecated Use [vrna_file_PSNaplot_a\(\)](#) instead!

19.58 ViennaRNA/plot_utils.h File Reference

Various utilities to assist in plotting secondary structures and consensus structures.

Functions

- `char ** vrna_annotate_covar_struct (const char **alignment, const char *structure, vrna_md_t *md)`
Produce covariance annotation for an alignment given a secondary structure.
- `vrna_cpair_t * vrna_annotate_covar_pairs (const char **alignment, vrna_ep_t *pl, vrna_ep_t *mfel, double threshold, vrna_md_t *md)`
Produce covariance annotation for an alignment given a set of base pairs.

19.58.1 Detailed Description

Various utilities to assist in plotting secondary structures and consensus structures.

19.59 ViennaRNA/profiledist.h File Reference

Include dependency graph for profiledist.h:

Functions

- `float profile_edit_distance (const float *T1, const float *T2)`
Align the 2 probability profiles T1, T2
- `float * Make_bp_profile_bppm (FLT_OR_DBL *bppm, int length)`
condense pair probability matrix into a vector containing probabilities for unpaired, upstream paired and downstream paired.
- `void print_bppm (const float *T)`
print string representation of probability profile
- `void free_profile (float *T)`
free space allocated in Make_bp_profile
- `float * Make_bp_profile (int length)`

19.59.1 Function Documentation

19.59.1.1 profile_edit_distance()

```
float profile_edit_distance (
    const float * T1,
    const float * T2 )
```

Align the 2 probability profiles T1, T2

This is like a Needleman-Wunsch alignment, we should really use affine gap-costs ala Gotoh

19.59.1.2 Make_bp_profile_bppm()

```
float* Make_bp_profile_bppm (
    FLT_OR_DBL * bppm,
    int length )
```

condense pair probability matrix into a vector containing probabilities for unpaired, upstream paired and downstream paired.

This resulting probability profile is used as input for profile_edit_distance

Parameters

<i>bppm</i>	A pointer to the base pair probability matrix
<i>length</i>	The length of the sequence

Returns

The bp profile

19.59.1.3 free_profile()

```
void free_profile (
    float * T )
```

free space allocated in Make_bp_profile

Backward compatibility only. You can just use plain free()

19.59.1.4 Make_bp_profile()

```
float* Make_bp_profile (
    int length )
```

Note

This function is NOT threadsafe

See also

[Make_bp_profile_bppm\(\)](#)

Deprecated This function is deprecated and will be removed soon! See [Make_bp_profile_bppm\(\)](#) for a replacement

19.60 ViennaRNA/PS_dot.h File Reference

Various functions for plotting RNA secondary structures, dot-plots and other visualizations.

Include dependency graph for PS_dot.h:

Data Structures

- struct [vrna_dotplot_auxdata_t](#)

Functions

- int **PS_dot_plot_list** (char *seq, char *filename, **plist** *pl, **plist** *mf, char *comment)
Produce a postscript dot-plot from two pair lists.
- int **PS_dot_plot** (char *string, char *file)
Produce postscript dot-plot.

19.60.1 Detailed Description

Various functions for plotting RNA secondary structures, dot-plots and other visualizations.

19.61 ViennaRNA/read_epars.h File Reference

Read and write energy parameter files.

Functions

- const char * **last_parameter_file** (void)
Get the file name of the parameter file that was most recently loaded.
- void **read_parameter_file** (const char fname[])
Read energy parameters from a file.
- void **write_parameter_file** (const char fname[])
Write energy parameters to a file.

19.61.1 Detailed Description

Read and write energy parameter files.

19.62 ViennaRNA/ribo.h File Reference

Parse RiboSum Scoring Matrices for Covariance Scoring of Alignments.

This graph shows which files directly or indirectly include this file:

Functions

- float ** **get_ribosum** (const char **Alseq, int n_seq, int length)
Retrieve a RiboSum Scoring Matrix for a given Alignment.
- float ** **readribosum** (char *name)
Read a RiboSum or other user-defined Scoring Matrix and Store into global Memory.

19.62.1 Detailed Description

Parse RiboSum Scoring Matrices for Covariance Scoring of Alignments.

19.63 ViennaRNA/RNAstruct.h File Reference

Parsing and Coarse Graining of Structures.

Functions

- `char * b2HIT (const char *structure)`
Converts the full structure from bracket notation to the HIT notation including root.
- `char * b2C (const char *structure)`
Converts the full structure from bracket notation to the a coarse grained notation using the 'H' 'B' 'I' 'M' and 'R' identifiers.
- `char * b2Shapiro (const char *structure)`
Converts the full structure from bracket notation to the weighted coarse grained notation using the 'H' 'B' 'I' 'M' 'S' 'E' and 'R' identifiers.
- `char * add_root (const char *structure)`
Adds a root to an un-rooted tree in any except bracket notation.
- `char * expand_Shapiro (const char *coarse)`
Inserts missing 'S' identifiers in unweighted coarse grained structures as obtained from `b2C()`.
- `char * expand_Full (const char *structure)`
Convert the full structure from bracket notation to the expanded notation including root.
- `char * unexpand_Full (const char *ffull)`
Restores the bracket notation from an expanded full or HIT tree, that is any tree using only identifiers 'U' 'P' and 'R'.
- `char * unweight (const char *wcoarse)`
Strip weights from any weighted tree.
- `void unexpand_aligned_F (char *align[2])`
Converts two aligned structures in expanded notation.
- `void parse_structure (const char *structure)`
Collects a statistic of structure elements of the full structure in bracket notation.

Variables

- `int loop_size [STRUC]`
contains a list of all loop sizes. `loop_size[0]` contains the number of external bases.
- `int helix_size [STRUC]`
contains a list of all stack sizes.
- `int loop_degree [STRUC]`
contains the corresponding list of loop degrees.
- `int loops`
contains the number of loops (and therefore of stacks).
- `int unpaired`
contains the number of unpaired bases.
- `int pairs`
contains the number of base pairs in the last parsed structure.

19.63.1 Detailed Description

Parsing and Coarse Graining of Structures.

Example:

```
* .((((((...))...))). is the bracket or full tree
* becomes expanded: - expand_Full() -
* ((U) (((U) (U) (((U) (U) (U) P) P) P) (U) (U) (((U) (U) P) P) P) (U) R)
* HIT: - b2HIT() -
* ((U1) ((U2) ((U3) P3) (U2) ((U2) P2) P2) (U1) R)
* Coarse: - b2C() -
* ((H) ((H) M) R)
* becomes expanded: - expand_Shapiro() -
* (((((H) S) ((H) S) M) S) R)
* weighted Shapiro: - b2Shapiro() -
* (((((H3) S3) ((H2) S2) M4) S2) E2) R)
*
```

19.64 ViennaRNA/string_utils.h File Reference

General utility- and helper-functions for RNA sequence and structure strings used throughout the ViennaRNA Package.

Include dependency graph for string_utils.h:

This graph shows which files directly or indirectly include this file:

Macros

- #define **XSTR(s)** **STR(s)**

Stringify a macro after expansion.
- #define **STR(s)** #s

Stringify a macro argument.
- #define **FILENAME_MAX_LENGTH** 80

Maximum length of filenames that are generated by our programs.
- #define **FILENAME_ID_LENGTH** 42

Maximum length of id taken from fasta header for filename generation.

Functions

- `char * vrna_strdup_printf (const char *format,...)`
Safely create a formatted string.
- `char * vrna_strdup_vprintf (const char *format, va_list argp)`
Safely create a formatted string.
- `int vrna_strcat_printf (char **dest, const char *format,...)`
Safely append a formatted string to another string.
- `int vrna_strcat_vprintf (char **dest, const char *format, va_list args)`
Safely append a formatted string to another string.
- `char ** vrna_strsplit (const char *string, const char *delimiter)`
Split a string into tokens using a delimiting character.
- `char * vrna_random_string (int l, const char symbols[])`
Create a random string using characters from a specified symbol set.
- `int vrna_hamming_distance (const char *s1, const char *s2)`
Calculate hamming distance between two sequences.
- `int vrna_hamming_distance_bound (const char *s1, const char *s2, int n)`
Calculate hamming distance between two sequences up to a specified length.
- `void vrna_seq_toRNA (char *sequence)`
Convert an input sequence (possibly containing DNA alphabet characters) to RNA alphabet.
- `void vrna_seq_toupper (char *sequence)`
Convert an input sequence to uppercase.
- `char * vrna_cut_point_insert (const char *string, int cp)`
Add a separating '&' character into a string according to cut-point position.
- `char * vrna_cut_point_remove (const char *string, int *cp)`
Remove a separating '&' character from a string.
- `void str_uppercase (char *sequence)`
Convert an input sequence to uppercase.
- `void str_DNA2RNA (char *sequence)`
Convert a DNA input sequence to RNA alphabet.
- `char * random_string (int l, const char symbols[])`
Create a random string using characters from a specified symbol set.
- `int hamming (const char *s1, const char *s2)`
Calculate hamming distance between two sequences.
- `int hamming_bound (const char *s1, const char *s2, int n)`
Calculate hamming distance between two sequences up to a specified length.

19.64.1 Detailed Description

General utility- and helper-functions for RNA sequence and structure strings used throughout the ViennaRNA Package.

19.64.2 Function Documentation

19.64.2.1 str_uppercase()

```
void str_uppercase (
    char * sequence )
```

Convert an input sequence to uppercase.

Deprecated Use [vrna_seq_toupper\(\)](#) instead!

19.64.2.2 str_DNA2RNA()

```
void str_DNA2RNA (
    char * sequence )
```

Convert a DNA input sequence to RNA alphabet.

Deprecated Use [vrna_seq_toRNA\(\)](#) instead!

19.64.2.3 random_string()

```
char* random_string (
    int l,
    const char symbols[] )
```

Create a random string using characters from a specified symbol set.

Deprecated Use [vrna_random_string\(\)](#) instead!

19.64.2.4 hamming()

```
int hamming (
    const char * s1,
    const char * s2 )
```

Calculate hamming distance between two sequences.

Deprecated Use [vrna_hamming_distance\(\)](#) instead!

19.64.2.5 hamming_bound()

```
int hamming_bound (
    const char * s1,
    const char * s2,
    int n )
```

Calculate hamming distance between two sequences up to a specified length.

Deprecated Use [vrna_hamming_distance_bound\(\)](#) instead!

19.65 ViennaRNA/stringdist.h File Reference

Functions for String Alignment.

Include dependency graph for stringdist.h:

Functions

- [swString * Make_swString \(char *string\)](#)
Convert a structure into a format suitable for [string_edit_distance\(\)](#).
- [float string_edit_distance \(swString *T1, swString *T2\)](#)
Calculate the string edit distance of T1 and T2.

19.65.1 Detailed Description

Functions for String Alignment.

19.65.2 Function Documentation

19.65.2.1 Make_swString()

```
swString* Make_swString (
    char * string )
```

Convert a structure into a format suitable for [string_edit_distance\(\)](#).

Parameters

<code>string</code>	<input type="button" value=""/>
---------------------	---------------------------------

Returns

19.65.2.2 string_edit_distance()

```
float string_edit_distance (
    swString * T1,
    swString * T2 )
```

Calculate the string edit distance of T1 and T2.

Parameters

T1	
T2	

Returns

19.66 ViennaRNA/structure_utils.h File Reference

Various utility- and helper-functions for secondary structure parsing, converting, etc.

Include dependency graph for structure_utils.h:

This graph shows which files directly or indirectly include this file:

Data Structures

- struct [vrna_hx_s](#)
Data structure representing an entry of a helix list. [More...](#)
- struct [vrna_elem_prob_s](#)
Data structure representing a single entry of an element probability list (e.g. list of pair probabilities) [More...](#)

Macros

- `#define VRNA_BRACKETS_ALPHA 4U`
Bitflag to indicate secondary structure notations using uppercase/lowercase letters from the latin alphabet.
- `#define VRNA_BRACKETS_RND 8U`
Bitflag to indicate secondary structure notations using round brackets (parenthesis), ()
- `#define VRNA_BRACKETS_CLY 16U`
Bitflag to indicate secondary structure notations using curly brackets, {}
- `#define VRNA_BRACKETS_ANG 32U`
Bitflag to indicate secondary structure notations using angular brackets, <>
- `#define VRNA_BRACKETS_SQR 64U`
Bitflag to indicate secondary structure notations using square brackets, []
- `#define VRNA_BRACKETS_DEFAULT`
Default bitmask to indicate secondary structure notation using any pair of brackets.

Typedefs

- `typedef struct vrna_hx_s vrna_hx_t`
Convenience typedef for data structure vrna_hx_s.
- `typedef struct vrna_elem_prob_s vrna_ep_t`
Convenience typedef for data structure #vrna_pp_s.

Functions

- `char * vrna_db_pack (const char *struc)`
Pack secondary secondary structure, 5:1 compression using base 3 encoding.
- `char * vrna_db_unpack (const char *packed)`
Unpack secondary structure previously packed with vrna_db_pack()
- `short * vrna_ptable (const char *structure)`
Create a pair table of a secondary structure.
- `short * vrna_ptable_from_string (const char *string, unsigned int options)`
Create a pair table for a secondary structure string.
- `short * vrna_pt_pk_get (const char *structure)`
Create a pair table of a secondary structure (pseudo-knot version)
- `short * vrna_ptable_copy (const short *pt)`
Get an exact copy of a pair table.
- `short * vrna_pt_ali_get (const char *structure)`
Create a pair table of a secondary structure (snoop align version)
- `short * vrna_pt_snoop_get (const char *structure)`
Create a pair table of a secondary structure (snoop version)
- `int * vrna_loopidx_from_ptable (const short *pt)`
Get a loop index representation of a structure.
- `void vrna_db_flatten (char *structure, unsigned int options)`
Substitute pairs of brackets in a string with parenthesis.
- `void vrna_db_flatten_to (char *string, const char target[3], unsigned int options)`
Substitute pairs of brackets in a string with another type of pair characters.
- `char * vrna_db_from_ptable (short *pt)`
Convert a pair table into dot-parenthesis notation.
- `char * vrna_db_from_WUSS (const char *wuss)`

- `int vrna_bp_distance (const char *str1, const char *str2)`

Convert a WUSS annotation string to dot-bracket format.
- `unsigned int * vrna_refBPcnt_matrix (const short *reference_pt, unsigned int turn)`

Compute the "base pair" distance between two secondary structures s1 and s2.
- `unsigned int * vrna_refBPDist_matrix (const short *pt1, const short *pt2, unsigned int turn)`

Make a reference base pair count matrix.
- `char * vrna_db_from_probs (const FLT_OR_DBL *pr, unsigned int length)`

Create a dot-bracket like structure string from base pair probability matrix.
- `char vrna_bpp_symbol (const float *x)`

Get a pseudo dot bracket notation for a given probability information.
- `char * vrna_db_from_bp_stack (vrna_bp_stack_t *bp, unsigned int length)`

Create a dot-bracket/parenthesis structure from backtracking stack.
- `vrna_ep_t * vrna_plist (const char *struc, float pr)`

Create a vrna_ep_t from a dot-bracket string.
- `vrna_ep_t * vrna_plist_from_probs (vrna_fold_compound_t *vc, double cut_off)`

Create a vrna_ep_t from base pair probability matrix.
- `char * vrna_db_from plist (vrna_ep_t *pairs, unsigned int n)`

Convert a list of base pairs into dot-bracket notation.
- `void assign plist_from_db (vrna_ep_t **pl, const char *struc, float pr)`

Create a vrna_ep_t from a dot-bracket string.
- `char * pack_structure (const char *struc)`

Pack secondary secondary structure, 5:1 compression using base 3 encoding.
- `char * unpack_structure (const char *packed)`

Unpack secondary structure previously packed with pack_structure()
- `short * make_pair_table (const char *structure)`

Create a pair table of a secondary structure.
- `short * copy_pair_table (const short *pt)`

Get an exact copy of a pair table.
- `short * alimake_pair_table (const char *structure)`
- `short * make_pair_table_snoop (const char *structure)`
- `int bp_distance (const char *str1, const char *str2)`

Compute the "base pair" distance between two secondary structures s1 and s2.
- `unsigned int * make_referenceBP_array (short *reference_pt, unsigned int turn)`

Make a reference base pair count matrix.
- `unsigned int * compute_BPDifferences (short *pt1, short *pt2, unsigned int turn)`

Make a reference base pair distance matrix.
- `void assign plist_from_pr (vrna_ep_t **pl, FLT_OR_DBL *probs, int length, double cutoff)`

Create a vrna_ep_t from a probability matrix.
- `void parenthesis_structure (char *structure, vrna_bp_stack_t *bp, int length)`

Create a dot-bracket/parenthesis structure from backtracking stack.
- `void parenthesis_zuker (char *structure, vrna_bp_stack_t *bp, int length)`

Create a dot-bracket/parenthesis structure from backtracking stack obtained by zuker suboptimal calculation in cofold.c.
- `void bppm_to_structure (char *structure, FLT_OR_DBL *pr, unsigned int length)`

Create a dot-bracket like structure string from base pair probability matrix.
- `char bppm_symbol (const float *x)`

Get a pseudo dot bracket notation for a given probability information.

19.66.1 Detailed Description

Various utility- and helper-functions for secondary structure parsing, converting, etc.

19.67 ViennaRNA/structured_domains.h File Reference

This module provides interfaces that deal with additional structured domains in the folding grammar.

This graph shows which files directly or indirectly include this file:

Data Structures

- struct [vrna_structured_domains_s](#)

19.67.1 Detailed Description

This module provides interfaces that deal with additional structured domains in the folding grammar.

19.68 ViennaRNA/subopt.h File Reference

RNAsubopt and density of states declarations.

Include dependency graph for subopt.h:

Data Structures

- struct [vrna_subopt_sol_s](#)
Solution element from subopt.c.

Macros

- #define [MAXDOS](#) 1000
Maximum density of states discretization for subopt.

TypeDefs

- typedef struct [vrna_subopt_sol_s](#) [vrna_subopt_solution_t](#)
Typename for the subopt solution list representing data structure vrna_subopt_sol_s.
- typedef void() [vrna_subopt_callback](#)(const char *structure, float energy, void *data)
Callback for vrna_subopt_cb()
- typedef struct [vrna_subopt_sol_s](#) [SOLUTION](#)
Backward compatibility typedef for vrna_subopt_sol_s.

Functions

- **`vrna_subopt_solution_t * vrna_subopt (vrna_fold_compound_t *vc, int delta, int sorted, FILE *fp)`**
Returns list of subopt structures or writes to fp.
- **`void vrna_subopt_cb (vrna_fold_compound_t *vc, int delta, vrna_subopt_callback *cb, void *data)`**
Generate suboptimal structures within an energy band around the MFE.
- **`vrna_subopt_solution_t * vrna_subopt_zuker (vrna_fold_compound_t *vc)`**
Compute Zuker type suboptimal structures.
- **`SOLUTION * subopt (char *seq, char *structure, int delta, FILE *fp)`**
Returns list of subopt structures or writes to fp.
- **`SOLUTION * subopt_par (char *seq, char *structure, vrna_param_t *parameters, int delta, int is_left_constrained, int is_circular, FILE *fp)`**
Returns list of subopt structures or writes to fp.
- **`SOLUTION * subopt_circ (char *seq, char *sequence, int delta, FILE *fp)`**
Returns list of circular subopt structures or writes to fp.
- **`SOLUTION * zukersubopt (const char *string)`**
Compute Zuker type suboptimal structures.
- **`SOLUTION * zukersubopt_par (const char *string, vrna_param_t *parameters)`**
Compute Zuker type suboptimal structures.

Variables

- **`double print_energy`**
printing threshold for use with logML
- **`int subopt_sorted`**
Sort output by energy.
- **`int density_of_states [MAXDOS+1]`**
The Density of States.

19.68.1 Detailed Description

RNAsubopt and density of states declarations.

19.68.2 Typedef Documentation

19.68.2.1 SOLUTION

```
typedef struct vrna_subopt_sol_s SOLUTION
```

Backward compatibility typedef for `vrna_subopt_sol_s`.

Deprecated Use `vrna_subopt_solution_t` instead!

19.69 ViennaRNA/treedist.h File Reference

Functions for [Tree](#) Edit Distances.

Include dependency graph for treedist.h:

Functions

- [`Tree * make_tree \(char *struc\)`](#)
Constructs a [Tree](#) (essentially the postorder list) of the structure 'struc', for use in [tree_edit_distance\(\)](#).
- [`float tree_edit_distance \(Tree *T1, Tree *T2\)`](#)
Calculates the edit distance of the two trees.
- [`void print_tree \(Tree *t\)`](#)
Print a tree (mainly for debugging)
- [`void free_tree \(Tree *t\)`](#)
Free the memory allocated for [Tree](#) t.

19.69.1 Detailed Description

Functions for [Tree](#) Edit Distances.

19.69.2 Function Documentation

19.69.2.1 [`make_tree\(\)`](#)

```
Tree* make_tree (
    char * struc )
```

Constructs a [Tree](#) (essentially the postorder list) of the structure 'struc', for use in [tree_edit_distance\(\)](#).

Parameters

<code>struc</code>	may be any rooted structure representation.
--------------------	---

Returns

19.69.2.2 tree_edit_distance()

```
float tree_edit_distance (
    Tree * T1,
    Tree * T2 )
```

Calculates the edit distance of the two trees.

Parameters

T1	
T2	

Returns

19.69.2.3 free_tree()

```
void free_tree (
    Tree * t )
```

Free the memory allocated for [Tree](#) t.

Parameters

t	
---	--

19.70 ViennaRNA/units.h File Reference

Physical Units and Functions to convert them into each other.

Enumerations

- enum [vrna_unit_energy_e](#) {
 [VRNA_UNIT_J](#), [VRNA_UNIT_KJ](#), [VRNA_UNIT_CAL_IT](#), [VRNA_UNIT_DACAL_IT](#),
 [VRNA_UNIT_KCAL_IT](#), [VRNA_UNIT_CAL](#), [VRNA_UNIT_DACAL](#), [VRNA_UNIT_KCAL](#),
 [VRNA_UNIT_G_TNT](#), [VRNA_UNIT_KG_TNT](#), [VRNA_UNIT_T_TNT](#), [VRNA_UNIT_EV](#),
 [VRNA_UNIT_WH](#), [VRNA_UNIT_KWH](#) }
- Energy / Work Units.*
- enum [vrna_unit_temperature_e](#) {
 [VRNA_UNIT_K](#), [VRNA_UNIT_DEG_C](#), [VRNA_UNIT_DEG_F](#), [VRNA_UNIT_DEG_R](#),
 [VRNA_UNIT_DEG_N](#), [VRNA_UNIT_DEG_DE](#), [VRNA_UNIT_DEG_RE](#), [VRNA_UNIT_DEG_RO](#) }
- Temperature Units.*

Functions

- double `vrna_convert_energy` (double energy, `vrna_unit_energy_e` from, `vrna_unit_energy_e` to)
Convert between energy / work units.
- double `vrna_convert_temperature` (double temp, `vrna_unit_temperature_e` from, `vrna_unit_temperature_e` to)
Convert between temperature units.

19.70.1 Detailed Description

Physical Units and Functions to convert them into each other.

19.71 ViennaRNA/unstructured_domains.h File Reference

Functions to modify unstructured domains, e.g. to incorporate ligands binding to unpaired stretches.

Include dependency graph for unstructured_domains.h:

This graph shows which files directly or indirectly include this file:

Data Structures

- struct `vrna_unstructured_domain_s`
Data structure to store all functionality for ligand binding. [More...](#)
- struct `vrna_unstructured_domain_motif_s`

Macros

- `#define VRNA_UNSTRUCTURED_DOMAIN_EXT_LOOP 1U`
Flag to indicate ligand bound to unpaired stretch in the exterior loop.
- `#define VRNA_UNSTRUCTURED_DOMAIN_HP_LOOP 2U`
Flag to indicate ligand bound to unpaired stretch in a hairpin loop.
- `#define VRNA_UNSTRUCTURED_DOMAIN_INT_LOOP 4U`
Flag to indicate ligand bound to unpaired stretch in an interior loop.
- `#define VRNA_UNSTRUCTURED_DOMAIN_MB_LOOP 8U`
Flag to indicate ligand bound to unpaired stretch in a multibranch loop.
- `#define VRNA_UNSTRUCTURED_DOMAIN_MOTIF 16U`
Flag to indicate ligand binding without additional unbound nucleotides (motif-only)
- `#define VRNA_UNSTRUCTURED_DOMAIN_ALL_LOOPS (VRNA_UNSTRUCTURED_DOMAIN_EXT_LOOP | VRNA_UNSTRUCTURED_DOMAIN_HP_LOOP | VRNA_UNSTRUCTURED_DOMAIN_INT_LOOP | VRNA_UNSTRUCTURED_DOMAIN_MB_LOOP)`
Flag to indicate ligand bound to unpaired stretch in any loop (convenience macro)

Typedefs

- **typedef struct vrna_unstructured_domain_s vrna_ud_t**
Typename for the ligand binding extension data structure vrna_unstructured_domain_s.
- **typedef int() vrna_callback_ud_energy(vrna_fold_compound_t *vc, int i, int j, unsigned int loop_type, void *data)**
Callback to retrieve binding free energy of a ligand bound to an unpaired sequence segment.
- **typedef FLT_OR_DBL() vrna_callback_ud_exp_energy(vrna_fold_compound_t *vc, int i, int j, unsigned int loop_type, void *data)**
Callback to retrieve Boltzmann factor of the binding free energy of a ligand bound to an unpaired sequence segment.
- **typedef void() vrna_callback_ud_production(vrna_fold_compound_t *vc, void *data)**
Callback for pre-processing the production rule of the ligand binding to unpaired stretches feature.
- **typedef void() vrna_callback_ud_exp_production(vrna_fold_compound_t *vc, void *data)**
Callback for pre-processing the production rule of the ligand binding to unpaired stretches feature (partition function variant)
- **typedef void() vrna_callback_ud_probs_add(vrna_fold_compound_t *vc, int i, int j, unsigned int loop_type, FLT_OR_DBL exp_energy, void *data)**
Callback to store/add equilibrium probability for a ligand bound to an unpaired sequence segment.
- **typedef FLT_OR_DBL() vrna_callback_ud_probs_get(vrna_fold_compound_t *vc, int i, int j, unsigned int loop_type, int motif, void *data)**
Callback to retrieve equilibrium probability for a ligand bound to an unpaired sequence segment.

Functions

- **void vrna_ud_add_motif (vrna_fold_compound_t *vc, const char *motif, double motif_en, unsigned int loop_type)**
Add an unstructured domain motif, e.g. for ligand binding.
- **int * vrna_ud_get_motif_size_at (vrna_fold_compound_t *vc, int i, unsigned int loop_type)**
Get a list of unique motif sizes that start at a certain position within the sequence.
- **void vrna_ud_remove (vrna_fold_compound_t *vc)**
Remove ligand binding to unpaired stretches.
- **void vrna_ud_set_data (vrna_fold_compound_t *vc, void *data, vrna_callback_free_auxdata *free_cb)**
Attach an auxiliary data structure.
- **void vrna_ud_set_prod_rule_cb (vrna_fold_compound_t *vc, vrna_callback_ud_production *pre_cb, vrna_callback_ud_energy *e_cb)**
Attach production rule callbacks for free energies computations.
- **void vrna_ud_set_exp_prod_rule_cb (vrna_fold_compound_t *vc, vrna_callback_ud_exp_production *pre_cb, vrna_callback_ud_exp_energy *exp_e_cb)**
Attach production rule for partition function.
- **void vrna_ud_set_prob_cb (vrna_fold_compound_t *vc, vrna_callback_ud_probs_add *setter, vrna_callback_ud_probs_get *getter)**

19.71.1 Detailed Description

Functions to modify unstructured domains, e.g. to incorporate ligands binding to unpaired stretches.

19.71.2 Function Documentation

19.71.2.1 vrna_ud_set_prob_cb()

```
void vrna_ud_set_prob_cb (
    vrna_fold_compound_t * vc,
    vrna_callback_ud_probs_add * setter,
    vrna_callback_ud_probs_get * getter )
```

SWIG Wrapper Notes This function is attached as method **ud_set_prob_cb()** to objects of type *fold_compound*

19.72 ViennaRNA/utils.h File Reference

General utility- and helper-functions used throughout the *ViennaRNA Package*.

Include dependency graph for utils.h:

This graph shows which files directly or indirectly include this file:

Macros

- #define VRNA_INPUT_ERROR 1U
Output flag of get_input_line(): "An ERROR has occurred, maybe EOF".
- #define VRNA_INPUT_QUIT 2U
Output flag of get_input_line(): "the user requested quitting the program".
- #define VRNA_INPUT_MISC 4U
Output flag of get_input_line(): "something was read".
- #define VRNA_INPUT_FASTA_HEADER 8U
*Input/Output flag of get_input_line():
if used as input option this tells get_input_line() that the data to be read should comply with the FASTA format.*
- #define VRNA_INPUT_CONSTRAINT 32U
*Input flag for get_input_line():
Tell get_input_line() that we assume to read a structure constraint.*
- #define VRNA_INPUT_NO_TRUNCATION 256U
Input switch for get_input_line(): "do not truncate the line by eliminating white spaces at end of line".
- #define VRNA_INPUT_NO_REST 512U
Input switch for vrna_file_fasta_read_record(): "do fill rest array".
- #define VRNA_INPUT_NO_SPAN 1024U
Input switch for vrna_file_fasta_read_record(): "never allow data to span more than one line".
- #define VRNA_INPUT_NOSKIP_BLANK_LINES 2048U
Input switch for vrna_file_fasta_read_record(): "do not skip empty lines".
- #define VRNA_INPUT_BLANK_LINE 4096U
Output flag for vrna_file_fasta_read_record(): "read an empty line".
- #define VRNA_INPUT_NOSKIP_COMMENTS 128U
Input switch for get_input_line(): "do not skip comment lines".
- #define VRNA_INPUT_COMMENT 8192U
Output flag for vrna_file_fasta_read_record(): "read a comment".

- `#define MIN2(A, B) ((A) < (B) ? (A) : (B))`
Get the minimum of two comparable values.
- `#define MAX2(A, B) ((A) > (B) ? (A) : (B))`
Get the maximum of two comparable values.
- `#define MIN3(A, B, C) (MIN2((MIN2((A),(B))) ,(C)))`
Get the minimum of three comparable values.
- `#define MAX3(A, B, C) (MAX2((MAX2((A),(B))) ,(C)))`
Get the maximum of three comparable values.

Functions

- `void * vrna_alloc (unsigned size)`
Allocate space safely.
- `void * vrna_realloc (void *p, unsigned size)`
Reallocate space safely.
- `void vrna_message_error (const char *format,...)`
Print an error message and die.
- `void vrna_message_verror (const char *format, va_list args)`
Print an error message and die.
- `void vrna_message_warning (const char *format,...)`
Print a warning message.
- `void vrna_message_vwarning (const char *format, va_list args)`
Print a warning message.
- `void vrna_message_info (FILE *fp, const char *format,...)`
Print an info message.
- `void vrna_message_vinfo (FILE *fp, const char *format, va_list args)`
Print an info message.
- `void vrna_init_rand (void)`
Initialize seed for random number generator.
- `double vrna_urn (void)`
get a random number from [0..1]
- `int vrna_int_urn (int from, int to)`
Generates a pseudo random integer in a specified range.
- `char * vrna_time_stamp (void)`
Get a timestamp.
- `unsigned int get_input_line (char **string, unsigned int options)`
- `void vrna_message_input_seq_simple (void)`
Print a line to stdout that asks for an input sequence.
- `void vrna_message_input_seq (const char *s)`
Print a line with a user defined string and a ruler to stdout.
- `int * vrna_idx_row_wise (unsigned int length)`
Get an index mapper array (iindx) for accessing the energy matrices, e.g. in partition function related functions.
- `int * vrna_idx_col_wise (unsigned int length)`
Get an index mapper array (indx) for accessing the energy matrices, e.g. in MFE related functions.
- `char * get_line (FILE *fp)`
Read a line of arbitrary length from a stream.
- `void print_tty_input_seq (void)`
Print a line to stdout that asks for an input sequence.
- `void print_tty_input_seq_str (const char *s)`
Print a line with a user defined string and a ruler to stdout.

- void [warn_user](#) (const char message[])

Print a warning message.
- void [nerror](#) (const char message[])

Die with an error message.
- void * [space](#) (unsigned size)

Allocate space safely.
- void * [xrealloc](#) (void *p, unsigned size)

Reallocate space safely.
- void [init_rand](#) (void)

Make random number seeds.
- double [urn](#) (void)

get a random number from [0..1]
- int [int_urn](#) (int from, int to)

Generates a pseudo random integer in a specified range.
- void [filecopy](#) (FILE *from, FILE *to)

Inefficient cp
- char * [time_stamp](#) (void)

Get a timestamp.

Variables

- unsigned short [xsubi](#) [3]

Current 48 bit random number.

19.72.1 Detailed Description

General utility- and helper-functions used throughout the *ViennaRNA Package*.

19.72.2 Function Documentation

19.72.2.1 [get_line\(\)](#)

```
char* get_line (
    FILE * fp )
```

Read a line of arbitrary length from a stream.

Returns a pointer to the resulting string. The necessary memory is allocated and should be released using *free()* when the string is no longer needed.

Deprecated Use [vrna_read_line\(\)](#) as a substitute!

Parameters

<i>fp</i>	A file pointer to the stream where the function should read from
-----------	--

Returns

A pointer to the resulting string

19.72.2.2 print_tty_input_seq()

```
void print_tty_input_seq (
    void )
```

Print a line to *stdout* that asks for an input sequence.

There will also be a ruler (scale line) printed that helps orientation of the sequence positions

Deprecated Use [vrna_message_input_seq_simple\(\)](#) instead!

19.72.2.3 print_tty_input_seq_str()

```
void print_tty_input_seq_str (
    const char * s )
```

Print a line with a user defined string and a ruler to *stdout*.

(usually this is used to ask for user input) There will also be a ruler (scale line) printed that helps orientation of the sequence positions

Deprecated Use [vrna_message_input_seq\(\)](#) instead!

19.72.2.4 warn_user()

```
void warn_user (
    const char message[ ] )
```

Print a warning message.

Print a warning message to *stderr*

Deprecated Use [vrna_message_warning\(\)](#) instead!

19.72.2.5 nrerror()

```
void nrerror (
    const char message[ ] )
```

Die with an error message.

Deprecated Use [vrna_message_error\(\)](#) instead!

19.72.2.6 space()

```
void* space (
    unsigned size )
```

Allocate space safely.

Deprecated Use [vrna_alloc\(\)](#) instead!

19.72.2.7 xrealloc()

```
void* xrealloc (
    void * p,
    unsigned size )
```

Reallocate space safely.

Deprecated Use [vrna_realloc\(\)](#) instead!

19.72.2.8 init_rand()

```
void init_rand (
    void )
```

Make random number seeds.

Deprecated Use [vrna_init_rand\(\)](#) instead!

19.72.2.9 urn()

```
double urn (
    void )
```

get a random number from [0..1]

Deprecated Use [vrna_urn\(\)](#) instead!

19.72.2.10 int_urn()

```
int int_urn (
    int from,
    int to )
```

Generates a pseudo random integer in a specified range.

Deprecated Use [vrna_int_urn\(\)](#) instead!

19.72.2.11 filecopy()

```
void filecopy (
    FILE * from,
    FILE * to )
```

Inefficient cp

Deprecated Use [vrna_file_copy\(\)](#) instead!

19.72.2.12 time_stamp()

```
char* time_stamp (
    void )
```

Get a timestamp.

Deprecated Use [vrna_time_stamp\(\)](#) instead!

19.73 ViennaRNA/walk.h File Reference

Methods to generate particular paths such as gradient or random walks through the energy landscape of an RNA sequence.

Include dependency graph for walk.h:

Macros

- `#define VRNA_PATH_STEEPEST_DESCENT 128`
Option flag to request a steepest descent / gradient path.
- `#define VRNA_PATH_RANDOM 256`
Option flag to request a random walk path.
- `#define VRNA_PATH_NO_TRANSITION_OUTPUT 512`
Option flag to omit returning the transition path.
- `#define VRNA_PATH_DEFAULT (VRNA_PATH_STEEPEST_DESCENT | VRNA_MOVESET_DEFAULT)`
Option flag to request defaults (steepest descent / default move set)

Functions

- `vrna_move_t * vrna_path (vrna_fold_compound_t *vc, short *pt, unsigned int steps, unsigned int options)`
Compute a path, store the final structure, and return a list of transition moves from the start to the final structure.
- `vrna_move_t * vrna_path_gradient (vrna_fold_compound_t *vc, short *pt, unsigned int options)`
Compute a steepest descent / gradient path, store the final structure, and return a list of transition moves from the start to the final structure.
- `vrna_move_t * vrna_path_random (vrna_fold_compound_t *vc, short *pt, unsigned int steps, unsigned int options)`
Generate a random walk / path of a given length, store the final structure, and return a list of transition moves from the start to the final structure.

19.73.1 Detailed Description

Methods to generate particular paths such as gradient or random walks through the energy landscape of an RNA sequence.

Bibliography

- [1] S.H. Bernhart, I.L. Hofacker, S. Will, A.R. Gruber, and P.F. Stadler. RNAalifold: Improved consensus structure prediction for RNA alignments. *BMC bioinformatics*, 9(1):474, 2008. [246](#)
- [2] S.H. Bernhart, H. Tafer, U. Mückstein, C. Flamm, P.F. Stadler, and I.L. Hofacker. Partition function and base pairing probabilities of RNA heterodimers. *Algorithms for Molecular Biology*, 1(1):3, 2006. [347](#)
- [3] R.E. Brucolieri and G. Heinrich. An improved algorithm for nucleic acid secondary structure display. *Computer applications in the biosciences: CABIOS*, 4(1):167–173, 1988. [470](#)
- [4] Katherine E. Deigan, Tian W. Li, David H. Mathews, and Kevin M. Weeks. Accurate SHAPE-directed RNA structure determination. *PNAS*, 106:97–102, 2009. [294](#)
- [5] Christoph Flamm, Ivo L Hofacker, Sebastian Maurer-Stroh, Peter F Stadler, and Martin Zehl. Design of multi-stable RNA molecules. *RNA*, 7(02):254–265, 2001. [396](#), [397](#)
- [6] W. Fontana, P.F. Stadler, E.G. Bornberg-Bauer, T. Griesmacher, I.L. Hofacker, M. Tacker, P. Tarazona, E.D. Weinberger, and P. Schuster. RNA folding and combinatorial landscapes. *Physical review E*, 47(3):2083, 1993. [11](#)
- [7] I.L. Hofacker, M. Fekete, and P.F. Stadler. Secondary structure prediction for aligned RNA sequences. *Journal of molecular biology*, 319(5):1059–1066, 2002. [246](#)
- [8] I.L. Hofacker, W. Fontana, P.F. Stadler, L.S. Bonhoeffer, M. Tacker, and P. Schuster. Fast folding and comparison of RNA secondary structures. *Monatshefte für Chemie/Chemical Monthly*, 125(2):167–188, 1994. [2](#)
- [9] I.L. Hofacker and P.F. Stadler. Memory efficient folding algorithms for circular RNA secondary structures. *Bioinformatics*, 22(10):1172–1176, 2006. [211](#), [219](#), [251](#), [255](#), [332](#)
- [10] Ronny Lorenz, Stephan H. Bernhart, Christian Höner zu Siederdissen, Hakim Tafer, Christoph Flamm, Peter F. Stadler, and Ivo L. Hofacker. ViennaRNA package 2.0. *Algorithms for Molecular Biology*, 6(1):26, 2011. [2](#)
- [11] Ronny Lorenz, Christoph Flamm, and Ivo L. Hofacker. 2d projections of RNA folding landscapes. In Ivo Grosse, Steffen Neumann, Stefan Posch, Falk Schreiber, and Peter F. Stadler, editors, *German Conference on Bioinformatics 2009*, volume 157 of *Lecture Notes in Informatics*, pages 11–20, Bonn, September 2009. Gesellschaft f. Informatik. [261](#), [262](#)
- [12] Ronny Lorenz, Ivo L. Hofacker, and Peter F. Stadler. RNA folding with hard and soft constraints. *Algorithms for Molecular Biology*, 11(1):1–13, 2016. [159](#)
- [13] Ronny Lorenz, Dominik Luntzer, Ivo L. Hofacker, Peter F. Stadler, and Michael T. Wolfinger. Shape directed rna folding. *Bioinformatics*, 32(1):145–147, 2016. [293](#)
- [14] D.H. Mathews, M.D. Disney, J.L. Childs, S.J. Schroeder, M. Zuker, and D.H. Turner. Incorporating chemical modification constraints into a dynamic programming algorithm for prediction of RNA secondary structure. *Proceedings of the National Academy of Sciences of the United States of America*, 101(19):7287, 2004. [365](#)
- [15] J.S. McCaskill. The equilibrium partition function and base pair binding probabilities for RNA secondary structure. *Biopolymers*, 29(6-7):1105–1119, 1990. [215](#)
- [16] Joe Sawada. A fast algorithm to generate necklaces with fixed content. *Theoretical Computer Science*, 301(1):477–489, 2003. [321](#)

- [17] B.A. Shapiro. An algorithm for comparing multiple RNA secondary structures. *Computer applications in the biosciences: CABIOS*, 4(3):387–393, 1988. [11](#)
- [18] B.A. Shapiro and K. Zhang. Comparing multiple RNA secondary structures using tree comparisons. *Computer applications in the biosciences: CABIOS*, 6(4):309–318, 1990. [13](#)
- [19] D.H. Turner and D.H. Mathews. NNDB: The nearest neighbor parameter database for predicting stability of nucleic acid secondary structure. *Nucleic Acids Research*, 38(suppl 1):D280–D282, 2010. [365](#)
- [20] Stefan Washietl, Ivo L. Hofacker, Peter F. Stadler, and Manolis Kellis. RNA folding with soft constraints: reconciliation of probing data and thermodynamics secondary structure prediction. *Nucleic Acids Research*, 40(10):4261–4272, 2012. [300](#)
- [21] S. Wuchty, W. Fontana, I. L. Hofacker, and P. Schuster. Complete suboptimal folding of RNA and the stability of secondary structures. *Biopolymers*, 49(2):145–165, February 1999. [232](#), [233](#)
- [22] Kourosh Zarringhalam, Michelle M. Meyer, Ivan Dotu, Jeffrey H. Chuang, and Peter Clote. Integrating chemical footprinting data into RNA secondary structure prediction. *PLOS ONE*, 7(10), 2012. [295](#)
- [23] M. Zuker. On finding all suboptimal foldings of an RNA molecule. *Science*, 244(4900):48–52, April 1989. [229](#)
- [24] M. Zuker and P. Stiegler. Optimal computer folding of large RNA sequences using thermodynamics and auxiliary information. *Nucleic acids research*, 9(1):133–148, 1981. [211](#), [331](#)

Index

_struct_en, [477](#)
2Dpfold.h
 destroy_TwoDpfold_variables, [484](#)
 get_TwoDpfold_variables, [484](#)
 TwoDpfold_pbacktrack, [485](#)
 TwoDpfold_pbacktrack5, [486](#)
 TwoDpfoldList, [485](#)

add_root
 Parsing, converting, comparing secondary structures, [415](#)

aliLfold
 Local MFE Consensus Structure Prediction for Sequence Alignments, [364](#)

aliPS_color_aln
 Functions for Creating Secondary Structure Plots, Dot-Plots, and More, [467](#)

alifold
 MFE Consensus Structures for Sequence Alignment(s), [251](#)

alimake_pair_table
 Parsing, converting, comparing secondary structures, [429](#)

alipbacktrack
 Stochastic Backtracking of Consensus Structures from Sequence Alignment(s), [259](#)

alipf_circ_fold
 Partition Function and Base Pair Probabilities for Sequence Alignment(s), [257](#)

alipf_fold
 Partition Function and Base Pair Probabilities for Sequence Alignment(s), [256](#)

alipf_fold_par
 Partition Function and Base Pair Probabilities for Sequence Alignment(s), [256](#)

alloc_sequence_arrays
 Utilities for sequence alignments, [441](#)

alpha
 vrna_exp_param_s, [145](#)

assign plist_from_db
 Parsing, converting, comparing secondary structures, [426](#)

assign plist_from_pr
 Partition function and equilibrium properties, [227](#)

auxdata
 vrna_fc_s, [377](#)

b2HIT
 Parsing, converting, comparing secondary structures, [414](#)

b2Shapiro
 Parsing, converting, comparing secondary structures, [415](#)

b2C
 Parsing, converting, comparing secondary structures, [414](#)

BONUS
 energy_const.h, [511](#)

backtrack_GQuad_IntLoop
 G-quadruplexes, [308](#)

backtrack_GQuad_IntLoop_L
 G-quadruplexes, [309](#)

backtrack_type
 Fine-tuning of the implemented models, [141](#)

base_pair
 fold_vars.h, [522](#)

bondT
 Data Structures and Preprocessor Macros, [315](#)

bp_distance
 Parsing, converting, comparing secondary structures, [429](#)

bppm_symbol
 Parsing, converting, comparing secondary structures, [432](#)

bppm_to_structure
 Parsing, converting, comparing secondary structures, [431](#)

bt
 vrna_sc_s, [199](#)

COORDINATE, [466](#)
Calculate Partition Functions of a Distance Based Partitioning, [270](#)
 vrna_pf_TwoD, [271](#)
 vrna_sol_TwoD_pf_t, [271](#)
Calculating MFE representatives of a Distance Based Partitioning, [262](#)
 destroy_TwoDfold_variables, [267](#)
 get_TwoDfold_variables, [266](#)
 TwoDfold_backtrack_f5, [268](#)
 TwoDfold_vars, [264](#)
 TwoDfoldList, [267](#)
 vrna_backtrack5_TwoD, [266](#)
 vrna_mfe_TwoD, [265](#)
 vrna_sol_TwoD_t, [264](#)

centroid
 part_func.h, [540](#)

centroid.h
 get_centroid_struct_pl, [491](#)
 get_centroid_struct_pr, [492](#)

circalifold
 MFE Consensus Structures for Sequence Alignment(s), 252

circfold
 MFE Structures of single Nucleic Acid Sequences, 335

Classified Dynamic Programming variants, 260

co_pf_fold
 part_func_co.h, 543

co_pf_fold_par
 part_func_co.h, 543

cofold
 MFE Structures of two hybridized Sequences, 340

cofold_par
 MFE Structures of two hybridized Sequences, 341

Comparative structure prediction, 246
 cv_fact, 249
 energy_of_alistruct, 247
 get_alipf_arrays, 247
 nc_fact, 249
 update_alifold_params, 248

Complex structured modules, 306

Compute the centroid structure, 241
 vrna_centroid, 241
 vrna_centroid_from_plist, 241
 vrna_centroid_from_probs, 242

Compute the Density of States, 276
 density_of_states, 276

Compute the structure with maximum expected accuracy (MEA), 240
 MEA, 240

compute_BPdifferences
 Parsing, converting, comparing secondary structures, 430

compute_probabilities
 part_func_co.h, 544

cons_seq
 vrna_fc_s, 380

constrain, 313

constrain_ptypes
 constraints_hard.h, 500

Constraining the RNA folding grammar, 169
 VRNA_CONSTRAINT_FILE, 172
 VRNA_CONSTRAINT_SOFT_MFE, 172
 VRNA_CONSTRAINT_SOFT_PF, 173
 VRNA_DECOMP_EXT_EXT_EXT, 180
 VRNA_DECOMP_EXT_EXT_STEM1, 181
 VRNA_DECOMP_EXT_EXT_STEM, 181
 VRNA_DECOMP_EXT_EXT, 178
 VRNA_DECOMP_EXT_STEM_EXT, 180
 VRNA_DECOMP_EXT_STEM, 179
 VRNA_DECOMP_EXT_UP, 179
 VRNA_DECOMP_ML_COAXIAL_ENC, 178
 VRNA_DECOMP_ML_COAXIAL, 177
 VRNA_DECOMP_ML_ML_ML, 175
 VRNA_DECOMP_ML_ML_STEM, 177
 VRNA_DECOMP_ML_ML, 176
 VRNA_DECOMP_ML_STEM, 175

VRNA_DECOMP_ML_UP, 176
 VRNA_DECOMP_PAIR_HP, 173
 VRNA_DECOMP_PAIR_IL, 173
 VRNA_DECOMP_PAIR_ML, 174
 vrna_constraints_add, 182
 vrna_message_constraint_options, 183
 vrna_message_constraint_options_all, 184

constraints_SHAPE.h
 vrna_sc_SHAPE_parse_method, 502

constraints_hard.h
 constrain_ptypes, 500
 print_tty_constraint, 500
 print_tty_constraint_full, 500
 VRNA_CONSTRAINT_DB_ANG_BRACK, 498
 VRNA_CONSTRAINT_NO_HEADER, 498
 vrna_hc_add_data, 499
 vrna_hc_type_e, 499

constraints_soft.h
 vrna_sc_type_e, 504

convert_parameter_file
 Converting Energy Parameter Files, 372

Converting Energy Parameter Files, 367
 convert_parameter_file, 372
 VRNA_CONVERT_OUTPUT_ALL, 368
 VRNA_CONVERT_OUTPUT_BULGE, 370
 VRNA_CONVERT_OUTPUT_DANGLE3, 369
 VRNA_CONVERT_OUTPUT_DANGLE5, 369
 VRNA_CONVERT_OUTPUT_DUMP, 371
 VRNA_CONVERT_OUTPUT_HP, 368
 VRNA_CONVERT_OUTPUT_INT_11, 369
 VRNA_CONVERT_OUTPUT_INT_21, 370
 VRNA_CONVERT_OUTPUT_INT_22, 370
 VRNA_CONVERT_OUTPUT_INT, 370
 VRNA_CONVERT_OUTPUT_MISC, 370
 VRNA_CONVERT_OUTPUT_MM_EXT, 369
 VRNA_CONVERT_OUTPUT_MM_HP, 368
 VRNA_CONVERT_OUTPUT_MM_INT_1N, 368
 VRNA_CONVERT_OUTPUT_MM_INT_23, 369
 VRNA_CONVERT_OUTPUT_MM_INT, 368
 VRNA_CONVERT_OUTPUT_MM_MULTI, 369
 VRNA_CONVERT_OUTPUT_ML, 370
 VRNA_CONVERT_OUTPUT_NINIO, 371
 VRNA_CONVERT_OUTPUT_SPECIAL_HP, 371
 VRNA_CONVERT_OUTPUT_STACK, 368
 VRNA_CONVERT_OUTPUT_VANILLA, 371

copy_pair_table
 Parsing, converting, comparing secondary structures, 428

cost_matrix
 dist_vars.h, 508

cpair
 Data Structures and Preprocessor Macros, 314

cut_point
 fold_vars.h, 522

cv_fact
 Comparative structure prediction, 249

dangles
 Fine-tuning of the implemented models, 139

vrna_md_s, 112
Data Structures and Preprocessor Macros, 310
bondT, 315
cpair, 314
PAIR, 314
plist, 314
sect, 315
vrna_C11_features, 315
density_of_states
 Compute the Density of States, 276
destroy_TwoDfold_variables
 Calculating MFE representatives of a Distance Based Partitioning, 267
destroy_TwoDpfold_variables
 2Dpfold.h, 484
Direct refolding paths between two secondary structures, 395
find_saddle, 397
free_path, 398
get_path, 398
path_t, 396
vrna_path_findpath, 397
vrna_path_findpath_saddle, 396
dist_vars.h
 cost_matrix, 508
 edit_backtrack, 508
Distance based partitioning of the Secondary Structure Space, 261
do_backtrack
 Fine-tuning of the implemented models, 140
dupVar, 314
duplexT, 313

E_ExtLoop
 Process and evaluate individual loops, 93
E_Hairpin
 Process and evaluate individual loops, 96
E_IntLoop
 Process and evaluate individual loops, 100
E_Stem
 Process and evaluate individual loops, 94
edit_backtrack
 dist_vars.h, 508
encode_ali_sequence
 Utilities for sequence alignments, 440
Energy parameters, 142
 get_boltzmann_factor_copy, 153
 get_boltzmann_factors, 152
 get_boltzmann_factors_ali, 154
 get_scaled_alipf_parameters, 154
 get_scaled_parameters, 155
 get_scaled_pf_parameters, 152
paramT, 145
pf_paramT, 145
scale_parameters, 154
vrna_exp_params, 147
vrna_exp_params_comparative, 148
vrna_exp_params_copy, 148
vrna_exp_params_rescale, 150
vrna_exp_params_reset, 151
vrna_exp_params_subst, 149
vrna_params, 146
vrna_params_copy, 147
vrna_params_reset, 151
vrna_params_subst, 149
energy_const.h
 BONUS, 511
 FORBIDDEN, 511
 GASCONST, 510
 INF, 511
 K0, 510
 MAXLOOP, 511
 NBPAIRS, 511
 TURN, 511
energy_of_astruct
 Comparative structure prediction, 247
energy_of_circ_struct
 Free energy evaluation, 90
energy_of_circ_struct_par
 Free energy evaluation, 84
energy_of_circ_structure
 Free energy evaluation, 84
energy_of_move
 Free energy evaluation, 87
energy_of_move_pt
 Free energy evaluation, 87
energy_of_struct
 Free energy evaluation, 89
energy_of_struct_par
 Free energy evaluation, 83
energy_of_struct_pt
 Free energy evaluation, 89
energy_of_struct_pt_par
 Free energy evaluation, 86
energy_of_structure
 Free energy evaluation, 82
energy_of_structure_pt
 Free energy evaluation, 85
energy_set
 Fine-tuning of the implemented models, 140
exp_E_ExtLoop
 Process and evaluate individual loops, 94
exp_E_Hairpin
 Process and evaluate individual loops, 97
exp_E_IntLoop
 Process and evaluate individual loops, 102
exp_E_Stem
 Process and evaluate individual loops, 96
exp_f
 vrna_sc_s, 199
expHairpinEnergy
 part_func.h, 541
expLoopEnergy
 part_func.h, 540
expand_Full
 Parsing, converting, comparing secondary structures, 416

expand_Shapiro
 Parsing, converting, comparing secondary structures, 415
 Experimental structure probing data, 292
 export_ali_bpmp
 Partition Function and Base Pair Probabilities for Sequence Alignment(s), 257
 export_bpmp
 Partition function and equilibrium properties, 223
 export_circfold_arrays
 MFE Structures of single Nucleic Acid Sequences, 337
 export_circfold_arrays_par
 MFE Structures of single Nucleic Acid Sequences, 337
 export_co_bpmp
 part_func_co.h, 546
 export_cofold_arrays
 MFE Structures of two hybridized Sequences, 343
 export_cofold_arrays_gq
 MFE Structures of two hybridized Sequences, 342
 export_fold_arrays
 MFE Structures of single Nucleic Acid Sequences, 336
 export_fold_arrays_par
 MFE Structures of single Nucleic Acid Sequences, 336
 Extending the folding grammar with additional domains, 157

f
 vrna_sc_s, 199

FILENAME_ID_LENGTH
 Parsing, converting, and comparing sequences, 402

FILENAME_MAX_LENGTH
 Parsing, converting, and comparing sequences, 401

FORBIDDEN
 energy_const.h, 511

filecopy
 utils.h, 579

final_cost
 Inverse Folding (Design), 278

find_saddle
 Direct refolding paths between two secondary structures, 397

Fine-tuning of the implemented models, 106
 backtrack_type, 141
 dangles, 139
 do_backtrack, 140
 energy_set, 140
 max_bp_span, 141
 noLonelyPairs, 140
 nonstandards, 141
 pf_scale, 139
 set_model_details, 138
 temperature, 139
 tetra_loop, 140

VRNA_MODEL_DEFAULT_ALI_CV_FACT, 118
 VRNA_MODEL_DEFAULT_ALI_NC_FACT, 118
 VRNA_MODEL_DEFAULT_ALI_OLD_EN, 118
 VRNA_MODEL_DEFAULT_ALI_RIBO, 118
 VRNA_MODEL_DEFAULT_BACKTRACK_TYPE, 116
 VRNA_MODEL_DEFAULT_BACKTRACK, 116
 VRNA_MODEL_DEFAULT_BETA_SCALE, 114
 VRNA_MODEL_DEFAULT_CIRC, 115
 VRNA_MODEL_DEFAULT_COMPUTE_BPP, 117
 VRNA_MODEL_DEFAULT_DANGLES, 114
 VRNA_MODEL_DEFAULT_ENERGY_SET, 116
 VRNA_MODEL_DEFAULT_GQUAD, 115
 VRNA_MODEL_DEFAULT_LOG_ML, 117
 VRNA_MODEL_DEFAULT_MAX_BP_SPAN, 117
 VRNA_MODEL_DEFAULT_NO_GU_CLOSURE, 115
 VRNA_MODEL_DEFAULT_NO_GU, 115
 VRNA_MODEL_DEFAULT_NO_LP, 114
 VRNA_MODEL_DEFAULT_PF_SCALE, 113
 VRNA_MODEL_DEFAULT_SPECIAL_HP, 114
 VRNA_MODEL_DEFAULT_TEMPERATURE, 113
 VRNA_MODEL_DEFAULT_UNIQ_ML, 116
 VRNA_MODEL_DEFAULT_WINDOW_SIZE, 117
 vrna_md_copy, 119
 vrna_md_defaults_backtrack, 130
 vrna_md_defaults_backtrack_get, 130
 vrna_md_defaults_backtrack_type, 131
 vrna_md_defaults_backtrack_type_get, 131
 vrna_md_defaults_betaScale, 122
 vrna_md_defaults_betaScale_get, 122
 vrna_md_defaults_circ, 127
 vrna_md_defaults_circ_get, 127
 vrna_md_defaults_compute_bpp, 131
 vrna_md_defaults_compute_bpp_get, 132
 vrna_md_defaults_cv_fact, 136
 vrna_md_defaults_cv_fact_get, 136
 vrna_md_defaults_dangles, 122
 vrna_md_defaults_dangles_get, 123
 vrna_md_defaults_energy_set, 129
 vrna_md_defaults_energy_set_get, 130
 vrna_md_defaults_gquad, 128
 vrna_md_defaults_gquad_get, 128
 vrna_md_defaults_logML_get, 127
 vrna_md_defaults_logML, 126
 vrna_md_defaults_max_bp_span, 132
 vrna_md_defaults_max_bp_span_get, 133
 vrna_md_defaults_min_loop_size, 133
 vrna_md_defaults_min_loop_size_get, 133
 vrna_md_defaults_nc_fact, 137
 vrna_md_defaults_nc_fact_get, 137
 vrna_md_defaults_noGU_get, 125
 vrna_md_defaults_noGUclosure, 125
 vrna_md_defaults_noGUclosure_get, 126
 vrna_md_defaults_noGU, 125
 vrna_md_defaults_noLP_get, 124
 vrna_md_defaults_noLP, 124
 vrna_md_defaults_oldAliEn, 134

vrna_md_defaults_oldAliEn_get, 135
vrna_md_defaults_reset, 120
vrna_md_defaults_ribo, 135
vrna_md_defaults_ribo_get, 136
vrna_md_defaults_sfact, 137
vrna_md_defaults_sfact_get, 138
vrna_md_defaults_special_hp, 123
vrna_md_defaults_special_hp_get, 124
vrna_md_defaults_temperature, 121
vrna_md_defaults_temperature_get, 121
vrna_md_defaults_uniq_ML_get, 129
vrna_md_defaults_uniq_ML, 128
vrna_md_defaults_window_size, 134
vrna_md_defaults_window_size_get, 134
vrna_md_option_string, 120
vrna_md_set_default, 119
vrna_md_update, 119

fold
MFE Structures of single Nucleic Acid Sequences, 334

fold_par
MFE Structures of single Nucleic Acid Sequences, 333

fold_vars.h
base_pair, 522
cut_point, 522
iindx, 522
james_rule, 521
logML, 522
pr, 522
RibosumFile, 521

Free energy evaluation, 69
energy_of_circ_struct, 90
energy_of_circ_struct_par, 84
energy_of_circ_structure, 84
energy_of_move, 87
energy_of_move_pt, 87
energy_of_struct, 89
energy_of_struct_par, 83
energy_of_struct_pt, 89
energy_of_struct_pt_par, 86
energy_of_structure, 82
energy_of_structure_pt, 85
loop_energy, 88
vrna_eval_covar_structure, 73
vrna_eval_loop_pt, 81
vrna_eval_move, 81
vrna_eval_move_pt, 82
vrna_eval_structure, 72
vrna_eval_structure_pt, 77
vrna_eval_structure_pt_simple, 77
vrna_eval_structure_pt_simple_v, 80
vrna_eval_structure_pt_simple_verbose, 79
vrna_eval_structure_pt_v, 79
vrna_eval_structure_pt_verbose, 78
vrna_eval_structure_simple, 73
vrna_eval_structure_simple_v, 76
vrna_eval_structure_simple_verbose, 75

vrna_eval_structure_v, 75
vrna_eval_structure_verbose, 74

free_alifold_arrays
MFE Consensus Structures for Sequence Alignment(s), 253

free_alipf_arrays
Partition Function and Base Pair Probabilities for Sequence Alignment(s), 258

free_arrays
MFE Structures of single Nucleic Acid Sequences, 335

free_auxdata
vrna_fc_s, 377

free_co_arrays
MFE Structures of two hybridized Sequences, 341

free_co_pf_arrays
part_func_co.h, 546

free_data
vrna_hc_s, 188

free_path
Direct refolding paths between two secondary structures, 398

free_pf_arrays
Partition function and equilibrium properties, 222

free_profile
profiledist.h, 558

free_sequence_arrays
Utilities for sequence alignments, 441

free_tree
treelist.h, 571

Functions for Creating Secondary Structure Plots, Dot-Plots, and More, 465
aliPS_color_aln, 467
PS_dot_plot, 469
PS_dot_plot_list, 468
rna_plot_type, 470
simple_circplot_coordinates, 468
simple_xy_coordinates, 467
VRNA_PLOT_TYPE_CIRCULAR, 467
VRNA_PLOT_TYPE_NAVIEW, 466
VRNA_PLOT_TYPE_SIMPLE, 466

Functions to convert between various units, 472
vrna_convert_energy, 474
vrna_convert_temperature, 474
vrna_unit_energy_e, 472
vrna_unit_temperature_e, 473

Functions to generate annotations for Secondary Structure Plots, Dot-Plots, and Others, 471

Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 443
read_record, 458
VRNA_CMD_PARSE_DEFAULTS, 447
VRNA_CMD_PARSE_HC, 446
VRNA_CMD_PARSE_SC, 446
VRNA_CMD_PARSE_SD, 446
VRNA_CMD_PARSE_UD, 446
VRNA_CONSTRAINT_MULTILINE, 447
VRNA_FILE_FORMAT_MSA_APPEND, 450

VRNA_FILE_FORMAT_MSA_CLUSTAL, 448
 VRNA_FILE_FORMAT_MSA_DEFAULT, 449
 VRNA_FILE_FORMAT_MSA_FASTA, 448
 VRNA_FILE_FORMAT_MSA_MAF, 448
 VRNA_FILE_FORMAT_MSA_MIS, 449
 VRNA_FILE_FORMAT_MSA_NOCHECK, 449
 VRNA_FILE_FORMAT_MSA QUIET, 450
 VRNA_FILE_FORMAT_MSA_SILENT, 450
 VRNA_FILE_FORMAT_MSA_STOCKHOLM, 448
 VRNA_FILE_FORMAT_MSA_UNKNOWN, 450
 VRNA_OPTION_MULTILINE, 447
 vrna_commands_apply, 452
 vrna_commands_free, 453
 vrna_extract_record_rest_constraint, 458
 vrna_extract_record_rest_structure, 456
 vrna_file_SHAPE_read, 457
 vrna_file_bpseq, 454
 vrna_file_commands_apply, 451
 vrna_file_commands_read, 451
 vrna_file_connect, 453
 vrna_file_fasta_read_record, 455
 vrna_file_helixlist, 453
 vrna_file_json, 455
 vrna_file_msa_detect_format, 461
 vrna_file_msa_read, 458
 vrna_file_msa_read_record, 460
 vrna_file_msa_write, 462
 vrna_filename_sanitize, 463
 vrna_read_line, 463

G-quadruplexes, 307
 backtrack_GQuad_IntLoop, 308
 backtrack_GQuad_IntLoop_L, 309
 get_gquad_matrix, 307
 parse_gquad, 308

GASCONST
 energy_const.h, 510

Generate soft constraints from data, 297
 progress_callback, 299
 VRNA_MINIMIZER_CONJUGATE_FR, 298
 VRNA_MINIMIZER_CONJUGATE_PR, 298
 VRNA_MINIMIZER_STEEPEST_DESCENT, 299
 VRNA_MINIMIZER_VECTOR_BFGS2, 299
 VRNA_MINIMIZER_VECTOR_BFGS, 298
 VRNA_OBJECTIVE_FUNCTION_ABSOLUTE, 298
 VRNA_OBJECTIVE_FUNCTION_QUADRATIC, 298
 vrna_sc_minimize_perturbation, 300

get_TwoDfold_variables
 Calculating MFE representatives of a Distance Based Partitioning, 266

get_TwoDpfold_variables
 2Dpfold.h, 484

get_alipf_arrays
 Comparative structure prediction, 247

get_boltzmann_factor_copy
 Energy parameters, 153

get_boltzmann_factors
 Energy parameters, 152
 get_boltzmann_factors_ali
 Energy parameters, 154

get_centroid_struct_gquad_pr
 part_func.h, 540

get_centroid_struct_pl
 centroid.h, 491

get_centroid_struct_pr
 centroid.h, 492

get_concentrations
 part_func_co.h, 545

get_gquad_matrix
 G-quadruplexes, 307

get_input_line
 Utilities, 327

get_line
 utils.h, 576

get_monomere_mfes
 MFE Structures of two hybridized Sequences, 344

get_mpi
 Utilities for sequence alignments, 440

get_path
 Direct refolding paths between two secondary structures, 398

get_pf_arrays
 Partition function and equilibrium properties, 223

get_plist
 part_func_co.h, 544

get_scaled_alipf_parameters
 Energy parameters, 154

get_scaled_parameters
 Energy parameters, 155

get_scaled_pf_parameters
 Energy parameters, 152

give_up
 Inverse Folding (Design), 278

gmlRNA
 plot_structure.h, 553

HairpinE
 MFE Structures of single Nucleic Acid Sequences, 338

hamming
 string_utils.h, 563

hamming_bound
 string_utils.h, 563

Hard constraints, 185
 VRNA_CONSTRAINT_DB_DEFAULT, 191
 VRNA_CONSTRAINT_DB_DOT, 189
 VRNA_CONSTRAINT_DB_ENFORCE_BP, 188
 VRNA_CONSTRAINT_DB_GQUAD, 191
 VRNA_CONSTRAINT_DB_INTERMOL, 190
 VRNA_CONSTRAINT_DB_INTRAMOL, 190
 VRNA_CONSTRAINT_DB_PIPE, 189
 VRNA_CONSTRAINT_DB_RND_BRACK, 190
 VRNA_CONSTRAINT_DB_WUSS, 191
 VRNA_CONSTRAINT_DB_X, 189
 VRNA_CONSTRAINT_DB, 188
 vrna_callback_hc_evaluate, 192

vrna_hc_add_bp, 194
vrna_hc_add_bp_nonspecific, 195
vrna_hc_add_from_db, 196
vrna_hc_add_up, 193
vrna_hc_add_up_batch, 194
vrna_hc_free, 195
vrna_hc_init, 193

INF
energy_const.h, 511

id
vrna_exp_param_s, 144

iindx
fold_vars.h, 522

Incorporating ligands binding to specific sequence/structure motifs using soft constraints, 304
vrna_sc_add_hi_motif, 305

init_co_pf_fold
part_func_co.h, 545

init_pf_fold
part_func.h, 539

init_rand
utils.h, 578

initialize_cofold
MFE Structures of two hybridized Sequences, 344

initialize_fold
MFE Structures of single Nucleic Acid Sequences, 338

int_urn
utils.h, 579

interact, 312

inv_verbose
Inverse Folding (Design), 279

Inverse Folding (Design), 277
final_cost, 278
give_up, 278
inv_verbose, 279
inverse_fold, 277
inverse_pf_fold, 278

inverse_fold
Inverse Folding (Design), 277

inverse_pf_fold
Inverse Folding (Design), 278

james_rule
fold_vars.h, 521

K0
energy_const.h, 510

LPfold.h
vrna_probs_window_callback, 527

last_parameter_file
Reading/Writing Energy Parameter Sets from/to File, 365

Lfold
Local MFE Structure Prediction and Z-scores, 355

Lfoldz
Local MFE Structure Prediction and Z-scores, 356

Ligands binding to RNA structures, 302
Ligands binding to unstructured domains, 303

Local MFE Consensus Structure Prediction for Sequence Alignments, 364
aliLfold, 364

Local MFE Structure Prediction and Z-scores, 354
Lfold, 355
Lfoldz, 356
vrna_Lfold, 354
vrna_Lfoldz, 355
vrna_mfe_window, 356
vrna_mfe_window_zscore, 357

Locally stable structures, 245

logML
fold_vars.h, 522

loop_energy
Free energy evaluation, 88

LoopEnergy
MFE Structures of single Nucleic Acid Sequences, 337

MAXLOOP
energy_const.h, 511

MEA
Compute the structure with maximum expected accuracy (MEA), 240

MFE Consensus Structures for Sequence Alignment(s), 250
alifold, 251
circalifold, 252
free_alifold_arrays, 253
vrna_alifold, 250
vrna_circalifold, 251

MFE Structures of single Nucleic Acid Sequences, 331
circfold, 335
export_circfold_arrays, 337
export_circfold_arrays_par, 337
export_fold_arrays, 336
export_fold_arrays_par, 336
fold, 334
fold_par, 333
free_arrays, 335
HairpinE, 338
initialize_fold, 338
LoopEnergy, 337
update_fold_params, 336
update_fold_params_par, 336
vrna_circfold, 332
vrna_fold, 331

MFE Structures of two hybridized Sequences, 339
cofold, 340
cofold_par, 341
export_cofold_arrays, 343
export_cofold_arrays_gq, 342
free_co_arrays, 341
get_monomere_mfes, 344
initialize_cofold, 344
update_cofold_params, 341
update_cofold_params_par, 342

vrna_cofold, 339
 vrna_mfe_dimer, 344
Make_bp_profile
 profiledist.h, 558
Make_bp_profile_bppm
 profiledist.h, 556
make_pair_table
 Parsing, converting, comparing secondary structures, 428
make_pair_table_snoop
 Parsing, converting, comparing secondary structures, 429
make_referenceBP_array
 Parsing, converting, comparing secondary structures, 430
Make_swString
 stringdist.h, 564
make_tree
 treedist.h, 570
max_bp_span
 Fine-tuning of the implemented models, 141
mean_bp_dist
 part_func.h, 540
mean_bp_distance
 Partition function and equilibrium properties, 224
mean_bp_distance_pr
 Partition function and equilibrium properties, 225
min_loop_size
 vrna_md_s, 113
Minimum Free Energy (MFE) algorithms, 211
 vrna_mfe, 212
 vrna_mfe_window_callback, 212
n_seq
 vrna_fc_s, 379
NBPAIRS
 energy_const.h, 511
nc_fact
 Comparative structure prediction, 249
Neighborhood relation and move sets for secondary structures, 280
 VRNA_MOVESET_DEFAULT, 284
 VRNA_MOVESET_DELETION, 283
 VRNA_MOVESET_INSERTION, 283
 VRNA_MOVESET_NO_LP, 284
 VRNA_MOVESET_SHIFT, 283
 vrna_looppidx_update, 285
 vrna_move_apply, 284
 vrna_move_list_free, 284
 vrna_neighbors, 285
 vrna_neighbors_successive, 286
next
 vrna_move_s, 283
noLonelyPairs
 Fine-tuning of the implemented models, 140
node, 314
nonstandards
 Fine-tuning of the implemented models, 141
nrerror
 utils.h, 577
PAIR
 Data Structures and Preprocessor Macros, 314
PS_dot_plot
 Functions for Creating Secondary Structure Plots, Dot-Plots, and More, 469
PS_dot_plot_list
 Functions for Creating Secondary Structure Plots, Dot-Plots, and More, 468
PS_rna_plot
 plot_structure.h, 554
PS_rna_plot_a
 plot_structure.h, 555
PS_rna_plot_a_gquad
 plot_structure.h, 555
PS_rna_plot_snoop_a
 plot_structure.h, 551
pack_structure
 Parsing, converting, comparing secondary structures, 427
pair_info
 Utilities for sequence alignments, 435
paramT
 Energy parameters, 145
parenthesis_structure
 Parsing, converting, comparing secondary structures, 431
parenthesis_zuker
 Parsing, converting, comparing secondary structures, 431
parse_gquad
 G-quadruplexes, 308
parse_structure
 Parsing, converting, comparing secondary structures, 417
Parsing, converting, and comparing sequences, 401
 FILENAME_ID_LENGTH, 402
 FILENAME_MAX_LENGTH, 401
 vrna_cut_point_insert, 408
 vrna_cut_point_remove, 408
 vrna_hamming_distance, 406
 vrna_hamming_distance_bound, 406
 vrna_random_string, 405
 vrna_seq_toRNA, 407
 vrna_seq_toupper, 407
 vrna_strcat_printf, 403
 vrna_strcat_vprintf, 404
 vrna_strdup_printf, 402
 vrna_strdup_vprintf, 403
 vrna_strsplit, 405
 Parsing, converting, comparing secondary structures, 409
 add_root, 415
 alimake_pair_table, 429
 assign plist_from_db, 426
 b2HIT, 414
 b2Shapiro, 415
 b2C, 414

bp_distance, 429
bppm_symbol, 432
bppm_to_structure, 431
compute_BPdifferences, 430
copy_pair_table, 428
expand_Full, 416
expand_Shapiro, 415
make_pair_table, 428
make_pair_table_snoop, 429
make_referenceBP_array, 430
pack_structure, 427
parenthesis_structure, 431
parenthesis_zuker, 431
parse_structure, 417
unexpand_Full, 416
unexpand_aligned_F, 417
unpack_structure, 428
unweight, 417
VRNA_BRACKETS_ALPHA, 412
VRNA_BRACKETS_ANG, 413
VRNA_BRACKETS_CLY, 413
VRNA_BRACKETS_DEFAULT, 413
VRNA_BRACKETS_RND, 412
VRNA_BRACKETS_SQR, 413
vrna_bp_distance, 424
vrna_db_flatten, 422
vrna_db_flatten_to, 422
vrna_db_from_WUSS, 423
vrna_db_from_bp_stack, 425
vrna_db_from plist, 426
vrna_db_from_ptable, 423
vrna_db_pack, 419
vrna_db_unpack, 419
vrna_plist, 425
vrna_pt_pk_get, 421
vrna_pt_snoop_get, 422
vrna_ptable, 420
vrna_ptable_copy, 421
vrna_ptable_from_string, 420
vrna_refBPCnt_matrix, 424
vrna_refBPdist_matrix, 425

part_func.h
centroid, 540
expHairpinEnergy, 541
expLoopEnergy, 540
get_centroid_struct_gquad_pr, 540
init_pf_fold, 539
mean_bp_dist, 540
stackProb, 539
vrna_pf_float_precision, 539

part_func_co.h
co_pf_fold, 543
co_pf_fold_par, 543
compute_probabilities, 544
export_co_bppm, 546
free_co_pf_arrays, 546
get_concentrations, 545
get plist, 544

init_co_pf_fold, 545
update_co_pf_params, 546
update_co_pf_params_par, 547

Partition Function and Base Pair Probabilities for Sequence Alignment(s), 254
alipf_circ_fold, 257
alipf_fold, 256
alipf_fold_par, 256
export_ali_bppm, 257
free_alipf_arrays, 258
vrna_pf_alifold, 254
vrna_pf_circalifold, 255

Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures, 358
VRNA_PROBS_WINDOW_BPP, 358
VRNA_PROBS_WINDOW_STACKP, 359
VRNA_PROBS_WINDOW_UP_SPLIT, 359
VRNA_PROBS_WINDOW_UP, 358
vrna_pfl_fold, 359
vrna_pfl_fold_cb, 360
vrna_pfl_fold_up, 361
vrna_pfl_fold_up_cb, 362
vrna_probs_window, 362

Partition function and equilibrium properties, 214
assign plist_from_pr, 227
export_bppm, 223
free_pf_arrays, 222
get_pf_arrays, 223
mean_bp_distance, 224
mean_bp_distance_pr, 225
pf_circ_fold, 221
pf_fold, 220
pf_fold_par, 219
update_pf_params, 222
update_pf_params_par, 223
vrna_mean_bp_distance, 216
vrna_mean_bp_distance_pr, 215
vrna_pf, 217
vrna_pf_circfold, 218
vrna_pf_fold, 217
vrna_plist_from_probs, 225
vrna_stack_prob, 216

Partition Function for two hybridized Sequences, 346
vrna_pf_dimer, 348
vrna_pf_dimer_concentrations, 349
vrna_pf_dimer_probs, 348

Partition Function for two hybridized Sequences as a stepwise Process, 351
pf_interact, 352
pf_unstru, 351

path_t
Direct refolding paths between two secondary structures, 396

pbacktrack
Structure sampling from the ensemble, 237

pbacktrack_circ
Structure sampling from the ensemble, 238

pf_circ_fold

Partition function and equilibrium properties, 221
pf_fold
 Partition function and equilibrium properties, 220
pf_fold_par
 Partition function and equilibrium properties, 219
pf_interact
 Partition Function for two hybridized Sequences as a stepwise Process, 352
pf_paramT
 Energy parameters, 145
pf_scale
 Fine-tuning of the implemented models, 139
pf_unstru
 Partition Function for two hybridized Sequences as a stepwise Process, 351
plist
 Data Structures and Preprocessor Macros, 314
plot_structure.h
 gmlRNA, 553
 PS_rna_plot, 554
 PS_rna_plot_a, 555
 PS_rna_plot_a_gquad, 555
 PS_rna_plot_snoop_a, 551
 ssv_rna_plot, 553
 svg_rna_plot, 554
 vrna_file_PS_rnaplot, 551
 vrna_file_PS_rnaplot_a, 552
 xrna_plot, 554
pos_3
 vrna_move_s, 283
pos_5
 vrna_move_s, 282
Postorder_list, 477
pr
 fold_vars.h, 522
print_tty_constraint
 constraints_hard.h, 500
print_tty_constraint_full
 constraints_hard.h, 500
print_tty_input_seq
 utils.h, 577
print_tty_input_seq_str
 utils.h, 577
Process and evaluate individual loops, 92
 E_ExtLoop, 93
 E_Hairpin, 96
 E_IntLoop, 100
 E_Stem, 94
 exp_E_ExtLoop, 94
 exp_E_Hairpin, 97
 exp_E_IntLoop, 102
 exp_E_Stem, 96
 vrna_BT_hp_loop, 100
 vrna_BT_mb_loop, 103
 vrna_E_ext_hp_loop, 99
 vrna_E_hp_loop, 98
 vrna_E_mb_loop_stack, 103
 vrna_eval_hp_loop, 99
vrna_eval_int_loop, 103
vrna_exp_E_hp_loop, 100
prod_cb
 vrna_unstructured_domain_s, 161
profile_edit_distance
 profiledist.h, 556
profiledist.h
 free_profile, 558
 Make_bp_profile, 558
 Make_bp_profile_bppm, 556
 profile_edit_distance, 556
progress_callback
 Generate soft constraints from data, 299
pscore
 vrna_fc_s, 381
pscore_local
 vrna_fc_s, 381
pscore_pf_compat
 vrna_fc_s, 381
ptype
 vrna_fc_s, 378
ptype_pf_compat
 vrna_fc_s, 378
pu_contrib, 312
pu_out, 313
RNA-RNA interaction, 244
random_string
 string_utils.h, 563
read_parameter_file
 Reading/Writing Energy Parameter Sets from/to File, 365
read_record
 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 458
Reading/Writing Energy Parameter Sets from/to File, 365
 last_parameter_file, 365
 read_parameter_file, 365
 write_parameter_file, 366
Refolding paths of secondary structures, 287
 VRNA_PATH_DEFAULT, 288
 VRNA_PATH_NO_TRANSITION_OUTPUT, 288
 VRNA_PATH_RANDOM, 288
 VRNA_PATH_STEEPEST_DESCENT, 287
 vrna_path, 289
 vrna_path_gradient, 289
 vrna_path_random, 290
RibosumFile
 fold_vars.h, 521
rna_plot_type
 Functions for Creating Secondary Structure Plots, Dot-Plots, and More, 470
S
 vrna_fc_s, 380
S3
 vrna_fc_s, 381

S5
vrna_fc_s, 380

S_cons
vrna_fc_s, 380

SHAPE reactivity data, 293
vrna_sc_SHAPE_to_pr, 296
vrna_sc_add_SHAPE_deigan, 293
vrna_sc_add_SHAPE_deigan_ali, 294
vrna_sc_add_SHAPE_zarringhalam, 295

SOLUTION
subopt.h, 569

sc
vrna_fc_s, 379

scale_parameters
Energy parameters, 154

scs
vrna_fc_s, 382

sect
Data Structures and Preprocessor Macros, 315

sequence
vrna_fc_s, 377

sequence_encoding
vrna_fc_s, 378

sequences
vrna_fc_s, 379

set_model_details
Fine-tuning of the implemented models, 138

simple_circplot_coordinates
Functions for Creating Secondary Structure Plots, Dot-Plots, and More, 468

simple_xy_coordinates
Functions for Creating Secondary Structure Plots, Dot-Plots, and More, 467

snoopT, 314

Soft constraints, 197
vrna_callback_sc_backtrack, 202
vrna_callback_sc_energy, 199
vrna_callback_sc_exp_energy, 201
vrna_sc_add_bp, 204
vrna_sc_add_bt, 207
vrna_sc_add_data, 206
vrna_sc_add_exp_f, 208
vrna_sc_add_f, 207
vrna_sc_add_up, 205
vrna_sc_free, 206
vrna_sc_init, 202
vrna_sc_remove, 206
vrna_sc_set_bp, 203
vrna_sc_set_up, 204

space
utils.h, 578

ssv_rna_plot
plot_structure.h, 553

st_back
Structure sampling from the ensemble, 239

stackProb
part_func.h, 539

stat_cb

vrna_fc_s, 377
Stochastic Backtracking of Consensus Structures from Sequence Alignment(s), 259
alipbacktrack, 259

Stochastic Backtracking of Structures from Distance Based Partitioning, 273
vrna_pbacktrack5_TwoD, 274
vrna_pbacktrack_TwoD, 273

str_DNA2RNA
string_utils.h, 563

str_uppercase
string_utils.h, 562

string_edit_distance
stringdist.h, 565

string_utils.h
hamming, 563
hamming_bound, 563
random_string, 563
str_DNA2RNA, 563
str_uppercase, 562

stringdist.h
Make_swString, 564
string_edit_distance, 565

Structure sampling from the ensemble, 236
pbacktrack, 237
pbacktrack_circ, 238
st_back, 239
vrna_pbacktrack, 237
vrna_pbacktrack5, 236

Structured domains, 168

subopt
Suboptimal structures within an energy band around the MFE, 234

subopt.h
SOLUTION, 569

subopt_circ
Suboptimal structures within an energy band around the MFE, 234

Suboptimal structures sensu Stiegler et al. 1984 / Zuker et al. 1989, 229
vrna_subopt_zuker, 229
zukersubopt, 230
zukersubopt_par, 230

Suboptimal structures within an energy band arround the MFE, 231
subopt, 234
subopt_circ, 234
vrna_subopt, 232
vrna_subopt_callback, 231
vrna_subopt_cb, 233

Suboptimals and representative structures, 228

svg_rna_plot
plot_structure.h, 554

swString, 477

TURN
energy_const.h, 511

temperature
Fine-tuning of the implemented models, 139

tetra_loop
 Fine-tuning of the implemented models, 140

The Dynamic Programming Matrices, 390
 vrna_mx_add, 393
 vrna_mx_mfe_free, 393
 vrna_mx_pf_free, 394
 vrna_mx_type_e, 392

The Fold Compound, 373
 VRNA_OPTION_EVAL_ONLY, 384
 VRNA_OPTION_MFE, 383
 VRNA_OPTION_PF, 383
 VRNA_STATUS_MFE_POST, 382
 VRNA_STATUS_MFE_PRE, 382
 VRNA_STATUS_PF_POST, 383
 VRNA_STATUS_PF_PRE, 383
 vrna_callback_free_auxdata, 384
 vrna_callback_recursion_status, 385
 vrna_fc_type_e, 385
 vrna_fold_compound, 386
 vrna_fold_compound_add_auxdata, 388
 vrna_fold_compound_add_callback, 389
 vrna_fold_compound_comparative, 387
 vrna_fold_compound_free, 388

The RNA folding grammar, 105

The RNA secondary structure landscape, 210

time_stamp
 utils.h, 579

Tree, 478

tree_edit_distance
 treedist.h, 570

treedist.h
 free_tree, 571
 make_tree, 570
 tree_edit_distance, 570

TwoDfold_backtrack_f5
 Calculating MFE representatives of a Distance Based Partitioning, 268

TwoDfold_vars, 263
 Calculating MFE representatives of a Distance Based Partitioning, 264

TwoDfoldList
 Calculating MFE representatives of a Distance Based Partitioning, 267

TwoDpfold_pbacktrack
 2Dpfold.h, 485

TwoDpfold_pbacktrack5
 2Dpfold.h, 486

TwoDpfold_vars, 478

TwoDpfoldList
 2Dpfold.h, 485

type
 vrna_fc_s, 376

unexpand_Full
 Parsing, converting, comparing secondary structures, 416

unexpand_aligned_F
 Parsing, converting, comparing secondary structures, 417

unpack_structure
 Parsing, converting, comparing secondary structures, 428

Unstructured domains, 158
 vrna_callback_ud_energy, 161
 vrna_callback_ud_exp_energy, 162
 vrna_callback_ud_exp_production, 163
 vrna_callback_ud_probs_add, 163
 vrna_callback_ud_probs_get, 163
 vrna_callback_ud_production, 163
 vrna_ud_add_motif, 164
 vrna_ud_remove, 165
 vrna_ud_set_data, 165
 vrna_ud_set_exp_prod_rule_cb, 167
 vrna_ud_set_prod_rule_cb, 166

unstructured_domains.h
 vrna_ud_set_prob_cb, 573

unweight
 Parsing, converting, comparing secondary structures, 417

update_alifold_params
 Comparative structure prediction, 248

update_co_pf_params
 part_func_co.h, 546

update_co_pf_params_par
 part_func_co.h, 547

update_cofold_params
 MFE Structures of two hybridized Sequences, 341

update_cofold_params_par
 MFE Structures of two hybridized Sequences, 342

update_fold_params
 MFE Structures of single Nucleic Acid Sequences, 336

update_fold_params_par
 MFE Structures of single Nucleic Acid Sequences, 336

update_pf_params
 Partition function and equilibrium properties, 222

update_pf_params_par
 Partition function and equilibrium properties, 223

urn
 utils.h, 578

Utilities, 317
 get_input_line, 327
 VRNA_INPUT_CONSTRAINT, 319
 VRNA_INPUT_FASTA_HEADER, 319
 vrna_alloc, 322
 vrna_enumerate_necklaces, 321
 vrna_idx_col_wise, 329
 vrna_idx_row_wise, 328
 vrna_int_urn, 326
 vrna_message_error, 323
 vrna_message_info, 324
 vrna_message_input_seq, 328
 vrna_message_input_seq_simple, 327
 vrna_message_error, 323
 vrna_message_vinfo, 325
 vrna_message_vwarning, 324

vrna_message_warning, 324
vrna_nucleotide_decode, 321
vrna_nucleotide_encode, 320
vrna_ptypes, 320
vrna_realloc, 322
vrna_time_stamp, 326
vrna_urn, 325
xsubi, 329

Utilities for sequence alignments, 433
alloc_sequence_arrays, 441
encode_ali_sequence, 440
free_sequence_arrays, 441
get_mpi, 440
pair_info, 435
VRNA_MEASURE_SHANNON_ENTROPY, 434
vrna_aln_conservation_col, 439
vrna_aln_conservation_struct, 438
vrna_aln_copy, 438
vrna_aln_free, 436
vrna_aln_mpi, 435
vrna_aln_pinfo, 435
vrna_aln_slice, 436
vrna_aln_toRNA, 437
vrna_aln_uppercase, 437

utils.h
filecopy, 579
get_line, 576
init_rand, 578
int_urn, 579
nrerror, 577
print_tty_input_seq, 577
print_tty_input_seq_str, 577
space, 578
time_stamp, 579
urn, 578
warn_user, 577
xrealloc, 578

VRNA_BRACKETS_ALPHA
Parsing, converting, comparing secondary structures, 412

VRNA_BRACKETS_ANG
Parsing, converting, comparing secondary structures, 413

VRNA_BRACKETS_CLY
Parsing, converting, comparing secondary structures, 413

VRNA_BRACKETS_DEFAULT
Parsing, converting, comparing secondary structures, 413

VRNA_BRACKETS_RND
Parsing, converting, comparing secondary structures, 412

VRNA_BRACKETS_SQR
Parsing, converting, comparing secondary structures, 413

VRNA_CMD_PARSE_DEFAULTS
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 447

VRNA_CMD_PARSE_HC
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 446

VRNA_CMD_PARSE_SC
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 446

VRNA_CMD_PARSE_SD
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 446

VRNA_CMD_PARSE_UD
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 446

VRNA_CONSTRAINT_DB_ANG_BRACK
constraints_hard.h, 498

VRNA_CONSTRAINT_DB_DEFAULT
Hard constraints, 191

VRNA_CONSTRAINT_DB_DOT
Hard constraints, 189

VRNA_CONSTRAINT_DB_ENFORCE_BP
Hard constraints, 188

VRNA_CONSTRAINT_DB_GQUAD
Hard constraints, 191

VRNA_CONSTRAINT_DB_INTERMOL
Hard constraints, 190

VRNA_CONSTRAINT_DB_INTRAMOL
Hard constraints, 190

VRNA_CONSTRAINT_DB_PIPE
Hard constraints, 189

VRNA_CONSTRAINT_DB_RND_BRACK
Hard constraints, 190

VRNA_CONSTRAINT_DB_WUSS
Hard constraints, 191

VRNA_CONSTRAINT_DB_X
Hard constraints, 189

VRNA_CONSTRAINT_DB
Hard constraints, 188

VRNA_CONSTRAINT_FILE
Constraining the RNA folding grammar, 172

VRNA_CONSTRAINT_MULTILINE
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 447

VRNA_CONSTRAINT_NO_HEADER
constraints_hard.h, 498

VRNA_CONSTRAINT_SOFT_MFE
Constraining the RNA folding grammar, 172

VRNA_CONSTRAINT_SOFT_PF
Constraining the RNA folding grammar, 173

VRNA_CONVERT_OUTPUT_ALL
Converting Energy Parameter Files, 368

VRNA_CONVERT_OUTPUT_BULGE

- Converting Energy Parameter Files, [370](#)
- VRNA_CONVERT_OUTPUT_DANGLE3**
 - Converting Energy Parameter Files, [369](#)
- VRNA_CONVERT_OUTPUT_DANGLE5**
 - Converting Energy Parameter Files, [369](#)
- VRNA_CONVERT_OUTPUT_DUMP**
 - Converting Energy Parameter Files, [371](#)
- VRNA_CONVERT_OUTPUT_HP**
 - Converting Energy Parameter Files, [368](#)
- VRNA_CONVERT_OUTPUT_INT_11**
 - Converting Energy Parameter Files, [369](#)
- VRNA_CONVERT_OUTPUT_INT_21**
 - Converting Energy Parameter Files, [370](#)
- VRNA_CONVERT_OUTPUT_INT_22**
 - Converting Energy Parameter Files, [370](#)
- VRNA_CONVERT_OUTPUT_INT**
 - Converting Energy Parameter Files, [370](#)
- VRNA_CONVERT_OUTPUT_MISC**
 - Converting Energy Parameter Files, [370](#)
- VRNA_CONVERT_OUTPUT_MM_EXT**
 - Converting Energy Parameter Files, [369](#)
- VRNA_CONVERT_OUTPUT_MM_HP**
 - Converting Energy Parameter Files, [368](#)
- VRNA_CONVERT_OUTPUT_MM_INT_1N**
 - Converting Energy Parameter Files, [368](#)
- VRNA_CONVERT_OUTPUT_MM_INT_23**
 - Converting Energy Parameter Files, [369](#)
- VRNA_CONVERT_OUTPUT_MM_INT**
 - Converting Energy Parameter Files, [368](#)
- VRNA_CONVERT_OUTPUT_MM_MULTI**
 - Converting Energy Parameter Files, [369](#)
- VRNA_CONVERT_OUTPUT_NINIO**
 - Converting Energy Parameter Files, [371](#)
- VRNA_CONVERT_OUTPUT_SPECIAL_HP**
 - Converting Energy Parameter Files, [371](#)
- VRNA_CONVERT_OUTPUT_STACK**
 - Converting Energy Parameter Files, [368](#)
- VRNA_CONVERT_OUTPUT_VANILLA**
 - Converting Energy Parameter Files, [371](#)
- VRNA_DECOMP_EXT_EXT_EXT**
 - Constraining the RNA folding grammar, [180](#)
- VRNA_DECOMP_EXT_EXT_STEM1**
 - Constraining the RNA folding grammar, [181](#)
- VRNA_DECOMP_EXT_EXT_STEM**
 - Constraining the RNA folding grammar, [181](#)
- VRNA_DECOMP_EXT_EXT**
 - Constraining the RNA folding grammar, [178](#)
- VRNA_DECOMP_EXT_STEM_EXT**
 - Constraining the RNA folding grammar, [180](#)
- VRNA_DECOMP_EXT_STEM**
 - Constraining the RNA folding grammar, [179](#)
- VRNA_DECOMP_EXT_UP**
 - Constraining the RNA folding grammar, [179](#)
- VRNA_DECOMP_ML_COAXIAL_ENC**
 - Constraining the RNA folding grammar, [178](#)
- VRNA_DECOMP_ML_COAXIAL**
 - Constraining the RNA folding grammar, [177](#)
- VRNA_DECOMP_ML_ML**
 - Constraining the RNA folding grammar, [175](#)
- VRNA_DECOMP_ML_ML_STEM**
 - Constraining the RNA folding grammar, [177](#)
- VRNA_DECOMP_ML_ML**
 - Constraining the RNA folding grammar, [176](#)
- VRNA_DECOMP_ML_STEM**
 - Constraining the RNA folding grammar, [175](#)
- VRNA_DECOMP_ML_UP**
 - Constraining the RNA folding grammar, [176](#)
- VRNA_DECOMP_PAIR_HP**
 - Constraining the RNA folding grammar, [173](#)
- VRNA_DECOMP_PAIR_IL**
 - Constraining the RNA folding grammar, [173](#)
- VRNA_DECOMP_PAIR_ML**
 - Constraining the RNA folding grammar, [174](#)
- VRNA_FILE_FORMAT_MSA_APPEND**
 - Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [450](#)
- VRNA_FILE_FORMAT_MSA_CLUSTAL**
 - Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [448](#)
- VRNA_FILE_FORMAT_MSA_DEFAULT**
 - Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [449](#)
- VRNA_FILE_FORMAT_MSA_FASTA**
 - Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [448](#)
- VRNA_FILE_FORMAT_MSA_MAF**
 - Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [448](#)
- VRNA_FILE_FORMAT_MSA_MIS**
 - Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [449](#)
- VRNA_FILE_FORMAT_MSA_NOCHECK**
 - Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [449](#)
- VRNA_FILE_FORMAT_MSA QUIET**
 - Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [450](#)
- VRNA_FILE_FORMAT_MSA_SILENT**
 - Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [450](#)
- VRNA_FILE_FORMAT_MSA_STOCKHOLM**
 - Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [448](#)
- VRNA_FILE_FORMAT_MSA_UNKNOWN**
 - Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [450](#)

- Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 450
- VRNA_INPUT_CONSTRAINT**
Utilities, 319
- VRNA_INPUT_FASTA_HEADER**
Utilities, 319
- VRNA_MEASURE_SHANNON_ENTROPY**
Utilities for sequence alignments, 434
- VRNA_MINIMIZER_CONJUGATE_FR**
Generate soft constraints from data, 298
- VRNA_MINIMIZER_CONJUGATE_PR**
Generate soft constraints from data, 298
- VRNA_MINIMIZER_STEEPEST_DESCENT**
Generate soft constraints from data, 299
- VRNA_MINIMIZER_VECTOR_BFGS2**
Generate soft constraints from data, 299
- VRNA_MINIMIZER_VECTOR_BFGS**
Generate soft constraints from data, 298
- VRNA_MODEL_DEFAULT_ALI_CV_FACT**
Fine-tuning of the implemented models, 118
- VRNA_MODEL_DEFAULT_ALI_NC_FACT**
Fine-tuning of the implemented models, 118
- VRNA_MODEL_DEFAULT_ALI_OLD_EN**
Fine-tuning of the implemented models, 118
- VRNA_MODEL_DEFAULT_ALI_RIBO**
Fine-tuning of the implemented models, 118
- VRNA_MODEL_DEFAULT_BACKTRACK_TYPE**
Fine-tuning of the implemented models, 116
- VRNA_MODEL_DEFAULT_BACKTRACK**
Fine-tuning of the implemented models, 116
- VRNA_MODEL_DEFAULT_BETA_SCALE**
Fine-tuning of the implemented models, 114
- VRNA_MODEL_DEFAULT_CIRC**
Fine-tuning of the implemented models, 115
- VRNA_MODEL_DEFAULT_COMPUTE_BPP**
Fine-tuning of the implemented models, 117
- VRNA_MODEL_DEFAULT_DANGLES**
Fine-tuning of the implemented models, 114
- VRNA_MODEL_DEFAULT_ENERGY_SET**
Fine-tuning of the implemented models, 116
- VRNA_MODEL_DEFAULT_GQUAD**
Fine-tuning of the implemented models, 115
- VRNA_MODEL_DEFAULT_LOG_ML**
Fine-tuning of the implemented models, 117
- VRNA_MODEL_DEFAULT_MAX_BP_SPAN**
Fine-tuning of the implemented models, 117
- VRNA_MODEL_DEFAULT_NO_GU_CLOSURE**
Fine-tuning of the implemented models, 115
- VRNA_MODEL_DEFAULT_NO_GU**
Fine-tuning of the implemented models, 115
- VRNA_MODEL_DEFAULT_NO_LP**
Fine-tuning of the implemented models, 114
- VRNA_MODEL_DEFAULT_PF_SCALE**
Fine-tuning of the implemented models, 113
- VRNA_MODEL_DEFAULT_SPECIAL_HP**
Fine-tuning of the implemented models, 114
- VRNA_MODEL_DEFAULT_TEMPERATURE**
- Fine-tuning of the implemented models, 113
- VRNA_MODEL_DEFAULT_UNIQ_ML**
Fine-tuning of the implemented models, 116
- VRNA_MODEL_DEFAULT_WINDOW_SIZE**
Fine-tuning of the implemented models, 117
- VRNA_MOVESET_DEFAULT**
Neighborhood relation and move sets for secondary structures, 284
- VRNA_MOVESET_DELETION**
Neighborhood relation and move sets for secondary structures, 283
- VRNA_MOVESET_INSERTION**
Neighborhood relation and move sets for secondary structures, 283
- VRNA_MOVESET_NO_LP**
Neighborhood relation and move sets for secondary structures, 284
- VRNA_MOVESET_SHIFT**
Neighborhood relation and move sets for secondary structures, 283
- VRNA_OBJECTIVE_FUNCTION_ABSOLUTE**
Generate soft constraints from data, 298
- VRNA_OBJECTIVE_FUNCTION_QUADRATIC**
Generate soft constraints from data, 298
- VRNA_OPTION_EVAL_ONLY**
The Fold Compound, 384
- VRNA_OPTION_MFE**
The Fold Compound, 383
- VRNA_OPTION_MULTILINE**
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 447
- VRNA_OPTION_PF**
The Fold Compound, 383
- VRNA_PATH_DEFAULT**
Refolding paths of secondary structures, 288
- VRNA_PATH_NO_TRANSITION_OUTPUT**
Refolding paths of secondary structures, 288
- VRNA_PATH_RANDOM**
Refolding paths of secondary structures, 288
- VRNA_PATH_STEEPEST_DESCENT**
Refolding paths of secondary structures, 287
- VRNA_PLOT_TYPE_CIRCULAR**
Functions for Creating Secondary Structure Plots, Dot-Plots, and More, 467
- VRNA_PLOT_TYPE_NAVIEW**
Functions for Creating Secondary Structure Plots, Dot-Plots, and More, 466
- VRNA_PLOT_TYPE_SIMPLE**
Functions for Creating Secondary Structure Plots, Dot-Plots, and More, 466
- VRNA_PROBS_WINDOW_BPP**
Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures, 358
- VRNA_PROBS_WINDOW_STACKP**
Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures, 359
- VRNA_PROBS_WINDOW_UP_SPLIT**

Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures, [359](#)
VRNA_PROBS_WINDOW_UP
 Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures, [358](#)
VRNA_STATUS_MFE_POST
 The Fold Compound, [382](#)
VRNA_STATUS_MFE_PRE
 The Fold Compound, [382](#)
VRNA_STATUS_PF_POST
 The Fold Compound, [383](#)
VRNA_STATUS_PF_PRE
 The Fold Compound, [383](#)
ViennaRNA/1.8.4_epars.h, [481](#)
ViennaRNA/1.8.4_intloops.h, [481](#)
ViennaRNA/2Dfold.h, [482](#)
ViennaRNA/2Dpfold.h, [483](#)
ViennaRNA/LPfold.h, [527](#)
ViennaRNA/Lfold.h, [526](#)
ViennaRNA/MEA.h, [528](#)
ViennaRNA/PS_dot.h, [558](#)
ViennaRNA/RNAstruct.h, [560](#)
ViennaRNA/alifold.h, [487](#)
ViennaRNA/aln_util.h, [488](#)
ViennaRNA/alphabet.h, [490](#)
ViennaRNA/boltzmann_sampling.h, [490](#)
ViennaRNA/centroid.h, [491](#)
ViennaRNA/cofold.h, [492](#)
ViennaRNA/combinatorics.h, [493](#)
ViennaRNA/commands.h, [493](#)
ViennaRNA/constraints.h, [494](#)
ViennaRNA/constraints_SHAPE.h, [501](#)
ViennaRNA/constraints_hard.h, [496](#)
ViennaRNA/constraints_ligand.h, [501](#)
ViennaRNA/constraints_soft.h, [503](#)
ViennaRNA/convert_epars.h, [505](#)
ViennaRNA/data_structures.h, [505](#)
ViennaRNA/dist_vars.h, [507](#)
ViennaRNA/dp_matrices.h, [508](#)
ViennaRNA/duplex.h, [509](#)
ViennaRNA/edit_cost.h, [510](#)
ViennaRNA/energy_const.h, [510](#)
ViennaRNA/equilibrium_probs.h, [512](#)
ViennaRNA/eval.h, [512](#)
ViennaRNA/exterior_loops.h, [514](#)
ViennaRNA/file_formats.h, [515](#)
ViennaRNA/file_formats_msa.h, [516](#)
ViennaRNA/file_utils.h, [517](#)
ViennaRNA/findpath.h, [517](#)
ViennaRNA/fold.h, [518](#)
ViennaRNA/fold_compound.h, [519](#)
ViennaRNA/fold_vars.h, [521](#)
ViennaRNA/gquad.h, [523](#)
ViennaRNA/grammar.h, [523](#)
ViennaRNA/hairpin_loops.h, [524](#)
ViennaRNA/interior_loops.h, [525](#)
ViennaRNA/inverse.h, [525](#)
ViennaRNA/loop_energies.h, [526](#)
ViennaRNA/mfe.h, [529](#)
ViennaRNA/mm.h, [529](#)
ViennaRNA/model.h, [530](#)
ViennaRNA/multibranch_loops.h, [534](#)
ViennaRNA/naview.h, [535](#)
ViennaRNA/neighbor.h, [535](#)
ViennaRNA/params.h, [536](#)
ViennaRNA/part_func.h, [537](#)
ViennaRNA/part_func_co.h, [541](#)
ViennaRNA/part_func_up.h, [547](#)
ViennaRNA/perturbation_fold.h, [548](#)
ViennaRNA/plot_aln.h, [549](#)
ViennaRNA/plot_layouts.h, [549](#)
ViennaRNA/plot_structure.h, [550](#)
ViennaRNA/plot_utils.h, [555](#)
ViennaRNA/profiledist.h, [556](#)
ViennaRNA/read_epars.h, [559](#)
ViennaRNA/ribo.h, [559](#)
ViennaRNA/string_utils.h, [561](#)
ViennaRNA/stringdist.h, [564](#)
ViennaRNA/structure_utils.h, [565](#)
ViennaRNA/structured_domains.h, [568](#)
ViennaRNA/subopt.h, [568](#)
ViennaRNA/treelist.h, [570](#)
ViennaRNA/units.h, [571](#)
ViennaRNA/unstructured_domains.h, [572](#)
ViennaRNA/utils.h, [574](#)
ViennaRNA/walk.h, [580](#)
vrna_BT_hp_loop
 Process and evaluate individual loops, [100](#)
vrna_BT_mb_loop
 Process and evaluate individual loops, [103](#)
vrna_C11_features
 Data Structures and Preprocessor Macros, [315](#)
vrna_E_ext_hp_loop
 Process and evaluate individual loops, [99](#)
vrna_E_hp_loop
 Process and evaluate individual loops, [98](#)
vrna_E_mb_loop_stack
 Process and evaluate individual loops, [103](#)
vrna_Lfold
 Local MFE Structure Prediction and Z-scores, [354](#)
vrna_Lfoldz
 Local MFE Structure Prediction and Z-scores, [355](#)
vrna_alifold
 MFE Consensus Structures for Sequence Alignment(s), [250](#)
vrna_alloc
 Utilities, [322](#)
vrna_aln_conservation_col
 Utilities for sequence alignments, [439](#)
vrna_aln_conservation_struct
 Utilities for sequence alignments, [438](#)
vrna_aln_copy
 Utilities for sequence alignments, [438](#)
vrna_aln_free
 Utilities for sequence alignments, [436](#)
vrna_aln_mpi

Utilities for sequence alignments, 435
vrna_aln_pinfo
Utilities for sequence alignments, 435
vrna_aln_slice
Utilities for sequence alignments, 436
vrna_aln_toRNA
Utilities for sequence alignments, 437
vrna_aln_uppercase
Utilities for sequence alignments, 437
vrna_backtrack5_TwoD
Calculating MFE representatives of a Distance Based Partitioning, 266
vrna_basepair_s, 312
vrna_bp_distance
Parsing, converting, comparing secondary structures, 424
vrna_bp_stack_s, 312
vrna_callback_free_auxdata
The Fold Compound, 384
vrna_callback_hc_evaluate
Hard constraints, 192
vrna_callback_recursion_status
The Fold Compound, 385
vrna_callback_sc_backtrack
Soft constraints, 202
vrna_callback_sc_energy
Soft constraints, 199
vrna_callback_sc_exp_energy
Soft constraints, 201
vrna_callback_ud_energy
Unstructured domains, 161
vrna_callback_ud_exp_energy
Unstructured domains, 162
vrna_callback_ud_exp_production
Unstructured domains, 163
vrna_callback_ud_probs_add
Unstructured domains, 163
vrna_callback_ud_probs_get
Unstructured domains, 163
vrna_callback_ud_production
Unstructured domains, 163
vrna_centroid
Compute the centroid structure, 241
vrna_centroid_from_plist
Compute the centroid structure, 241
vrna_centroid_from_probs
Compute the centroid structure, 242
vrna_circalifold
MFE Consensus Structures for Sequence Alignment(s), 251
vrna_circfold
MFE Structures of single Nucleic Acid Sequences, 332
vrna_cofold
MFE Structures of two hybridized Sequences, 339
vrna_color_s, 312
vrna_command_s, 445
vrna_commands_apply
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 452
vrna_commands_free
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 453
vrna_constraints_add
Constraining the RNA folding grammar, 182
vrna_convert_energy
Functions to convert between various units, 474
vrna_convert_temperature
Functions to convert between various units, 474
vrna_cpair_s, 312
vrna_cut_point_insert
Parsing, converting, and comparing sequences, 408
vrna_cut_point_remove
Parsing, converting, and comparing sequences, 408
vrna_data_linear_s, 312
vrna_db_flatten
Parsing, converting, comparing secondary structures, 422
vrna_db_flatten_to
Parsing, converting, comparing secondary structures, 422
vrna_db_from_WUSS
Parsing, converting, comparing secondary structures, 423
vrna_db_from_bp_stack
Parsing, converting, comparing secondary structures, 425
vrna_db_from plist
Parsing, converting, comparing secondary structures, 426
vrna_db_from_ptable
Parsing, converting, comparing secondary structures, 423
vrna_db_pack
Parsing, converting, comparing secondary structures, 419
vrna_db_unpack
Parsing, converting, comparing secondary structures, 419
vrna_dimer_conc_s, 347
vrna_dimer_pf_s, 347
vrna_dotplot_auxdata_t, 466
vrna_elem_prob_s, 412
vrna_enumerate_necklaces
Utilities, 321
vrna_eval_covar_structure
Free energy evaluation, 73
vrna_eval_hp_loop
Process and evaluate individual loops, 99
vrna_eval_int_loop
Process and evaluate individual loops, 103
vrna_eval_loop_pt

Free energy evaluation, 81
vrna_eval_move
 Free energy evaluation, 81
vrna_eval_move_pt
 Free energy evaluation, 82
vrna_eval_structure
 Free energy evaluation, 72
vrna_eval_structure_pt
 Free energy evaluation, 77
vrna_eval_structure_pt_simple
 Free energy evaluation, 77
vrna_eval_structure_pt_simple_v
 Free energy evaluation, 80
vrna_eval_structure_pt_simple_verbose
 Free energy evaluation, 79
vrna_eval_structure_pt_v
 Free energy evaluation, 79
vrna_eval_structure_pt_verbose
 Free energy evaluation, 78
vrna_eval_structure_simple
 Free energy evaluation, 73
vrna_eval_structure_simple_v
 Free energy evaluation, 76
vrna_eval_structure_simple_verbose
 Free energy evaluation, 75
vrna_eval_structure_v
 Free energy evaluation, 75
vrna_eval_structure_verbose
 Free energy evaluation, 74
vrna_exp_E_hp_loop
 Process and evaluate individual loops, 100
vrna_exp_param_s, 144
 alpha, 145
 id, 144
vrna_exp_params
 Energy parameters, 147
vrna_exp_params_comparative
 Energy parameters, 148
vrna_exp_params_copy
 Energy parameters, 148
vrna_exp_params_rescale
 Energy parameters, 150
vrna_exp_params_reset
 Energy parameters, 151
vrna_exp_params_subst
 Energy parameters, 149
vrna_extract_record_rest_constraint
 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 458
vrna_extract_record_rest_structure
 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 456
vrna_fc_s, 374
 auxdata, 377
 cons_seq, 380
 free_auxdata, 377
n_seq, 379
pscore, 381
pscore_local, 381
pscore_pf_compat, 381
ptype, 378
ptype_pf_compat, 378
S, 380
S3, 381
S5, 380
S_cons, 380
sc, 379
scs, 382
sequence, 377
sequence_encoding, 378
sequences, 379
stat_cb, 377
type, 376
vrna_fc_type_e
 The Fold Compound, 385
vrna_file_PS_rnplot
 plot_structure.h, 551
vrna_file_PS_rnplot_a
 plot_structure.h, 552
vrna_file_SHAPE_read
 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 457
vrna_file_bpseq
 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 454
vrna_file_commands_apply
 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 451
vrna_file_commands_read
 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 451
vrna_file_connect
 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 453
vrna_file_fasta_read_record
 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 455
vrna_file_helixlist
 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 453
vrna_file_json
 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, 455
vrna_file_msa_detect_format
 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments,

vrna_file_msa_read [461](#)
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [458](#)

vrna_file_msa_read_record [460](#)
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [460](#)

vrna_file_msa_write [462](#)
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [462](#)

vrna_filename_sanitize [463](#)
Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments, [463](#)

vrna_fold [331](#)
MFE Structures of single Nucleic Acid Sequences, [331](#)

vrna_fold_compound [386](#)
The Fold Compound, [386](#)

vrna_fold_compound_add_auxdata [388](#)
The Fold Compound, [388](#)

vrna_fold_compound_add_callback [389](#)
The Fold Compound, [389](#)

vrna_fold_compound_comparative [387](#)
The Fold Compound, [387](#)

vrna_fold_compound_free [388](#)
The Fold Compound, [388](#)

vrna_gr_aux_s, [479](#)

vrna_hamming_distance [406](#)
Parsing, converting, and comparing sequences, [406](#)

vrna_hamming_distance_bound [406](#)
Parsing, converting, and comparing sequences, [406](#)

vrna_hc_add_bp [194](#)
Hard constraints, [194](#)

vrna_hc_add_bp_nonspecific [195](#)
Hard constraints, [195](#)

vrna_hc_add_data [499](#)
constraints_hard.h, [499](#)

vrna_hc_add_from_db [196](#)
Hard constraints, [196](#)

vrna_hc_add_up [193](#)
Hard constraints, [193](#)

vrna_hc_add_up_batch [194](#)
Hard constraints, [194](#)

vrna_hc_bp_storage_t, [479](#)

vrna_hc_free [195](#)
Hard constraints, [195](#)

vrna_hc_init [193](#)
Hard constraints, [193](#)

vrna_hc_s, [187](#)
free_data, [188](#)

vrna_hc_type_e [499](#)
constraints_hard.h, [499](#)

vrna_hc_up_s, [188](#)

vrna_hx_s, [412](#)

vrna_idx_col_wise [329](#)
Utilities, [329](#)

vrna_idx_row_wise [328](#)
Utilities, [328](#)

vrna_int_urn [326](#)
Utilities, [326](#)

vrna_loopidx_update [285](#)
Neighborhood relation and move sets for secondary structures, [285](#)

vrna_md_copy [119](#)
Fine-tuning of the implemented models, [119](#)

vrna_md_defaults_backtrack [130](#)
Fine-tuning of the implemented models, [130](#)

vrna_md_defaults_backtrack_get [130](#)
Fine-tuning of the implemented models, [130](#)

vrna_md_defaults_backtrack_type [131](#)
Fine-tuning of the implemented models, [131](#)

vrna_md_defaults_backtrack_type_get [131](#)
Fine-tuning of the implemented models, [131](#)

vrna_md_defaults_betaScale [122](#)
Fine-tuning of the implemented models, [122](#)

vrna_md_defaults_betaScale_get [122](#)
Fine-tuning of the implemented models, [122](#)

vrna_md_defaults_circ [127](#)
Fine-tuning of the implemented models, [127](#)

vrna_md_defaults_circ_get [127](#)
Fine-tuning of the implemented models, [127](#)

vrna_md_defaults_compute_bpp [131](#)
Fine-tuning of the implemented models, [131](#)

vrna_md_defaults_compute_bpp_get [132](#)
Fine-tuning of the implemented models, [132](#)

vrna_md_defaults_cv_fact [136](#)
Fine-tuning of the implemented models, [136](#)

vrna_md_defaults_cv_fact_get [136](#)
Fine-tuning of the implemented models, [136](#)

vrna_md_defaults_dangles [122](#)
Fine-tuning of the implemented models, [122](#)

vrna_md_defaults_dangles_get [123](#)
Fine-tuning of the implemented models, [123](#)

vrna_md_defaults_energy_set [129](#)
Fine-tuning of the implemented models, [129](#)

vrna_md_defaults_energy_set_get [130](#)
Fine-tuning of the implemented models, [130](#)

vrna_md_defaults_gquad [128](#)
Fine-tuning of the implemented models, [128](#)

vrna_md_defaults_gquad_get [128](#)
Fine-tuning of the implemented models, [128](#)

vrna_md_defaults_logML [127](#)
Fine-tuning of the implemented models, [127](#)

vrna_md_defaults_logML_get [126](#)
Fine-tuning of the implemented models, [126](#)

vrna_md_defaults_max_bp_span [132](#)
Fine-tuning of the implemented models, [132](#)

vrna_md_defaults_max_bp_span_get [133](#)
Fine-tuning of the implemented models, [133](#)

vrna_md_defaults_min_loop_size

Fine-tuning of the implemented models, 133
vrna_md_defaults_min_loop_size_get
 Fine-tuning of the implemented models, 133
vrna_md_defaults_nc_fact
 Fine-tuning of the implemented models, 137
vrna_md_defaults_nc_fact_get
 Fine-tuning of the implemented models, 137
vrna_md_defaults_noGU_get
 Fine-tuning of the implemented models, 125
vrna_md_defaults_noGUclosure
 Fine-tuning of the implemented models, 125
vrna_md_defaults_noGUclosure_get
 Fine-tuning of the implemented models, 126
vrna_md_defaults_noGU
 Fine-tuning of the implemented models, 125
vrna_md_defaults_noLP_get
 Fine-tuning of the implemented models, 124
vrna_md_defaults_noLP
 Fine-tuning of the implemented models, 124
vrna_md_defaults_oldAliEn
 Fine-tuning of the implemented models, 134
vrna_md_defaults_oldAliEn_get
 Fine-tuning of the implemented models, 135
vrna_md_defaults_reset
 Fine-tuning of the implemented models, 120
vrna_md_defaults_ribo
 Fine-tuning of the implemented models, 135
vrna_md_defaults_ribo_get
 Fine-tuning of the implemented models, 136
vrna_md_defaults_sfact
 Fine-tuning of the implemented models, 137
vrna_md_defaults_sfact_get
 Fine-tuning of the implemented models, 138
vrna_md_defaults_special_hp
 Fine-tuning of the implemented models, 123
vrna_md_defaults_special_hp_get
 Fine-tuning of the implemented models, 124
vrna_md_defaults_temperature
 Fine-tuning of the implemented models, 121
vrna_md_defaults_temperature_get
 Fine-tuning of the implemented models, 121
vrna_md_defaults_uniq_ML_get
 Fine-tuning of the implemented models, 129
vrna_md_defaults_uniq_ML
 Fine-tuning of the implemented models, 128
vrna_md_defaults_window_size
 Fine-tuning of the implemented models, 134
vrna_md_defaults_window_size_get
 Fine-tuning of the implemented models, 134
vrna_md_option_string
 Fine-tuning of the implemented models, 120
vrna_md_s, 110
 dangles, 112
 min_loop_size, 113
vrna_md_set_default
 Fine-tuning of the implemented models, 119
vrna_md_update
 Fine-tuning of the implemented models, 119

vrna_mean_bp_distance
 Partition function and equilibrium properties, 216
vrna_mean_bp_distance_pr
 Partition function and equilibrium properties, 215
vrna_message_constraint_options
 Constraining the RNA folding grammar, 183
vrna_message_constraint_options_all
 Constraining the RNA folding grammar, 184
vrna_message_error
 Utilities, 323
vrna_message_info
 Utilities, 324
vrna_message_input_seq
 Utilities, 328
vrna_message_input_seq_simple
 Utilities, 327
vrna_message_verror
 Utilities, 323
vrna_message_vinfo
 Utilities, 325
vrna_message_vwarning
 Utilities, 324
vrna_message_warning
 Utilities, 324
vrna_mfe
 Minimum Free Energy (MFE) algorithms, 212
vrna_mfe_TwoD
 Calculating MFE representatives of a Distance Based Partitioning, 265
vrna_mfe_dimer
 MFE Structures of two hybridized Sequences, 344
vrna_mfe_window
 Local MFE Structure Prediction and Z-scores, 356
vrna_mfe_window_callback
 Minimum Free Energy (MFE) algorithms, 212
vrna_mfe_window_zscore
 Local MFE Structure Prediction and Z-scores, 357
vrna_move_apply
 Neighborhood relation and move sets for secondary structures, 284
vrna_move_list_free
 Neighborhood relation and move sets for secondary structures, 284
vrna_move_s, 282
 next, 283
 pos_3, 283
 pos_5, 282
vrna_mx_add
 The Dynamic Programming Matrices, 393
vrna_mx_mfe_free
 The Dynamic Programming Matrices, 393
vrna_mx_mfe_s, 391
vrna_mx_pf_aux_el_t, 93
vrna_mx_pf_aux_ml_t, 93
vrna_mx_pf_free
 The Dynamic Programming Matrices, 394
vrna_mx_pf_s, 391
vrna_mx_type_e

The Dynamic Programming Matrices, 392
vrna_neighbors
 Neighborhood relation and move sets for secondary structures, 285
vrna_neighbors_successive
 Neighborhood relation and move sets for secondary structures, 286
vrna_nucleotide_decode
 Utilities, 321
vrna_nucleotide_encode
 Utilities, 320
vrna_param_s, 144
vrna_params
 Energy parameters, 146
vrna_params_copy
 Energy parameters, 147
vrna_params_reset
 Energy parameters, 151
vrna_params_subst
 Energy parameters, 149
vrna_path
 Refolding paths of secondary structures, 289
vrna_path_findpath
 Direct refolding paths between two secondary structures, 397
vrna_path_findpath_saddle
 Direct refolding paths between two secondary structures, 396
vrna_path_gradient
 Refolding paths of secondary structures, 289
vrna_path_random
 Refolding paths of secondary structures, 290
vrna_path_s, 395
vrna_pbacktrack
 Structure sampling from the ensemble, 237
vrna_pbacktrack5
 Structure sampling from the ensemble, 236
vrna_pbacktrack5_TwoD
 Stochastic Backtracking of Structures from Distance Based Partitioning, 274
vrna_pbacktrack_TwoD
 Stochastic Backtracking of Structures from Distance Based Partitioning, 273
vrna_pf
 Partition function and equilibrium properties, 217
vrna_pf_TwoD
 Calculate Partition Functions of a Distance Based Partitioning, 271
vrna_pf_alifold
 Partition Function and Base Pair Probabilities for Sequence Alignment(s), 254
vrna_pf_circalifold
 Partition Function and Base Pair Probabilities for Sequence Alignment(s), 255
vrna_pf_circfold
 Partition function and equilibrium properties, 218
vrna_pf_dimer
 Partition Function for two hybridized Sequences, 348
vrna_pf_dimer_concentrations
 Partition Function for two hybridized Sequences, 349
vrna_pf_dimer_probs
 Partition Function for two hybridized Sequences, 348
vrna_pf_float_precision
 part_func.h, 539
vrna_pf_fold
 Partition function and equilibrium properties, 217
vrna_pf_fold_cb
 Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures, 359
vrna_pf_fold_up
 Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures, 361
vrna_pf_fold_up_cb
 Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures, 362
vrna_pinfo_s, 434
vrna_plist
 Parsing, converting, comparing secondary structures, 425
vrna_plist_from_probs
 Partition function and equilibrium properties, 225
vrna_probs_window
 Partition Function and Equilibrium Probabilities for Locally Stable Secondary Structures, 362
vrna_probs_window_callback
 LPfold.h, 527
vrna_pt_pk_get
 Parsing, converting, comparing secondary structures, 421
vrna_pt_snoop_get
 Parsing, converting, comparing secondary structures, 422
vrna_ptable
 Parsing, converting, comparing secondary structures, 420
vrna_ptable_copy
 Parsing, converting, comparing secondary structures, 421
vrna_ptable_from_string
 Parsing, converting, comparing secondary structures, 420
vrna_ptypes
 Utilities, 320
vrna_random_string
 Parsing, converting, and comparing sequences, 405
vrna_read_line
 Functions to Read/Write several File Formats for RNA Sequences, Structures, and Alignments,

463
 vrna_realloc
 Utilities, 322
 vrna_refBPcnt_matrix
 Parsing, converting, comparing secondary structures, 424
 vrna_refBPdist_matrix
 Parsing, converting, comparing secondary structures, 425
 vrna_sc_SHAPE_parse_method
 constraints_SHAPE.h, 502
 vrna_sc_SHAPE_to_pr
 SHAPE reactivity data, 296
 vrna_sc_add_SHAPE_deigan
 SHAPE reactivity data, 293
 vrna_sc_add_SHAPE_deigan_ali
 SHAPE reactivity data, 294
 vrna_sc_add_SHAPE_zarringhalam
 SHAPE reactivity data, 295
 vrna_sc_add_bp
 Soft constraints, 204
 vrna_sc_add_bt
 Soft constraints, 207
 vrna_sc_add_data
 Soft constraints, 206
 vrna_sc_add_exp_f
 Soft constraints, 208
 vrna_sc_add_f
 Soft constraints, 207
 vrna_sc_add_hi_motif
 Incorporating ligands binding to specific sequence/structure motifs using soft constraints, 305
 vrna_sc_add_up
 Soft constraints, 205
 vrna_sc_bp_storage_t, 480
 vrna_sc_free
 Soft constraints, 206
 vrna_sc_init
 Soft constraints, 202
 vrna_sc_minimize_perturbation
 Generate soft constraints from data, 300
 vrna_sc_motif_s, 480
 vrna_sc_remove
 Soft constraints, 206
 vrna_sc_s, 198
 bt, 199
 exp_f, 199
 f, 199
 vrna_sc_set_bp
 Soft constraints, 203
 vrna_sc_set_up
 Soft constraints, 204
 vrna_sc_type_e
 constraints_soft.h, 504
 vrna_sect_s, 312
 vrna_seq_toRNA
 Parsing, converting, and comparing sequences, 407
 vrna_seq_toupper
 Parsing, converting, and comparing sequences, 407
 vrna_sol_TwoD_pf_t, 270
 Calculate Partition Functions of a Distance Based Partitioning, 271
 vrna_sol_TwoD_t, 263
 Calculating MFE representatives of a Distance Based Partitioning, 264
 vrna_stack_prob
 Partition function and equilibrium properties, 216
 vrna_strcat_printf
 Parsing, converting, and comparing sequences, 403
 vrna_strcat_vprintf
 Parsing, converting, and comparing sequences, 404
 vrna_strdup_printf
 Parsing, converting, and comparing sequences, 402
 vrna_strdup_vprintf
 Parsing, converting, and comparing sequences, 403
 vrna_strsplit
 Parsing, converting, and comparing sequences, 405
 vrna_structured_domains_s, 480
 vrna_subopt
 Suboptimal structures within an energy band around the MFE, 232
 vrna_subopt_callback
 Suboptimal structures within an energy band around the MFE, 231
 vrna_subopt_cb
 Suboptimal structures within an energy band around the MFE, 233
 vrna_subopt_sol_s, 480
 vrna_subopt_zuker
 Suboptimal structures sensu Stiegler et al. 1984 / Zuker et al. 1989, 229
 vrna_time_stamp
 Utilities, 326
 vrna_ud_add_motif
 Unstructured domains, 164
 vrna_ud_remove
 Unstructured domains, 165
 vrna_ud_set_data
 Unstructured domains, 165
 vrna_ud_set_exp_prod_rule_cb
 Unstructured domains, 167
 vrna_ud_set_prob_cb
 unstructured_domains.h, 573
 vrna_ud_set_prod_rule_cb
 Unstructured domains, 166
 vrna_unit_energy_e
 Functions to convert between various units, 472

vrna_unit_temperature_e
 Functions to convert between various units, [473](#)

vrna_unstructured_domain_motif_s, [480](#)

vrna_unstructured_domain_s, [160](#)
 prod_cb, [161](#)

vrna_urn
 Utilities, [325](#)

warn_user
 utils.h, [577](#)

write_parameter_file
 Reading/Writing Energy Parameter Sets from/to
 File, [366](#)

xrealloc
 utils.h, [578](#)

xrna_plot
 plot_structure.h, [554](#)

xsubi
 Utilities, [329](#)

zukersubopt
 Suboptimal structures sensu Stiegler et al. 1984 /
 Zuker et al. 1989, [230](#)

zukersubopt_par
 Suboptimal structures sensu Stiegler et al. 1984 /
 Zuker et al. 1989, [230](#)